

Daftar Pustaka

- Baffoni L, Gaggia F, Gioia DD, Biavati B. 2012. Role of intestinal microbiota in colon cancer prevention. *Ann Microbiol*, 62:15–30.
- Belenguer, A. et al. 2006. Two routes of metabolic cross-feeding between *Bifidobacterium adolescentis* and butyrate-producing anaerobes from the human gut. *Appl. Environ. Microbiol.* 72, 3593–3599
- Chen HM, Yu YN, Wang JL, Lin YW, Kong X, Yang CQ, et al. 2013. Decreased dietary fiber intake and structural alteration of gut microbiota in patients with advanced colorectal adenoma. *Am J Clin Nutr.* 97:1044–52.
- Choi JH, Lee KM, Lee MK, Cha CJ, Kim GB. 2014. *Bifidobacterium faecale* sp.nov., isolated from human faeces. *Int J Syst Evol Microbiol*, 64:3134–3139.
- Conlon MA, Bird AR. 2015. The Impact of Diet and Lifestyle on Gut Microbiota and Human Health. *Nutrients*, 7; 17-44.
- Corthier G, Dore J. 2010. A new era in gut research concerning interactions between microbiota and human health. *Gastroenterologie Clinique et Biologique* 34 (1): S1-S6.
- Cummings IH. 1995. *Short chain fatty acids In Human Colonic Bacteria: Role in Nutrition*. Physiology and Pathology, pp101-130. Boca Raton, FL: CRC Press.
- De Filippo C, Cavalieri D, Paola MD, Ramazzotti M, Poullet JB, Massart S, Collini S, Pieraccini G, Lionetti P. 2010. Impact of diet in shaping gut microbiota revealed by a comparative study in children from Europe and rural Africa. *PNAS*, 107(33):14691–14696.
- Degnan BA. 1992. *Transport and metabolism of carbohydrates by anaerobic gut bacteria*. PhD thesis, University of Cambridge.
- Derrien M, Johan ET, van Hyleckama Vlieg. 2015. Fate, activity, and impact of ingested bacteria within the human gut microbiota. *Trends in Microbiology*, 23(6):354-366.
- Duncan SH, Barcenila A, Stewart CS, Pryde SE, Flint HJ. 2002. Acetate utilization and butyryl coenzyme A (CoA), acetate CoA transferase in butyrate producing bacteria from the human large intestine. *Appl Environ Microbiol*, 68:5186-5190
- Duncan SH, Belenguer A, Holtrop G, Johnstone AM, Flint HJ, Lobley GE. 2007. Reduced dietary intake of carbohydrates by obese subjects results in decreased

concentrations of butyrate and butyrate-producing bacteria in feces. *Appl Environ Microbiol*, 73: 1073–1078.

Duncan SH, Flint HJ. 2013. Probiotics and prebiotics and health in ageing populations. *Maturitas* 75:44–50.

Falony G, Vlachou A, Verbrugghe K, DeVuyst L. 2006. Cross-feeding between *Bifidobacterium longum* BB536 and acetate-converting butyrate-producing colon bacteria during growth on oligofructose. *Appl Environ Microbiol* 72:7835–7841.

Felis GE, Dellaglio F, Torriani S. 2009. *Taxonomy of probiotics microorganisms*. Springer Science, pp 606.

Gerritsen J., Smidt H., Rijkers GT., de Vos WM. 2011. Intestinal microbiota in human health and disease: the impact of probiotics. *Genes Nutr*, 6:209–240.

Gogineni VK, Morrow LE, Malesker MA. 2013. Probiotics: Mechanisms of action and clinical applications. *Probiotics & Health* 1:101.

Goossens, D.A.M., Jonkers, D.M.A.E., Russel, M.G.V.M., Stobberingh, E.E. and Stockbrügger, R.W., 2006. The effect of a probiotic drink with *Lactobacillus plantarum* 299v on the bacterial composition in faeces and mucosal biopsies of rectum and ascending colon. *Alimentary pharmacology & therapeutics*, 23(2), pp.255-263.

Harahap IA. 2016. Recovery *Lactobacillus plantarum* Mut-7 pada feses orang Indonesia dewasa sehat yang mengkonsumsi susu fermentasi dengan deteksi molekuler. Thesis. Universitas Gadjah Mada: Yogyakarta.

Hijova E, Chmelarova A. 2007. Short chain fatty acids and colonic health. *Bratisl Lek Listy*, 108(8); 354-358.

Ikhsani AY. 2016. Evaluasi keamanan strain probiotik indigenous *Lactobacillus plantarum* Mut-7 menggunakan model tikus Sprague dawley. Tesis. Universitas Gadjah Mada. Yogyakarta.

Jandhyala SM, Talukdar R, Subramanyam C, Vuyyuru H, Sasikala M, Reddy DN. 2015. Role of the normal gut microbiota, *World J Gastroenterol*, 21(29): 8787-8803.

Johnson-Henry KC, Hagen KE, Gordonpour M, Tompkins TA, Sherman PM. 2007. Surface-layer protein extracts from *Lactobacillus helveticus* inhibit enterohaemorrhagic *Escherichia coli* O157:H7 adhesion to epithelial cells. *Cell Microbiol* 9: 356-367.

- Kusumawati, N, Jenie BSL, Setyahadi S, Dewanti-Hariyadi R. 2008. Aktivitas antibakteri laktobasili asal makanan fermentasi indonesia terhadap patogen dan dan pengaruhnya terhadap mikroflora usus. *J. Obat Bahan Alam*, 7: 69-75.
- La-ongkham O, Nakphaichit M, Leelavatcharamas V, Keawsompong S, Nitisinprasert S. 2015. Distinct gut microbiota of healthy children from two different geographic regions of Thailand. *Arch Microbiol*, 197;561–573.
- Lay C, Sutren M, Rochet V, Saunier K, Dore J, Rigottier-Gois L. 2005. Design and validation of 16S rRNA probes to enumerate members of the *Clostridium leptum* subgroup in human faecal mikrobiota. *Environ Microbio* 7:933-46.
- LeBlanc JG, Chain F, Martín R, Bermúdez-Humarán LG, Courau S, Langella P. 2017. Beneficial effects on host energy metabolism of short-chain fatty acids and vitamins produced by commensal and probiotic bacteria. *Microbial Cell Factories*, 16:79.
- Lestari LA. 2014. Peran sinbiotik lokal *Lactobacillus plantarum* Mut-7 dan tepung ubi jalar (*Ipomoea batatas*) kaya serat terhadap respon imun dan mikrobiota digesta: kajian pada tikus *Sprague dawley* yang diinfeksi dengan *Salmonella typhimurium*. Disertasi. Universitas Gadjah Mada. Yogyakarta.
- Lin C, Chang C, Lu C, Martel J, Ojcius DM, Ko Y, Young JD, Hsin-Chih Lai H. 2014. Impact of the Gut Microbiota, Prebiotics, and Probiotics on Human Health and Disease. *Biomed*, 37(5):259-268.
- Louis P, Hold GL and Flint HJ. 2014. The gut microbiota, bacterial metabolites and colorectal cancer. *Nat.Rev.Microbiol*. 12,661–672.
- Louis P, Scott KP, Duncan SH, Flint HJ. 2007. Understanding the effects of diet on bacterial metabolism in the large intestine. *J. Appl. Microbiol*, 102:1197–1208.
- Louis P, Flint HJ. 2009. Diversity, metabolism and microbial ecology of butyrate producing bacteria from the human large intestine. *FEMS Microbiol Lett* 294:1–8.
- Macfarlane S and Macfarlane GT. 2003. Regulation of short-chain fatty acid production. *Proceedings of the Nutrition Society*, 62:67–72.
- Makarova K, Slesarev A, Wolfa Y, Sorokin A, Mirkin A, Koonin E, Pavlov A, Pavlov N, Karamychev V, Polouchine N, Shakhahova V, Grigorieve I, Lou Y, Rohksar D, Lucas S, Huang K, Goodstein DM, Hawkins T, Plengvidhya V, Welker D, Hughes J, Goh Y, Benson A, Baldwin K, Lee JH, Diaz-Mun I, Dostil B, Smeianov V, Wechterf W, Barabotem R, Lorcaf G, Altermann E, Barrangou R, Ganesann B, Xie Y, Rawsthornef H, Tamirf D, Parkerf C, Breidt

F, Broadbento J, Hutkins R, O’Sullivan D, Steele J, Unluq G, Saierm M, Klaenhammer T, Richardsone P, Kozyavkin S, Weimerd B, Millsd D. 2006. Comparative genomics of the lactic acid bacteria. *PNAS*, 103(42):15611-1516.

Matsuki, T., Watanabe, K., Fujimoto, J., Takada, T. and Tanaka, R., 2004. Use of 16S rRNA gene-targeted group-specific primers for real-time PCR analysis of predominant bacteria in human feces. *Applied and environmental microbiology*, 70(12), pp.7220-7228.

Matsumoto K, Takada T, Shimizu K, Kado Y, Kawakami K, Makino I, Yamaoka Y, Hirano K, Nishimura A, Kajimoto O, Nomoto K. 2006. The effects of a probiotic milk product containing *Lactobacillus casei* strain Shirota on the defecation frequency and the intestinal microflora of sub-optimal health state volunteers: a randomized placebo-controlled cross-over study. *Bioscience Microflora*, 25(2):39-48.

Moens F, Verce M, Vuyst LD. 2017. Lactate- and acetate-based cross-feeding interactions between selected strains of lactobacilli, bifidobacteria and colon bacteria in the presence of inulin-type fructans. *International Journal of Food Microbiology*, 241:225–236.

Nakayama J, Watanabe K, Jiang J, Matsuda K, Chao SH, Haryono P, La-ongkham O, Sarwoko MA, Sujaya IN, Zhao L, Chen KT, Chen YP, Chiu HH, Hidaka T, Huang NX, Kiyohara C, Kurakawa T, Sakamoto N, Sonomoto K, Tashiro K, Tsuji H, Chen MJ, Leelavatcharamas V, Liao CC, Nitisinpraser S, Rahayu ES, Ren FZ, Tsai YC, Lee YK. 2015. Diversity in gut bacterial community of school-age children in Asia. *Scientific Report*, 5:8397.

Malaguarnera G, Leggio F, Vacante M, Motta, Giordano M, Biondi A, Basile F, Mastrojeni S, Mistretta A, Malaguanera M, Toscano MA, Salmeri M. 2012. Probiotics in the gastrointestinal disease of the elderly. *The Journal of Nutrition, Health and Aging*, 16(4); 403-410.

Nagata S, Asahara T, Ohta T, Yamada T, Kondo S, Bian L, Wang C, Yamashiro Y, Nomoto K. 2011. Effect of the continuous intake of probiotic-fermented milk containing *Lactobacillus casei* strain Shirota on fever in a mass outbreak of norovirus gastroenteritis and the faecal microflora in a health service facility for the aged. *British Journal of Nutrition*, 106:549–556.

Nava GM, Carbonero F, Ou J, Benefiel AC, O’Keefe SJ, Gaskins HR. 2012. Hydrogenotrophic microbiota distinguish native Africans from African and European Americans. *Environ Microbiol Rep*, 4(3):307–315.

- Ngatirah, Harmayani E, Rahayu ES, Utami T. 2000. Seleksi bakteri asam laktat sebagai agensia probiotik yang berpotensi menurunkan kolesterol. *Prosiding Seminar Nasional Industri Pangan*. 2: 63 -70.
- Ogawa H, Rafiee P, Fisher PJ. 2003. Butyrate modulates gene and protein expression in human intestinal endothelial cells. *Biochem Biophys Res Commun* 309: 512-9.
- Pawartha PAA, Rimbawan, Tanziha I, Winarsih W, Usmiati S. 2015. Efficacy of Encapsulated *Lactobacillus casei* Probiotics as Anti Diarrheal Agent on Sprague Dawley Rats. *Pakistan Journal of Nutrition*, 14(10):666-671.
- Penner R, Fedorak RN, Madsen KL. 2005. Probiotics and nutraceuticals: nonmedicinal treatments of gastrointestinal diseases. *Curr Opin Pharmacol* 5: 596-603.
- Pituch A, Walkowiak J, Banaszkiwicz A. 2013. Butyric acid in functional constipation. *Prz Gastroenterol* 8 (5): 295–298
- Rahayu ES, Cahyanto MN, Mariyatun, Sarwoko MA, Haryono P, Windiarti L, Sutriyanto J, Kandarina I, Nurfiani S, Zulaichah E, Utami T. 2016. Effect of consumption of fermented milk containing indigenous probiotic *Lactobacillus plantarum* DAD-13 on the fecal mikrobiota of healthy Indonesian volunteers. *International Journal of Probiotics and prebiotics* 11(2):91-98.
- Ramraj SK and Venkatesan A. 2015. Health Benefits of Human Probiotic *Lactobacillus plantarum*. 629-642.
- Reichardt N, Duncan SH, Young P, Belenguer A, Leitch MC, Scott KP, et al.2014. Phylogenetic distribution of three pathways for propionate production within the human gut microbiota. *ISMEJ*, 8:1323–1335.
- Ríos-Covián D, Ruas-Madiedo P, Margolles A, Gueimonde M, de los Reyes-Gavilán CG, Salazar N. 2016. Intestinal Short Chain Fatty Acids and their Link with Diet and Human Health. *Frontiers in Microbiology*, 7;1-9.
- Riviere A, Selak M, Lantin D, Leroy F, De Vuyst L. 2016. Bifidobacteria and Butyrate-Producing Colon Bacteria: Importance and Strategies for Their Stimulation in the Human Gut. *Frontiers in Microbiology*, 7:1-21.
- Rodriguez-Palacios A, Staempfli HR, Weese JS. 2017. High Doses of Halotolerant Gut-Indigenous *Lactobacillus plantarum* Reduce Cultivable Lactobacilli in Newborn Calves without Increasing Its Species Abundance. *International Journal of Microbiology*, 1-11.

- Roediger WE. 1980. Role of aerobic bacteria In the metabolic welfare of colonic mucosa in man. *Gut* 21: 793-8.
- Rowe WA, Bayless TM. 1002. Colonic short-chain fatty acids: fuel from the lumen? *Gastroenterology* 103: 336-9.
- Russell WR, Gratz SW, Duncan SH, Holtrop G, Ince J, Scobbie L, Duncan G, Johnstone AM, Lobley GE, Wallace RJ, Duthie GG, Flint HJ. 2011. High-protein, reduced-carbohydrate weight-loss diets promote metabolite profiles likely to be detrimental to colonic health. *Am J Clin Nutr*, 93:1062–72.
- Salazar N, Dewulf EM, Neyrinck AM, Bindels LB, Cani PD, Mahillon J, de Vos DM, Jean-Paul Thissen J, Gueimonde M, de los Reyes-Gavilan CG, Delzenne NM. 2014. Inulin-type fructans modulate intestinal *Bifidobacterium* species populations and decrease fecal short-chain fatty acids in obese women. *Clinical Nutrition*, 1-7.
- Salminen S, Bouley C, Boutron-Ruault MC, Cummings JH, Franck A, Gibson GR, Isolauri E, Mores MC, Roberfroid M, Rowland I. 1998. *Functional food science and gastrointestinal physiology and function*, 80(1);S147-S171.
- Sellin JH. 1999. Sefa: the enigma of weak electrolyte transport in the colon. *News Physiol. Sci*, 14:58-64.
- Shioiri T, Yahagi K, Nakayama S, Asahara T, Yuki N, Kawakami K, Yamaoka Y, Sakai Y, Nomoto K, Totani M. 2006. The effect of a synbiotic fermented milk beverage containing *Lactobacillus casei* strain shirota and transgalactosylated oligosaccharides on defecation frequency, intestinal microflora, organic acid concentration and putrefactive metabolite of sub-optimal health state volunteers: a randomized placebo-controlled cross-over study. *Bioscience Microflora* 25(4):137-146.
- Singh RK, Chang H, Yan D, Lee KM, Ucmak D, Wong K, Abrouk M, Farahnik B, Nakamura M, Zhu TH, Bhutani T, Liao W. 2017. Influence of diet on the gut microbiome and implications for human health. *Journal of Translational Medicine*, 15(73):1-17.
- Sivieri, K., Morales, M.L.V., Adorno, M.A.T., Sakamoto, I.K., Saad, S.M.I. and Rossi, E.A., 2013. *Lactobacillus acidophilus* CRL 1014 improved “gut health” in the SHIME® reactor. *BMC gastroenterology*, 13(1), p.100.
- Stamatova I, Meurman JH. 2009. Probiotics: health benefits in the mouth. *Am J Dent* 22(6):329-38.

- Sokol H, Seksik P, Furet JP, Firmesse O, Nion-Larmurier I, Beaugerie L, 2009. Low counts of *Faecalibacterium praunitzii* in colitis microbiota. *Inflamm Bowel Dis* 15:1183-9.
- Tannock GW. 2001 Analysis of bifidobacterial populations in bowelecology studies in Bifidobacteria, Genomics and Molecular Aspects, eds B. Mayo and D. van Sinderen (Norwich:Caister Academic Press),1–15.
- Tomasik PJ and Piotr Tomasik P. 2003. Probiotics and Prebiotics. *Cereal Chem*, 80(2):113–117.
- Topping DL, Clifton PM. 2001. Short-chain fatty acids and human colonic function: roles of resistant starch and non starch polysaccharides. *Physiol Rev* 81: 1031-64.
- Turroni F, Foroni E, Pizzetti P, Giubellini V, Ribbera A, Merusi P. 2009. Exploring the diversity of the Bifidobacterial population in the human intestinal tract. *Appl Environ Microbiol* 75:1534–1545.
- Turroni, F. et al. 2009. Microbiomic analysis of the bifidobacterial population in the human distal gut. *ISME J*, 3:745–751
- Utami T, Cahyanto MN, Juffrie M, Rahayu ES. 2015. Recovery of *Lactobacillus casei* strain shirota (LcS) from the intestine of healthy Indonesian volunteers after intake of fermented milk and its impact on the enterobacteriaceae faecal microbiota. *International of Probiotics and Prebiotics*, 10(2/3):77-84.
- van Bokhorst-van de Veen, H. et al. 2012. Congruent strain specific intestinal persistence of *Lactobacillus plantarum* in an intestinemimicking in vitro system and in human volunteers. *PLOS ONE*, 7:44588
- Van den Abbeele P, Belzer C, Goossens M, Kleerebezem M, De Vos WM, Thas O. 2013. Butyrate-producing *Clostridium* cluster XIVa species specifically colonize mucin sinan invitro gutmodel. *ISMEJ* 7:949–961.
- Van den Broek LAM, Hinz SWA, Beldman G, Vincken JP, Voragen AGJ. 2008. *Bifidobacterium* carbohydrases-their role in breakdown and synthesis of (potential) prebiotics. *Nutr Food Res*, 52,146–163.
- Van den Broek LAM, Voragen AGJ. 2008. *Bifidobacterium* glycoside hydrolases and (potential) prebiotics. *Innov FoodSci Emerg Technol*, 9:401-407.
- Velasquez-Manoff M. 2015. Gut microbiome:the peacekeepers. *Nature* 518: S3–S11.
- Ventura M, Turroni F, Bottacini F, Giubellini V, van Sinderen D. 2011. *Bifidobacterial ecology and comparative genomics:perspectives and prospects*,

in Bifidobacteria, Genomics and Molecular Aspects, eds B Mayo and D vanSinderen (Norwich:CaisterAcademicPress):31–44.

Wadher KJ, Mahore JG, Umekar MJ. 2010. Probiotics: Living medicine in health maintenance and disease prevention. *International Journal of Pharma and Bio Sciences*, 1(3);1-9.

Walker AW, Duncan SH, Louis P, Flint HJ. 2014. Phylogeny, culturing and metagenomics of the human gut microbiota. *Trends Microbiol*, 22:267–274.

Wang C, Nagata S, Asahara T, Yuki N, Matsuda K, Tsuji H, Takahashi T, Nomoto K, Yamashiro Y. 2015. Intestinal Microbiota Profiles of Healthy Pre-School and School-Age Children and Effects of Probiotic Supplementation. *Ann Nutr Metab*, 67:257–266.

Willemsen LE, Koetsier MA, van Deventer SJ. 2003. Short chain fatty acids stimulate epithelial mucin 2 expression through differential effects on prostaglandin E(1) and E(2) production by intestinal myofibroblasts. *Gut* 52: 1442-7.

World Gastroenterology Organisation. 2011. *Probiotics and prebiotics*. World Gastroenterology Organisation Global Guidelines.

Yan F, Polk DB. 2006. Probiotics as functional food in the treatment of diarrhea. *Curr Opin Clin Nutr Metab Care* 9:717-721.

Yatsunenkov T, Rey FE, Manary MJ, Trehan I, Dominguez-Bello MG, Contreras M, Magris M, Hidalgo G, Baldassano RN, Anokhin AP, Heath AC, Warner B, Reeder J, Kuczynski J, Caporaso JG, Lozupone CA, Lauber C, Clemente JC, Knights D, Knight R, Gordon JI. 2012. Human gut microbiome viewed across age and geography. *Nature*, 486: 222-227.