



## DAFTAR PUSTAKA

- Abdullah, S. H. Y. S. Hanapi, N. H. M., Azid, A., Umar, R., Juahir, H., Khatoon, H., and Endut, A. (2017). A review of biomass-derived heterogeneous catalyst for a sustainable biodiesel production. *Renewable and Sustainable Energy Reviews*. Vol. 70. pp. 1040–1051. doi: 10.1016/j.rser.2016.12.008.
- Acisli, O. Khataee, A., Karaca, S., Karimi, A., and Dogan, E. (2017). Combination of ultrasonic and Fenton processes in the presence of magnetite nanostructures prepared by high energy planetary ball mill. *Ultrasonics Sonochemistry*. Elsevier B.V. Vol. 34. pp. 754–762. doi: 10.1016/j.ultsonch.2016.07.011.
- Anantharaman, A., Ramalakshmi, S. and George, M. (2016). Green Synthesis of Calcium Oxide Nanoparticles and Its Applications. *Int. Journal of Engineering Research and Application*. Vol. 6(10). pp. 27–31.
- Anonim (2016) *Indonesia Energy Outlook 2016: Energy Development in Supporting Green Industry*. 1st edn. Edited by A. Sugiyono et al. Jakarta: PTSEIK BPPT.
- Anonim (2008) *Kamus Besar Bahasa Indonesia*. 3rd edn. Jakarta: Balai Pustaka.
- Anonim (2017) *Perkembangan Penanganan Mutiara Laut Selatan di Perairan Nusa Tenggara Barat*. Dinas Provinsi Perikanan dan Kelautan Nusa Tenggara Barat.
- Anonim (2017) *Nanoteknologi-Partikel nano dalam bentuk serbuk-Karakteristik dan pengukuran SNI ISO/TS 17200:2015*. Jakarta: Badan Standardisasi Nasional.
- Anonim (2017) *Nanoteknologi-Kosakata-Bagian 4: Material berstruktur nano SNI ISO/TS 80004-4:2013*. Jakarta: Badan Standardisasi Nasional.
- Anonim (2006) *Spesifikasi Bahan Bakar Minyak Jenis Minyak Solar No. 3675 K/24/DJM/2006*. Jakarta: Direktur Jenderal Minyak dan Gas Bumi.
- Arita, S., Adipati, A. S. and Sari, D. P. (2014). Pembuatan katalis heterogen dari cangkang kerang darah (Anadara granosa) dan diaplikasikan pada reaksi transesterifikasi dari crude palm oil. *Jurnal Teknik Kimia*. Vol. 20(3). pp. 31–37.
- Arva, S.P., Helwani, Z. and Saputra, E. (2016). Sintesis *fly ash* yang dipregnasi dengan Na<sub>2</sub>O sebagai katalis pada proses transesterifikasi minyak sawit *off-grade* menjadi biodiesel. *Jurnal FTEKNIK*. Vol.3(1).
- Badrul, H.M, Rahmat, N., Steven, S., Syarifah, F., Shelly, W., and Agung, P.F. (2014). Synthesis and Characterization of Nano Calcium Oxide from Eggshell to be Catalyst of Biodiesel Waste Oil. *Proceedings of the 3<sup>rd</sup> Applied Science for Technology Innovation*. 13-14 August. 340-345.
- Banković-Ilić, I. B. Miladinović, M. R., Stamenković, O. S., and Veljković, V. B. (2017). Application of nano CaO-based catalysts in biodiesel synthesis. *Renewable*



and Sustainable Energy Reviews. Vol. 72. pp. 746–760. doi: 10.1016/j.rser.2017.01.076.

Baskar, G. Gurugulladevi, A., Nishanthini, T., Aiswarya, R., and Tamilarasan, K., (2017). Optimization and kinetics of biodiesel production from Mahua oil using manganese doped zinc oxide nanocatalyst. *Renewable Energy*. Elsevier Ltd. Vol. 103. pp. 641–646. doi: 10.1016/j.renene.2016.10.077.

Bhavya, C., Yogendra, K., Mahadevan, K.M., and Madhusudhana, N. (2016). Synthesis of Calcium Oxide Nanoparticles and Its Mortality Study on Fresh Water Fish Cyprinus Carpio. *IOSR Journal of Environmental Science, Toxicology and Food Technology*. Vol. 10(12). pp. 55–60. doi: 10.9790/2402-1012015560.

Boey, P., Maniam, G.P., Hamid, S.A., and Ali, D.M.H. (2011). Utilization of waste cockle shell (*Anadara granosa*) in biodiesel production from palm olein: Optimization using response surface methodology. *Fuel*. Elsevier Ltd. Vol. 90. pp. 2353–2358. doi: 10.1016/j.fuel.2011.03.002.

Dastanpoor, E. and Enayati, M. H. (2015). Effect of milling intensity on mechanical alloying of Cu-Zr-Al system. *Indian Journal of Engineering Materials Sciences*. Vol. 22. pp. 521–526.

Dixit, A. and Kumar, K. (2015). Optimization of Mechanical Properties of Silica Gel Reinforced Aluminium MMC by using Taguchi Method. *Materials Today: Proceedings*. Elsevier Ltd. Vol. 2, pp. 2359–2366.

Elcioglu, E. B. Yazicioglu, A. G., Turgut, A., and Anagun, A. S.. (2018). Experimental Study and Taguchi Analysis on Alumina-Water Nanofluid Viscosity. *Applied Thermal Engineering*. Elsevier Ltd. doi: 10.1016/j.applthermaleng. Vol. 128. pp. 973-981.

Enayati, M. H., Aryanpour, G. R. and Ebnonnasir, A. (2009). Production of nanostructured WC – Co powder by ball milling. *International Journal of Refractory Metals and Hard Materials*. Elsevier Ltd, Vol. 27, pp. 159–163. doi: 10.1016/j.ijrmhm.2008.06.005.

Fakoya, M. F. and Shah, S. N. (2017). Emergence of nanotechnology in the oil and gas industry: Emphasis on the application of silica nanoparticles. *Petroleum*. Elsevier Ltd. pp. 1–15. doi: 10.1016/j.petlm.2017.03.001.

Febrianti, F. (2016). *Formulasi pembuatan tablet effervescent the hijau (Camellia sinensis) dengan penambahan cita rasa*. University of Gadjah Mada. Yogyakarta.

Gaaz, T. S., Sulong, A.B., Kadhum, A.A.H., Nassir, M.H., and Al-Amiry, A.A. (2017). Absolute variation of the mechanical characteristics of halloysite reinforced polyurethane nanocomposites complemented by Taguchi and ANOVA approaches. *Results in Physics*. Vol. 7. pp. 3287-3300. doi: 10.1016/j.rinp.2017.08.066.

Gardy, J. Hassanpour, A., Lai, X., Ahmed, M. H., and Rehan, M. (2017). Applied Catalysis B : Environmental Biodiesel production from used cooking oil using a novel surface functionalised TiO<sub>2</sub> nano-catalyst. *Applied Catalysis B*,



*Environmental*. Elsevier B.V. Vol. 207, pp. 297–310.

Glavi, P. and Lukman, R. (2007). Review of sustainability terms and their definitions. *Journal of Cleaner Production*. Vol.15. pp. 1875–1885. doi: 10.1016/j.jclepro.2006.12.006.

Hadef, F. (2017). Synthesis and disordering of B2 TM-Al (TM = Fe , Ni , Co) intermetallic alloys by high energy ball milling : A review. *Powder Technology*. Elsevier B.V. Vol. 311. pp. 556–578. doi: 10.1016/j.powtec.2017.01.082.

Helwani, Z. Othman, M. R., Aziz, N., Kim, J. and Fernando, W. J. N. (2009). Solid heterogeneous catalysts for transesterification of triglycerides with methanol : A review. *Applied Catalysis A: General*, Vol. 363. pp. 1–10.

Jegatheesan, V., Liow, J.L., Shu, L., Kim, S.H., and Visvanathan, C. (2009). The need for global coordination in sustainable development. *Journal of Cleaner Production*. Elsevier Ltd. Vol. 17(7), pp. 637–643.

Katata-seru, L. Lebepe, T. C., Aremu, O. S., and Bahadur, I. (2017). Application of Taguchi method to optimize garlic essential oil nanoemulsions. *Journal of Molecular Liquids*. Elsevier B.V. Vol. 244. pp. 279-284.

Khademhosseini, A. and Langer, R. (2006). Nanobiotechnology: drug delivery and tissue engineering. *Chemical Engineering Progress*. Vol. 102(2), pp. 38–42.

Konwar, L. J., Boro, J. and Deka, D. (2014). Review on latest developments in biodiesel production using carbon-based catalysts. *Renewable and Sustainable Energy Reviews*. Elsevier. Vol. 29. pp. 546–564. doi: 10.1016/j.rser.2013.09.003.

Kotake, N., Kuboki, M., Kiya, S., and Kanda, Y. (2011). Influence of dry and wet grinding conditions on fineness and shape of particle size distribution of product in a ball mill. *Advanced Powder Technology*. The Society of Powder Technology Japan. Vol. 22. pp. 86–92. doi: 10.1016/j.apt.2010.03.015.

Kouzu, M., Kasuno, T., Tajika, M., Sugimoto, Y., Yamanaka, S., and Hidaka, J. (2008). Calcium oxide as a solid base catalyst for transesterification of soybean oil and its application to biodiesel production. *Fuel* Vol. 87. pp. 2798–2806. doi: 10.1016/j.fuel.2007.10.019.

Kulkarni, M. G. and Dalai, A. K. (2006). Waste Cooking Oil as an Economical Source for Biodiesel : A Review. *Ind. Eng. Chem. Res.* Vol. 45. pp. 2901–2913.

Leung, D. Y. C., Wu, X. and Leung, M. K. H. (2010). A review on biodiesel production using catalyzed transesterification. *Applied Energy*. Elsevier Ltd. Vol. 87(4). pp. 1083–1095. doi: 10.1016/j.apenergy.2009.10.006.

Macario, A. and Giordano, G. (2013). Catalytic Conversion of Renewable Sources for Biodiesel Production : A Comparison Between Biocatalysts and Inorganic Catalysts. *Catal Lett.* Vol. 143. pp. 159–168. doi: 10.1007/s10562-012-0949-3.

Mahmood, T. and Hussain, S. T. (2010). Nanobiotechnology for the production of biofuels from spent tea. *African Journal of Biotechnology*. Vol. 9(6). pp. 858–868.



Malik, P. and Sangwan, A. (2012). Nanotechnology : A tool for Improving Efficiency of Bio-Energy. *Journal of Engineering, Computers & Applied Sciences*, Vol. 1(1), pp. 37–49.

Mosaddegh, E. Hassankhani, A., Pourahmadi, S., and Ghazanfari, D. (2013). Ball Mill-assisted Preparation of Nano-CaCO<sub>3</sub> as a Novel and Green Catalyst-based Eggshell Waste : A Green Approach in the Synthesis of Pyrano[4,3-b]pyrans. *International Journal of Green Nanotechnology*. Vol. 1, pp. 1–5.

Nakatani, N., Takamori, H., Takeda, K. and Sakugawa, H. (2009). Bioresource Technology Transesterification of soybean oil using combusted oyster shell waste as a catalyst. *Bioresource Technology*. Elsevier Ltd. Vol. 100(3). pp. 1510–1513. doi: 10.1016/j.biortech.2008.09.007.

Nurfitri, I. Pragas, G., Hindryawati, N., and Yusoff, M. M. (2013). Potential of feedstock and catalysts from waste in biodiesel preparation : A review. *Energy Conversion and Management*. Elsevier Ltd. Vol. 74. pp. 395–402. doi: 10.1016/j.enconman.2013.04.042.

Ortiz, A. L. Sánchez-bajo, F., Candelario, V. M., and Guiberteau, F. (2017). Comminution of B<sub>4</sub>C powders with a high-energy mill operated in air in dry or wet conditions and its effect on their spark-plasma sinterability. *Journal of the European Ceramic Society*. Elsevier Ltd. Vol. 37. pp. 3873-3884. doi: 10.1016/j.jeurceramsoc.2017.05.034.

Pandit, P. R. and Fulekar, M. H. (2017). Egg shell waste as heterogeneous nanocatalyst for biodiesel production: Optimized by response surface methodology. *Journal of Environmental Management*. Elsevier Ltd. Vol. 198. pp. 319–329. doi: 10.1016/j.jenvman.2017.04.100.

Panjaitan, F. R., Yamanaka, S. and Kuga, Y. (2017). Soybean oil methanolysis over scallop shell-derived CaO prepared via methanol-assisted dry nano-grinding. *Advanced Powder Technology*. Society of Powder Technology Japan. Vol. 28. pp. 1627–1635. doi: 10.1016/j.apt.2016.12.020.

Pratikha, R. S., Syukri, and Admi, (2013). Synthesis and Characterization of Acetonitrile Ligated Cu(II)-Complex and Its Catalytic Application for Transesterification of Frying Oil in Heterogeneous Phase. *Indones. J. Chem.* vol. 13(1). pp. 72–76.

Puspitasari, R. and Natsir, S. M. (2016). *Kualitas Lingkungan untuk Menunjang Budi Daya Biota Laut di Perairan Lombok Barat*. 1st edn. Jakarta: LIPI Press.

Roschat, W., Siritanon, T., Yoosuk, B., and Promarak, V. (2016). Rice husk-derived sodium silicate as a highly efficient and low-cost basic heterogeneous catalyst for biodiesel production. *Energy Conversion and Management*. Elsevier Ltd. Vol. 119. pp. 453–462. doi: 10.1016/j.enconman.2016.04.071.

Ross, P.J., (1996). *Taguchi Techniques for Quality Engineering: Loss Function, Orthogonal Experiments, Parameter and Tolerance Design*. McGraw Hill



Professional. New York.

Roy, A. and Bhattacharya, J. (2011). Microwave assisted synthesis of CaO nanoparticles and use in waste water treatment. *Clean Technology*. pp. 216–219.

Sani, Y. M., Daud, W. M. A. W. and Aziz, A. R. A. (2013). Solid acid-catalyzed biodiesel production from microalgal oil—The dual advantage. *Journal of Environmental Chemical Engineering*. Elsevier B.V. Vol. 1. pp. 113–121. doi: 10.1016/j.jece.2013.04.006.

Sihombing, T. A. (2017) Pengaruh suhu dekomposisi dan konsentrasi katalis kalsium oksida (CaO) dari cangkang telur ayam terhadap sintesis biodiesel dari minyak jelantah. Institut Teknologi Sepuluh Nopember Surabaya.

Soejanto, I., (2009). *Desain Eksperimen dengan Metode Taguchi*. cetakan I. Graha Ilmu. Yogyakarta.

Syamsu, K., Warsiki, E., Yuliani, S., and Widayanti, S.M. (2016). Nano Zeolite-KMnO<sub>4</sub> as Ethylene Adsorber in Active Packaging of Horticulture Products (*Musa paradisiaca*). *International Journal of Sciences:Basic and Applied Research*. Vol. 30(1). pp. 93–103.

Tariq, M., Ali, S. and Khalid, N. (2012). Activity of homogeneous and heterogeneous catalysts, spectroscopic and chromatographic characterization of biodiesel : A review. *Renewable and Sustainable Energy Reviews*. Elsevier. Vol. 16(8). pp. 6303–6316. doi: 10.1016/j.rser.2012.07.005.

Taufiq-Yap, Y. H., Lee, H. V and Lau, P. L. (2012). Transesterification of *Jatropha curcas* oil to biodiesel by using short necked clam (*Orbicularia orbiculata*) shell. *Energy Exploration & Exploitation*. Vol. 30(5). pp. 853–866.

Widiarti, N. (2012). Pengaruh penambahan oksida (CuO) terhadap karakteristik CuO/TS-1 sebagai katalis alternatif pada reaksi oksidasi benzena menjadi fenol. *Sainteknol*. Vol. 10 (2).

Wijaya, K., Hadi, K., Herlina, I., and Kurnia, A.T. (2016). *Nanomaterial: Aplikasinya dalam Pembuatan Biofuel*. 1st edn. Yogyakarta: Gadjah Mada University Press.

Yenti, S. R., Ervina, Fadli, A., and Amri, I. (2016). Konversi Kulit Kerang Darah (*Anadara granosa*) Menjadi Serbuk Hidroksiapatit. *Seminar Nasional Teknik Kimia*. Pekanbaru: Riau University-Indonesia. 1-2 Oktober. pp.89-94

Yukihira, H., Klumpp, D. . and Lucas, J. (1999). Feeding adaptations of the pearl oysters *Pinctada margaritifera* and *P. maxima* to variations in natural particulates. *Marine Ecology Progress Series*. Vol. 182. pp. 161–173.

Yutthalekha, T., Wattanakit, C. and Warakulwit, C. (2017). Hierarchical FAU-type zeolite nanosheets as green and sustainable catalysts for benzylation of toluene. *Journal of Cleaner Production*. Elsevier Ltd. Vol. 142. pp. 1244–1251. doi: 10.1016/j.jclepro.2016.08.001.



UNIVERSITAS  
GADJAH MADA

REKAYASA PROSES PRODUKSI nano-CaO DARI KULIT KERANG MUTIARA (Pinctada Maxima)

SEBAGAI GREEN

HETEROGENEOUS BASE CATALYSTS

KENDRI WAHYUNINGSIH, Dr. JUMERI, STP, MSi; Dr. Wagiman, STP, MSi

Universitas Gadjah Mada, 2018 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Zabeti, M. Mohd, W., Wan, A., and Aroua, M. K. (2009). Activity of solid catalysts for biodiesel production : A review. *Fuel Processing Technology*. Elsevier B.V. Vol. 90(6). pp. 770–777. doi: 10.1016/j.fuproc.2009.03.010.

Zhao, L., Qiu, Z., and Stagg-Williams, S.M. (2013). Transesterification of canola oil catalyzed by nanopowder calcium oxide. *Fuel Processing Technology*. Elsevier B.V. Vol. 114. pp. 154-162.

Zhu, Y., Edwards, G. A. and Martin, D. J. (2015). Reduction of aspect ratio of fluoromica using high-energy milling. *Applied Clay Science*. Elsevier B.V. Vol. 114. pp. 315–320. doi: 10.1016/j.clay.2015.06.020.