



DAFTAR PUSTAKA

- Adibkia, K., Hamedeyazdan, S., dan Javadzadeh, Y., 2011. Drug release kinetics and physicochemical characteristics of floating drug delivery systems. *Expert Opinion on Drug Delivery*, **8**: 891–903.
- Ainurofiq, A. dan Choiri, S., 2015. Drug release model and kinetics of natural polymers-based sustained release tablet. *Latin American Journal of Pharmacy*, **34**: 1328–1337.
- Ainurofiq, A. dan Choiri, S., 2018. Development and optimization of a meloxicam/β-cyclodextrin complex for orally disintegrating tablet using statistical analysis. *Pharmaceutical Development and Technology*, **23**: 464–475.
- Ali, R., Dashevsky, A., dan Bodmeier, R., 2017. Poly vinyl acetate and ammonio methacrylate copolymer as unconventional polymer blends increase the mechanical robustness of HPMC matrix tablets. *International Journal of Pharmaceutics*, **516**: 3–8.
- Al-Zoubi, N., Al-obaidi, G., Tashtoush, B., dan Malamataris, S., 2016. Sustained release of diltiazem HCl tableted after co-spray drying and physical mixing with PVAc and PVP. *Drug Development and Industrial Pharmacy*, **42**: 270–279.
- Anderson, M.J. dan Whitcomb, P.J., 2015. *DOE Simplified: Practical Tools for Effective Experimentation, Third Edition*, Third. ed. CRC Press, Taylor & Francis Group, New York.
- Armstrong, N., 2006. *Pharmaceutical Experimental Design and Interpretation*, 2nd ed. Taylor & Francis, New York.
- Arora, S., Ali, J., Ahuja, A., Khar, R.K., dan Baboota, S., 2005. Floating drug delivery systems: a review. *AAPS PharmSciTech*, **6**: E372–E390.
- Awasthi, R. dan Kulkarni, G.T., 2016. Decades of research in drug targeting to the upper gastrointestinal tract using gastroretention technologies: where do we stand? *Drug Delivery*, **23**: 378–394.
- Badawy, S.I.F., Narang, A.S., LaMarche, K.R., Subramanian, G.A., Varia, S.A., Lin, J., dkk., 2016. Integrated Application of Quality-by-Design Principles to Drug Product Development: A Case Study of Brivanib Alaninate Film-Coated Tablets. *Journal of Pharmaceutical Sciences*, **105**: 168–181.
- Bansal, S., Beg, S., Garg, B., Asthana, A., Asthana, G.S., dan Singh, B., 2016. QbD-oriented development and characterization of effervescent floating-



bioadhesive tablets of cefuroxime axetil. *AAPS PharmSciTech*, **17**: 1086–1099.

BASF, 2011. Kollidon SR: Specification and Test Method. Technical Information.

Bera, H., Boddupalli, S., dan Nayak, A.K., 2015. Mucoadhesive-floating zincpectinate–sterculia gum interpenetrating polymer network beads encapsulating ziprasidone HCl. *Carbohydrate Polymers*, **131**: 108–118.

Bodmeier, R. dan Siepmann, J., 1999. Non-Degradable Polymer for Drug Delivery, dalam: Mathiowitz (Editor), *Encyclopedia of Controlled Drug Delivery*. Wiley, Canada, hal. 666–672.

Bolton, S. dan Bon, C., 2004. *Pharmaceutical Statistics: Practical and Clinical Application*, 4th ed. Marcel Dekker, New York.

Borgquist, P., Körner, A., Piculell, L., Larsson, A., dan Axelsson, A., 2006. A model for the drug release from a polymer matrix tablet—effects of swelling and dissolution. *Journal of Controlled Release*, **113**: 216–225.

Brostow, W., Chiu, R., Kalogeras, I.M., dan Vassilikou-Dova, A., 2008. Prediction of glass transition temperatures: Binary blends and copolymers. *Materials Letters*, **62**: 3152–3155.

Chen, Y.-C., Ho, H.-O., Liu, D.-Z., Siow, W.-S., dan Sheu, M.-T., 2015. Swelling/floating capability and drug release characterizations of gastroretentive drug delivery system based on a combination of hydroxyethyl cellulose and sodium carboxymethyl cellulose. *Plos One*, **10**: e0116914.

Choiri, S. dan Ainurofiq, A., 2018. Understanding the drug release mechanism from a montmorillonite matrix and its binary mixture with a hydrophilic polymer using a compartmental modelling approach. *IOP Conference Series: Materials Science and Engineering*, **333**: 012065.

Choiri, S., Sulaiman, T.N.S., dan Kuncahyo, I., 2014. Optimization and assessing the influence of xanthan gum, effervescent components and hardness on floatation behavior and drug release of gastro-floating captorpril tablet. *Indonesian Journal of Pharmacy*, **25**: 255–264.

Colombo, I., Lapasin, R., Grassi, G., dan Grassi, M., 2007. *Understanding Drug Release and Absorption Mechanism: A Physical and Mathematical Approach*. Taylor & Francis, New York.

Contreras, L., Melgoza, L.M., Villalobos, R., dan Caraballo, I., 2010. Study of the critical points of experimental HPMC–NaCMC hydrophilic matrices. *International Journal of Pharmaceutics*, **386**: 52–60.



Costa, P. dan Sousa Lobo, J.M., 2001. Modeling and comparison of dissolution profiles. *European Journal of Pharmaceutical Sciences*, **13**: 123–133.

Dai, J., Goh, S.H., Lee, S.Y., dan Siow, K.S., 1995. Interpolymer complexation and blend formation between poly(N-vinyl-2-pyrrolidone) and aliphatic hydroxyl-containing polymers. *Polymer Journal*, **27**: 558–566.

Dalton, J.T., Straughn, A.B., Dickason, D.A., dan Grandolfi, G.P., 2001. Predictive ability of level a in vitro-in vivo correlation for ringcap controlled-release acetaminophen tablets. *Pharmaceutical Research*, **18**: 1729–1734.

Darandale, S.S. dan Vavia, P.R., 2012. Design of a gastroretentive mucoadhesive dosage form of furosemide for controlled release. *Acta Pharmaceutica Sinica B*, **2**: 509–517.

Dey, S.K., De, P.K., De, A., Ojha, S., De, R., Mukhopadhyay, A.K., dkk., 2016. Floating mucoadhesive alginate beads of amoxicillin trihydrate: A facile approach for *H. pylori* eradication. *International Journal of Biological Macromolecules*, **89**: 622–631.

Eisenächer, F., Garbacz, G., dan Mäder, K., 2014. Physiological relevant in vitro evaluation of polymer coats for gastroretentive floating tablets. *European Journal of Pharmaceutics and Biopharmaceutics*, **88**: 778–786.

Elsamaligy, S. dan Bodmeier, R., 2015. Development of extended release multiple unit effervescent floating drug delivery systems for drugs with different solubilities. *Journal of Drug Delivery Science and Technology*, **30, Part B**: 467–477.

El-Zahaby, S.A., Kassem, A.A., dan El-Kamel, A.H., 2014. Formulation and in vitro evaluation of size expanding gastro-retentive systems of levofloxacin hemihydrate. *International Journal of Pharmaceutics*, **464**: 10–18.

Elzoghby, A.O., Vranic, B.Z., Samy, W.M., dan Elgindy, N.A., 2015. Swellable floating tablet based on spray-dried casein nanoparticles: Near-infrared spectral characterization and floating matrix evaluation. *International Journal of Pharmaceutics*, **491**: 113–122.

Gendre, C., Genty, M., Silva, J.C. da, Tfayli, A., Boiret, M., Lecoq, O., dkk., 2012. Comprehensive study of dynamic curing effect on tablet coating structure. *European Journal of Pharmaceutics and Biopharmaceutics*, **81**: 657–665.

Gonçalves-Araújo, T., Rajabi-Siahboomi, A.R., dan Caraballo, I., 2010. Polymer percolation threshold in HPMC extended release formulation of carbamazepine and verapamil HCl. *AAPS PharmSciTech*, **11**: 558–562.



Gordon, M. dan Taylor, J.S., 1952. Ideal copolymers and the second-order transitions of synthetic rubbers. i. non-crystalline copolymers. *Journal of Applied Chemistry*, **2**: 493–500.

Guo, L., Sato, H., Hashimoto, T., dan Ozaki, Y., 2010. FTIR study on hydrogen-bonding interactions in biodegradable polymer blends of poly(3-hydroxybutyrate) and poly(4-vinylphenol). *Macromolecules*, **43**: 3897–3902.

Haque, S.E. dan Sheela, A., 2014. Design and in vitro evaluation of interpolymer complex bound metformin sustained release tablet. *Journal of Applied Polymer Science*, **131**: 41018.

Hauschild, K. dan Picker-Freyer, K.M., 2006. Evaluation of Tableting and Tablet Properties of Kollidon SR: The Influence of Moisture and Mixtures with Theophylline Monohydrate. *Pharmaceutical Development and Technology*, **11**: 125–140.

Huang, X. dan Brazel, C.S., 2001. On the importance and mechanisms of burst release in matrix-controlled drug delivery systems. *Journal of Controlled Release: Official Journal of the Controlled Release Society*, **73**: 121–136.

Hwang, K.-M., Cho, C.-H., Tung, N.-T., Kim, J.-Y., Rhee, Y.-S., dan Park, E.-S., 2017. Release kinetics of highly porous floating tablets containing cilostazol. *European Journal of Pharmaceutics and Biopharmaceutics*, **115**: 39–51.

Iannuccelli, V., Maretti, E., Montorsi, M., Rustichelli, C., Sacchetti, F., dan Leo, E., 2015. Gastroretentive montmorillonite-tetracycline nanoclay for the treatment of Helicobacter pylori infection. *International Journal of Pharmaceutics*, **493**: 295–304.

International Conference on Harmonisation, 1996. Guidance for Industry Q2B Validation of Analytical Procedures: Methodology.

Jaimini, M., Rana, A.C., dan Tanwar, Y.S., 2007. Formulation and evaluation of famotidine floating tablets. *Current Drug Delivery*, **4**: 51–55.

Jain, A.K., Söderlind, E., Viridén, A., Schug, B., Abrahamsson, B., Knopke, C., dkk., 2014. The influence of hydroxypropyl methylcellulose (HPMC) molecular weight, concentration and effect of food on in vivo erosion behavior of HPMC matrix tablets. *Journal of Controlled Release*, **187**: 50–58.

Jeganathan, B. dan Prakya, V., 2015. Interpolyelectrolyte complexes of Eudragit® EPO with hypromellose acetate succinate and Eudragit EPO with



hypromellose phthalate as potential carriers for oral controlled drug delivery. *AAPS PharmSciTech*, **16**: 878–888.

Kagan, L. dan Hoffman, A., 2008a. Selection of drug candidates for gastroretentive dosage forms: Pharmacokinetics following continuous intragastric mode of administration in a rat model. *European Journal of Pharmaceutics and Biopharmaceutics*, **69**: 238–246.

Kagan, L. dan Hoffman, A., 2008b. Systems for region selective drug delivery in the gastrointestinal tract: biopharmaceutical considerations. *Expert Opinion on Drug Delivery*, **5**: 681–692.

Khodaverdi, E., Tekie, F.S.M., Amoli, S.S., dan Sadeghi, F., 2012. Comparison of Plasticizer Effect on Thermo-responsive Properties of Eudragit RS Films. *AAPS PharmSciTech*, **13**: 1024–1030.

Khutoryanskaya, O.V., Morrison, P.W.J., Seilkhanov, S.K., Mussin, M.N., Ozhmukhametova, E.K., Rakhybekov, T.K., dkk., 2014. Hydrogen-bonded complexes and blends of poly(acrylic acid) and methylcellulose: nanoparticles and mucoadhesive films for ocular delivery of riboflavin. *Macromolecular Bioscience*, **14**: 225–234.

Khutoryanskiy, V.V., 2007. Hydrogen-bonded interpolymer complexes as materials for pharmaceutical applications. *International Journal of Pharmaceutics*, **334**: 15–26.

Kim, J. dan Swager, T.M., 2001. Control of conformational and interpolymer effects in conjugated polymers. *Nature*, **411**: 1030–1034.

Klancar, U., Baumgartner, S., Legen, I., Smrdel, P., Kampuš, N.J., Krajcar, D., dkk., 2015. Determining the polymer threshold amount for achieving robust drug release from HPMC and HPC matrix tablets containing a high-dose BCS class I model drug: in vitro and in vivo studies. *AAPS PharmSciTech*, **16**: 398–406.

Klausner, E.A., Lavy, E., Friedman, M., dan Hoffman, A., 2003. Expandable gastroretentive dosage forms. *Journal of Controlled Release*, **90**: 143–162.

Kumar, V., Yang, T., dan Yang, Y., 1999. Interpolymer complexation. I. Preparation and characterization of a polyvinyl acetate phthalate-polyvinylpyrrolidone (PVAP-PVP) complex. *International Journal of Pharmaceutics*, **188**: 221–232.

Lang, B., Liu, S., McGinity, J.W., dan III, R.O.W., 2016. Effect of hydrophilic additives on the dissolution and pharmacokinetic properties of itraconazole-enteric polymer hot-melt extruded amorphous solid dispersions. *Drug Development and Industrial Pharmacy*, **42**: 429–445.



- Li, Z., Xu, H., Li, S., Li, Q., Zhang, W., Ye, T., dkk., 2014. A novel gastro-floating multiparticulate system for dipyridamole (DIP) based on a porous and low-density matrix core: In vitro and in vivo evaluation. *International Journal of Pharmaceutics*, **461**: 540–548.
- Lopes, C.M., Bettencourt, C., Rossi, A., Buttini, F., dan Barata, P., 2016. Overview on gastroretentive drug delivery systems for improving drug bioavailability. *International Journal of Pharmaceutics*, **510**: 144–158.
- Machinskaya, A.E. dan Vasilevskaya, V.V., 2016. The formation of interpolymer complexes in mixtures of weak polyelectrolytes. *Polymer Science Series A*, **58**: 606–612.
- Maderuelo, C., Zarzuelo, A., dan Lanao, J.M., 2011. Critical factors in the release of drugs from sustained release hydrophilic matrices. *Journal of Controlled Release*, **154**: 2–19.
- Maghsoodi, M. dan Barghi, L., 2011. Polymer percolation threshold in multi-component HPMC matrices tablets. *Advanced Pharmaceutical Bulletin*, **1**: 27–33.
- Malet-Martino, M. dan Holzgrabe, U., 2011. NMR techniques in biomedical and pharmaceutical analysis. *Journal of Pharmaceutical and Biomedical Analysis*, **55**: 1–15.
- Malladi, M. dan Jukanti, R., 2016. Formulation development and evaluation of a novel bi-dependent clarithromycin gastroretentive drug delivery system using Box-Behnken design. *Journal of Drug Delivery Science and Technology*, **35**: 134–145.
- Mandal, U.K., Chatterjee, B., dan Senjoti, F.G., 2016. Gastro-retentive drug delivery systems and their in vivo success: A recent update. *Asian Journal of Pharmaceutical Sciences*, **11**: 575–584.
- Mason, L.M., Campiñez, M.D., Pygall, S.R., Burley, J.C., Gupta, P., Storey, D.E., dkk., 2015. The influence of polymer content on early gel-layer formation in HPMC matrices: The use of CLSM visualisation to identify the percolation threshold. *European Journal of Pharmaceutics and Biopharmaceutics*, **94**: 485–492.
- Mercuri, A., Pagliari, M., Baxevanis, F., Fares, R., dan Fotaki, N., 2017. Understanding and predicting the impact of critical dissolution variables for nifedipine immediate release capsules by multivariate data analysis. *International Journal of Pharmaceutics*, **518**: 41–49.
- Mohamed, F.A.A., Roberts, M., Seton, L., Ford, J.L., Levina, M., dan Rajabi-Siahboomi, A.R., 2015. The effect of HPMC particle size on the drug



release rate and the percolation threshold in extended-release mini-tablets. *Drug Development and Industrial Pharmacy*, **41**: 70–78.

Morin, G. dan Briens, L., 2013. The Effect of Lubricants on Powder Flowability for Pharmaceutical Application. *AAPS PharmSciTech*, **14**: 1158–1168.

Mostafavi, A., Emami, J., Varshosaz, J., Davies, N.M., dan Rezazadeh, M., 2011. Development of a prolonged-release gastroretentive tablet formulation of ciprofloxacin hydrochloride: Pharmacokinetic characterization in healthy human volunteers. *International Journal of Pharmaceutics*, **409**: 128–136.

Moustafine, R.I. dan Bobyleva, O.V., 2006. Design of new polymer carriers based of Eudragit E PO/Eudragit L100-55 interpolyelectrolyte complexes using swellability measurements. *Journal of Controlled Release*, **116**: 35–36.

Moustafine, R.I., Bobyleva, V.L., Bukhovets, A.V., Garipova, V.R., Kabanova, T.V., Kemenova, V.A., dkk., 2011. Structural transformations during swelling of polycomplex matrices based on countercharged (meth)acrylate copolymers (EudragitR EPO/EudragitR L 100-55). *Journal of Pharmaceutical Sciences*, **100**: 874–885.

Moustafine, R.I., Bodrov, A.V., Kemenova, V.A., Rombaut, P., dan Van den Mooter, G., 2012. Drug release modification by interpolymer interaction between countercharged types of Eudragit RL 30D and FS 30D in double-layer films. *International Journal of Pharmaceutics*, **439**: 17–21.

Moustafine, R.I., Sitenkov, A.Y., Bukhovets, A.V., Nasibullin, S.F., Appeltans, B., Kabanova, T.V., dkk., 2017. Indomethacin-containing interpolyelectrolyte complexes based on Eudragit E PO/S 100 copolymers as a novel drug delivery system. *International Journal of Pharmaceutics*, **524**: 121–133.

Moustafine, R.I., Zaharov, I.M., dan Kemenova, V.A., 2006. Physicochemical characterization and drug release properties of Eudragit E PO/Eudragit L 100-55 interpolyelectrolyte complexes. *European Journal of Pharmaceutics and Biopharmaceutics*, **63**: 26–36.

Mustafin, R.I., 2011. Interpolymer combinations of chemically complementary grades of Eudragit copolymers: a new direction in the design of peroral solid dosage forms of drug delivery systems with controlled release (review). *Pharmaceutical Chemistry Journal*, **45**: 285.

Nugroho, A.K., Della-Pasqua, O., Danhof, M., dan Bouwstra, J.A., 2005. Compartmental modeling of transdermal iontophoretic transport ii: in vivo model derivation and application. *Pharmaceutical Research*, **22**: 335–346.



- Nur, A.O. dan Zhang, J.S., 2000. Captopril floating and/or bioadhesive tablets: design and release kinetics. *Drug Development and Industrial Pharmacy*, **26**: 965–969.
- Oh, T.-O., Kim, J.-Y., Ha, J.-M., Chi, S.-C., Rhee, Y.-S., Park, C.-W., dkk., 2013. Preparation of highly porous gastroretentive metformin tablets using a sublimation method. *European Journal of Pharmaceutics and Biopharmaceutics*, **83**: 460–467.
- Ohyagi, N., Ueda, K., Higashi, K., Yamamoto, K., Kawakami, K., dan Moribe, K., 2017. Synergetic role of hypromellose and methacrylic acid copolymer in the dissolution improvement of amorphous solid dispersions. *Journal of Pharmaceutical Sciences*, **106**: 1042–1050.
- Omidian, H. dan Park, K., 2008. Swelling agents and devices in oral drug delivery. *Journal of Drug Delivery Science and Technology*, **18**: 83–93.
- Park, S.-H., Chun, M.-K., dan Choi, H.-K., 2008. Preparation of an extended-release matrix tablet using chitosan/Carbopol interpolymer complex. *International Journal of Pharmaceutics*, **347**: 39–44.
- Patra, C.N., Priya, R., Swain, S., Kumar Jena, G., Panigrahi, K.C., dan Ghose, D., 2017. Pharmaceutical significance of Eudragit: A review. *Future Journal of Pharmaceutical Sciences*, **3**: 33–45.
- Peppas, N.A. dan Narasimhan, B., 2014. Mathematical models in drug delivery: How modeling has shaped the way we design new drug delivery systems. *Journal of Controlled Release*, **190**: 75–81.
- Qin, C., Wu, M., Xu, S., Wang, X., Shi, W., Dong, Y., dkk., 2018. Design and optimization of gastro-floating sustained-release tablet of pregabalin: in vitro and in vivo evaluation. *International Journal of Pharmaceutics*, **545**: 37–44.
- Qiu, Y. dan Lee, P.I., 2017. Rational Design of Oral Modified-Release Drug Delivery Systems, dalam: *Developing Solid Oral Dosage Forms (Second Edition)*. Academic Press, Boston, hal. 519–554.
- Rajab, M., Jouma, M., Neubert, R.H.H., dan Dittgen, M., 2014. Influence of water-soluble polymers on the in vitro performance of floating mucoadhesive tablets containing metformin. *Drug Development and Industrial Pharmacy*, **40**: 879–885.
- Riaz, U. dan Ashraf, S.M., 2014. Characterization of Polymer Blends with FTIR Spectroscopy, dalam: Thomas, S., Grohens, Y., dan Jyotishkumar, P. (Editor), *Characterization of Polymer Blends*. Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim, hal. 625–678.



- Robertis, S.D., Bonferoni, M.C., Elviri, L., Sandri, G., Caramella, C., dan Bettini, R., 2015. Advances in oral controlled drug delivery: the role of drug–polymer and interpolymer non-covalent interactions. *Expert Opinion on Drug Delivery*, **12**: 441–453.
- Rogers, 2009. Hypermellose, dalam: Rowe, R., Sheskey, P., dan Quinn, M.. (Editor), *Handbook of Pharmaceutical Excipients*. Pharmaceutical Press, New York, hal. 326–329.
- Rohman, A., Sismindari, null, Erwanto, Y., dan Che Man, Y.B., 2011. Analysis of pork adulteration in beef meatball using Fourier transform infrared (FTIR) spectroscopy. *Meat Science*, **88**: 91–95.
- Saerens, L., Dierickx, L., Quinten, T., Adriaensens, P., Carleer, R., Vervaet, C., dkk., 2012. In-line NIR spectroscopy for the understanding of polymer–drug interaction during pharmaceutical hot-melt extrusion. *European Journal of Pharmaceutics and Biopharmaceutics*, **81**: 230–237.
- Sarkar, D., Nandi, G., Changder, A., Hudati, P., Sarkar, S., dan Ghosh, L.K., 2017. Sustained release gastroretentive tablet of metformin hydrochloride based on poly (acrylic acid)-grafted-gellan. *International Journal of Biological Macromolecules*, **96**: 137–148.
- Shargel, L., Wu-Pong, S., dan Yu, A., 2005. *Applied Biopharmaceutics & Pharmacokinetics, Fifth Edition*. McGraw Hill Professional.
- Siepmann, J., Kranz, H., Bodmeier, R., dan Peppas, N.A., 1999. HPMC-matrices for controlled drug delivery: a new model combining diffusion, swelling, and dissolution mechanisms and predicting the release kinetics. *Pharmaceutical Research*, **16**: 1748–1756.
- Siepmann, J. dan Peppas, N.A., 2000. Hydrophilic matrices for controlled drug delivery: an improved mathematical model to predict the resulting drug release kinetics (the “sequential Layer” Model). *Pharmaceutical Research*, **17**: 1290–1298.
- Siepmann, J. dan Peppas, N.A., 2012. Modeling of drug release from delivery systems based on hydroxypropyl methylcellulose (HPMC). *Advanced Drug Delivery Reviews*, **64, Supplement**: 163–174.
- Siepmann, J. dan Siepmann, F., 2012. Modeling of diffusion controlled drug delivery. *Journal of Controlled Release*, **161**: 351–362.
- Siepmann, J. dan Siepmann, F., 2013. Mathematical modeling of drug dissolution. *International Journal of Pharmaceutics*, **453**: 12–24.



- Siepmann, J., Streubel, A., dan Peppas, N.A., 2002. Understanding and predicting drug delivery from hydrophilic matrix tablets using the “sequential layer” model. *Pharmaceutical Research*, **19**: 306–314.
- Singh, B.N. dan Kim, K.H., 2000. Floating drug delivery systems: an approach to oral controlled drug delivery via gastric retention. *Journal of Controlled Release*, **63**: 235–259.
- Sinko, J., 2011. *Martin’s Physical Pharmacy and Pharmaceutical Science: Physical Chemical and Biopharmaceutical Principles in the Pharmaceutical Science*, 6th ed. Lippincott Williams & Wilkins, a Wolters Kluwer, New York.
- Skalsky, B. (Editor), 2016. *Eudragit Application Guidelines*, 13th ed. Evonik Nutrition & Care GmbH, Darmstadt.
- StatEase, 2016. Design Expert Version 10: Tutorial.
- Streubel, A., Siepmann, J., dan Bodmeier, R., 2006. Gastroretentive drug delivery systems. *Expert Opinion on Drug Delivery*, **3**: 217–233.
- Takegoshi, K., Ohya, Y., dan Hikichi, K., 1993. Miscibility and inter-polymer interactions of the poly(methyl acrylate)/poly(vinyl acetate) blend as studied by NMR in solution. *Polymer Journal*, **25**: 59–64.
- Talukdar, M.M., Michoel, A., Rombaut, P., dan Kinget, R., 1996. Comparative study on xanthan gum and hydroxypropylmethyl cellulose as matrices for controlled-release drug delivery I. Compaction and in vitro drug release behaviour. *International Journal of Pharmaceutics*, **129**: 233–241.
- Tarlier, N., Soulairol, I., Bataille, B., Baylac, G., Ravel, P., Nofrieras, I., dkk., 2015. Compaction behavior and deformation mechanism of directly compressible textured mannitol in a rotary tablet press simulator. *International Journal of Pharmaceutics*, **495**: 410–419.
- Terashima, T., Sugita, T., dan Sawamoto, M., 2015. Single-chain crosslinked star polymers via intramolecular crosslinking of self-folding amphiphilic copolymers in water. *Polymer Journal*, **47**: 667–677.
- Thakral, S., Thakral, N.K., dan Majumdar, D.K., 2013. Eudragit: a technology evaluation. *Expert Opinion on Drug Delivery*, **10**: 131–149.
- Tiwari, S., DiNunzio, J., dan Rajabi-Siahboomi, A.R., 2011. Drug-Polymer Matrices for Extended Release, dalam: Wilson, C.. dan Crowley, P.. (Editor), *Controlled Release in Oral Drug Delivery*. New York, hal. 142.



- Tiwari, S.B. dan Rajabi-Siahboomi, A.R., 2009. Applications of complementary polymers in HPMC hydrophilic extended release matrices. *Drug Deliv Tech*, **9**: 20–7.
- Treesinchai, S., Puttipatkhachorn, S., Pitaksutepong, T., dan Sungthongjeen, S., 2016. Development of curcumin floating tablets based on low density foam powder. *Asian Journal of Pharmaceutical Sciences*, Asian Federation for Pharmaceutical Sciences (AFPS) 2015 Conference **11**: 130–131.
- Truong-Le, V., Lovalenti, P.M., dan Abdul-Fattah, A.M., 2015. Stabilization challenges and formulation strategies associated with oral biologic drug delivery systems. *Advanced Drug Delivery Reviews*, **93**: 95–108.
- USP, 2017a. Hypromellose, dalam: *United States Pharmacopoeia 40-National Formulary 35*. The United States Pharmacopeial Convention, Rockville, Maryland, USA, hal. 4552–4554.
- USP, 2017b. The Dissolution Procedure: Development and Validation, dalam: *United States Pharmacopoeia 40-National Formulary 35*. The United States Pharmacopeial Convention, Rockville, Maryland, USA, hal. 1292–1316.
- Varma-Nair, M., Costello, C.A., Colle, K.S., dan King, H.E., 2007. Thermal analysis of polymer–water interactions and their relation to gas hydrate inhibition. *Journal of Applied Polymer Science*, **103**: 2642–2653.
- Vashisth, P., Raghuvanshi, N., Srivastava, A.K., Singh, H., Nagar, H., dan Pruthi, V., 2017. Ofloxacin loaded gellan/PVA nanofibers - Synthesis, characterization and evaluation of their gastroretentive/mucoadhesive drug delivery potential. *Materials Science and Engineering: C*, **71**: 611–619.
- Vo, A.Q., Feng, X., Morott, J.T., Pimparade, M.B., Tiwari, R.V., Zhang, F., dkk., 2016. A novel floating controlled release drug delivery system prepared by hot-melt extrusion. *European Journal of Pharmaceutics and Biopharmaceutics*, **98**: 108–121.
- Vo, A.Q., Feng, X., Pimparade, M., Ye, X., Kim, D.W., Martin, S.T., dkk., 2017. Dual-mechanism gastroretentive drug delivery system loaded with an amorphous solid dispersion prepared by hot-melt extrusion. *European Journal of Pharmaceutical Sciences*, **102**: 71–84.
- Wu, N., Wang, L.-S., Tan, D.C.-W., Moochhala, S.M., dan Yang, Y.-Y., 2005. Mathematical modeling and in vitro study of controlled drug release via a highly swellable and dissolvable polymer matrix: polyethylene oxide with high molecular weights. *Journal of Controlled Release*, **102**: 569–581.



- Yu, L.X., Amidon, G., Khan, M.A., Hoag, S.W., Polli, J., Raju, G.K., dkk., 2014. Understanding pharmaceutical quality by design. *The AAPS Journal*, **16**: 771–783.
- Yusif, R.M., Hashim, I.I.A., Mohamed, E.A., dan El, R., 2016. Investigation and evaluation of an in situ interpolymer complex of carbopol with polyvinylpyrrolidone as a matrix for gastroretentive tablets of ranitidine hydrochloride. *Chemical and Pharmaceutical Bulletin*, **64**: 42–51.
- Zhang, F., Lubach, J., Na, W., dan Momin, S., 2016a. Interpolymer complexation between Polyox and Carbopol, and its effect on drug release from matrix tablets. *Journal of Pharmaceutical Sciences*, **105**: 2386–2396.
- Zhang, F., Meng, F., Lubach, J., Koleng, J., dan Watson, N.A., 2016b. Properties and mechanisms of drug release from matrix tablets containing poly(ethylene oxide) and poly(acrylic acid) as release retardants. *European Journal of Pharmaceutics and Biopharmaceutics*, **105**: 97–105.
- Zhang, F., Meng, F., Wang, Z.Y., dan NA, W., 2017. Interpolymer complexation between copovidone and carbopol and its effect on drug release from matrix tablets. *Drug Development and Industrial Pharmacy*, **43**: 190–203.
- Zhang, G., Jiang, M., Zhu, L., dan Wu, C., 2001. Intermacromolecular complexation because of specific interactions 11. Ionic interaction complexation and its comparison with hydrogen-bonding complexation. *Polymer*, **42**: 151–159.
- Zhang, Y., Huo, M., Zhou, J., Zou, A., Li, W., Yao, C., dkk., 2010. DDSolver: an add-in program for modeling and comparison of drug dissolution profiles. *The AAPS Journal*, **12**: 263–271.
- Zhou, D., Law, D., Reynolds, J., Davis, L., Smith, C., Torres, J.L., dkk., 2014. Understanding and managing the impact of HPMC variability on drug release from controlled release formulations. *Journal of Pharmaceutical Sciences*, **103**: 1664–1672.
- Zhou, Q. (Tony), Denman, J.A., Gengenbach, T., Das, S., Qu, L., Zhang, H., dkk., 2011. Characterization of the surface properties of a model pharmaceutical fine powder modified with a pharmaceutical lubricant to improve flow via a mechanical dry coating approach. *Journal of Pharmaceutical Sciences*, **100**: 3421–3430.
- Zhu, Y., Shah, N.H., Malick, A.W., Infeld, M.H., dan McGinity, J.W., 2002. Solid-state plasticization of an acrylic polymer with chlorpheniramine maleate and triethyl citrate. *International Journal of Pharmaceutics*, **241**: 301–310.