



## DAFTAR PUSTAKA

- Adham, M., Kurniawan, A.N., Muhtadi, A.I., Roezin, A., Hermani, B., Gondhowiardjo, S., Bing Tan, I., Middeldorp, J.M., 2012. Nasopharyngeal carcinoma in indonesia: Epidemiology, incidence, signs, and symptoms at presentation. Chin. J. Cancer 31, 185–196.
- Al-Moghrabi, N.M., 2017. BRCA1 promoter methylation in peripheral blood cells and predisposition to breast cancer. J. Taibah Univ. Med. Sci. 12, 189–193.
- American Cancer Society, 2016. Surgery for Nasopharyngeal Cancer [WWW Document]. URL <https://www.cancer.org/cancer/nasopharyngeal-cancer/treating/surgery.html> (accessed 7.18.17).
- Baba, T., Mimura, J., Gradin, K., Kuroiwa, A., Watanabe, T., Matsuda, Y., Inazawa, J., Sogawa, K., Fujii-Kuriyama, Y., 2001. Structure and Expression of the Ah Receptor Repressor Gene. J. Biol. Chem. 276, 33101–33110.
- Badan Penelitian dan Pengembangan Kesehatan, 2013. Riset Kesehatan Dasar (RISKESDAS) 2013. Lap. Nas. 2013 1–384.
- Baglietto, L., Ponzi, E., Haycock, P., Hodge, A., Bianca Assumma, M., Jung, C.H., Chung, J., Fasanelli, F., Guida, F., Campanella, G., Chadeau-Hyam, M., Grankvist, K., Johansson, M., Ala, U., Provero, P., Wong, E.M., Joo, J., English, D.R., Kazmi, N., Lund, E., Faltus, C., Kaaks, R., Risch, A., Barrdahl, M., Sandanger, T.M., Southey, M.C., Giles, G.G., Johansson, M., Vineis, P., Polidoro, S., Relton, C.L., Severi, G., 2017. DNA methylation changes measured in pre-diagnostic peripheral blood samples are associated with smoking and lung cancer risk. Int. J. Cancer 140, 50–61.



Bersten, D.C., Sullivan, A.E., Peet, D.J., Whitelaw, M.L., 2013. bHLH-PAS

proteins in cancer. *Nat. Rev. Cancer* 13, 827.

Bosviel, R., Garcia, S., Lavediaux, G., Michard, E., Dravers, M., Kwiatkowski,

F., Bignon, Y.J., Bernard-Gallon, D.J., 2012. BRCA1 promoter methylation

in peripheral blood DNA was identified in sporadic breast cancer and

controls. *Cancer Epidemiol.* 36, 177–182.

Brennan, B., 2006. Nasopharyngeal carcinoma. *Orphanet J. Rare Dis.* 1, 23.

Cell Signaling Technology, 2017. Wnt / β-Catenin Signaling Interactive Pathway |

CST [WWW Document]. URL [https://www.cellsignal.com/contents/science-](https://www.cellsignal.com/contents/science-cst-pathways-stem-cell-markers/wnt-catenin-signaling-interactive-pathway/pathways-wnt)

cst-pathways-stem-cell-markers/wnt-catenin-signaling-interactive-

pathway/pathways-wnt (accessed 9.27.17).

Chan, S.L., Cui, Y., van Hasselt, A., Li, H., Srivastava, G., Jin, H., Ng, K.M.,

Wang, Y., Lee, K.Y., Tsao, G.S.W., Zhong, S., Robertson, K.D., Rha, S.Y.,

Chan, A.T.C., Tao, Q., 2007. The tumor suppressor Wnt inhibitory factor 1 is

frequently methylated in nasopharyngeal and esophageal carcinomas. *Lab.*

*Investig.* 87, 644–50.

Chang, E.T., Adami, H.O., 2006. The enigmatic epidemiology of nasopharyngeal

carcinoma. *Cancer Epidemiol. Biomarkers Prev.* 15, 1765–1777.

Chang, H.W., Chan, A., Kwong, D.L.W., Wei, W.I., Suam, J.S.T., Yuen, A.P.W.,

2003. Evaluation of hypermethylated tumor suppressor genes as tumor

markers in mouth and throat rinsing fluid, nasopharyngeal swab and

peripheral blood of nasopharyngeal carcinoma patient. *Int. J. Cancer* 105,

851–855.



- Chen, Y.-P., Zhao, B., Chen, C., Lei, X., Shen, L., Chen, G., Yan, F., Wang, G., Chen, H., Jiang, Y., Xia, Y., 2016. Alcohol drinking as an unfavorable prognostic factor for male patients with nasopharyngeal carcinoma. *Sci. Rep.* 6, 19290.
- Dai, W., Cheung, A.K.L., Ko, J.M.Y., Cheng, Y., Zheng, H., Ngan, R.K.C., Ng, W.T., Lee, A.W.M., Yau, C.C., Lee, V.H.F., Lung, M.L., 2015. Comparative methylome analysis in solid tumors reveals aberrant methylation at chromosome 6p in nasopharyngeal carcinoma. *Cancer Med.* 4, 1079–90.
- Dai, W., Zheng, H., Cheung, A.K.L., Lung, M.L., 2016. Genetic and epigenetic landscape of nasopharyngeal carcinoma. *Chinese Clin. Oncol.* 5, 16.
- Dauksa, A., Gulbinas, A., Endzinas, Z., Oldenburg, J., El-Maarri, O., 2014. DNA methylation at selected CpG sites in peripheral blood leukocytes is predictive of gastric cancer. *Anticancer Res.* 34, 5381–5388.
- Deng, X., Hou, C., Wang, H., Liang, T., Zhu, L., 2017. Hypermethylation of WIF1 and its inhibitory role in the tumor growth of endometrial adenocarcinoma. *Mol. Med. Rep.* 16, 7497–7503.
- Dogan, M. V, Shields, B., Cutrona, C., Gao, L., Gibbons, F.X., Simons, R., Monick, M., Brody, G.H., Tan, K., Beach, S.R., Philibert, R.A., 2014. The effect of smoking on DNA methylation of peripheral blood mononuclear cells from African American women. *BMC Genomics* 15, 151.
- El-Maarri, O., Becker, T., Junen, J., Manzoor, S.S., Diaz-Lacava, A., Schwaab, R., Wienker, T., Oldenburg, J., 2007. Gender specific differences in levels of DNA methylation at selected loci from human total blood: A tendency



toward higher methylation levels in males. *Hum. Genet.* 122, 505–514.

Eriksen, M., Mackay, J., Schluger, N., Gomeshtapeh, F.I., Droke, J., 2015. The

Tobacco atlas, 5th ed, American Cancer Society, Inc.

Gao, X., Zhang, Y., Saum, K.-U., Schöttker, B., Breitling, L.P., Brenner, H.,

2017. Tobacco smoking and smoking-related DNA methylation are associated with the development of frailty among older adults. *Epigenetics*

12, 149–156.

Gene Cards, 2010. WIF1 Gene (WNT Inhibitory Factor 1) [WWW Document].

URL <http://www.genecards.org/cgi-bin/carddisp.pl?gene=WIF1> (accessed 9.27.17).

Hanahan, D., Weinberg, R.A., 2011. Hallmarks of cancer: The next generation.

*Cell* 144, 646–674.

Hsu, W.L., Chen, J.Y., Chien, Y.C., Liu, M.Y., You, S.L., Hsu, M.M., Yang,

C.S., Chen, C.J., 2009. Independent effect of EBV and cigarette smoking on nasopharyngeal carcinoma: A 20-year follow-up study on 9,622 males without family history in Taiwan. *Cancer Epidemiol. Biomarkers Prev.* 18,

1218–1226.

Huang, T., Chen, X., Hong, Q., Deng, Z., Ma, H., Xin, Y., Fang, Y., Ye, H.,

Wang, R., Zhang, C., Ye, M., Duan, S., 2015. Meta-analyses of gene methylation and smoking behavior in non-small cell lung cancer patients.

*Sci. Rep.* 5, 8897.

Huang, Y., Chang, X., Lee, J., Cho, Y.G., Zhong, X., Park, I.S., Liu, J.W.,

Califano, J.A., Ratovitski, E.A., Sidransky, D., Kim, M.S., 2011. Cigarette



smoke induces promoter methylation of single-stranded DNA-binding protein 2 in human esophageal squamous cell carcinoma. *Int. J. Cancer* 128, 2261–2273.

Huang, Y.T., Chu, S., Loucks, E.B., Lin, C.L., Eaton, C.B., Buka, S.L., Kelsey,

K.T., 2016. Epigenome-wide profiling of DNA methylation in paired samples of adipose tissue and blood. *Epigenetics* 11, 227–236.

Hutajulu, S.H., Indrasari, S.R., Indrawati, L.P., Harijadi, A., Duin, S., Haryana,

S.M., Steenbergen, R.D., Greijer, A.E., Middeldorp, J.M., 2011. Epigenetic markers for early detection of nasopharyngeal carcinoma in a high risk population. *Mol. Cancer* 10, 48.

Jakszyn, P., Gonzalez, C.-A., 2006. Nitrosamine and related food intake and gastric and oesophageal cancer risk: a systematic review of the epidemiological evidence. *World J. Gastroenterol.* 12, 4296–303.

Jia, W.-H., Qin, H.-D., 2012. Non-viral environmental risk factors for nasopharyngeal carcinoma: A systematic review. *Semin. Cancer Biol.* 22, 117–126.

Jin, B., Li, Y., Robertson, K.D., 2011. DNA Methylation: Superior or Subordinate in the Epigenetic Hierarchy? *Genes Cancer* 2, 607–617.

Kanehisa Laboratories, 2017. KEGG PATHWAY: Wnt signaling pathway - Homo sapiens (human) [WWW Document]. URL [http://www.genome.jp/kegg-bin/show\\_pathway?hsa04310](http://www.genome.jp/kegg-bin/show_pathway?hsa04310) (accessed 9.27.17).

Kulis, M., Esteller, M., 2010. 2 – DNA Methylation and Cancer. *Adv. Genet.* 70,



27–56.

- Kurdyukov, S., Bullock, M., 2016. DNA Methylation Analysis: Choosing the Right Method. *Biology (Basel)*. 5, 3.
- Lee, K.W.K., Pausova, Z., 2013. Cigarette smoking and DNA methylation. *Front. Genet.* 4, 1–11.
- Lee, S.M., Park, J.Y., Kim, D.S., 2013. Wif1 hypermethylation as unfavorable prognosis of non-small cell lung cancers with EGFR mutation. *Mol. Cells* 36, 69–73.
- Lemeshow, S., Jr, D.W.H., Klar, J., Lwanga, S.K., 1990. Stanley Lemeshow, David W Hosmer Jr, Janelle Klar, and Stephen K. Lwanga. Adequacy Sample Size Heal. Sudies 11–14.
- Leontiou, C.A., Hadjidaniel, M.D., Mina, P., Antoniou, P., Ioannides, M., Patsalis, P.C., 2015. Bisulfite conversion of DNA: Performance comparison of different kits and methylation quantitation of epigenetic biomarkers that have the potential to be used in non-invasive prenatal testing. *PLoS One* 10, 1–22.
- Li, B., Gan, A., Chen, X., Wang, X., He, W., Zhang, X., Huang, R., Zhou, S., Song, X., Xu, A., 2016. Diagnostic performance of DNA hypermethylation markers in peripheral blood for the detection of colorectal cancer: A meta-analysis and systematic review. *PLoS One* 11, 1–13.
- Li, Y., Tollefsbol, T.O., 2011. DNA Methylation Detection: Bisulfite Genomic Sequencing Analysis. pp. 11–21.
- Li, Y., Yang, H., Cao, J., 2011. Association between alcohol consumption and



cancers in the chinese population-a systematic review and meta-analysis.

PLoS One.

Lim, U., Song, M.-A., 2012. Dietary and Lifestyle Factors of DNA Methylation.

In: Dumitrescu, R.G., Verma, M. (Eds.), Cancer Epigenetics: Methods and Protocols. *Humana Press*, Totowa, NJ, pp. 359–376.

Lin, R., Hsieh, Y., Lin, P., Hsu, H., Chen, C., Tang, Y., Lee, C., Wang, Y., 2010. The tobacco-specific carcinogen NNK induces DNA methyltransferase 1 accumulation and tumor suppressor gene hypermethylation in mice and lung cancer patients 120.

Lin, Y.C., You, L., Xu, Z., He, B., Mikami, I., Thung, E., Chou, J., Kuchenbecker, K., Kim, J., Raz, D., Yang, C.T., Chen, J.K., Jablons, D.M., 2006. Wnt signaling activation and WIF-1 silencing in nasopharyngeal cancer cell lines. *Biochem. Biophys. Res. Commun.* 341, 635–640.

Loyo, M., Brait, M., Kim, M.S., Ostrow, K.L., Jie, C.C., Chuang, A.Y., Califano, J.A., Liégeois, N.J., Begum, S., Westra, W.H., Hoque, M.O., Tao, Q., Sidransky, D., 2011. A survey of methylated candidate tumor suppressor genes in nasopharyngeal carcinoma. *Int. J. Cancer* 128, 1393–1403.

Luo, X., Huang, R., Sun, H., Liu, Y., Bi, H., Li, J., Yu, H., Sun, J., Lin, S., Cui, B., Zhao, Y., 2016. Methylation of a panel of genes in peripheral blood leukocytes is associated with colorectal cancer. *Sci. Rep.* 6, 1–10.

Moore, L.D., Le, T., Fan, G., 2013. DNA methylation and its basic function. *Neuropsychopharmacology* 38, 23–38.

Ng, R.C.-L., Matsumaru, D., Ho, a S.-H., Garcia-Barceló, M.-M., Yuan, Z.-W.,



- Smith, D., Kodjabachian, L., Tam, P.K.-H., Yamada, G., Lui, V.C.-H., 2014. Dysregulation of Wnt inhibitory factor 1 (Wif1) expression resulted in aberrant Wnt- $\beta$ -catenin signaling and cell death of the cloaca endoderm, and anorectal malformations. *Cell Death Differ.* 1, 1–12.
- Otterdijk, S.D. Van, Binder, A.M., Szarc, K., Schwald, J., Michels, K.B., 2017. DNA methylation of candidate genes in peripheral blood from patients with type 2 diabetes or the metabolic syndrome 1–13.
- Pacchierotti, F., Spanò, M., 2015. Environmental Impact on DNA Methylation in the Germline: State of the Art and Gaps of Knowledge. *Biomed Res. Int.* 2015.
- Phillips, T., 2016. The Role of Methylation in Gene Expression. *Nat. Educ.* 1, 5–9.
- Pilsner, J.R., Liu, X., Ahsan, H., Ilievski, V., Slavkovich, V., Levy, D., Factor-Litvak, P., Graziano, J.H., Gamble, M. V., 2007. Genomic methylation of peripheral blood leukocyte DNA: Influences of arsenic and folate in Bangladeshi adults. *Am. J. Clin. Nutr.* 86, 1179–1186.
- Queimado, L., Lopes, C.S., Reis, A.M.C., 2007. WIF1, an inhibitor of the Wnt pathway, is rearranged in salivary gland tumors. *Genes, Chromosom. Cancer* 46, 215–225.
- Risanti, E.D., 2017. Kaitan Hipermetilasi Promoter Gen RASSF1A dan CDKN2A terhadap Kebiasaan Merokok pada Pasien Karsinoma Nasofaring. *Universitas Gadjah Mada.*
- Severi, G., Southey, M.C., English, D.R., Jung, C. hee, Lonie, A., McLean, C.,



- Tsimiklis, H., Hopper, J.L., Giles, G.G., Baglietto, L., 2014. Epigenome-wide methylation in DNA from peripheral blood as a marker of risk for breast cancer. *Breast Cancer Res. Treat.* 148, 665–673.
- Shen, L., Waterland, R.A., 2007. Methods of DNA methylation analysis. *Curr Opin Clin Nutr Metab Care* 10, 576–81.
- Singmann, P., Shem-Tov, D., Wahl, S., Grallert, H., Fiorito, G., Shin, S.Y., Schramm, K., Wolf, P., Kunze, S., Baran, Y., Guarnera, S., Vineis, P., Krogh, V., Panico, S., Tumino, R., Kretschmer, A., Gieger, C., Peters, A., Prokisch, H., Relton, C.L., Matullo, G., Illig, T., Waldenberger, M., Halperin, E., 2015. Characterization of whole-genome autosomal differences of DNA methylation between men and women. *Epigenetics and Chromatin* 8, 1–13.
- Stevens, S.J.C., Verkuijlen, S.A.W.M., Hariwiyanto, B., Harijadi, Paramita, D.K., Fachiroh, J., Adham, M., Tan, I.B., Haryana, S.M., Middeldorp, J.M., 2006. Noninvasive diagnosis of nasopharyngeal carcinoma: Nasopharyngeal brushings reveal high Epstein-Barr virus DNA load and carcinoma-specific viral BARF1 mRNA. *Int. J. Cancer* 119, 608–614.
- Tang, Y., Simoneau, A.R., Liao, W., Yi, G., Hope, C., Liu, F., Li, S., Xie, J., Holcombe, R.F., Jurnak, F.A., Mercola, D., Hoang, B.H., Zi, X., 2009. WIF1, a Wnt pathway inhibitor, regulates SKP2 and c-myc expression leading to G1 arrest and growth inhibition of human invasive urinary bladder cancer cells. *Mol. Cancer Ther.* 8, 458–468.
- Tsao, S.W., Yip, Y.L., Tsang, C.M., Pang, P.S., Lau, V.M.Y., Zhang, G., Lo, K.W., 2014. Etiological factors of nasopharyngeal carcinoma. *Oral Oncol.*



50, 330–338.

- Tulalamba, W., Janvilisri, T., 2012. Nasopharyngeal carcinoma signaling pathway: An update on molecular biomarkers. *Int. J. Cell Biol.* 2012.
- Walton, E., Hass, J., Liu, J., Roffman, J.L., Bernardoni, F., Roessner, V., Kirsch, M., Schackert, G., Calhoun, V., Ehrlich, S., 2016. Correspondence of DNA methylation between blood and brain tissue and its application to schizophrenia research. *Schizophr. Bull.* 42, 406–414.
- Weinberg, R., 2013. *The Biology of Cancer*, Second Edition. *Taylor & Francis Group*.
- WHO, 2012a. Globocan 2012: Estimated Cancer Incidence Mortality and Prevalence Worldwide in 2012 [WWW Document]. World Heal. Organ. URL [http://globocan.iarc.fr/Pages/fact\\_sheets\\_population.aspx](http://globocan.iarc.fr/Pages/fact_sheets_population.aspx) (accessed 4.5.18).
- WHO, 2012b. The Global Cancer Atlas - World [WWW Document]. Int. Agency Res. Cancer. URL <http://globocan.iarc.fr/ia/World/atlas.html> (accessed 10.24.17).
- WHO, 2016a. Prevalence of Tobacco Smoking [WWW Document]. URL [http://gamapserver.who.int/gho/interactive\\_charts/tobacco/use/atlas.html](http://gamapserver.who.int/gho/interactive_charts/tobacco/use/atlas.html) (accessed 10.24.17).
- WHO, 2016b. Prevalence of tobacco smoking [WWW Document]. URL <http://www.who.int/gho/tobacco/use/en/> (accessed 3.7.18).
- Williams, H., Crawford, D.H., 2006. Review in translational hematology Epstein-Barr virus : the impact of scientific advances on clinical practice. *Blood* 107,



862–869.

- Wissman, C., Wild, P.J., Kaiser, S., Roepcke, S., Stoehr, R., Woenckhaus, M., Kristiansen, G., Hsieh, J.C., Hofstaedter, F., Hartmann, A., Knuechel, R., Rosenthal, A., Pilarsky, C., 2003. WIFI, a component of the Wnt pathway, is down-regulated in prostate, breast, lung, and bladder cancer. *J. Pathol.* 201, 204–212.
- Woellmer, A., Hammerschmidt, W., 2013. Epstein–Barr virus and host cell methylation: regulation of latency, replication and virus reactivation. *Curr. Opin. Virol.* 3, 260–265.
- Wong, T.S., Kwong, D.L.-W., Sham, J.S.-T., Tsao, S.W., Wei, W.I., Kwong, Y.L., Yuen, A.P.-W., 2003. Promoter hypermethylation of high-in-normal 1 gene in primary nasopharyngeal carcinoma. *Clin. Cancer Res.* 9, 3042–3046.
- Xu, F.-H., Xiong, D., Xu, Y.-F., Cao, S.-M., Xue, W.-Q., Qin, H.-D., Liu, W.-S., Cao, J.-Y., Zhang, Y., Feng, Q.-S., Chen, L.-Z., Li, M.-Z., Liu, Z.-W., Liu, Q., Hong, M.-H., Shugart, Y.Y., Zeng, Y.-X., Zeng, M.-S., Jia, W.-H., 2012. An Epidemiological and Molecular Study of the Relationship Between Smoking, Risk of Nasopharyngeal Carcinoma, and Epstein–Barr Virus Activation. *JNCI J. Natl. Cancer Inst.* 104, 1396–1410.
- Yoshino, M., Suzuki, M., Lei, T., Yasumitsu, M., Hidehisa, H., Tatsuro, O., Shigetoshi, Y., Kiyoshi, S., Ichiro, Y., 2009. Promoter hypermethylation of the p16 and Wif-1 genes as an independent prognostic marker in stage IA non-small cell lung cancers. *Int. J. Oncol.* 35, 4–11.
- Yu, M.C., Yuan, J.-M., 2002. Epidemiology of nasopharyngeal carcinoma. *Semin*



UNIVERSITAS  
GADJAH MADA

HUBUNGAN ANTARA KEBIASAAN MEROKOK, METILASI PROMOTER GEN WIF1 PADA SAMPEL  
DARAH TEPI DENGAN RISIKO  
KARSINOMA NASOFARING DI YOGYAKARTA  
ADITYA KURNIAWAN, Jajah Fachiroh, S.P, M.Si, Ph.D.; dr. Ery Kus Dwianingsih, Ph.D, Sp.PA  
Universitas Gadjah Mada, 2018 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Cancer Biol. 14, 423–430.

- Zeilinger, S., Kühnel, B., Klopp, N., Baurecht, H., Kleinschmidt, A., Gieger, C., Weidinger, S., Lattka, E., Adamski, J., Peters, A., Strauch, K., Waldenberger, M., Illig, T., 2013. Tobacco Smoking Leads to Extensive Genome-Wide Changes in DNA Methylation. PLoS One 8.
- Zhang, L., Long, X., 2016. Association of BRCA1 promoter methylation with sporadic breast cancers: Evidence from 40 studies. Sci. Rep. 5, 17869.
- Zhao, Z., Liu, W., Liu, J., Wang, J., Luo, B., 2017. The effect of EBV on WIF1, NLK, and APC gene methylation and expression in gastric carcinoma and nasopharyngeal cancer. J. Med. Virol. 89, 1844–1851.
- Zheng, Y., Li, X., Jiang, Y., Xu, Y., Song, B., Zhou, Q., Liang, X., Yang, X., 2016. Promoter hypermethylation of Wnt inhibitory factor-1 in patients with lung cancer. Medicine (Baltimore). 95, 1–8.