

DAFTAR PUSTAKA

- Abdel-Hamid, A. M., Attwood, M. M., & Guest, J. R. (2001). Pyruvate oxidase contributes to the aerobic growth efficiency of *Escherichia coli*. *Microbiology*, *147*(6), 1483-1498.
- Alang H. (2015). Deteksi *Coliform* Air PDAM di Beberapa Kecamatan Kota Makassar . Prosiding Seminar Nasional Mikrobiologi Kesehatan dan Lingkungan. Makasar. 16-20.
- Alou, M. T., Lagier, J. C., & Raoult, D. (2016). Diet influence on the gut microbiota and dysbiosis related to nutritional disorders. *Human Microbiome Journal*, *1*, 3-11.
- Ammor, M. S., & Mayo, B. (2007). Selection criteria for lactic acid bacteria to be used as functional starter cultures in dry sausage production: An update. *Meat science*, *76*(1), 138-146.
- Anggraeni, M.D. (2012). Uji Disinfeksi *Escherichia coli* menggunakan kavitas water jet. Fakultas Teknik Universitas Indonesia : Depok.
- Ballongue, J. E. A. N. (2004). *Bifidobacteria* and probiotic action. *Food Science And Technology-New York-Marcel Dekker-*, *139*, 67-124.
- Bayatkouhsar, J., Tahmasebi, A. M., Naserian, A. A., Mokarram, R. R., & Valizadeh, R. (2013). Effects of supplementation of lactic acid bacteria on growth performance, blood metabolites and fecal coliform and *Lactobacilli* of young dairy calves. *Animal Feed Science and Technology*, *186*(1-2), 1-11.
- Biagi, E., Candela, M., Fairweather-Tait, S., Franceschi, C., & Brigidi, P. (2012). Ageing of the human metaorganism: the microbial counterpart. *Age*, *34*(1), 247-267.
- Bian L., Satoru N., Takashi A., Mohammed S.R., Toshihisa O., Norikatsu Y., Chongxin W., Kikuo T., Masashi D., Koji N., Yuichiro Y. 2011. Effects of the continuous intake of *Lactobacillus casei* strain shirota fermented milk on risk management of long-term inpatients at health service facilities for the elderly. *International Journal of Probiotics and Prebiotics*. *6*(2). 123-132.
- Bianchi, F., Rossi, E. A., Sakamoto, I. K., Adorno, M. A. T., Van de Wiele, T., & Sivieri, K. (2014). Beneficial effects of fermented vegetal beverages on human gastrointestinal microbial ecosystem in a simulator. *Food research international*, *64*, 43-52.

- Buckle, K. A., Edwards, R. A., Fleet, G. H., & Wooton, M. (1987). Ilmu Pangan. Purnomo dan Adiono.(Penerjemah).
- Cani, P. D., Bibiloni, R., Knauf, C., Waget, A., Neyrinck, A. M., Delzenne, N. M., & Burcelin, R. (2008). Changes in gut microbiota control metabolic endotoxemia-induced inflammation in high-fat diet-induced obesity and diabetes in mice. *Diabetes*, 57(6), 1470-1481.
- Carey, C. M., Kostrzynska, M., Ojha, S., & Thompson, S. (2008). The effect of probiotics and organic acids on Shiga-toxin 2 gene expression in enterohemorrhagic *Escherichia coli* O157: H7. *Journal of microbiological methods*, 73(2), 125-132.
- Chalova, V. I., Lingbeck, J. M., Kwon, Y. M., & Ricke, S. C. (2008). Extracellular antimutagenic activities of selected probiotic *Bifidobacterium* and *Lactobacillus* spp. as a function of growth phase. *Journal of Environmental Science and Health Part B*, 43(2), 193-198.
- Champagne, C. P., Gardner, N. J., & Roy, D. (2005). Challenges in the addition of probiotic cultures to foods. *Critical reviews in food science and nutrition*, 45(1), 61-84.
- Chung, W. S. F., Walker, A. W., Louis, P., Parkhill, J., Vermeiren, J., Bosscher, D., Duncan, S.H. & Flint, H. J. (2016). Modulation of the human gut microbiota by dietary fibres occurs at the species level. *BMC biology*, 14(1), 3.
- Coconnier, M. H., Bernet, M. F., Chauvière, G., & Servin, A. L. (1993). Adhering heat-killed human *Lactobacillus acidophilus*, strain LB, inhibits the process of pathogenicity of diarrhoeagenic bacteria in cultured human intestinal cells. *Journal of diarrhoeal diseases research*, 235-242.
- Collado, C. M., dan Salminen, S., (2009). Combined probiotics and pathogen adhesion and aggregation, dalam Lee, Y. K., & Salminen, S. (2009). *Handbook of probiotics and prebiotics*. John Wiley & Sons.
- Collado, M. C., Gonzalez, A., Gonzalez, R., Hernandez, M., Ferrus, M. A., & Sanz, Y. (2005). Antimicrobial peptides are among the antagonistic metabolites produced by *Bifidobacterium* against *Helicobacter pylori*. *International journal of antimicrobial agents*, 25(5), 385-391.
- Covián, R.D., Ruas-Madiedo, P., Margolles, A., Gueimonde, M., de los Reyes-Gavilán, C. G., & Salazar, N. (2016). Intestinal short chain fatty acids and their link with diet and human health. *Frontiers in microbiology*, 7, 185.
- De Filippo, C., Cavalieri, D., Di Paola, M., Ramazzotti, M., Poulet, J. B., Massart, S., ... & Lionetti, P. (2010). Impact of diet in shaping gut microbiota revealed by a comparative study in children from Europe and rural Africa. *Proceedings of the National Academy of Sciences*, 107(33), 14691-14696.

- Djunaedi, D. (2013). Pengaruh Probiotik Pada Respon Imun. *Jurnal Kedokteran Brawijaya*, 23(1), 22-27.
- Duncan, S. H., & Flint, H. J. (2013). Probiotics and prebiotics and health in ageing populations. *Maturitas*, 75(1), 44-50.
- FAO/WHO, (2001). Evaluation of health and nutritional properties of *powder* milk and live lactic acid bacteria. Food and Agriculture Organization of the United Nations and World Health Organization Expert Consultation Report (<http://www.fao.org/es/ESN/probio/probio.htm>)
- Flint, H. J., Duncan, S. H., Scott, K. P., & Louis, P. (2015). Links between diet, gut microbiota composition and gut metabolism. *Proceedings of the Nutrition Society*, 74(1), 13-22.
- Foo, H. L., Loh, T. C., Lai, P. W., Lim, Y. Z., Kufli, C. N., & Rusul, G. (2003). Effects of adding *Lactobacillus plantarum* I-UL4 metabolites in drinking water of rats. *Pakistan J Nutr*, 2(5), 283-8.
- Forsythe, P., & Bienenstock, J. (2010). Immunomodulation by commensal and probiotic bacteria. *Immunological investigations*, 39(4-5), 429-448.
- Fukuda, S., Toh, H., Hase, K., Oshima, K., Nakanishi, Y., Yoshimura, K., Tobe, T., Clarke, J.M., Topping D.L., Suzuki, T., Taylor, Itoh, K., Kikuchi, J., Morita, H., Hattori, M. & Ohno, H. (2011). *Bifidobacteria* can protect from enteropathogenic infection through production of acetate. *Nature*, 469(7331), 543.
- Gibson, G. R., & Roberfroid, M. B. (1995). Dietary modulation of the human colonic microbiota: introducing the concept of prebiotics. *The Journal of nutrition*, 125(6), 1401-1412.
- Gogineni, V. K., Morrow, L. E., & Malesker, M. A. (2013). Probiotics: mechanisms of action and clinical applications. *J Prob Health*, 1(101), 2.
- Goossens, D., Jonkers, D. M. A. E., Russel, M. G. V. M., Stobberingh, E., Van Den Bogaard, A. E. J. M., & Stockbrügger, R. (2003). The effect of *Lactobacillus plantarum* 299v on the bacterial composition and metabolic activity in faeces of healthy volunteers: a placebo controlled study on the onset and duration of effects. *Alimentary pharmacology & therapeutics*, 18(5), 495-505.
- Goossens, D. A. M., Jonkers, D. M. A. E., Russel, M. G. V. M., Stobberingh, E. E., & Stockbrügger, R. W. (2006). The effect of a probiotic drink with *Lactobacillus plantarum* 299v on the bacterial composition in faeces and mucosal biopsies of rectum and ascending colon. *Alimentary pharmacology & therapeutics*, 23(2), 255-263.

- Guandalini, S. (2006). Probiotics for children: use in diarrhea. *Journal of clinical gastroenterology*, 40(3), 244-248.
- Haller, D., Colbus, H., Gänzle, M. G., Scherenbacher, P., Bode, C., & Hammes, W. P. (2001). Metabolic and functional properties of lactic acid bacteria in the gastro-intestinal ecosystem: a comparative in vitro study between bacteria of intestinal and fermented food origin. *Systematic and Applied Microbiology*, 24(2), 218-226.
- Hamer, H. M., Jonkers, D. M. A. E., Venema, K., Vanhoutvin, S. A. L. W., Troost, F. J., & Brummer, R. J. (2008). The role of butyrate on colonic function. *Alimentary pharmacology & therapeutics*, 27(2), 104-119.
- Harahap I.A. (2016). Recovery *Lactobacillus plantarum* MUT-7 pada feses orang Indonesia dewasa sehat yang mengkonsumsi susu fermentasi dengan deteksi molekuler. Thesis. Universitas Gadjah Mada. Yogyakarta.
- Hervet, C. J., Martin, N. H., Boor, K. J., & Wiedmann, M. (2017). Survival and detection of coliforms, *Enterobacteriaceae*, and gram-negative bacteria in Greek yogurt. *Journal of dairy science*, 100(2), 950-960.
- Holt, J. G., Krieg, N. R., Sneath, P. A., Staley, J. T., & Williams, S. T. (1994). *Bergey's Manual of determinate bacteriology*.
- Ibrahim, S. A., & Salameh, M. M. (2001). Simple and rapid method for screening antimicrobial activities of *Bifidobacterium* species of human isolates. *Journal of Rapid Methods & Automation in Microbiology*, 9(1), 53-62.
- Ishibashi, N., Yaeshima, T., & Hayasawa, H. (1997). *Bifidobacteria*: their significance in human intestinal health. *Malaysian Journal of Nutrition*, 3(2), 149-159.
- Jandhyala, S. M., Talukdar, R., Subramanyam, C., Vuyyuru, H., Sasikala, M., & Reddy, D. N. (2015). Role of the normal gut microbiota. *World journal of gastroenterology: WJG*, 21(29), 8787.
- Johansson, M. L., Nobaek, S., Berggren, A., Nyman, M., Björck, I., Ahrne, S., Jeppsson, B. & Molin, G. (1998). Survival of *Lactobacillus plantarum* DSM 9843 (299v), and effect on the short-chain fatty acid content of faeces after ingestion of a rose-hip drink with fermented oats. *International journal of food microbiology*, 42(1-2), 29-38.
- Kabeerdoss, J., Devi, R. S., Mary, R. R., & Ramakrishna, B. S. (2012). Faecal microbiota composition in vegetarians: comparison with omnivores in a cohort of young women in southern India. *British Journal of Nutrition*, 108(6), 953-957.

- Kailasapathy, K., & Chin, J. (2000). Survival and therapeutic potential of probiotic organisms with reference to *Lactobacillus acidophilus* and *Bifidobacterium* spp. *Immunology & Cell Biology*, 78(1), 80-88.
- Kumar, M., Nagpal, R., Kumar, R., Hemalatha, R., Verma, V., Kumar, A., Chakraborty, C., Singh, B., Marotta, F., Jain, S. & Yadav, H. (2012). Cholesterol-lowering probiotics as potential biotherapeutics for metabolic diseases. *Experimental diabetes research*, 2012.
- Lahtinen, S., & Ouwehand, A. (2009). Adhesion to intestinal mucus and epithelium by probiotics. *Handbook of probiotics and prebiotics*, 377-384.
- Levri, K. M., Ketvertis, K., Deramo, M., Merenstein, J. H., & D'amico, F. (2005). Do probiotics reduce adult lactose intolerance? A systematic review. *The Journal of family practice*, 54(7), 613-620.
- Lindgren, S. E. (1993). Inhibition of enterobacteria and *Listeria* growth by lactic, acetic and formic acids. *Journal of Applied Microbiology*, 75(1), 18-24.
- Liong, M. T. (2008). Roles of probiotics and prebiotics in colon cancer prevention: postulated mechanisms and in-vivo evidence. *International Journal of Molecular Sciences*, 9(5), 854-863.
- Liszt, K., Zwielehner, J., Handschur, M., Hippe, B., Thaler, R., & Haslberger, A. G. (2009). Characterization of bacteria, clostridia and *Bacteroides* in faeces of vegetarians using qPCR and PCR-DGGE fingerprinting. *Annals of Nutrition and Metabolism*, 54(4), 253-257.
- Louis, P., Hold, G. L., & Flint, H. J. (2014). The gut microbiota, bacterial metabolites and colorectal cancer. *Nature Reviews Microbiology*, 12(10), 661.
- Louis, P., Scott, K. P., Duncan, S. H., & Flint, H. J. (2007). Understanding the effects of diet on bacterial metabolism in the large intestine. *Journal of applied microbiology*, 102(5), 1197-1208.
- Macfarlane, G. T., & Macfarlane, S. (2012). Bacteria, colonic fermentation, and gastrointestinal health. *Journal of AOAC International*, 95(1), 50-60.
- Mai, T. T., Van Hop, D., Van Anh, T. T., & Lam, N. T. (2013). Recovery of *Lactobacillus casei* strain Shirota (LcS) from the intestine of healthy Vietnamese adults after intake of fermented milk. *Asia Pacific journal of clinical nutrition*.
- Makoto U., Miyoshi, M., Kanbara, Y., Aoyama, M., Sakaki, H., Shuno, K., Hirata K., Takahashi, M., Ueno K., Tabata S., Asahara T., & Nomoto K. (2011). Effects of perioperative synbiotic treatment on infectious complications, intestinal integrity, and fecal flora and organic acids in hepatic surgery with

or without cirrhosis. *Journal of Parenteral and Enteral Nutrition*, 35(3), 317-328.

Matsuda, K., Tsuji, H., Asahara, T., Matsumoto, K., Takada, T., & Nomoto, K. (2009). Establishment of an analytical system for the human fecal microbiota, based on reverse transcription-quantitative PCR targeting of multicopy rRNA molecules. *Applied and environmental microbiology*, 75(7), 1961-1969.

Matsuki, T., Watanabe, K., Fujimoto, J., Takada, T., & Tanaka, R. (2004). Use of 16S rRNA gene-targeted group-specific primers for real-time PCR analysis of predominant bacteria in human feces. *Applied and environmental microbiology*, 70(12), 7220-7228.

Matsumoto, K., Takada, T., Shimizu, K., Moriyama, K., Kawakami, K., Hirano, K., Kajimoto, O. & Nomoto, K. (2010). Effects of a probiotic fermented milk beverage containing *Lactobacillus casei* strain Shirota on defecation frequency, intestinal microbiota, and the intestinal environment of healthy individuals with soft stools. *Journal of bioscience and bioengineering*, 110(5), 547-552.

Miller, T. L., & Wolin, M. J. (1996). Pathways of acetate, propionate, and butyrate formation by the human fecal microbial flora. *Applied and environmental microbiology*, 62(5), 1589-1592.

Misrianti, B. 2013. Pengaruh penambahan sukrosa pada pembuatan whey kerbau fermentasi terhadap penghambatan bakteri patogen. Skripsi. Fakultas peternakan universitas hasanudin ; makasar.

Molenaar, D., Bringel, F., Schuren, F. H., De Vos, W. M., Siezen, R. J., & Kleerebezem, M. (2005). Exploring *Lactobacillus plantarum* genome diversity by using microarrays. *Journal of Bacteriology*, 187(17), 6119-6127.

Moore, W. E., & Moore, L. H. (1995). Intestinal floras of populations that have a high risk of colon cancer. *Applied and environmental microbiology*, 61(9), 3202-3207.

Nagata, S., Asahara, T., Ohta, T., Yamada, T., Kondo, S., Bian, L., Wang C., Yamashiro, Y. & Nomoto, K. (2011). Effect of the continuous intake of probiotic-fermented milk containing *Lactobacillus casei* strain Shirota on fever in a mass outbreak of norovirus gastroenteritis and the faecal microflora in a health service facility for the aged. *British journal of nutrition*, 106(4), 549-556.

Nakayama, J., Watanabe, K., Jiang, J., Matsuda, K., Chao, S. H., Haryono, P., La-ongkham O., Martinus-Agus S., Nengah S., Liang Z., Kang-Ting C., Yen-Po C., Hsueh-Hui C., Tomoko H., Ning-Xin H., Chikako K., Takashi K., Naoshige S., Kenji S., Kousuke T., Hirokazu T., Ming-Ju C., Vichai L.,

Chii-Cherng L., Sunee N., Endang S. R., Fa-Zeng.R., Ying-Chieh T. & Yuan-Kun L (2015). Diversity in gut bacterial community of school-age children in Asia. *Scientific reports*, 5, 8397.

Ngatirah, Hermayani, E., Rahayu, E.S. & Utami, T. (2000). Seleksi bakteri asam laktat sebagai agensia probiotik yang berpotensi menurunkan kolesterol (Doctoral dissertation, (Doctoral dissertation, Universitas Gadjah Mada)

Nicholson, J. K., Holmes, E., Kinross, J., Burcelin, R., Gibson, G., Jia, W., & Pettersson, S. (2012). Host-gut microbiota metabolic interactions. *Science*, 1223813.

Nurprasetyo, R., Rahayu, I. E. S., & Utami, I. T. (2015). Efek konsumsi susu yang difermentasi menggunakan *Lactobacillus plantarum* Dad-13 terhadap populasi bakteri *Enterobacteriaceae*, *Coliform non E. coli* dan *Escherichia coli* pada feses manusia dewasa sehat (Doctoral dissertation, Universitas Gadjah Mada).

O'Loughlin, E. V., & Robins-Browne, R. M. (2001). Effect of Shiga toxin and Shiga-like toxins on eukaryotic cells. *Microbes and infection*, 3(6), 493-507.

Ohland, C. L., & MacNaughton, W. K. (2010). Probiotic bacteria and intestinal epithelial barrier function. *American Journal of Physiology-Gastrointestinal and Liver Physiology*, 298(6), G807-G819.

Ooi, L. G., & Liong, M. T. (2010). Cholesterol-lowering effects of probiotics and prebiotics: a review of in vivo and in vitro findings. *International journal of molecular sciences*, 11(6), 2499-2522.

Oozeer, R., Leplingard, A., Mater, D. D., Mogenet, A., Michelin, R., Seksek, I., Marteau, P., Doré, J., Bresson, J. & Corthier, G. (2006). Survival of *Lactobacillus casei* in the human digestive tract after consumption of fermented milk. *Applied and environmental microbiology*, 72(8), 5615-5617.

Pakpahan, R. S., Picauly, I., Mahayasa, I., & Widiarta, N. (2015). *Escherichia coli* Microbial and Total Coliform Bacterial Contamination of Refill Drinking Water. *Kesmas-National Public Health Journal*, 9(4), 300-307.

Picard, C., Fioramonti, J., Francois, A., Robinson, T., Neant, F., & Matuchansky, C. (2005). *Bifidobacteria* as probiotic agents—physiological effects and clinical benefits. *Alimentary pharmacology & therapeutics*, 22(6), 495-512.

Purwandhani, S. N., & Rahayu, E. S. (2003). Isolasi dan seleksi *Lactobacillus* yang berpotensi sebagai agensia probiotik = Isolation and selection of *Lactobacillus* potentials for... *Agritech*, 23(2003).

- Rahayu, E. S., Cahyanto, M. N., Sarwoko, M. A., Haryono, P., Windiarti, L., Sutriyanto, J., Kandarina, I., Nurfiani, S., Zulaichah, E. & Utami, T. (2016). Effects Of Consumption Of Fermented Milk Containing Indigenous Probiotic *Lactobacillus plantarum* Dad-13 On The Fecal Microbiota Of Healthy Indonesian Volunteers. *International Journal of Probiotics & Prebiotics*, 11(2).
- Rahayu, E. S., Djaafar, T. F., Wibowo, D., & Sudarmadji, S. (1996). Lactic acid bacteria from indigenous fermented foods and their antimicrobial activity. *Indonesian Food and Nutrition Progress*, 3(2), 21-28.
- Rahayu, E. S., Yogeswara, A., Windiarti, L., Utami, T., & Watanabe, K. (2015). Molecular characteristics of indigenous probiotic strains from indonesia. *International Journal of Probiotics & Prebiotics*, 10(4), 109.
- Rastall, R. A. (2004). Bacteria in the gut: friends and foes and how to alter the balance. *The Journal of nutrition*, 134(8), 2022S-2026S.
- Reichardt, N., Duncan, S. H., Young, P., Belenguer, A., Leitch, C. M., Scott, K. P., Flint, H.J. & Louis, P. (2014). Phylogenetic distribution of three pathways for propionate production within the human gut microbiota. *The ISME journal*, 8(6), 1323.
- Reuter, G. (2001). The *Lactobacillus* and *Bifidobacterium* microflora of the human intestine: composition and succession. *Current issues in intestinal microbiology*, 2(2), 43-53.
- Rivière, A., Gagnon, M., Weckx, S., Roy, D., & De Vuyst, L. (2015). Mutual cross-feeding interactions between *Bifidobacterium longum* subsp. *longum* NCC2705 and *Eubacterium rectale* ATCC 33656 explain the bifidogenic and butyrogenic effects of arabinoxylan oligosaccharides. *Applied and environmental microbiology*, 81(22), 7767-7781.
- Rivière, A., Selak, M., Lantin, D., Leroy, F., & De Vuyst, L. (2016). *Bifidobacteria* and butyrate-producing colon bacteria: importance and strategies for their stimulation in the human gut. *Frontiers in microbiology*, 7, 979.
- Rund, S. A., Rohde, H., Sonnenborn, U., & Oelschlaeger, T. A. (2013). Antagonistic effects of probiotic *Escherichia coli* Nissle 1917 on EHEC strains of serotype O104: H4 and O157: H7. *International Journal of Medical Microbiology*, 303(1), 1-8.
- Sakai, T., Makino, H., Ishikawa, E., Oishi, K., & Kushiro, A. (2011). Fermented milk containing *Lactobacillus casei* strain Shirota reduces incidence of hard or lumpy stools in healthy population. *International journal of food sciences and nutrition*, 62(4), 423-430.
- Salazar, N., Dewulf, E. M., Neyrinck, A. M., Bindels, L. B., Cani, P. D., Mahillon, J., Willem M. de Vos, Thissen, J.P., Gueimonde, M., Clara G. & Delzenne,

- N. M. (2015). Inulin-type fructans modulate intestinal *Bifidobacterium* species populations and decrease fecal short-chain fatty acids in obese women. *Clinical nutrition*, 34(3), 501-507.
- Salovaara, H. (1993). Lactic acid bacteria in cereal-based products. *Lactic acid bacteria*, 111-126.
- Savino, F., Cordisco, L., Tarasco, V., Locatelli, E., Di Gioia, D., Oggero, R., & Matteuzzi, D. (2011). Antagonistic effect of *Lactobacillus* strains against gas-producing coliforms isolated from colicky infants. *BMC microbiology*, 11(1), 157.
- Sekirov, I., Russell, S. L., Antunes, L. C. M., & Finlay, B. B. (2010). Gut microbiota in health and disease. *Physiological reviews*, 90(3), 859-904.
- Shioiri, T., Yahagi, K., Nakayama, S., Asahara, T., Yuki, N., Kawakami, K., Yamaoka, Y., Sakai, Y., Nomoto, K. & Totani, M. (2006). The effects of a synbiotic fermented milk beverage containing *Lactobacillus casei* strain Shirota and transgalactosylated oligosaccharides on defecation frequency, intestinal microflora, organic acid concentrations, and putrefactive metabolites of sub-optimal health state volunteers: a randomized placebo-controlled cross-over study. *Bioscience and microflora*, 25(4), 137-146.
- Socol, C. R., de Souza, V. L. P., Spier, M. R., Medeiros, A. B. P., Yamaguishi, C. T., Lindner, J. D. D. 2010. The potential of probiotics. *Food Technology Biotechnology*, 48, 413-434
- Sugitha, I. M. (1995). Dadih olahan susu kerbau tradisional minang, manfaat, kendala dan prospeknya dalam era industrial Sumatra Barat. In *Seminar THT dan Gizi Masyarakat. Padang*.
- Sumaryati, B. T. Utami, T., dan Suparmo. (2009). The effect of infection of *Escherichia coli* and addition of *Lactobacillus plantarum* Dad-13 on infected Wistar Mice with *Escherichia coli* (In Indonesian). *Agritech* 29:165-170.
- Surono, I.S. dan Nurani, D. (2001). Probiotic properties of indigenous Dadih lactic acid bacteria. Paper presentation at Indonesian biotechnology conference. Yogyakarta.
- Szajewska, H., & Mrukowicz, J. Z. (2005). Use of probiotics in children with acute diarrhea. *Pediatric drugs*, 7(2), 111-122.
- Thirabunyanon, M. (2011). Biotherapy for and protection against gastrointestinal pathogenic infections via action of probiotic bacteria. *Maejo International Journal of Science and Technology*, 5(1), 108.

- Thompson, A. L. (2012). Developmental origins of obesity: early feeding environments, infant growth, and the intestinal microbiome. *American Journal of Human Biology*, 24(3), 350-360.
- Topping, D. L., & Clifton, P. M. (2001). Short-chain fatty acids and human colonic function: roles of resistant starch and nonstarch polysaccharides. *Physiological reviews*, 81(3), 1031-1064.
- Touré, R., Kheadr, E., Lacroix, C., Moroni, O., & Fliss, I. (2003). Production of antibacterial substances by bifidobacterial isolates from infant stool active against *Listeria monocytogenes*. *Journal of Applied Microbiology*, 95(5), 1058-1069.
- Tuohy, K. M., Pinart Gilberga, M., Jones, M., Hoyles, L., McCartney, A. L., & Gibson, G. R. (2007). Survivability of a probiotic *Lactobacillus casei* in the gastrointestinal tract of healthy human volunteers and its impact on the faecal microflora. *Journal of applied microbiology*, 102(4), 1026-1032.
- Turroni, F., Foroni, E., Pizzetti, P., Giubellini, V., Ribbera, A., Merusi, P., Cagnasso, P., Bizzarri, P., de'Angelis, G.L., Shanahan, F., van Sinderen, D., & Ventura, M. (2009). Exploring the diversity of the *Bifidobacterial* population in the human intestinal tract. *Applied and environmental microbiology*, 75(6), 1534-1545.
- Turroni, F., Peano, C., Pass, D. A., Foroni, E., Severgnini, M., Claesson, M. J., Kerr, C., Hourihane, J., Murray, D., Fuligni, F., Gueimonde, M., Margolles, A, De Bellis, G., O'Toole, P.W., van Sinderen, D., Marchesi, J.R. & Ventura, M. (2012). Diversity of *Bifidobacteria* within the infant gut microbiota. *PloS one*, 7(5), e36957.
- Utami, T., Cahyanto, M. N., Juffrie, M., & Rahayu, E. S. (2015). Recovery of *Lactobacillus casei* strain shirota (Lcs) from the intestine of healthy Indonesian volunteers after intake of fermented milk and its impact on the *Enterobacteriaceae* faecal microbiota. *International Journal of Probiotics & Prebiotics*, 10(2/3), 77.
- Utami, T., Sumaryati, B. T., & Suparmo, S. (2010). Effects of *Lactobacillus plantarum* Dad-13, Inulin and Its Combination on Fecal Short Chain Fatty Acid Profile of Wistar Rats.
- Van den Broek, L. A., Hinz, S. W., Beldman, G., Vincken, J. P., & Voragen, A. G. (2008). *Bifidobacterium* carbohydrases their role in breakdown and synthesis of (potential) prebiotics. *Molecular nutrition & food research*, 52(1), 146-163.
- Wall, R., Fitzgerald, G., Hussey, S., Ryan, T., Murphy, B., Ross, P., & Stanton, C. (2006). Genomic diversity of cultivable *Lactobacillus* populations residing in the neonatal and adult gastrointestinal tract. *FEMS microbiology ecology*, 59(1), 127-137.

- Wang, R., Chen, S., Jin, J., Ren, F., Li, Y., Qiao, Z., Wang, Y. & Zhao, L. (2015). Survival of *Lactobacillus casei* strain Shirota in the intestines of healthy Chinese adults. *Microbiology and immunology*, 59(5), 268-276.
- Wichmann, A., Allahyar, A., Greiner, T. U., Plovier, H., Lundén, G. Ö., Larsson, T., Drucker, D.J., Delzenne, N.M., Cani, P.D. & Bäckhed, F. (2013). Microbial modulation of energy availability in the colon regulates intestinal transit. *Cell host & microbe*, 14(5), 582-590.
- Widjastuti, T. (1996). Penentuan Efisiensi Penggunaan Protein, Kebutuhan Protein Dan Energi Untuk Pertumbuhan dan Produksi Telur Ayam Sentul Pada Kandang Sistem Cage Dan Sistem Litter. *Program Pascasarjana Universitas Padjadjaran Bandung*.
- Woods, M. N., & Gorbach, S. L. (2001). Influences of fiber on the ecology of the intestinal flora. *CRC Handbook of Dietary Fibre in Human Nutrition*, 257-270.
- Young, V. B., & Schmidt, T. M. (2008). Overview of the gastrointestinal microbiota. In *GI Microbiota and Regulation of the Immune System* (pp. 29-40). Springer, New York, NY.