

DAFTAR PUSTAKA

- Aberg, MA, Brisman, J., Sundberg, R., Winkvist, A. and Toren, K. (2009a). Fish intake of Swedish male adolescents is a predictor of cognitive performance. *Acta Pædiatrica*, 98, 555–560.
- Aberg MA, Pedersen NL, Torén K, Svartengren M, Backstrand B, and Johnsson T. (2009b). Cardiovascular fitness is associated with cognition in young adulthood. *Proceedings of the National Academy of Sciences of the United States of America* 106: 20906–20911. doi: 10.1073/pnas.0905307106 PMID: 19948959
- Abudayya A, Shi Z, Abed Y. and Holmboe-Ottesen G. (2017). Diet, nutritional status and school performance among adolescents in Gaza Strip. *East Mediterr Health J*; 17(3):218–25. [PubMed: 21735962].
- Adam, I., Ahmed, S., Mahmoud, M. H., and Yassin, M. I. (2012). Comparison of HemoCue® hemoglobin-meter and automated hematology analyzer in measurement of hemoglobin levels in pregnant women at Khartoum hospital, Sudan. *Diagnostic pathology*, 7(1), 30.
- Adriani M, dan Wirjatmadi B. (2014). *Peranan Gizi dalam Siklus Kehidupan*. Jakarta: Kencana.
- Alfaro-Acha, A., Al Snih, S., Raji, M.A., Markides, K.S. and Ottenbacher, K.J. (2007). Does 8-foot walk time predict cognitive decline in older Mexicans Americans? *Journal of the American Geriatrics Society* 55, 245-251.
- Arday, D. N., Fernández-Rodríguez, J. M., Jiménez-Pavón, D., Castillo, R., Ruiz, J. R., and Ortega, F. B. (2014). A Physical Education trial improves adolescents' cognitive performance and academic achievement: the EDUFIT study. *Scandinavian journal of medicine & science in sports*, 24(1).
- Badan Kependudukan dan Keluarga Berencana Nasional (BKKBN). (2011). *Pembangunan Berwawasan Kependudukan*. Jakarta
- Badan Penelitian dan Pengembangan Kesehatan Republik Indonesia. (2013). *Riset Kesehatan Dasar 2013*. Jakarta
- Bass RW, Brown DD, Laurson KR, and Coleman MM. (2013). Physical fitness and academic performance in middle school students. *Acta paediatrica*.
- Baumgartner J, Smuts CM, Malan L, Kvalsvig J, van Stuijvenberg ME, and Hurrell RF. (2012). Effects of iron and n-3 fatty acid supplementation, alone and in combination, on cognition in school children: a randomized, double-blind, placebo-controlled intervention in South Africa. *Am J Clin Nutr*; 96:1327–1338.
- Beck, K.L., Conlon, C.A., Kruger, R. and Coad, J. (2014). Dietary determinants of and possible solutions to iron deficiency for young women living in industrialized countries: a review. *Nutrients*, 6(9), pp.3747-3776.

- Bennett, G. K., Seashore, H. G., and Wesman, A. G. (1947). Differential aptitude tests. San Antonio, TX: Psychological Corporation.
- Benoist B. (2008). Conclusions of a WHO technical consultation on folate and vitamin B12 deficiencies. *Food Nutr Bull* 29(suppl):S238–S244.
- Berk, L. (2008). *Infants, Children and Adolescent* (6th ed). USA: Pearson).
- Bhutta, Z. (2013). Maternal and child undernutrition and overweight in lowincome and middle-income countries. *The Lancet*; 382(9890):427–451.
- Biesalski, H. K., and Erhardt, J. G. (2007). Diagnosis of nutritional anemia-laboratory assessment of iron status. *Nutritional Anemia*, 37.
- Blakemore, S.-J., Burnett, S., and Dahl, R.E. (2010). The role of puberty in the developing adolescent brain. *Human Brain Mapping*, 31, 926–933.
- Blanton CA, Green MW, and Kretsch MJ. (2013). Body iron is associated with cognitive executive planning function in college women. *Br J Nutr*; 109: 906–13.
- Bonell C, Jamal F, and Harden A. (2013) Systematic review of the effects of schools and school environment interventions on health: evidence mapping and synthesis. *Public Health*; 1: 1.
- Braga, J.A. and Vitale, M.S.S. (2010). Iron deficiency in infants and children. *Revista Brasileira de Hematologia e Hemoterapia*, 32, pp.38-44.
- Brodersen NH, Steptoe A, Boniface DR, and Wardle J. (2007). Trends in physical activity and sedentary behaviour in adolescence: ethnic and socioeconomic differences. *Br J Sports Med*; 41: 140–144.
- Bruinsma, M. (2004). Motivation, cognitive processing and achievement in higher education. *Learning and instruction*, 14, 549-568.
- Chaddock-Heyman L, Erickson KI, Voss MW, Knecht AM, and Pontifex MB. (2013). The effects of physical activity on functional MRI activation associated with cognitive control in children: A randomized controlled intervention. *Front Hum Neurosci* 7. doi: 10.3389/fnhum.2013.00072.
- Cho, K., Jones, E., Lilly, C., Bulger, S., Braga, L., and Elliott, E. (2017). Relationship Between Adherence to Individual Goals Within the 5-2-1-0 Guidelines for Obesity Prevention and Number of PACER Laps in Adolescents. *Journal of School Health*, 87(10), 769-775.
- Chaves PH, Carlson MC, Ferrucci L, Guralnik JM, Serba R, and Fried LP. (2006). Association between mild anemia and executive function impairment in communitydwelling older women: the Women's Health and Aging Study II. *Journal of the American Geriatric Society*.2006;54(9):1429–1435.
- Cook JD. (2005). Diagnosis and management of iron deficiency anaemia. *Best Pract Res Clin Haematol*;18(2):319–32.
- Cook, JD. and Reddy, M.B. (2001). Effect of ascorbic acid intake on nonheme-iron absorption from a complete diet. *Am. J. Clin. Nutr.* 73, 93–98.

- Darawati, Made. (2017). *Ilmu Gizi Teori & Aplikasi : Mineral*. Bab 7. Penerbit Buku Kedokteran EGC.
- Davis, C. L., Tomporowski, P. D., McDowell, J. E., Austin, B. P., Miller, P. H., Yanasak, N. E., Allison, J. D., and Naglieri, J. A. (2011). Exercise improves executive function and achievement and alters brain activation in overweight children: A randomized, controlled trial. *Health Psychology*, 91–98. doi:10.1037/a0021766
- de Andrade Cairo, R.C., Rodrigues Silva, L., Carneiro Bustani, N. and Ferreira Marques, C.D. (2014). Iron deficiency anemia in adolescents; a literature review. *Nutr Hosp*, 29(6), pp.1240-9.
- De Benoist B, Egli I, and Cogswell M. (2008). Worldwide prevalence of anaemia 1993-2005. Geneva: World Health Organization.
- Desai, I.K., Kurpad, A.V., Chomitz, V.R. and Thomas, T. (2015). Aerobic fitness, micronutrient status, and academic achievement in Indian school-aged children. *PLoS One*, 10(3), p.e0122487.
- Dinas Kesehatan Kabupaten Sleman. (2008). Survey Anemia Remaja Putri di Kabupaten Sleman. Yogyakarta: Dinkes Sleman.
- Dinas Kesehatan Provinsi Jawa Tengah. (2014). Profil Kesehatan Provinsi Jawa Tengah tahun 2013: Semarang.
- Dobbins M, Husson H, DeCorby K, and LaRocca RL. (2013). School-based physical activity programs for promoting physical activity and fitness in children and adolescents aged 6 to 18. *Cochrane Database Syst Rev*; 2: CD007651.
- Erickson KI, Voss MW, Prakash RS, Basak C, and Szabo A. (2011). Exercise training increases size of hippocampus and improves memory. *Proc Natl Acad Sci U S A* 108: 3017–3022. doi: 10.1073/pnas.1015950108.
- Falkingham Martin, Asmaa Abdelhamid, Peter Curtis, Susan Fairweather-Tait, Louise Dye and Lee Hooper. (2010). The effects of oral iron supplementation on cognition in older children and adults: a systematic review and meta-analysis. *Nutrition Journal*.
- Faught, E.L., Ekwaru, J.P., Gleddie, D., Storey, K.E., Asbridge, M. and Veugelers, P.J. (2017). The combined impact of diet, physical activity, sleep and screen time on academic achievement: a prospective study of elementary school students in Nova Scotia, Canada. *International Journal of Behavioral Nutrition and Physical Activity*, 14(1), p.29.
- Francis H and Stevenson R. (2013). The longer-term impacts of Western diet on human cognition and the brain. *Appetite* 63, 119–128.
- Freeman, H.J. (2015). Iron deficiency anemia in celiac disease. *World Journal of Gastroenterology: WJG*, 21(31), p.9233.

- Gomez, ARM, Espinosa, MB, Muriel, KS, and Pinales, RAP. (2015). Influence of blood donation time intervals on ferritin hemoglobin concentration. *Transfusion and Apheresis Science*, vol.3, pp.1-7.
- Groome, D. (2013). *An introduction to cognitive psychology: process and disorders* (2nd ed). New York and Hove : Psychology Press.
- Haapala EA, Eloranta AM, and Venalainen T. (2015). Associations of diet quality with cognition in children – the Physical Activity and Nutrition in Children Study. *Br J Nutr*: 114, 1080–1087.
- Hardman K. (2008). Physical education in schools: A global perspective. *Kinesiology* 40: 5–28.
- Henriksson, P., Cuenca-García, M., Labayen, I., Esteban-Cornejo, I., Henriksson, H., Kersting, M., and Ortega, F. B. (2017). Diet quality and attention capacity in European adolescents: the Healthy Lifestyle in Europe by Nutrition in Adolescence (HELENA) study. *British Journal of Nutrition*, 117(11), 1587-1595.
- Hoffbrand AV, PAH Moss, and Pettit JE. (2006). *Fundamental of Hematologi*. 5ed. Artmed: San Paulo.
- Hu FB. (2002). Dietary pattern analysis: a new direction in nutritional epidemiology. *Curr Opin Lipidol* 13, 3–9.
- Hurrell R and Egli I. (2010). Iron bioavailability and dietary reference values. *Am J Clin Nutr*, 91: 1461S–67S.
- J. L. Beard. (2001). Iron biology in immune function, muscle metabolism and neuronal function. *Journal of Nutrition*, Vol. 131. No. 2. pp. 568-580.
- Jauregui-Lobera, I. (2014). Iron deficiency and cognitive functions. *Neuropsychiatric Disease and Treatment*, 10, 2087–2095. <http://doi.org/10.2147/NDT.S72491>
- Jill S. Halterman, Jeffrey M. Kaczorowski, C. Andrew Aligne, Peggy Auinger and Peter G. Szilagyi. (2001). Iron deficiency and cognitive achievement among school-aged children and adolescents in the united states. *American Academy of Pediatrics*. Vol. 107. No. 6.
- Jordao RE, Bernardi JLD, and Barros Filho AA. (2009). Prevalence of iron deficiency anemia in Brazil: a systematic review. *Rev Paul Pediatr*, 27 (1): 90-8.
- Jorgenson LA, Wobken JD, and Georgieff MK. (2003). Perinatal iron deficiency alters apical dendritic growth in hippocampal CA1 pyramidal neurons. *Dev. Neurosci.* 2003;25(6): 412–420.
- Jougleux JL, Rioux FM, Church MW, Fiset S, and Surette ME. (2011). Mild Maternal Iron Deficiency Anemia during Pregnancy and Lactation in Guinea Pigs Cause Abnormal Auditory Function in the Offspring. *Journal of Nutrition*; 141: 1390-5.

- Kaller CP, Heinze K, Mader I, Unterrainer JM, and Rahm B. (2012). Linking planning performance and gray matter density in mid-dorsolateral prefrontal cortex: moderating effects of age and sex. *NeuroImage* 63:1454–63
- Kanani SJ and Poojara RH. (2000). Supplementation with iron and folic acid enhances growth in adolescent indian girls. *J Nutr* 130, 452S—455S.
- Kassebaum NJ, Jasrasaria R, and Naghavi M. (2014). A Systematic analysis of global anemia burden from 1990 to 2010. *Blood*; 123: 615-24.
- Kaur, S., P. R. Deshmukh, and B. S. Garg. (2006). Epidemiological correlates of nutritional anemia in adolescent girls of rural Wardha. *Indian Journal of Community Medicine* Vol. 31, No. 4, October December: 255-258.
- Kementerian Kesehatan Republik Indonesia. (2017). *Gizi, Investasi Masa Depan Bangsa*. WartaKesmas: Edisi 02.
- Khan NA, Raine LB, and Drollette ES. (2015). Dietary fiber is positively associated with cognitive control among prepubertal children. *J Nutr* 145, 143–149.
- Kim SY, Sim S, and Park B. (2016). Dietary habits are associated with school performance in adolescents. *Medicine (Baltimore)* 95, e3096.
- Kim, J. Y., and Kang, S. W. (2017). Relationships between dietary Intake and cognitive function in healthy korean children and adolescents. *Journal of lifestyle medicine*, 7(1), 10.
- Kraemer, K., and Zimmermann, M.B. (2007). *Nutritional anemia*. Germany: Sight and life.
- Kwiatkowski JL, Zimmerman RA, Pollock AN, Seto W, Smith-Whitley K, and Shults J. (2009). Silent infarcts in young children with sickle cell disease. *Br J Haematol*;146(3):300–5. [PubMed: 19500105].
- Lam, L. F., and Lawlis, T. R. (2017). Feeding the brain—The effects of micronutrient interventions on cognitive performance among school-aged children: A systematic review of randomized controlled trials. *Clinical Nutrition*, 36(4), 1007-1014.
- Lemeshow, S. and David W.H.Jr. (1997). *Besar Sampel dalam Penelitian Kesehatan (Terjemahan)*. Gadjah Mada University Press. Yogyakarta.4.
- Lichtman MA, and Williams, W. (2003). *Manual of Hematology*, 6 ed, McGraw-Hill Medical, New York.
- Lopez, Anthony., Patrice Cacoub., Iain C Macdougall., and Laurent Peyrin-Biroulet. (2016). Iron deficiency anaemia. *Lancet* , 387 (10021), p. 907.
- Louwman, M.W., van Dusseldorp, M., van de Vijver, F.J., Thomas, C.M., Schneede, J., Ueland, P.M., Refsum, H. and van Staveren, W.A. (2000). Signs of impaired cognitive function in adolescents with marginal cobalamin status. *The American journal of clinical nutrition*, 72(3), pp.762-769.

- Low, M., Farrell, A., Biggs, B. A., and Pasricha, S. R. (2013). Effects of daily iron supplementation in primary-school-aged children: systematic review and meta-analysis of randomized controlled trials. *Canadian Medical Association Journal*, cmaj-130628.
- Lozoff B, Jimenez E, and Smith JB. (2006). Double burden of iron deficiency and low socio-economic status: A longitudinal analysis of cognitive test scores to 19 years. *Arch Pediatr Adol Med* (in press)
- Lupita Sari, Okky. (2016). Perbedaan Peningkatan Konsumsi Air Minum, Status Hidrasi dan Kebugaran Jasmani Berdasarkan Jenis Kelamin pada Remaja Setelah Pemberian Edukasi yang Disertai Air Minum. Tesis Prodi Ilmu Kesehatan Masyarakat. FKMK UGM.
- McKie, A.T.; Barrow, D.; Latunde-Dada, G.O.; Rolfs, A.; Sager, G.; Mudaly, E.; Mudaly, M.; Richardson, C.; Barlow, D.; and Bomford, A. (2001). An iron-regulated ferric reductase associated with the absorption of dietary iron. *Science*, 291, 1755–1759.
- Mei Z, Cogswell ME, and Looker AC. (2011). Assessment of iron status in US pregnant women from the National Health and Nutrition Examination Survey (NHANES), 1999–2006. *Am J Clin Nutr*; 93: 1312–20
- Mesías M, Seiquer I, and Navarro MP. (2013). Iron nutrition in adolescence. *Crit Rev Food Sci Nutr*, 53 (11): 1226-37.
- More S, Shivkumar VB, Nitin G, and Sumeet S. (2013). Effects of Iron Deficiency on Cognitive Function in School Going Adolescent Females in Rural Area of Central India. Mahatma Gandhi Institute of Medical Science India. Hindawi Publishing Corporation.
- Morton, K. L., Atkin, A. J., Corder, K., Suhrcke, M., and Sluijs, E. M. F. (2016). The school environment and adolescent physical activity and sedentary behaviour: a mixed-studies systematic review. *Obesity reviews*, 17(2), 142-158.
- Murray-Kolb LE, and Beard JL. (2007). Iron treatment normalizes cognitive functioning in young women. *Am J Clin Nutr*, 85(3):778-787.
- Nagalakshmi P, Santhosh H, and Shobha C. A study of Correlation Between Hemoglobin Level and Cognitive Function in Children from Rural Area Staying in Residential School. (2015). *Indian Journal Physiology Pharmacology*; 59(3):308–312.
- Nyaradi, A., Li, J., Hickling, S., Foster, J., and Oddy, W. H. (2013). The role of nutrition in children’s neurocognitive development, from pregnancy through childhood. *Frontiers in Human Neuroscience*, 7, 97.
- Ochola, S. and Masibo, P.K., (2014). Dietary intake of schoolchildren and adolescents in developing countries. *Annals of Nutrition and Metabolism*, 64(Suppl. 2), pp.24-40.

- Oliveira, D., Ferreira, F.S., Atouguia, J., Fortes, F., Guerra, A. and Centeno-Lima, S., (2015). Infection by intestinal parasites, stunting and anemia in school-aged children from Southern Angola. *PloS one*, 10(9), p.e0137327.
- Patel, S., Dhuppar, P. and Bhattar, A., (2017). Nutritional Anemia Status in Adolescent Girls in Rural Schools of Raipur, India. *Med Chem (Los Angeles)*, 7, pp.853-856.
- Patterson AJ, Brown WJ, Powers JR, and Roberts DCK. (2000). Iron deficiency, general health and fatigue: Results from the Australian Longitudinal Study on Women's Health. In: *Quality of Life Research*. Kluwer Academic Publishers, 9: 491-97.
- Percy, Laura., Mansour, Diana., Fraser, and Ian. (2016). Iron deficiency and iron deficiency anaemia in women. *Best Practice & Research Clinical Obstetrics and Gynaecology*: 40 (2017) 55e67.
- Petranovic, D., Batinac, T., Ruzic, A. and Ruzic, T. (2008). Iron deficiency anaemia influences cognitive functions. *Medical hypotheses*, 70(1), pp.70-72.
- Radjen S, Radjen G, Zivotic-Vanovic M, Radakovic S, Vasiljevic N, and Stojanovic D. (2011). Effect of iron supplementation on maximal oxygen uptake in female athletes. *Vojnosanit Pregl*, 68(2):130-135.
- Ranjan, A., Jyothi, Y., Das, K. and Mary, A., (2017). Effects of Anemia on Cognitive Function. *Journal of Pharmaceutical Research*, 16(2), pp.134-142.
- Rioux FM., Bélanger PJ, Leblanc C P, and Vigneau F. (2016). Relationship between maternal DHA and iron status and infants' cognitive performance. *Canadian Journal of Dietetic Practice and Research*; 16 : 72-76.
- Rismayanthi, C. (2012). *Hubungan status gizi dan tingkat kebugaran jasmani terhadap prestasi hasil belajar*. *Jurnal Kependidikan*, 42(1), 29-38.
- Ruiz, J. R., Ortega, F. B., Castillo, R., Martín-Matillas, M., Kwak, L., Vicente-Rodríguez, G., and Moreno, L. A. (2010). Physical activity, fitness, weight status, and cognitive performance in adolescents. *The Journal of pediatrics*, 157(6), 917-922.
- Sartono, Wiryatun L., dan Toto S. (2007). *Hubungan konsumsi makan dan kadar hemoglobin (Hb) dengan prestasi belajar siswa SLTP kota palembang*. *Jurnal Gizi Klinik Indonesia Volume 4. No. 1 Juli 2007*: 19-29.
- Sen, A and S. J. Kanani. (2006). Deleterious Functional Impact of Anemia on Young Adolescent School Girls. *Indian Pediatrics Volume 43*: March 17: 2006.
- Sharlin J, and Edelstein S. (2010). *Essentials of Life Cycle Nutrition*. USA (ID): LLC.

- Sharp, P.A. (2010). Intestinal iron absorption: Regulation by dietary & systemic factors. *Int. J. Vitam. Nutr. Res*, 80, 231–242.
- Shrivastava D, Mukherjee S, Lohana R, and Khemka S. (2013). Determinants of Factors for Anaemia in Pregnancy in a Rural Medical College. *Global Journal of Medical research Gynecology and Obstetrics*; 13(2) Version 1.0
- Sidiarto, L.D., Kusumoputro, S., Samino, Munir, R., and Nugroho, W. (2003). The efficacy of specific patterns of movements and brain exercise on the cognitive performance of healthy senior citizen in Jakarta. *Med J Indones*, 12(3): 155-61.
- Silvers JA, McRae K, Gabrieli JD, Gross JJ, Remy KA, and Ochsner KN. (2012). Age related differences in emotional reactivity, regulation, and rejection sensitivity in adolescence. *Emotion* 12:1235-47
- Simmons, R. G. (2017). *Moving into adolescence: The impact of pubertal change and school context*. Routledge.
- Singh A, Uijtdewilligen L, Twisk JWR, van Mechelen W, and Chinapaw MJM. (2012). Physical activity and performance at school: a systematic review of the literature including a methodological quality assessment. *Arch Pediatr Adolesc Med*; 166: 49–55.
- Slickers J, Duquette P, Hooper S, and Gipson D. (2007). Clinical predictors of neurocognitive deficits in children with chronic kidney disease. *Pediatr Nephrol*; 22:565–572.
- Soedarso. 2006. *Speed reading: Sistem Membaca Cepat dan Efektif*. Jakarta: PT Gramedia Pustaka Utama.
- Spitzer US, and Hollmann W. (2013). Experimental observations of the effects of physical exercise on attention, academic and prosocial performance in school settings. *Trends Neurosci Educ* 2:1–6. doi: 10.1016/j.tine.2013.03.002.
- Stevens GA, Finucane MM, De-Regil LM, et al, and the Nutrition Impact Model Study Group (Anaemia). (2013). Global, regional, and national trends in haemoglobin concentration and prevalence of total and severe anaemia in children and pregnant and non-pregnant women for 1995-2011: a systematic analysis of population-representative data. *Lancet Glob Health*; 1: e16-25.
- Stoltzfus RJ, Mullany L, and Black RE: Iron deficiency anaemia, in Ezzati M, Lopez AD, Rodgers A. (2004). *Comparative Quantification of Health Risks: Global and Regional Burden of Disease Attributable to Selected Major Risk Factors*. Geneva, World Health Organization, 2004, pp 163-209
- Sudargo, T., Juffrie, M. dan Widiarsanti, E. (2012). *Faktor-faktor yang Berhubungan dengan kejadian anemia dan kurang energi kronik pada*

- remaja putri di kota yogyakarta*. Laporan Prodi S2 IKM bersama Dinas Kesehatan Kota Yogyakarta.
- Sunaryo. (2004). *Psikologi Untuk Keperawatan*. Jakarta: Kedokteran EGC.
- Suntoda, A. (2007). *Pedoman dan instrumen praktikum tes dan pengukuran olahraga*. Bandung.
- Suryabrata. 2002. *Psikologi Pendidikan*. Jakarta: Raja Grafindo Persada.
- Susetyowati. (2017). *Ilmu Gizi Teori & Aplikasi : Gizi Remaja*. Bab 13. Penerbit Buku Kedokteran EGC.
- Syvaolja, H.J., Tammelin, T.H., Ahonen, T., Kankaanpää, A. and Kantomaa, M.T., (2014). The associations of objectively measured physical activity and sedentary time with cognitive functions in school-aged children. *PLoS one*, 9(7), p.e103559.
- Taha A, Azhar S, Lone T, Murtaza G, Khan SA, Mumtaz A, Muhammad Hassham Hassan Bin Asad, Kousar R, Karim S, Tariq I, Syed Saeed ul Hassan, and Hussain I. (2014). Iron Deficiency Anaemia In Reproductive Age Women Attending Obstetrics And Gynecology Outpatient Of University Health Centre In Al-Ahsa, Saudi Arabia. *Afr J Tradit Complement Altern Med*; 11(2):339-342.
- Tefferi A. (2003). Anemia in adults : A contemporary approach to diagnosis. *Mayo Clin Proc*. 78:1274-80
- Teni, M., Shiferaw, S., and Asefa, F. (2017). Anemia and Its Relationship with Academic Performance among Adolescent School Girls in Kebena District, Southwest Ethiopia. *Biotechnology and Health Sciences*, 4(1).
- Terekeci, H.M., Kucukardali, Y., Onem, Y., Erikci, A.A., Kucukardali, B., Sahan, B., Sayan, O., Celik, S., Gulec, M., Sanisoglu, Y.S. and Nalbant, S. (2010). Relationship between anaemia and cognitive functions in elderly people. *European journal of internal medicine*, 21(2), pp.87-90.
- Terrier B, Resche-Rigon M, Andres E, and the Group de Recherche sur les Anemies en Medecine Interne. (2012). Prevalence, characteristics and prognostic significance anemia in daily practice. *QJM*; 105: 345-5
- Thomas, D., Chandra, J., Sharma, S., Jain, A. and Pemde, H.K., (2015). Determinants of nutritional anemia in adolescents. *Indian pediatrics*, 52(10), pp.867-869.
- Triwinarni, C., Hartini, T. N. S., and Susilo, J. (2018). Hubungan Status Gizi dengan Kejadian Anemia Gizi Besi (AGB) pada Siswi SMA di Kecamatan Pakem. *JURNAL NUTRISIA*, 19(1), 61-67.
- Trzaskowski, M., Harlaar, N., Arden, R., Krapohl, E., Rimfeld, K, McMillan, A., Dale, P. S., and Plomina, R. (2014). Genetic influence on family socioeconomic status and children's intelligence. *Intelligence*, 42, 83-88.

- Tupe, R.P., and Chiplonkar, S.A. (2009). Zinc supplementation improved cognitive performance and taste acuity in indian adolescent girls. *Journal of the American College of Nutrition*, 28, 388–396.
- Ugo Lucca., Tettamanti, M., Mosconi, P., Apolone, G., Gandini, F., Nobili, A., Tallone, M.V., Detoma, P., Giacomini, A., Clerico, M. and Tempia, P. (2008). Association of mild anemia with cognitive, functional, mood and quality of life outcomes in the elderly: the “Health and Anemia” study. *PLoS One*, 3(4), p.e1920.
- Ukkirapandian, Kavitha., Nirmala Natarajan., Kanagavalli Prassanaghavan., Priyatharshini Mohan and Lakshmi Selvam. (2014). A Clinical Study on Effects of Iron Deficiency Anaemia on Cognitive Function Among Undergraduate Paramedical Student. *International Journal of Medical Science and Public Health: Vol.3. Issue 8*.
- UNCF. (2011). The Adolescent Girls Anaemia Control Programme. Breaking the intergenerational cycle of undernutrition in India with a focus on adolescent girls. New York: United Nations Children’s Fund.
- UNICEF/UNU/WHO. (2001). Iron deficiency anaemia: assessment, prevention, and control. A guide for programme managers. WHO/NHD, 2001 [report no. 01.3].
- Vanhelst J, Beghin L, and Duhamel A. (2016). Physical activity is associated with attention capacity in adolescents. *J Pediatr* 168, 126–131.e122.
- Veena, S.R., Gale, C.R., Krishnaveni, G.V., Kehoe, S.H., Srinivasan, K. and Fall, C.H., (2016). Association between maternal nutritional status in pregnancy and offspring cognitive function during childhood and adolescence; a systematic review. *BMC pregnancy and childbirth*, 16(1), p.220.
- Vernon, P. E. (2014). Intelligence and cultural environment (Psychology Revivals). New York : Routledge.
- Vignoles, A., and Meschi, E. (2010). The determinants of non-cognitive and cognitive schooling outcomes. Report to the Department of Children, Schools and Families. London.
- Weuve, J., Kang, J.H., Manson, J.E., Breteler, M.M., Ware, J.H. and Grodstein, F. (2004). Physical activity, including walking, and cognitive function in older women. *Jama*, 292(12), pp.1454-1461.
- WHO/CDC. (2004). Technical consultation on assessment of iron status at population level. Geneva, Apr 6-8.
- Widenhorn-Muller, K., Hille, K., Klenk, J., and Weiland, U. (2008). Influence of having breakfast on cognitive performance and mood in 13-to20 year old high school students: Results of a crossover trial. *Pediatrics*, 122, 279–284.
- World Health Organization. (2016). *Guideline: Daily iron Supplementation in Adult Women and Adolescent Girls*. Geneva: World Health Organization

- World Health Organization. (2001). Iron deficiency, anaemia assessment, prevention, and control. A guide for programme managers. Geneva; 2001.
- World Health Organization, US Centers for Disease Control. (2005a). Assessing the iron status of populations. Report of a joint WHO/CDC Technical Consultation on the assessment of iron status at the population level. Geneva: Switzerland.
- World Health Organization. (2005b). Nutrition in adolescent-issues and challenges for the health sector : issues in adolescent health and development. Geneva: WHO Press.
- World Health Organization. (2007). Assessing the iron status of populations: report of a joint World Health Organization/Centers for Disease Control and Prevention technical consultation on the assessment of iron status at the population level, 2nd ed., Geneva.
- World Health Organization. (2011a). Haemoglobin concentrations for the diagnosis of anaemia and assessment of severity. Vitamin and Mineral Nutrition Information System. Geneva.
- World Health Organization. (2011b). Guideline: Intermittent iron and folic acid supplementation in menstruating women. Geneva, World Health Organization.
- World Health Organization. (2011c). *Prevention of Iron Deficiency Anaemia in Adolescent: Role of Weekly Iron and Folic Acid Supplementation*. Geneva: World Health Organization.
- World Health Organization. (2014). Global Nutrition Targets 2025: Anaemia Policy Brief.
- World Health Organization. (2015). The global prevalence of anaemia in 2011. Geneva: World Health Organization.
- Xiaopeng Ji, X., Cui, N. and Liu, J., (2001). Neurocognitive function is associated with serum iron status in early adolescents. *Biological Research For Nursing*, 19(3), pp.269-277.