

DAFTAR PUSTAKA

- [1] C. F. Hotama, H. A. Nugroho, and I. Soesanti, “Analisis Citra Otak pada Color-Task dan Word-Task dalam Stroop Task menggunakan Elektroencephanology (EEG),” Universitas Gadjah Mada, 2014.
- [2] A. Azhari, “Analisis Pengaruh Cognitive Task Berdasarkan Hasil Ekstraksi Ciri Gelombang Otak Menggunakan Jarak Euclidean,” in *Seminar Nasional Teknologi Informasi dan Multimedia 2017*, 2015, p. 3.1-1-3.1.6.
- [3] S. K. Bashar and M. I. H. Bhuiyan, “Classification of motor imagery movements using multivariate empirical mode decomposition and short time Fourier transform based hybrid method,” *Eng. Sci. Technol. an Int. J.*, vol. 19, no. 3, pp. 1457–1464, 2016.
- [4] T. Jiralerspong, S. Fumiya, C. Liu, and J. Ishikawa, “Spectral analysis and artificial neural network based classification of three mental states for brain machine interface applications,” in *2016 International Joint Conference on Neural Networks (IJCNN)*, 2016, pp. 2081–2089.
- [5] A. Gupta, R. K. Agrawal, and B. Kaur, “Performance enhancement of mental task classification using EEG signal: a study of multivariate feature selection methods,” *Soft Comput.*, vol. 19, no. 10, pp. 2799–2812, 2015.
- [6] X. Song, S. C. Yoon, and V. Perera, “Adaptive Common Spatial Pattern for single-trial EEG classification in multisubject BCI,” in *International IEEE/EMBS Conference on Neural Engineering, NER*, 2013, pp. 411–414.
- [7] P. Stankevich and V. Spitsyn, “A Review of Brain-Computer Interface Technology,” in *2015 International Siberian Conference on Control and Communications (SIBCON)*, 2015, pp. 1–5.
- [8] L. Wang, G. Xu, J. Wang, S. Yang, and W. Yan, “Application of Hilbert-Huang transform for the study of motor imagery tasks,” *Conf. Proc. IEEE Eng. Med. Biol. Soc.*, vol. 2008, pp. 3848–3851, 2008.
- [9] M. Teplan, “Fundamental of EEG Measurement,” *Meas. Sci. Rev.*, vol. 2, pp. 1–11, 2002.
- [10] H. A. Shedeed, M. F. Issa, and S. M. El-Sayed, “Brain EEG signal processing for controlling a robotic arm,” in *Proceedings - 2013 8th International Conference on Computer Engineering and Systems, ICCES 2013*, 2013, pp. 152–157.
- [11] S. Vaid, P. Singh, and C. Kaur, “EEG Signal Analysis for BCI Interface : A Review,” *2015 Fifth Int. Conf. Adv. Comput. Commun. Technol. EEG*, pp. 143–147, 2015.
- [12] M. A. Li, X. Luo, M. Zhang, and J. Yang, “Feature extraction and visualization of MI-EEG by LLE algorithm,” *2016 IEEE Int. Conf. Mechatronics Autom. IEEE ICMA 2016*, pp. 1989–1994, 2016.
- [13] W. Yi, S. Qiu, H. Qi, L. Zhang, B. Wan, and D. Ming, “EEG feature comparison and classification of simple and compound limb motor imagery,” *J. Neuroeng. Rehabil.*, vol. 10, p. 106, Oct. 2013.

- [14] J. S. Woo, K. R. Müller, and S. W. Lee, "Classifying directions in continuous arm movement from EEG signals," in *The 3rd International Winter Conference on Brain-Computer Interface*, 2015, pp. 1–2.
- [15] K. Liao, R. Xiao, J. Gonzalez, and L. Ding, "Decoding Individual Finger Movements from One Hand Using Human EEG Signals," *PLoS One*, vol. 9, no. 1, p. e85192, Jan. 2014.
- [16] S. K. Bashar, A. R. Hassan, and M. I. H. Bhuiyan, "Identification of motor imagery movements from EEG signals using Dual Tree Complex Wavelet Transform," in *2015 International Conference on Advances in Computing, Communications and Informatics (ICACCI)*, 2015, pp. 290–296.
- [17] N. Robinson, A. P. Vinod, K. K. Ang, K. P. Tee, and C. T. Guan, "EEG-Based Classification of Fast and Slow Hand Movements Using Wavelet-CSP Algorithm," *IEEE Trans. Biomed. Eng.*, vol. 60, no. 8, pp. 2123–2132, 2013.
- [18] K. K. Ang, Z. Y. Chin, C. Wang, C. Guan, and H. Zhang, "Filter bank common spatial pattern algorithm on BCI competition IV datasets 2a and 2b," *Front. Neurosci.*, vol. 6, 2012.
- [19] K. Saka, O. Aydemir, and M. Ozturk, "Classification of EEG signals recorded during right/left hand movement imagery using Fast Walsh Hadamard Transform based features," in *2016 39th International Conference on Telecommunications and Signal Processing (TSP)*, 2016, pp. 413–416.
- [20] Yuyi, Zhaoyun, L. Surui, S. Lijuan, L. Zhenxin, and D. Bingchao, "Motor imagery EEG discrimination using Hilbert-Huang Entropy," *Biomed. Res.*, vol. 28, no. 2, pp. 727–733, 2017.
- [21] A. S. Al-fahoum and A. A. Al-fraihat, "Methods of EEG Signal Features Extraction Using Linear Analysis in Frequency and Time-Frequency Domains," *ISRN Neurosci.*, vol. 2014, pp. 1–7, 2014.
- [22] G. Rodríguez-Bermúdez, P. J. García-Laencina, J. Roca-González, and J. Roca-Dorda, "Efficient feature selection and linear discrimination of EEG signals," *Neurocomputing*, vol. 115, no. Supplement C, pp. 161–165, 2013.
- [23] Y. Zhang, X. Ji, and Y. Zhang, "Classification of EEG signals based on AR model and approximate entropy," *Int. Jt. Conf. Neural Networks*, pp. 1–6, 2015.
- [24] M. Feng, X. Wang, and S. Zheng, "A Novel Feature Extraction Method for Motor Imagery Based on Common Spatial Patterns with Autoregressive Parameters," in *2013 Fourth International Conference on Intelligent Control and Information Processing (ICICIP)*, 2013, vol. 1, pp. 225–230.
- [25] R. Djemal, A. G. Bazyed, K. Belwafi, S. Gannouni, and W. Kaaniche, "Three-Class EEG-Based Motor Imagery Classification Using Phase-Space Reconstruction Technique," *Brain Sci.*, vol. 6, no. 3, p. 36, Sep. 2016.
- [26] S. Liang, K. S. Choi, J. Qin, W. M. Pang, and P. A. Heng, "Classification of motor imagery tasks using phase synchronization analysis of EEG based on multivariate empirical mode decomposition," in *2014 4th IEEE International Conference on Information Science and Technology*, 2014, pp. 674–677.

- [27] K. Liao, M. Zhu, and L. Ding, "A new wavelet transform to sparsely represent cortical current densities for EEG/MEG inverse problems," *Comput. Methods Programs Biomed.*, vol. 111, no. 2, pp. 376–388, 2013.
- [28] H. U. Amin *et al.*, "Feature extraction and classification for EEG signals using wavelet transform and machine learning techniques," *Australas. Phys. Eng. Sci. Med.*, vol. 38, no. 1, pp. 139–149, 2015.
- [29] A.-B. Raouf, S. Toka, and A.-H. Fatehi, "Features Extraction Techniques of EEG Signal for BCI Application," *Naif Arab Univ. Secur. Sci.*, pp. 35–40, 2011.
- [30] Y. R. Tabar and U. Halici, "A novel deep learning approach for classification of EEG motor imagery signals," *J. Neural Eng.*, vol. 14, no. 1, p. 16003, 2017.
- [31] S. S. Lekshmi, V. Selvam, and M. Pallikonda Rajasekaran, "EEG signal classification using Principal Component Analysis and Wavelet Transform with Neural Network," *2014 Int. Conf. Commun. Signal Process.*, pp. 687–690, 2014.
- [32] M. Hoodgar, M. Mehrani, A. Mehranzadeh, and F. Forootan, "Proposing an Effective Feature Extraction Model for EEG Signals to Enhance Quality of Hand's Motion Detection," *J. Acad. Appl. Stud.*, vol. 3, no. 2, pp. 1–19, 2013.
- [33] T. Yokota, "Introduction to Common Spatial Pattern Filters for EEG," 2012. [Online]. Available: <https://www.slideshare.net/yokotatsuya/introduction-to-common-spatial-pattern-filters-for-eeg-motor-imagery-classification>. [Accessed: 19-Mar-2017].
- [34] B. Blankertz, R. Tomioka, S. Lemm, M. Kawanabe, and K. r. Muller, "Optimizing Spatial filters for Robust EEG Single-Trial Analysis," *IEEE Signal Process. Mag.*, vol. 25, no. 1, pp. 41–56, 2008.
- [35] H. Ramoser, J. Müller-Gerking, and G. Pfurtscheller, "Optimal spatial filtering of single trial EEG during imagined hand movement," *IEEE Trans. Rehabil. Eng.*, vol. 8, no. 4, pp. 441–446, 2000.
- [36] L. Lin and J. Hongbing, "Signal feature extraction based on an improved EMD method," *Meas. J. Int. Meas. Confed.*, vol. 42, no. 5, pp. 796–803, 2009.
- [37] N. Huang *et al.*, "The empirical mode decomposition and the Hilbert spectrum for nonlinear and non-stationary time series analysis," *Proc. R. Soc. A Math. Phys. Eng. Sci.*, vol. 454, no. 1971, pp. 995, 903, 1998.
- [38] C. Park, D. Looney, N. Ur Rehman, A. Ahrabian, and D. P. Mandic, "Classification of motor imagery BCI using multivariate empirical mode decomposition," *IEEE Trans. Neural Syst. Rehabil. Eng.*, vol. 21, no. 1, pp. 10–22, 2013.
- [39] Q. Wei *et al.*, "Analysis of EEG via multivariate empirical mode decomposition for depth of anesthesia based on sample entropy," *Entropy*, vol. 15, no. 9, pp. 3458–3470, 2013.

- [40] X. An, D. Kuang, X. Guo, Y. Zhao, and L. He, "A Deep Learning Method for Classification of EEG Data Based on Motor Imagery," *ICIC 2014 Intell. Comput. Bioinforma.*, pp. 203–210, 2014.
- [41] Y. P. Y. Pan, S. S. Ge, A. Al Mamun, and F. R. Tang, "Detection of seizures in EEG signal using weighted locally linear embedding and SVM classifier," *2008 IEEE Conf. Cybern. Intell. Syst.*, pp. 358–363, 2008.
- [42] S. Narejo, E. Pasero, and F. Kulsoom, "EEG based eye state classification using deep belief network and stacked autoencoder," *Int. J. Electr. Comput. Eng.*, vol. 6, no. 6, pp. 3131–3141, 2016.
- [43] A. Srinivasulu and M. S. Reddy, "Artifacts Removing From EEG Signals by Ica Algorithms," *J. Electr. Electron. Eng.*, vol. 2, no. 4, pp. 11–16, 2012.
- [44] N. Rehman and D. P. Mandic, "Multivariate empirical mode decomposition," *Proc. R. Soc. A Math. Phys. Eng. Sci.*, vol. 466, no. 2117, pp. 1291–1302, 2010.
- [45] "Cerebrum," 2018. [Online]. Available: <https://en.wikipedia.org/wiki/Cerebrum>. [Accessed: 13-Mar-2018].
- [46] P. Ponce, A. Molina, D. C. Balderas, and D. Grammatikou, "Brain Computer Interfaces for Cerebral Palsy," E. B. T.-C. P.-C. for the F. Svra, Ed. Rijeka: InTech, 2014, p. Ch. 08.
- [47] S. M. Imran, M. T. F. Talukdar, S. K. Sakib, N. S. Pathan, and S. a. Fattah, "Motor imagery EEG signal classification scheme based on wavelet domain statistical features," *2014 Int. Conf. Electr. Eng. Inf. Commun. Technol.*, pp. 1–4, 2014.
- [48] "EEG dan Brainwaves," 2018. [Online]. Available: <http://www.brightbraincentre.co.uk/electroencephalogram-eeeg-brainwaves/>.
- [49] M. H. Soomro, N. Badruddin, M. Z. Yusoff, and A. S. Malik, "A method for automatic removal of eye blink artifacts from EEG based on EMD-ICA," in *Proceedings - 2013 IEEE 9th International Colloquium on Signal Processing and its Applications, CSPA 2013*, 2013, pp. 129–134.
- [50] M. Kiamini, S. Alirezaee, B. Perseh, and M. Ahmadi, "Elimination of Ocular Artifacts from EEG signals using the wavelet transform and empirical mode decomposition," in *Electrical Engineering/Electronics, Computer, Telecommunications and Information Technology, 2009. ECTI-CON 2009. 6th International Conference on*, 2009, vol. 2, pp. 1094–1097.
- [51] E. Yulianto, A. Susanto, T. S. Widodo, and S. Wibowo, "Spektrum Frekuensi Sinyal EEG Terhadap Pergerakan Motorik dan Imajinasi Pergerakan Motorik," *Forum Tek.*, vol. 35, pp. 21–32, 2013.
- [52] N. Lu, T. Li, X. Ren, and H. Miao, "A Deep Learning Scheme for Motor Imagery Classification based on Restricted Boltzmann Machines," *IEEE Trans. Neural Syst. Rehabil. Eng.*, vol. 25, no. 6, pp. 566–576, 2016.
- [53] Li Tan & Jean Jiang, *Digital Signal Processing: Fundamental and Applications*, vol. 70, no. 3. 2008.

- [54] T. A. H. Fatehi and A.-B. R. Suleiman, "Features Extraction Techniques of EEG Signals For BCI Application," *Naif Arab Univ. Secur. Sci.*, pp. 35–40, 2011.
- [55] S. C. Chapra and R. P. Canale, *Numerical methods for engineers*, 6th ed. New York: McGraw-Hill higher Education, 2010.
- [56] S. Kusumadewi, "Membangun Jaringan Syaraf Tiruan (Menggunakan MATLAB & Excel Link)," Graha Ilmu, 2004.
- [57] I. A. Basheer and M. Hajmeer, "Artificial neural networks: fundamentals, computing, design, and application," *J. Microbiol. Methods*, vol. 43, no. 1, pp. 3–31, 2000.
- [58] J. Baker, "Artificial Neural Networks and Deep Learning," 2015. [Online]. Available: <http://lancs.ac.uk>. [Accessed: 28-Feb-2017].
- [59] Mathworks, "Introducing Deep Learning with Matlab," 2017. [Online]. Available: <https://www.mathworks.com/campaigns/products/offer/deep-learning-with-matlab.html>. [Accessed: 25-Nov-2017].
- [60] Ufldl, "Feature Extraction Using Convolution - Ufldl," 2013. [Online]. Available: http://deeplearning.stanford.edu/wiki/index.php/Feature_extraction_using_convolution. [Accessed: 20-Dec-2017].
- [61] J. Suto, S. Oniga, and P. P. Sitar, "Comparison of Wrapper and Filter Feature Selection Algorithms on Human Activity Recognition," *2016 6th Int. Conf. Comput. Commun. Control*, no. Iccccc, pp. 124–129, 2016.
- [62] A. Rizal, B. S. Processing, F. Elektro, and B. Soang, "Wrapper Features Subset Selection Pada Ekstraksi Ciri Sinyal EKG Menggunakan Metode Dekomposisi Paket Wavelet," *J. Inform.*, vol. 8, pp. 105–114, 2012.
- [63] A. Karahoca, *Advances in Data Mining Knowledge Discovery and Applications*. Rijeka, Croatia: InTech, 2014.
- [64] S. S. Rao, *Engineering Optimization: Theory and Practice*, Fourth Edi. New Jersey: John Wiley & Sons, Inc., 2009.
- [65] M. Sokolova and G. Lapalme, "A systematic analysis of performance measures for classification tasks," *Inf. Process. Manag.*, vol. 45, no. 4, pp. 427–437, 2009.
- [66] Y. Li, "Engineering Applications of Artificial Intelligence A novel statistical algorithm for multiclass EEG signal classification," *Eng. Appl. Artif. Intell.*, vol. 34, pp. 154–167, 2014.
- [67] H. Takagi, "Statistical Tests for Computational Intelligence Research and Human Subjective Tests," 2014. [Online]. Available: <http://www.design.kyushu-u.ac.jp/~takagi/>. [Accessed: 11-Nov-2017].
- [68] "BCI Competition IV," 2008. [Online]. Available: <http://www.bbc.de/competition/iv/>. [Accessed: 01-Jan-2017].
- [69] M. Methner, "The history of the central limit theorem," *Sovell. Mat. erikoistyöt*, vol. 2, no. 1, p. 8, 2003.