UNIVERSITAS GADJAH MADA
ANALISIS FUNGSI GEN PEMBUNGAAN Phalaenopsis aphrodite Flowering locus T1 PADA TANAMAN TEMBAKAU (Nicotiana tabacum L.)
Sri Wahyuningsih, Dr. Endang Semiarti, M.S., M.Sc.; Prof. Dr. Sukarti Moeljopawiro, M.App.Sc.; Dr. Budi Setiadi Dary
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Aisyah and Anggraito, Y.U. 2015. Seleksi *in vitro* eksplan setengah biji kedelai varietas tahan tanah kering masam menggunakan kanamisin. *J. MIPA.* 38 (1): 1-6.

Albert, B., Johnson, A., Lewis, J., Raff, M., Roberts, K., and Walter, P. 2008. *Molecular Biology of The Cell*. Fifth ed. Garland Science. New York. Pp. 1414.

Aragão, F.J.L. and Brasileiro, C.M. 2002. Positive, negative and marker-free strategies for transgenic plant selection. *Braz. J. Plant Physiol*. 14 (1):1-10.

Ausin, I., Alonso-Blanco, C., and Martinez-Zapater, J. 2005. Environmental regulation of flowering. *Int. J. Dev. Biol*. 49: 689-705.

Bappeda. 2007. Indikasi geografis tembakau srintil. http://bappeda.temanggungkab.go.id/uploads/dokumen/indikasi-geografis-tembakau-srintil.pdf. Diakses 2 Pebruari 2018.

Basuki, S., and Sudarsono. 2017. Clustering of the ten tobacco (*Nicotiana tabacum*) varieties based on the partial PMT (putrescine N-methyltranferase) gene sequences diversity. *J. Littri.* 23(1): 36 – 44.

Baurle, I. and Dean, C. 2006. The Timing of Developmental Transitions in Plants. *Cell*. 125: 655-664.

Becker, A., Winter,K., Meyer, B., Saedler, H., and Theißen, G. 2000. MADS-Box Gene Diversity in Seed Plants 300 Million Years Ago. *Mol. Biol. Evol.* 17(10):1425–1434.

Blázquez,M., Koornneef, M., and Putterill, J. 2001. Flowering on time: genes that regulate the floral transition. *EMBO Rep.* 12: 1078-1082.

Brito, R. C. H., Carvalho, J. L. Zonari, A. A. C., Breyner, N. M., Carvalho, L., Gomes, D. A., and Goes, A. M. 2013. Genotype and expression of the enhanced green fluorescent protein in LEW-Tg (EGFP) F455.5/Rrrc rats. *Braz. J. Vet. Res. Anim. Sci*. 50 (2): 87-97.

Brejc, K. A., Sixma, T. K., Kitts, P. A., Kain, S. R., Tsiens, R. Y., Ormo, M., and Remington, S. J. 1997. Structural basis for dual excitation and photoisomerization of the *Aequorea victoria* green fluorescent protein. *Proc. Natl. Acad. Sci.* 94: 2306–2311.

UNIVERSITAS GADJAH MADA
ANALISIS FUNGSI GEN PEMBUNGAAN Phalaenopsis aphrodite Flowering locus T1 PADA TANAMAN TEMBAKAU (Nicotiana tabacum L.)
Sri Wahyuningsih, Dr. Endang Semiarti, M.S., M.Sc.; Prof. Dr. Sukarti Moeljopawiro, M.App.Sc.; Dr. Budi Setiadi Dary
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Budiman, H. 2013. *Budidaya tanaman tembakau*. Pustaka Baru Press.Yogyakarta. Hal. 1-36.

Causier, B., Weir, I., and Davies, B. 1999. *MADS-Box factors in hermaphrodite flower development.* pp. 1-20. In Ainsworth, C.C. (Eds). *Sex determination in plants*. Bios Scientific Publishers Ltd. Oxford.

Cece. 2012. Prancak N1 dan N2. Balai Penelitian Tanaman Pemanis dan Serat. http://balittas.litbang.pertanian.go.id/index.php/layanan-jasa2/indeks-kepuasan-masyarakat/60-info-teknologi/256-prancak-n1-and-n2

Chai, D. and Yu, H. 2007. Recent Advances in Transgenic Orchid Production. *Orchid Sci. Biotechnol.* 1(2): 34-39.

Chalfie, M., Tu, Y., Euskirchen, G., Ward, W. W., and Prasherf, D. C.1994. Green Fluorescent Protein as a Marker for Gene Expression. *Science*. 263: 802-805.

Chi-Manzanero, B.H., Acereto-Escoffié, P.O.M., Castaño, E., and Rodríguez-Zapata, L.C. 2010. Optimal concentration of kanamycin as selective agent for the transformation of Musa cv "Grand Nain". Uciencia. *Uciencia*. 26 (1): 115-119.

Chudakov, D. M., Matz, M. V., Lukyanov, S., and Lukyanov, K. A. 2010. Fluorescent Proteins and Their Applications in Imaging Living Cells and Tissues. *Physiol Rev.* 90: 1103–1163.

Cheng, Z.M., Schnurr, J.A., and Kapaun, J.A. 1998. Timentin as an alternative antibiotic for suppression of *Agrobacterium tumefaciens* in genetic transformation. *Plant Cell Reports*. 17: 646–649.

Clemente, T. 2006. *Nicotiana* (*Nicotiana tabacum*, *Nicotiana benthamiana*). Pp. 143-154. In Wang, K.. (Eds.). *Agrobacterium* Protocols. Vol. I. Humana Press Inc. Totowa, New Jersey.

DeBlasio, S. L., Sylvester, A. W., and Jackson, D. 2010. Illuminating plant biology: using fluorescent proteins for high-throughput analysis of protein localization and function in plants. *Briefings in Functional Genomics*. 9 (2): 129-138.

De la Riva, G. A., González-Cabrera, J., Vázquez-Padrón, R., and Ayra-Pardo, C. 1998. *Agrobacterium tumefaciens*: a natural tool for plant transformation. *Electron. J. Biotechnol.*1(3): 1-16.

UNIVERSITAS GADJAH MADA
ANALISIS FUNGSI GEN PEMBUNGAAN Phalaenopsis aphrodite Flowering locus T1 PADA TANAMAN TEMBAKAU (Nicotiana tabacum L.)
Sri Wahyuningsih, Dr. Endang Semiarti, M.S., M.Sc.; Prof. Dr. Sukarti Moeljopawiro, M.App.Sc.; Dr. Budi Setiadi Dary
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Duan, W., Wang, L., and Song, G. 2016. *Agrobacterium tumefaciens*-Mediated Transformation of Wild Tobacco Species *Nicotiana debneyi*, *Nicotiana clevelandii*, and *Nicotiana glutinosa*.*Am J Plant Sci*.7: 1-7.

Eira, M.T.S. and Caldas, L.S. 2000. Seed dormancy and germination as concurrent process. *R. Bras. Fisiol.* 12: 85-104

Ehrenberg, M. 2008. The green fluorescent protein: discovery, expression and development. The Royal Swedish Academy of Sciences. Sweden. Pp. 1-17.

Elliott, A. R., Campbell, J. A., Dugdale, B., Brettell, R. I. S., and Grof, C. P. L. 1999. Green-fluorescent protein facilitates rapid in vivo detection of genetically transformed plant cells. *Plant Cell Rep.* 18: 707–714.

Esau, K. 1977. *Anatomy of Seed Plants*. John Wiley and Sons. New York. Pp. 403-424.

Faure, S., Higgins, J., Turner, A., and Laurie, D. A. 2007. The FLOWERING LOCUS T-Like Gene Family in Barley (*Hordeum vulgare*). *Genetics*. 176: 599–609.

Ganapathi, T. R., Suprasana, P., Rao, P. S., and Bapat, V. A. 2004. Tobacco (*Nicotiana tabacum* L.) - A model system for tissue culture interventions and genetic engineering. *Indian J. Biotechnol.* 3: 171-184.

Gendall, A.R., Levy, Y.Y., Wilson, A., and Dean, C. 2001. The *Vernalization 2* Gene Mediates the Epigenetic Regulation of Vernalization in *Arabidopsis.* Cell. 107: 525–535.

Ghorbel, R., Juarez, J., Navarro, L., and Pena, L. 1999. Green fluorescent protein as a screenable marker to increase the efficiency of generating transgenic woody frui t plants. *Theor. Appl. Genet*. 99: 350-358.

Glover, B.J. 2007. *Understanding flowers and flowering*. Oxford University Press Inc., New york. Pp. 35-42.

Goodin, M.M., Zaitlin, D., Naidu, R.A., and Steven A. Lommel, S.A. 2008. *Nicotiana benthamiana*: Its History and Future as a Model for Plant–Pathogen Interactions. *MPMI*. 21 (8): 1015–1026. doi:10.1094/MPMI

Goto, K. 1996. Molecular and genetic analysis of flower homeotic genes of *Arabidopsis*. *J. Biosci*. 21 (3): 369-378.

UNIVERSITAS GADJAH MADA
ANALISIS FUNGSI GEN PEMBUNGAAN Phalaenopsis aphrodite Flowering locus T1 PADA TANAMAN TEMBAKAU (Nicotiana tabacum L.)
Sri Wahyuningsih, Dr. Endang Semiarti, M.S., M.Sc.; Prof. Dr. Sukarti Moeljopawiro, M.App.Sc.; Dr. Budi Setiadi Dary
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Guisheng, L., Zheng, M., Hongzhi, K., Zhiduan, C., and Anming, L. 2003. ABC model and floral evolution. *Chin. Sci. Bull.* 48 (24): 2651—2657.

Haddadi, F., Aziz, M.A., Abdullah, S.N.A., Tan, S.G., and Kamaladini, H. 2015. An Efficient *Agrobacterium*-Mediated Transformation of Strawberry cv. Camarosa by a Dual Plasmid System. *Molecules.* 20: 3647-3666;

Halfhill, M. D., Millwood, R. J., and Stewart, C. N. Jr. 2005. *Green Fluorescent Protein Quantification in Whole Plants.* Pp. 215-225. In Pena, L. (Eds.). *Transgenic plants: Methods and protocols. Methods in Molecular Biology* . Vol. 286. Humana Press Inc Totowa.

Han, P., García-Ponce, B., Fonseca-Salazar, G., Alvarez-Buylla, E.R., and Yu, H. 2008. AGAMOUS-LIKE 17, a novel flowering promoter, acts in a *FT*-independent photoperiod pathway. *Plant J.* 55: 253-265.

Han, S., Oh, P., Kim, H., Heo, H., Moon, J.C., Lee, S., Kim, K., Seo, Y., and Lee, B. 2007. Effects of Antibiotics on Suppression of *Agrobacterium tumefaciens* and Plant Regeneration from Wheat Embryo. *J. Crop Sci. Biotech*. 10 (2) : 92 – 98.

Hanum, C. 2008. *Teknik Budidaya Tanaman Jilid 3 untuk SMK*. Direktorat Pembinaan Sekolah Menengah Kejuruan Direktorat Jenderal Manajemen Pendidikan Dasar dan Menengah Departemen Pendidikan Nasional. Halaman. 426-427.

Harig, L., Beinecke, F.A., Oltmanns, J., Muth, J., Muller, O., Ruping, B., Twyman, R.M., Fischer, R., Prufer, D., and Noll, G.A. 2012. Proteins from the FLOWERING LOCUS T-like subclade of the PEBP family act antagonistically to regulate floral initiation in tobacco. *Plant J.* 72: 908–921 doi: 10.1111/j.1365-313X.2012.05125.x

Herrera-Estrella, L., Simpson, J., and Martínez-Trujillo, M. 2005. *Transgenic Plants, An Historical Perspective.* Pp. 3-31. In Pena, L. (Eds.). *Transgenic plants: Methods and protocols. Methods in Molecular Biology* . Vol. 286. Humana Press Inc Totowa.

Hou, C. and Yang, C. 2009. Functional Analysis of *FT* and *TFL1* Orthologs from Orchid (*Oncidium* Gower Ramsey) that Regulate the Vegetative to Reproductive Transition. *Plant Cell Physiol.* 50(8): 1544–1557.

UNIVERSITAS GADJAH MADA
ANALISIS FUNGSI GEN PEMBUNGAAN Phalaenopsis aphrodite Flowering locus T1 PADA TANAMAN TEMBAKAU (Nicotiana tabacum L.)
Sri Wahyuningsih, Dr. Endang Semiarti, M.S., M.Sc.; Prof. Dr. Sukarti Moeljopawiro, M.App.Sc.; Dr. Budi Setiadi Dary
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Howell, S. H. 1998. *Molecular Genetics of Plant Development*. First Ed. Cambridge University Press. USA. Pp. 192-200.

Hraska, M., Rakousky, S., and Curn, V. 2006. Green fluorescent protein as a vital marker for non-destructive detection of transformation events in transgenic plants. *Plant Cell Tissue Organ Cult.* 86: 303–318.

Hsing, H., Lin, Y., Tong, C., Li, M., Chen, Y., and Ko, S. 2016. Efficient and heritable transformation of *Phalaenopsis* orchids. *Bot. Stud. 57:30.* DOI 10.1186/s40529-016-0146-6.

Huang, W., Fang, Z., Zeng, S., Zhang, J., Wu, K., Chen, Z., Teixeira da Silva, J. A., and Duan, J. 2012. Molecular Cloning and Functional Analysis of Three *FLOWERING LOCUS T (FT)* Homologous Genes from Chinese *Cymbidium. Int. J. Mol. Sci.* 13: 11385-11398.

Huijser, P. and Schmid, M. 2011. The control of developmental phase transitions in plants. *Development.* 138: 4117-4129.

Hull, R., Covey, S. N., and Dale, P. 2000. Genetically modified plants and the 35S promoter: assessing the risks and enhancing the debate. *Microb. Ecol. Health Dis.* 12: 1–5.

Husada, E.D. 2013. Konstruksi gen Green Fluorescent Protein (GFP) dan gen Rep (C1) ke dalam plasmid biner pBI121. Skripsi. Fakultas Pertanian Universitas Andalas.

Jaeger, K. E., Graf, A., and Wigge, P. A. 2006. The control of flowering in time and space. *J. Exp. Bot.* 57 (13): 3415–3418.

Jaeger, K. E. and Wigge, P. A. 2007. *FT* Protein Acts as a Long-Range Signal in *Arabidopsis. Curr. Biol.* 17: 1050–1054.

Jang, S., Li, H., and Kuo, M. 2017. Ectopic expression of *Arabidopsis FD* and *FD PARALOGUE* in rice results in dwarfism with size reduction of spikelets. *Sci. Rep*. 7: 44477. DOI: 10.1038/srep44477

Jang, S., Choi, S., Li, H., An, G., and Schmelzer, E. 2015. Functional Characterization of *Phalaenopsis aphrodite* Flowering Genes PaFT1 and PaFD. *PLoS ONE* 10(8): e0134987. doi:10.1371/journal.pone.0134987

UNIVERSITAS GADJAH MADA
ANALISIS FUNGSI GEN PEMBUNGAAN Phalaenopsis aphrodite Flowering locus T1 PADA TANAMAN TEMBAKAU (Nicotiana tabacum L.)
Sri Wahyuningsih, Dr. Endang Semiarti, M.S., M.Sc.; Prof. Dr. Sukarti Moeljopawiro, M.App.Sc.; Dr. Budi Setiadi Dary
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Jing-Xue, W., Yi, S., Gui-Mei, C., and Jing-Jing, H. 2001. Transgenic Maize Plants Obtained by Pollen-mediated Transformation. *Acta Bot. Sinica*. 43 (3): 275-279.

Julkiflie, A.L., Rathinam, X., Sinniah, U.R., and Subramaniam, S. 2010. Optimisation of Transient Green Fluorescent Protein (*GFP*) Gene Expression in *Phalaenopsis Violacea* Orchid Mediated by *Agrobacterium Tumefaciens*-mediated Transformation System. *Aust. J. Basic Appl. Sci*. 4 (8) 3424-3432.

Kaeppler, H. F., Carlson, A. R., and Menon, G. K. 2001. Routine utilization of green fluorescent protein as a visual selectable marker for cereal transformation. *In Vitro Cell. Dev. Biol. Plant.* 37:120-126.

Kaeppler, H. F., Menon, G. K., Skadsen, R. W., Nuutila, A. M., and Carlson, A. R. 2000. Transgenic oat plants via visual selection of cells expressing green fluorescent protein. *Plant Cell Rep.* 19 : 661–666.

Kapaun, J.A. and Cheng, Z. 1999. Aminoglycoside antibiotics inhibit shoot regeneration from siberian elm leaf explants. *Hortscience.* 34(4):727–729.

Kardailsky, I., Shukla, V. K., Ahn, J. H., Dagenais, N., Christensen, S. K., Nguyen, J. T., Chory, J., Harrison, M. J., and Weigel, D. 1999. Activation Tagging of the Floral Inducer *FT. Science*. 286: 1962-1965.

Ko, T. and Korban, S. 2004. Enhancing the frequency of somatic embyogenesis following *Agrobacterium*-mediated transformation of immature cotyledons of soybean (*Glycine max* (L.) Merrill). *In Vitro Cell Dev. Biol-Plant.* 40: 552-558.

Kobayashi, Y., Kaya, H., Goto, K., Iwabuchi, M., and Araki, T., 1999. A Pair of Related Genes with Antagonistic Roles in Mediating Flowering Signals. *Science*. 286: 1960-1962.

Kohanski, M.A., Dwyer, D.J., and Collins, J.J. 2010. How antibiotics kill bacteria: from targets to networks. *Microbiology*. 8: 423-435.

Kojima, S., Takahashi, Y., Kobayashi , Y., Monna, L., Sasaki, T., Araki, T., and Yano, M. 2002. *Hd3a*, a Rice Ortholog of the *Arabidopsis FT* Gene, Promotes Transition to Flowering Downstream of *Hd1* under Short-Day Conditions. *Plant Cell Physiol*. 43(10): 1096-1105.

Kotoda, N., Hayashi, H., Suzuki, M., Igarashi, M., Hatsuyama, Y., Kidou, S., Igasaki, T., Nishiguchi, M., Yano, K., Shimizu, T., Takahashi, S., Iwanami, H., Moriya, S., and Abe, K. 2010. Molecular Characterization of *FLOWERING*

UNIVERSITAS GADJAH MADA
ANALISIS FUNGSI GEN PEMBUNGAAN Phalaenopsis aphrodite Flowering locus T1 PADA TANAMAN TEMBAKAU (Nicotiana tabacum L.)
Sri Wahyuningsih, Dr. Endang Semiarti, M.S., M.Sc.; Prof. Dr. Sukarti Moeljopawiro, M.App.Sc.; Dr. Budi Setiadi Dary
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

LOCUS T –Like Genes of Apple (*Malus domestica* Borkh.). *Plant Cell Physiol.* 51(4): 561–575.

Komiya, R. and Shimamoto, K. 2008. Genetic and epigenetic regulation of flowering in rice. *Plant Biotechnol.* 25: 279–284.

Koornneef, M., C. Alonso-Blanco, A. J. M. Peeters, and Soppe, W. 1998. Genetic control of flowering time in *Arabidopsis*. *Annu. Rev. Plant Physiol. Plant Mol. Biol.* 49: 345–70.

Kunik, T., Tzfira, T., Kapulnik, Y., Gafni, Y., Dingwall, C., and Vitaly Citovsky, V. 2001. Genetic transformation of HeLa cells by *Agrobacterium*. PNAS. 98: 1871-1876.

Kutty, P.C., Parveez, G.K.A., and Huyop, F. 2010. An Easy Method for *Agrobacterium tumefaciens-Mediated* Gene Transfer to *Nicotiana tabacum* cv. TAPM26. *J. Biol. Sci*.10 (6): 480-489.

Lawrence, G. H. M. 1958. *Taxonomy of vascular plants*. Macmillan Company. New York.

Levy, Y.Y., Mesnage, S., Mylne, J.S., Gendall, A.R., and Dean, C. 2002. Multiple Roles of *Arabidopsis VRN1* in Vernalization and Flowering Time Control. Science. 297: 243-246.

Li, C., Zhang, Y., Zhang, K., Guo, D., Cui, B., Wang, X., and Huang, X. 2015. Promoting flowering, lateral shoot out growth,leaf development, and flower abscission in tobacco plants overexpressing cotton *FLOWERING LOCUS T* (*FT*)-like gene *GhFT1*. *Front. Plant Sci.* 6: 454. doi: 10.3389/fpls.2015.00454

Li, D.M., Lǔ, F.B., Zhu, G.F., Sun, Y.B., Liu, H.L., Liu, J.W., and Wang, Z. 2014. Molecular characterization and functional analysis of a *Flowering locus T* homolog gene from a *Phalaenopsis* orchid. *Genet. Mol. Res*. 13 (3): 5982-5994.

Lifschitz, E., Eviatar, T., Rozman, A., Shalit, A., Goldshmidt, A., Amsellem, Z., Alvarez, J. P., and Eshed, Y. 2006. The tomato *FT* ortholog triggers systemic signals that regulate growth and flowering and substitute for diverse environmental stimuli. *PNAS*. 103 (16) : 6398–6403.

Lin, C. 2000. Photoreceptors and Regulation of Flowering Time. *Plant Physiol.* 123: 39–50.

UNIVERSITAS
GADJAH MADA
ANALISIS FUNGSI GEN PEMBUNGAAN Phalaenopsis aphrodite Flowering locus T1 PADA TANAMAN TEMBAKAU (Nicotiana tabacum L.)
Sri Wahyuningsih, Dr. Endang Semiarti, M.S., M.Sc.; Prof. Dr. Sukarti Moeljopawiro, M.App.Sc.; Dr. Budi Setiadi Dary
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Liu, C., Thong, Z., and Yu, H. 2009. Coming into bloom: the specification of floral meristems. *Development.* 136: 3379-3391.

Liu, C., Zhou, J., Bracha-Drori, K., Yalovsky, S., Ito, T., and Yu, H. 2007. Specification of Arabidopsis floral meristem identity by repression of flowering time genes. *Development.* 134: 1901-1910.

Madhu, P., Puspha, K., Bhat, V.B., and Balakrishna, D. 2015. Effect of kanamycin on explant selection in genetic transformation experiment of sorghum. *Int. J. Sci. Research*. 4: 720-721.

Manuhara, Y.S.W., Sumardi, I., Sudjadi, S., Taryono, and Widodo. 2003. Skrining Hasil Transformasi Gen β–1,3-endoglukanase ke dalam Tanaman Tembakau Besuki H382 dengan Perantara *Agrobacterium tumefaciens. Prosiding Seminar Nasional Biologi I*. Pp. 64-69.

Martiwi, I. N. A. 2007. Fungsi ganda *Green Fluorescent Protein (GFP)* pada sistem transformasi gen dengan mediator *Agrobacterium* pada tanaman anggrek *Phalaenopsis amabilis* (L.) BI.: Sebagai gen pelapor dan penambah nilai estetika tanaman. Thesis. UGM.

Mathieu,J., Warthmann, N., Ku¨ ttner, F., and Schmid, M. 2007. Report Export of *FT* Protein from Phloem Companion Cells Is Sufficient for Floral Induction in *Arabidopsis*. *Curr. Biol.* 17: 1055-1060.

Men, S., Ming, X., Liu, R., Wei, C., and Yi, Y. 2003. Agobacterium-mediated transformation of Dendrobium orchid. *Plant Cell Tissue Organ Cult.* 75: 63-71.

Meng, X., Muszynski, M. G., and Danilevskaya, O. N. 2011. The *FT-like ZCN8* Gene Functions as a Floral Activator and Is Involved in Photoperiod Sensitivity in Maize. *Plant Cell*. 23: 942–960.

Mercuriani, I.S., Purwantoro, A., Moeljopawiro, S., Jang, S., and Semiarti, E. 2012. Selection of *Phalaenopsis amabilis* L. Blume Orchid Resistance to Hygromycin. *Ind. J. Biotech*. 17 (2): 107-113.

Michaels, S.D., and Amasino, R.M. 2001. Loss of *FLOWERING LOCUS C* Activity Eliminates the Late-Flowering Phenotype of *FRIGIDA* and Autonomous Pathway Mutations but Not Responsiveness to Vernalization. *The Plant Cell*. 13: 935–941.

UNIVERSITAS GADJAH MADA
ANALISIS FUNGSI GEN PEMBUNGAAN Phalaenopsis aphrodite Flowering locus T1 PADA TANAMAN TEMBAKAU (Nicotiana tabacum L.)
Sri Wahyuningsih, Dr. Endang Semiarti, M.S., M.Sc.; Prof. Dr. Sukarti Moeljopawiro, M.App.Sc.; Dr. Budi Setiadi Dary
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Miki, B. and McHugh, S. 2004. Selectable marker genes in transgenic plants: applications, alternatives and biosafety. *J. Biotechnol.* 107 :193–232.

Mohammed, A. and Abalaka, M. E. 2011. *Agrobacterium* transformation: A boost to agricultural Biotechnology. *J. Med. Genet. Genomics*. 3(8): 126 – 130.

Mouradov, A., Cremer, F., and Coupland, G. 2002. Control of Flowering Time: Interacting Pathways as a Basis for Diversity. *The Plant Cell*. S111–S130.

Müller, A., Iser, M., and Hess, D. 2001. Stable transformation of sunflower (*Helianthus annuus* L.) using a non-meristematic regeneration protocol and green fluorescent protein as a vital marker. *Transgenic Res.* 10: 435-444.

Mulyani, S. E. S. 2006. *Anatomi Tumbuhan*. Penerbit Kanisius. Yogyakarta. Hlm. 274-275.

Mursyanti, E., Aziz-Purwantoro , Moeljopawiro, S., Semiarti, E. 2015. Induction of Somatic Embryogenesis through Overexpression of *ATRKD4* Genes in *Phalaenopsis* "Sogo Vivien". *I. J. Biotech*. 20 (1): 42-53.

Mustafa, G. and Khan, M.S. 2012. Prospecting the utility of antibiotics as lethal selection agents for chloroplast transformation in sugarcane. *Int. J. Agric. Biol*., 14: 307–310

Nakano, T., Kimura, T., Kaneko, I., Nagata, N., Matsuyama, T., Asami, T., and Yoshida, S. 2001. Molecular mechanism of chloroplast development regulated by plant hormones. *RIKEN*. 41: 86-87.

Ng, M. and Yanofsky, M. F. 2001. *Function and evolution of the plant Mads-Box gene family.* Macmillan Magazines Ltd. 2: 186-195.

Nocker, S. 2001. Molecular Biology of Flowering. *Hort. Rev.* 27: 1-39.

Opik, H. and Rolfe, S. A. 2005. *The physiology of flowering plants*. Cambrigde University Press. New York. Pp. 287-291.

Ottenschläger, I., Barinova, I., Voronin, V., Dahl, M., Heberle-Bors, E., and Touraev, A. 1999. Green fluorescent protein (GFP) as a marker during pollen development. *Transgenic Research.* 8: 279–294.

Parcy, F. 2005. Flowering: a time for integration. *Int. J. Dev. Biol*. 49: 585-593.

UNIVERSITAS GADJAH MADA
ANALISIS FUNGSI GEN PEMBUNGAAN Phalaenopsis aphrodite Flowering locus T1 PADA TANAMAN TEMBAKAU (Nicotiana tabacum L.)
Sri Wahyuningsih, Dr. Endang Semiarti, M.S., M.Sc.; Prof. Dr. Sukarti Moeljopawiro, M.App.Sc.; Dr. Budi Setiadi Dary
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Park, S., 2006. *Agrobacterium tumefaciens-mediated transformation of tobacco (Nicotiana tabacum l.) leaf disks: evaluation of the co-cultivation conditions to increase b-glucuronidase gene activity*. Thesis. The Department of Plant Pathology and Crop Physiology Life Sciences Building (LSB), Louisiana State University and LSU Agricultural Center, Baton Rouge, Louisiana

Pérez-Clemente, R. M., Pérez-Sanjuán, A., García-Férriz, L., Beltrán, J., and Cañas, L. A. 2004. Transgenic peach plants (*Prunus persica* L.) produced by genetic transformation of embryo sections using the green fluorescent protein (GFP) as an *in vivo* marker. *Mol. Breed.* 14: 419–427.

Pin, P.A. and Nilsson, O. 2012. The multifaceted roles of FLOWERING LOCUS T in plant development. *Plant Cell Environ.* 35: 1742–1755. doi: 10.1111/j.1365-3040.2012.02558.x.

Puchta, H. 2003. Marker-free transgenic plants. *Plant Cell, Tissue and Organ Cult.* 74: 123–134.

Raju, K.S., Sheshumadhav, M., Chandrasekhararao,C., and Murthy, T.G.K. 2009. Molecular diversity in genus *Nicotiana* as revealed by randomly amplified polymorphic DNA. *Indian J. Biotechnol*. 8: 61-66.

Rizzo, M. A., Davidson, M. W., and Piston, D. W. 2009. Fluorescent Protein Tracking and Detection: Fluorescent Protein Structure and Color Variants. *Cold Spring Harb Protoc.* doi: 10.1101/pdb.top63.pp. 1-22.

Rochman, F. 2013. Pengembangan varietas unggul tembakau Temanggung tahan penyakit. *J. Litbang Pert.* 32 (1): 30-38.

Rochman, F. dan Suwarso, 2000. Kultivar lokal tembakau temanggung dan usaha perbaikannya. *Dalam* Tembakau Temanggung. p. 7-13. Monograf Balittas No. 5, Balai Penelitian Tembakau dan Tanaman Serat, Malang.

Samach, A., Onouchi, H., Gold, S. E., Ditta, G. S., Schwarz-Sommer, Z., Yanofsky, M. F., and Coupland, G. 2000. Distinct Roles of CONSTANS Target Genes in Reproductive Development of *Arabidopsis. Science*. 288: 1613-1616.

Saijo, T. and Nagasawa, A. 2015. A new detection tool for bioavailable copper utilizing transgenic plants carrying recombinant yeast ACE1 transcription factor and GFP reporter genes. *Soil Sci.Plant Nutr*. 61, 281–286

Santos-Villalobos, S., Parra-Cota, F. I., de-Folter, S., and Peña-Cabriales, J. J. 2012. Primers to amplify *flowering locus T* (*FT*) transcript in mango (*Mangifera*

UNIVERSITAS
GADJAH MADA
ANALISIS FUNGSI GEN PEMBUNGAAN Phalaenopsis aphrodite Flowering locus T1 PADA TANAMAN TEMBAKAU (Nicotiana tabacum L.)
Sri Wahyuningsih, Dr. Endang Semiarti, M.S., M.Sc.; Prof. Dr. Sukarti Moeljopawiro, M.App.Sc.; Dr. Budi Setiadi Dary
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

indica) and their potential use in other angiosperms. *Plant Omics J.* 5 (5): 453-457.

Sambrook, J. and Russell, D. W. 2001. *Molecular Cloning*. Cold Spring Harbor Laboratory Press. New York.

Semiarti, E., Indrianto, A., Purwantoro, A., Isminingsih, S., Suseno, N., Ishikawa, T., Yoshioka, Y., Machida, Y., and Machida, C. 2007. *Agrobacterium*-mediated transformation of the wild orchid species *Phalaenopsis amabilis. Plant Biotechnol.* 24: 265–272.

Semiarti, E., Indrianto, A., Martiwi, I.N.A., Feroniasanti, Y.M.L., Nadifah, F., Mercuriani, I.S., Dwiyani, R., Iwakawa, H., Yoshioka, Y., Machida, Y., and Machida, C. 2010. High-frequency genetic transformation of Phalaenopsis amabilis orchid using tomato extract-enriched medium for the pre-culture of protocorms. *J. Hortic. Sci. Biotech*. 85 (3): 205-210.

Semiarti, E., Mercuriani, I.S., Rizal, R., Slamet, A., Utami, B.U., Bestari, I.A., Purwantoro, A., Moeljopawiro, S., Jang, S., Machida, Y., and Machida, C. 2015. Overexpression of *PaFT* Gene in the Wild Orchid *Phalaenopsis amabilis* (L.) Blume. *AIP Conf. Proc.* http://dx.doi.org/10.1063/1.4930750

Sheng, J. and Citovsky, V. 1996. Agrobacterium-Plant Cell DNA Transport: Have Virulence Proteins, Will Travel. *Plant Cell*. 8: 1699-1710.

Shrestha, B.R., Chin, D.P., Tokuhara, K., and Mii, M. 2007. Efficient production of transgenic plant of *Vanda* through sonication-assisted *Agrobacterium*-mediated transformation of protocorm-like bodies. Plant Biotechnol-Nar. 24: 429-434.

Singh, M., Yadav, A., Ma, X., and Amoah, E. 2010. Plasmid DNA Transformation in *Escherichia Coli:* Effect of Heat Shock Temperature, Duration, and Cold Incubation of CaCl2 Treated Cells. *Int. J. Biotech. and Biochem*. 6 (4): 561–568.

Stewart, C. N. Jr. 2005. Monitoring the presence and expression of transgenes in living plants. *Trends Plant Sci.*10 (8): 390-396.

Sung, Z. R., Chen, L. J., and Moon, Y. H. 2003. Molecular mechanism of shoot determinacy and flowering in *Arabidopsis*. *Hort. Sci*. 38: 1325-1327.

UNIVERSITAS GADJAH MADA
ANALISIS FUNGSI GEN PEMBUNGAAN Phalaenopsis aphrodite Flowering locus T1 PADA TANAMAN TEMBAKAU (Nicotiana tabacum L.)
Sri Wahyuningsih, Dr. Endang Semiarti, M.S., M.Sc.; Prof. Dr. Sukarti Moeljopawiro, M.App.Sc.; Dr. Budi Setiadi Dary
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Sunilkumar, G., Mohr, L., Lopata-Finch, E., Emani, C., and Keerti,S. 2002. Developmental and tissue-specific expression of CaMV 35S promoter in cotton as revealed by GFP. *Plant Mol. Biol.* 50: 463–474.

Swarnapiria, R. 2009. Genetic transformation in ornamentals- a review. *Agric. Rev*. 30 (2) : 120 – 131.

Tambarussi, E.V., Rogalski, M., Nogueira, F.T.S., Brondani, G.E., De Martin, V.F., and Carrer, H. 2015. Influence of antibiotics on indirect organogenesis of Teak. *Ann. For. Res*. 58(1): 177-183. DOI: 10.15287/afr.2015.345

Taoka, K., Ohki, I., Tsuji, H., Kojima, C., and Shimamoto, K. 2013. Structure and function of florigen and the receptor complex. *Trends Plant Sci.* 18 (5): 287-294.

Tee, C. S., Marziah, M., Tan, C. S., and Abdullah, M. P. 2003. Evaluation of different promoters driving the GFP reporter gene and selected target tissues for particle bombardment of *Dendrobium* Sonia 17. *Plant Cell Rep*. 21: 452–458.

Tee, C. S. and Maziah, M. 2005. Optimization of biolistic bombardment parameters for *Dendrobium* Sonia 17 calluses using GFP and GUS as the reporter system. *Plant Cell, Tissue and Organ Cult.* 80: 77–89.

Theissen, G., Becker, A., Di Rosa, A., Kanno, A., Kim, J.T., and Munster, T. 2000. A short history of MADS-box genes in plants. *Plant Mol. Biol*. 42: 115-149.

Tsay, H., Ho, H., Gupta, S. K., Wang, C., Chen, P., and Chen, E. C. 2012. Development of pollen mediated activation tagging system for *Phalaenopsis* and *Doritaenopsis*. *Electron. J. Biotechnol.* 15 (4): 1-10.

Travella, S., Ross, S. M., Harden, J., Everett, C., Snape, J. W., and Harwood, W. A. 2005. A comparison of transgenic barley lines produced by particle bombardment and Agrobacterium-mediated techniques. *Plant Cell Rep*. 23:780–789.

Tsai, W. and Chen, H. 2006. The Orchid MADS-Box Genes Controlling Floral Morphogenesis. *Scientific World Journal*. 1: 109-120.

Tzfira, T., Li, J., Lacroix, B., and Citovsky, V. 2004. Agrobacterium T-DNA integration: molecules and models. *Trends Genet.* 20 (8): 375-383.

UNIVERSITAS GADJAH MADA
ANALISIS FUNGSI GEN PEMBUNGAAN Phalaenopsis aphrodite Flowering locus T1 PADA TANAMAN TEMBAKAU (Nicotiana tabacum L.)
Sri Wahyuningsih, Dr. Endang Semiarti, M.S., M.Sc.; Prof. Dr. Sukarti Moeljopawiro, M.App.Sc.; Dr. Budi Setiadi Dary
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Vain, P., Worland, B., Kohli, A., Snape, J. W., and Christou, P. 1998. The green fluorescent protein (GFP) as a vital screenable marker in rice transformation. *Theor. Appl. Genet*. 96: 164-169.

Van Steenis, C. G. G. J. V., Bloembergen, S., and Eyma, P. J. 2006. *Flora*. Diterjemahkan oleh Suryowinoto, M., Hardjosuwarno, S., Adisewojo, S. S., Wibisono, and Partodidjojo, M. Pradnya Paramita. Jakarta. Hal. 364.

Von Korff, M. 2018. On flowering and grain number in cereals. https://academic.oup.com/DocumentLibrary/JXB/floweringblogs/erw084.pdf. Diakses 20 mei 2018 pukul 20.00.

Wahyuningsih, S., Lawrie, M.D., Daryono, B.S., Moeljopawiro, S., Jang, S., and Semiarti, E. 2016. Early Detection of the Orchid Flowering Gene *PaFT1* in Tobacco Cells Using a GFP Reporter. *I. J. Biotech*. 21 (1): 12—21.

Wang, Z. H., Wang, L., and Ye, Q. S. 2009. High frequency early flowering from in vitro seedlings of *Dendrobium nobile*. *Sci. Hort.* 122: 328–331

Widyasari, W. B. and Suhandono, S. 2007. Konstruksi vektor biner untuk ekspresi gen *dipp22* (yang diisolasi dari tebu varietas *M 442-51*) pada tanaman. *Berk. Penel. Hayati*. 13: 15-26.

Wigge, P. A. 2011. *FT*, A Mobile Developmental Signal in Plants. *Curr. Biol.* 21: R374–R378.

Wigge, P.A., Kim, M.C., Jaeger, K.E., Busch, W., Schmid, M., Lohmann, J.U., and Weigel, D. 2005. Integration of Spatial and Temporal Information During Floral Induction in *Arabidopsis*. *Science*. 309: 1056-1059.

Winfield, S., Lawton, R., Daniell, H., and Dhir, S. K. 2001. Transformation of sweet potato tissues with green-fluorescent protein gene. *In Vitro Cell. Dev. Biol. Plant*. 37:648-653.

Yamaguchi, A., Kobayashi, Y., Goto, K., Abe, M., and Araki, T. 2005. *TWIN SISTER OF FT* (*TSF*) Acts as a Floral Pathway Integrator Redundantly with *FT*. *Plant Cell Physiol*. 46 (8): 1175–1189.

Yang, Y., Klejnot, J., Yu, X., Liu, X., and Lin, C. 2007. Florigen (II): It is a Mobile Protein. *J. Integr. Plant Biol.* 49 (12): 1665–1669.

UNIVERSITAS GADJAH MADA
ANALISIS FUNGSI GEN PEMBUNGAAN Phalaenopsis aphrodite Flowering locus T1 PADA TANAMAN TEMBAKAU (Nicotiana tabacum L.)
Sri Wahyuningsih, Dr. Endang Semiarti, M.S., M.Sc.; Prof. Dr. Sukarti Moeljopawiro, M.App.Sc.; Dr. Budi Setiadi Dary
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Yeoh, C. C., Balcerowicz, M., Laurie, R., Macknight, M., and Putterill, J. 2011. Developing a method for customized induction of flowering. *Biotechnology*. 11 (36): 1-11.

Yu, X., Klejnot, J., and Lin, C. 2006. Florigen: One Found, More to Follow? *J. Integr. Plant Biol.* 48 (6): 617−621.

Yuwono, T. 2006. *Bioteknologi Pertanian*. Gadjah Mada University Press. Yogyakarta. Hal. 14, 217.

Xia, N., Luo,W., Zhang,J., Xie,X., Yang,H., Li,S., Chen,M., and Ng, M. 2002. Bioluminescence of *Aequorea macrodactyla*, a Common Jellyfish Species in the East China Sea. *Mar. Biotechnol*. 4: 155–162.

Xu, F., Rong, X., Huang, X., and Cheng, S. 2012. Recent Advances of *Flowering Locus T* Gene in Higher Plants. *Int. J. Mol. Sci.* 13: 3773-3781.

Zhang, B., Liu, F., Liu, Z., Wang, H., and Yao, C. 2001. Effects of kanamycin on tissue culture and somatic embryogenesis in Cotton. *Plant Growth Regulation.* 33: 137–149.

Zhou, S., Jiang, L., Guan, S., Gao, Y., Gao, Q., Wang, G., and Duan, K. 2018. Expression profiles of five FT-like genes and functional analysis of *PhFT-1* in a *Phalaenopsis* hybrid. *Electron J. Biotechnol*. 31: 75–83

Zik, M. and Irish, F. 2003. Flower development: Initiation, differentiation, and diversification. *Annu. Rev. Cell Dev. Biol*. 19: 119–40.

Wang, Y., Liu, L., Song, S., Li, Y., Shen, L., and Yu, H. 2017. *DOFT* and *DOFTIP1* affect reproductive development in the orchid *Dendrobium* Chao Praya Smile. *J. Exp. Bot.*, 68 (21–22): 5759–5772.

Zupan, J., Muth, T. R., Draper, O., and Zambryski, P. 2000. The transfer of DNA from *Agrobacterium tumefaciens* into plants: a feast of fundamental insights. *Plant J.* 23 (1): 11-28.

UNIVERSITAS
GADJAH MADA
ANALISIS FUNGSI GEN PEMBUNGAAN Phalaenopsis aphrodite Flowering locus T1 PADA TANAMAN TEMBAKAU (Nicotiana tabacum L.)
Sri Wahyuningsih, Dr. Endang Semiarti, M.S., M.Sc.; Prof. Dr. Sukarti Moeljopawiro, M.App.Sc.; Dr. Budi Setiadi Dary
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/