

DAFTAR PUSTAKA

- Aisyah and Anggraito, Y.U. 2015. Seleksi *in vitro* eksplan setengah biji kedelai varietas tahan tanah kering masam menggunakan kanamisin. *J. MIPA*. 38 (1): 1-6.
- Albert, B., Johnson, A., Lewis, J., Raff, M., Roberts, K., and Walter, P. 2008. *Molecular Biology of The Cell*. Fifth ed. Garland Science. New York. Pp. 1414.
- Aragão, F.J.L. and Brasileiro, C.M. 2002. Positive, negative and marker-free strategies for transgenic plant selection. *Braz. J. Plant Physiol.* 14 (1):1-10.
- Ausin, I., Alonso-Blanco, C., and Martinez-Zapater, J. 2005. Environmental regulation of flowering. *Int. J. Dev. Biol.* 49: 689-705.
- Bappeda. 2007. Indikasi geografis tembakau srintil. <http://bappeda.temanggungkab.go.id/uploads/dokumen/indikasi-geografis-tembakau-srintil.pdf>. Diakses 2 Pebruari 2018.
- Basuki, S., and Sudarsono. 2017. Clustering of the ten tobacco (*Nicotiana tabacum*) varieties based on the partial PMT (putrescine N-methyltransferase) gene sequences diversity. *J. Littri*. 23(1): 36 – 44.
- Baurle, I. and Dean, C. 2006. The Timing of Developmental Transitions in Plants. *Cell*. 125: 655-664.
- Becker, A., Winter, K., Meyer, B., Saedler, H., and Theißen, G. 2000. MADS-Box Gene Diversity in Seed Plants 300 Million Years Ago. *Mol. Biol. Evol.* 17(10):1425–1434.
- Blázquez, M., Koornneef, M., and Putterill, J. 2001. Flowering on time: genes that regulate the floral transition. *EMBO Rep.* 12: 1078-1082.
- Brito, R. C. H., Carvalho, J. L. Zonari, A. A. C., Breyner, N. M., Carvalho, L., Gomes, D. A., and Goes, A. M. 2013. Genotype and expression of the enhanced green fluorescent protein in LEW-Tg (EGFP) F455.5/Rrrc rats. *Braz. J. Vet. Res. Anim. Sci.* 50 (2): 87-97.
- Brejč, K. A., Sixma, T. K., Kitts, P. A., Kain, S. R., Tsiens, R. Y., Ormo, M., and Remington, S. J. 1997. Structural basis for dual excitation and photoisomerization of the *Aequorea victoria* green fluorescent protein. *Proc. Natl. Acad. Sci.* 94: 2306–2311.

- Budiman, H. 2013. *Budidaya tanaman tembakau*. Pustaka Baru Press. Yogyakarta. Hal. 1-36.
- Causier, B., Weir, I., and Davies, B. 1999. *MADS-Box factors in hermaphrodite flower development*. pp. 1-20. In Ainsworth, C.C. (Eds). *Sex determination in plants*. Bios Scientific Publishers Ltd. Oxford.
- Cece. 2012. Prancak N1 dan N2. Balai Penelitian Tanaman Pemanis dan Serat. <http://balittas.litbang.pertanian.go.id/index.php/layanan-jasa2/indeks-kepuasan-masyarakat/60-info-teknologi/256-prancak-n1-and-n2>
- Chai, D. and Yu, H. 2007. Recent Advances in Transgenic Orchid Production. *Orchid Sci. Biotechnol.* 1(2): 34-39.
- Chalfie, M., Tu, Y., Euskirchen, G., Ward, W. W., and Prasher, D. C. 1994. Green Fluorescent Protein as a Marker for Gene Expression. *Science*. 263: 802-805.
- Chi-Manzanero, B.H., Acereto-Escoffí, P.O.M., Castaño, E., and Rodríguez-Zapata, L.C. 2010. Optimal concentration of kanamycin as selective agent for the transformation of *Musa* cv “Grand Nain”. *Uciencia. Uciencia*. 26 (1): 115-119.
- Chudakov, D. M., Matz, M. V., Lukyanov, S., and Lukyanov, K. A. 2010. Fluorescent Proteins and Their Applications in Imaging Living Cells and Tissues. *Physiol Rev.* 90: 1103–1163.
- Cheng, Z.M., Schnurr, J.A., and Kapaun, J.A. 1998. Timentin as an alternative antibiotic for suppression of *Agrobacterium tumefaciens* in genetic transformation. *Plant Cell Reports*. 17: 646–649.
- Clemente, T. 2006. *Nicotiana (Nicotiana tabacum, Nicotiana benthamiana)*. Pp. 143-154. In Wang, K.. (Eds.). *Agrobacterium* Protocols. Vol. I. Humana Press Inc. Totowa, New Jersey.
- DeBlasio, S. L., Sylvester, A. W., and Jackson, D. 2010. Illuminating plant biology: using fluorescent proteins for high-throughput analysis of protein localization and function in plants. *Briefings in Functional Genomics*. 9 (2): 129-138.
- De la Riva, G. A., González-Cabrera, J., Vázquez-Padrón, R., and Ayra-Pardo, C. 1998. *Agrobacterium tumefaciens*: a natural tool for plant transformation. *Electron. J. Biotechnol.* 1(3): 1-16.

- Duan, W., Wang, L., and Song, G. 2016. *Agrobacterium tumefaciens*-Mediated Transformation of Wild Tobacco Species *Nicotiana debneyi*, *Nicotiana clevelandii*, and *Nicotiana glutinosa*. *Am J Plant Sci.* 7: 1-7.
- Eira, M.T.S. and Caldas, L.S. 2000. Seed dormancy and germination as concurrent process. *R. Bras. Fisiol.* 12: 85-104
- Ehrenberg, M. 2008. The green fluorescent protein: discovery, expression and development. The Royal Swedish Academy of Sciences. Sweden. Pp. 1-17.
- Elliott, A. R., Campbell, J. A., Dugdale, B., Brettell, R. I. S., and Grof, C. P. L. 1999. Green-fluorescent protein facilitates rapid in vivo detection of genetically transformed plant cells. *Plant Cell Rep.* 18: 707–714.
- Esau, K. 1977. *Anatomy of Seed Plants*. John Wiley and Sons. New York. Pp. 403-424.
- Faure, S., Higgins, J., Turner, A., and Laurie, D. A. 2007. The FLOWERING LOCUS T-Like Gene Family in Barley (*Hordeum vulgare*). *Genetics.* 176: 599–609.
- Ganapathi, T. R., Suprasana, P., Rao, P. S., and Bapat, V. A. 2004. Tobacco (*Nicotiana tabacum* L.) - A model system for tissue culture interventions and genetic engineering. *Indian J. Biotechnol.* 3: 171-184.
- Gendall, A.R., Levy, Y.Y., Wilson, A., and Dean, C. 2001. The *Vernalization 2* Gene Mediates the Epigenetic Regulation of Vernalization in *Arabidopsis*. *Cell.* 107: 525–535.
- Ghorbel, R., Juarez, J., Navarro, L., and Pena, L. 1999. Green fluorescent protein as a screenable marker to increase the efficiency of generating transgenic woody fruit plants. *Theor. Appl. Genet.* 99: 350-358.
- Glover, B.J. 2007. *Understanding flowers and flowering*. Oxford University Press Inc., New York. Pp. 35-42.
- Goodin, M.M., Zaitlin, D., Naidu, R.A., and Steven A. Lommel, S.A. 2008. *Nicotiana benthamiana*: Its History and Future as a Model for Plant–Pathogen Interactions. *MPMI.* 21 (8): 1015–1026. doi:10.1094/MPMI
- Goto, K. 1996. Molecular and genetic analysis of flower homeotic genes of *Arabidopsis*. *J. Biosci.* 21 (3): 369-378.

Guisheng, L., Zheng, M., Hongzhi, K., Zhiduan, C., and Anming, L. 2003. ABC model and floral evolution. *Chin. Sci. Bull.* 48 (24): 2651—2657.

Haddadi, F., Aziz, M.A., Abdullah, S.N.A., Tan, S.G., and Kamaladini, H. 2015. An Efficient *Agrobacterium*-Mediated Transformation of Strawberry cv. Camarosa by a Dual Plasmid System. *Molecules.* 20: 3647-3666;

Halfhill, M. D., Millwood, R. J., and Stewart, C. N. Jr. 2005. *Green Fluorescent Protein Quantification in Whole Plants.* Pp. 215-225. In Pena, L. (Eds.). *Transgenic plants: Methods and protocols. Methods in Molecular Biology .* Vol. 286. Humana Press Inc Totowa.

Han, P., García-Ponce, B., Fonseca-Salazar, G., Alvarez-Buylla, E.R., and Yu, H. 2008. AGAMOUS-LIKE 17, a novel flowering promoter, acts in a *FT*-independent photoperiod pathway. *Plant J.* 55: 253-265.

Han, S., Oh, P., Kim, H., Heo, H., Moon, J.C., Lee, S., Kim, K., Seo, Y., and Lee, B. 2007. Effects of Antibiotics on Suppression of *Agrobacterium tumefaciens* and Plant Regeneration from Wheat Embryo. *J. Crop Sci. Biotech.* 10 (2) : 92 – 98.

Hanum, C. 2008. *Teknik Budidaya Tanaman Jilid 3 untuk SMK.* Direktorat Pembinaan Sekolah Menengah Kejuruan Direktorat Jenderal Manajemen Pendidikan Dasar dan Menengah Departemen Pendidikan Nasional. Halaman. 426-427.

Harig, L., Beinecke, F.A., Oltmanns, J., Muth, J., Muller, O., Ruping, B., Twyman, R.M., Fischer, R., Pruffer, D., and Noll, G.A. 2012. Proteins from the FLOWERING LOCUS T-like subclade of the PEBP family act antagonistically to regulate floral initiation in tobacco. *Plant J.* 72: 908–921 doi: 10.1111/j.1365-313X.2012.05125.x

Herrera-Estrella, L., Simpson, J., and Martínez-Trujillo, M. 2005. *Transgenic Plants, An Historical Perspective.* Pp. 3-31. In Pena, L. (Eds.). *Transgenic plants: Methods and protocols. Methods in Molecular Biology .* Vol. 286. Humana Press Inc Totowa.

Hou, C. and Yang, C. 2009. Functional Analysis of *FT* and *TFL1* Orthologs from Orchid (*Oncidium* Gower Ramsey) that Regulate the Vegetative to Reproductive Transition. *Plant Cell Physiol.* 50(8): 1544–1557.

- Howell, S. H. 1998. *Molecular Genetics of Plant Development*. First Ed. Cambridge University Press. USA. Pp. 192-200.
- Hraska, M., Rakousky, S., and Curn, V. 2006. Green fluorescent protein as a vital marker for non-destructive detection of transformation events in transgenic plants. *Plant Cell Tissue Organ Cult.* 86: 303–318.
- Hsing, H., Lin, Y., Tong, C., Li, M., Chen, Y., and Ko, S. 2016. Efficient and heritable transformation of *Phalaenopsis* orchids. *Bot. Stud.* 57:30. DOI 10.1186/s40529-016-0146-6.
- Huang, W., Fang, Z., Zeng, S., Zhang, J., Wu, K., Chen, Z., Teixeira da Silva, J. A., and Duan, J. 2012. Molecular Cloning and Functional Analysis of Three *FLOWERING LOCUS T (FT)* Homologous Genes from Chinese *Cymbidium*. *Int. J. Mol. Sci.* 13: 11385-11398.
- Huijser, P. and Schmid, M. 2011. The control of developmental phase transitions in plants. *Development.* 138: 4117-4129.
- Hull, R., Covey, S. N., and Dale, P. 2000. Genetically modified plants and the 35S promoter: assessing the risks and enhancing the debate. *Microb. Ecol. Health Dis.* 12: 1–5.
- Husada, E.D. 2013. Konstruksi gen Green Fluorescent Protein (GFP) dan gen Rep (C1) ke dalam plasmid biner pBI121. Skripsi. Fakultas Pertanian Universitas Andalas.
- Jaeger, K. E., Graf, A., and Wigge, P. A. 2006. The control of flowering in time and space. *J. Exp. Bot.* 57 (13): 3415–3418.
- Jaeger, K. E. and Wigge, P. A. 2007. *FT* Protein Acts as a Long-Range Signal in *Arabidopsis*. *Curr. Biol.* 17: 1050–1054.
- Jang, S., Li, H., and Kuo, M. 2017. Ectopic expression of *Arabidopsis FD* and *FD PARALOGUE* in rice results in dwarfism with size reduction of spikelets. *Sci. Rep.* 7: 44477. DOI: 10.1038/srep44477
- Jang, S., Choi, S., Li, H., An, G., and Schmelzer, E. 2015. Functional Characterization of *Phalaenopsis aphrodite* Flowering Genes PaFT1 and PaFD. *PLoS ONE* 10(8): e0134987. doi:10.1371/journal.pone.0134987

- Jing-Xue, W., Yi, S., Gui-Mei, C., and Jing-Jing, H. 2001. Transgenic Maize Plants Obtained by Pollen-mediated Transformation. *Acta Bot. Sinica*. 43 (3): 275-279.
- Julkiflie, A.L., Rathinam, X., Sinniah, U.R., and Subramaniam, S. 2010. Optimisation of Transient Green Fluorescent Protein (*GFP*) Gene Expression in *Phalaenopsis Violacea* Orchid Mediated by *Agrobacterium Tumefaciens*-mediated Transformation System. *Aust. J. Basic Appl. Sci.* 4 (8) 3424-3432.
- Kaeppler, H. F., Carlson, A. R., and Menon, G. K. 2001. Routine utilization of green fluorescent protein as a visual selectable marker for cereal transformation. *In Vitro Cell. Dev. Biol. Plant.* 37:120-126.
- Kaeppler, H. F., Menon, G. K., Skadsen, R. W., Nuutila, A. M., and Carlson, A. R. 2000. Transgenic oat plants via visual selection of cells expressing green fluorescent protein. *Plant Cell Rep.* 19 : 661-666.
- Kapaun, J.A. and Cheng, Z. 1999. Aminoglycoside antibiotics inhibit shoot regeneration from siberian elm leaf explants. *Hortscience*. 34(4):727-729.
- Kardailsky, I., Shukla, V. K., Ahn, J. H., Dagenais, N., Christensen, S. K., Nguyen, J. T., Chory, J., Harrison, M. J., and Weigel, D. 1999. Activation Tagging of the Floral Inducer *FT*. *Science*. 286: 1962-1965.
- Ko, T. and Korban, S. 2004. Enhancing the frequency of somatic embryogenesis following *Agrobacterium*-mediated transformation of immature cotyledons of soybean (*Glycine max* (L.) Merrill). *In Vitro Cell Dev. Biol-Plant.* 40: 552-558.
- Kobayashi, Y., Kaya, H., Goto, K., Iwabuchi, M., and Araki, T., 1999. A Pair of Related Genes with Antagonistic Roles in Mediating Flowering Signals. *Science*. 286: 1960-1962.
- Kohanski, M.A., Dwyer, D.J., and Collins, J.J. 2010. How antibiotics kill bacteria: from targets to networks. *Microbiology*. 8: 423-435.
- Kojima, S., Takahashi, Y., Kobayashi, Y., Monna, L., Sasaki, T., Araki, T., and Yano, M. 2002. *Hd3a*, a Rice Ortholog of the *Arabidopsis FT* Gene, Promotes Transition to Flowering Downstream of *Hdl* under Short-Day Conditions. *Plant Cell Physiol.* 43(10): 1096-1105.
- Kotoda, N., Hayashi, H., Suzuki, M., Igarashi, M., Hatsuyama, Y., Kidou, S., Igasaki, T., Nishiguchi, M., Yano, K., Shimizu, T., Takahashi, S., Iwanami, H., Moriya, S., and Abe, K. 2010. Molecular Characterization of *FLOWERING*

LOCUS T –Like Genes of Apple (*Malus domestica* Borkh.). *Plant Cell Physiol.* 51(4): 561–575.

Komiya, R. and Shimamoto, K. 2008. Genetic and epigenetic regulation of flowering in rice. *Plant Biotechnol.* 25: 279–284.

Koornneef, M., C. Alonso-Blanco, A. J. M. Peeters, and Soppe, W. 1998. Genetic control of flowering time in *Arabidopsis*. *Annu. Rev. Plant Physiol. Plant Mol. Biol.* 49: 345–70.

Kunik, T., Tzfira, T., Kapulnik, Y., Gafni, Y., Dingwall, C., and Vitaly Citovsky, V. 2001. Genetic transformation of HeLa cells by *Agrobacterium*. *PNAS.* 98: 1871-1876.

Kutty, P.C., Parveez, G.K.A., and Huyop, F. 2010. An Easy Method for *Agrobacterium tumefaciens*-Mediated Gene Transfer to *Nicotiana tabacum* cv. TAPM26. *J. Biol. Sci.* 10 (6): 480-489.

Lawrence, G. H. M. 1958. *Taxonomy of vascular plants*. Macmillan Company. New York.

Levy, Y.Y., Mesnage, S., Mylne, J.S., Gendall, A.R., and Dean, C. 2002. Multiple Roles of *Arabidopsis VRN1* in Vernalization and Flowering Time Control. *Science.* 297: 243-246.

Li, C., Zhang, Y., Zhang, K., Guo, D., Cui, B., Wang, X., and Huang, X. 2015. Promoting flowering, lateral shoot out growth, leaf development, and flower abscission in tobacco plants overexpressing cotton *FLOWERING LOCUS T (FT)*-like gene *GhFT1*. *Front. Plant Sci.* 6: 454. doi: 10.3389/fpls.2015.00454

Li, D.M., L , F.B., Zhu, G.F., Sun, Y.B., Liu, H.L., Liu, J.W., and Wang, Z. 2014. Molecular characterization and functional analysis of a *Flowering locus T* homolog gene from a *Phalaenopsis* orchid. *Genet. Mol. Res.* 13 (3): 5982-5994.

Lifschitz, E., Eviatar, T., Rozman, A., Shalit, A., Goldshmidt, A., Amsellem, Z., Alvarez, J. P., and Eshed, Y. 2006. The tomato *FT* ortholog triggers systemic signals that regulate growth and flowering and substitute for diverse environmental stimuli. *PNAS.* 103 (16) : 6398–6403.

Lin, C. 2000. Photoreceptors and Regulation of Flowering Time. *Plant Physiol.* 123: 39–50.

- Liu, C., Thong, Z., and Yu, H. 2009. Coming into bloom: the specification of floral meristems. *Development*. 136: 3379-3391.
- Liu, C., Zhou, J., Bracha-Drori, K., Yalovsky, S., Ito, T., and Yu, H. 2007. Specification of Arabidopsis floral meristem identity by repression of flowering time genes. *Development*. 134: 1901-1910.
- Madhu, P., Puspha, K., Bhat, V.B., and Balakrishna, D. 2015. Effect of kanamycin on explant selection in genetic transformation experiment of sorghum. *Int. J. Sci. Research*. 4: 720-721.
- Manuhara, Y.S.W., Sumardi, I., Sudjadi, S., Taryono, and Widodo. 2003. Skrining Hasil Transformasi Gen -1,3-endoglukanase ke dalam Tanaman Tembakau Besuki H382 dengan Perantara *Agrobacterium tumefaciens*. *Prosiding Seminar Nasional Biologi I*. Pp. 64-69.
- Martiwi, I. N. A. 2007. Fungsi ganda *Green Fluorescent Protein (GFP)* pada sistem transformasi gen dengan mediator *Agrobacterium* pada tanaman anggrek *Phalaenopsis amabilis* (L.) BI.: Sebagai gen pelapor dan penambah nilai estetika tanaman. Thesis. UGM.
- Mathieu, J., Warthmann, N., Kuttner, F., and Schmid, M. 2007. Report Export of *FT* Protein from Phloem Companion Cells Is Sufficient for Floral Induction in *Arabidopsis*. *Curr. Biol*. 17: 1055-1060.
- Men, S., Ming, X., Liu, R., Wei, C., and Yi, Y. 2003. Agrobacterium-mediated transformation of Dendrobium orchid. *Plant Cell Tissue Organ Cult*. 75: 63-71.
- Meng, X., Muszynski, M. G., and Danilevskaya, O. N. 2011. The *FT-like ZCN8* Gene Functions as a Floral Activator and Is Involved in Photoperiod Sensitivity in Maize. *Plant Cell*. 23: 942-960.
- Mercuriani, I.S., Purwantoro, A., Moeljopawiro, S., Jang, S., and Semiarti, E. 2012. Selection of *Phalaenopsis amabilis* L. Blume Orchid Resistance to Hygromycin. *Ind. J. Biotech*. 17 (2): 107-113.
- Michaels, S.D., and Amasino, R.M. 2001. Loss of *FLOWERING LOCUS C* Activity Eliminates the Late-Flowering Phenotype of *FRIGIDA* and Autonomous Pathway Mutations but Not Responsiveness to Vernalization. *The Plant Cell*. 13: 935-941.

- Miki, B. and McHugh, S. 2004. Selectable marker genes in transgenic plants: applications, alternatives and biosafety. *J. Biotechnol.* 107 :193–232.
- Mohammed, A. and Abalaka, M. E. 2011. *Agrobacterium* transformation: A boost to agricultural Biotechnology. *J. Med. Genet. Genomics.* 3(8): 126 – 130.
- Mouradov, A., Cremer, F., and Coupland, G. 2002. Control of Flowering Time: Interacting Pathways as a Basis for Diversity. *The Plant Cell.* S111–S130.
- Müller, A., Iser, M., and Hess, D. 2001. Stable transformation of sunflower (*Helianthus annuus* L.) using a non-meristematic regeneration protocol and green fluorescent protein as a vital marker. *Transgenic Res.* 10: 435-444.
- Mulyani, S. E. S. 2006. *Anatomi Tumbuhan*. Penerbit Kanisius. Yogyakarta. Hlm. 274-275.
- Mursyanti, E., Aziz-Purwantoro, Moeljopawiro, S., Semiarti, E. 2015. Induction of Somatic Embryogenesis through Overexpression of *ATRKD4* Genes in *Phalaenopsis* “Sogo Vivien”. *I. J. Biotech.* 20 (1): 42-53.
- Mustafa, G. and Khan, M.S. 2012. Prospecting the utility of antibiotics as lethal selection agents for chloroplast transformation in sugarcane. *Int. J. Agric. Biol.*, 14: 307–310
- Nakano, T., Kimura, T., Kaneko, I., Nagata, N., Matsuyama, T., Asami, T., and Yoshida, S. 2001. Molecular mechanism of chloroplast development regulated by plant hormones. *RIKEN.* 41: 86-87.
- Ng, M. and Yanofsky, M. F. 2001. *Function and evolution of the plant Mads-Box gene family*. Macmillan Magazines Ltd. 2: 186-195.
- Nocker, S. 2001. Molecular Biology of Flowering. *Hort. Rev.* 27: 1-39.
- Opik, H. and Rolfe, S. A. 2005. *The physiology of flowering plants*. Cambridge University Press. New York. Pp. 287-291.
- Ottensschläger, I., Barinova, I., Voronin, V., Dahl, M., Heberle-Bors, E., and Touraev, A. 1999. Green fluorescent protein (GFP) as a marker during pollen development. *Transgenic Research.* 8: 279–294.
- Parcy, F. 2005. Flowering: a time for integration. *Int. J. Dev. Biol.* 49: 585-593.

- Park, S., 2006. *Agrobacterium tumefaciens-mediated transformation of tobacco (*Nicotiana tabacum* L.) leaf disks: evaluation of the co-cultivation conditions to increase b-glucuronidase gene activity*. Thesis. The Department of Plant Pathology and Crop Physiology Life Sciences Building (LSB), Louisiana State University and LSU Agricultural Center, Baton Rouge, Louisiana
- Pérez-Clemente, R. M., Pérez-Sanjuán, A., García-Férriz, L., Beltrán, J., and Cañas, L. A. 2004. Transgenic peach plants (*Prunus persica* L.) produced by genetic transformation of embryo sections using the green fluorescent protein (GFP) as an *in vivo* marker. *Mol. Breed.* 14: 419–427.
- Pin, P.A. and Nilsson, O. 2012. The multifaceted roles of FLOWERING LOCUS T in plant development. *Plant Cell Environ.* 35: 1742–1755. doi: 10.1111/j.1365-3040.2012.02558.x.
- Puchta, H. 2003. Marker-free transgenic plants. *Plant Cell, Tissue and Organ Cult.* 74: 123–134.
- Raju, K.S., Sheshumadhav, M., Chandrasekhararao, C., and Murthy, T.G.K. 2009. Molecular diversity in genus *Nicotiana* as revealed by randomly amplified polymorphic DNA. *Indian J. Biotechnol.* 8: 61-66.
- Rizzo, M. A., Davidson, M. W., and Piston, D. W. 2009. Fluorescent Protein Tracking and Detection: Fluorescent Protein Structure and Color Variants. *Cold Spring Harb Protoc.* doi: 10.1101/pdb.top63.pp. 1-22.
- Rochman, F. 2013. Pengembangan varietas unggul tembakau Temanggung tahan penyakit. *J. Litbang Pert.* 32 (1): 30-38.
- Rochman, F. dan Suwarso, 2000. Kultivar lokal tembakau temanggung dan usaha perbaikannya. *Dalam* Tembakau Temanggung. p. 7-13. Monograf Balittas No. 5, Balai Penelitian Tembakau dan Tanaman Serat, Malang.
- Samach, A., Onouchi, H., Gold, S. E., Ditta, G. S., Schwarz-Sommer, Z., Yanofsky, M. F., and Coupland, G. 2000. Distinct Roles of CONSTANS Target Genes in Reproductive Development of *Arabidopsis*. *Science.* 288: 1613-1616.
- Saijo, T. and Nagasawa, A. 2015. A new detection tool for bioavailable copper utilizing transgenic plants carrying recombinant yeast ACE1 transcription factor and GFP reporter genes. *Soil Sci. Plant Nutr.* 61, 281–286
- Santos-Villalobos, S., Parra-Cota, F. I., de-Folter, S., and Peña-Cabriales, J. J. 2012. Primers to amplify *flowering locus T (FT)* transcript in mango (*Mangifera*

indica) and their potential use in other angiosperms. *Plant Omics J.* 5 (5): 453-457.

Sambrook, J. and Russell, D. W. 2001. *Molecular Cloning*. Cold Spring Harbor Laboratory Press. New York.

Semiarti, E., Indrianto, A., Purwantoro, A., Isminingsih, S., Suseno, N., Ishikawa, T., Yoshioka, Y., Machida, Y., and Machida, C. 2007. *Agrobacterium*-mediated transformation of the wild orchid species *Phalaenopsis amabilis*. *Plant Biotechnol.* 24: 265–272.

Semiarti, E., Indrianto, A., Martiwi, I.N.A., Feroniasanti, Y.M.L., Nadifah, F., Mercuriani, I.S., Dwiyani, R., Iwakawa, H., Yoshioka, Y., Machida, Y., and Machida, C. 2010. High-frequency genetic transformation of *Phalaenopsis amabilis* orchid using tomato extract-enriched medium for the pre-culture of protocorms. *J. Hort. Sci. Biotech.* 85 (3): 205-210.

Semiarti, E., Mercuriani, I.S., Rizal, R., Slamet, A., Utami, B.U., Bestari, I.A., Purwantoro, A., Moeljopawiro, S., Jang, S., Machida, Y., and Machida, C. 2015. Overexpression of *PaFT* Gene in the Wild Orchid *Phalaenopsis amabilis* (L.) Blume. *AIP Conf. Proc.* <http://dx.doi.org/10.1063/1.4930750>

Sheng, J. and Citovsky, V. 1996. *Agrobacterium*-Plant Cell DNA Transport: Have Virulence Proteins, Will Travel. *Plant Cell.* 8: 1699-1710.

Shrestha, B.R., Chin, D.P., Tokuhara, K., and Mii, M. 2007. Efficient production of transgenic plant of *Vanda* through sonication-assisted *Agrobacterium*-mediated transformation of protocorm-like bodies. *Plant Biotechnol-Nar.* 24: 429-434.

Singh, M., Yadav, A., Ma, X., and Amoah, E. 2010. Plasmid DNA Transformation in *Escherichia Coli*: Effect of Heat Shock Temperature, Duration, and Cold Incubation of CaCl₂ Treated Cells. *Int. J. Biotech. and Biochem.* 6 (4): 561–568.

Stewart, C. N. Jr. 2005. Monitoring the presence and expression of transgenes in living plants. *Trends Plant Sci.* 10 (8): 390-396.

Sung, Z. R., Chen, L. J., and Moon, Y. H. 2003. Molecular mechanism of shoot determinacy and flowering in *Arabidopsis*. *Hort. Sci.* 38: 1325-1327.

- Sunilkumar, G., Mohr, L., Lopata-Finch, E., Emani, C., and Keerti, S. 2002. Developmental and tissue-specific expression of CaMV 35S promoter in cotton as revealed by GFP. *Plant Mol. Biol.* 50: 463–474.
- Swarnapirya, R. 2009. Genetic transformation in ornamentals- a review. *Agric. Rev.* 30 (2) : 120 – 131.
- Tambarussi, E.V., Rogalski, M., Nogueira, F.T.S., Brondani, G.E., De Martin, V.F., and Carrer, H. 2015. Influence of antibiotics on indirect organogenesis of Teak. *Ann. For. Res.* 58(1): 177-183. DOI: 10.15287/afr.2015.345
- Taoka, K., Ohki, I., Tsuji, H., Kojima, C., and Shimamoto, K. 2013. Structure and function of florigen and the receptor complex. *Trends Plant Sci.* 18 (5): 287-294.
- Tee, C. S., Marziah, M., Tan, C. S., and Abdullah, M. P. 2003. Evaluation of different promoters driving the GFP reporter gene and selected target tissues for particle bombardment of *Dendrobium Sonia* 17. *Plant Cell Rep.* 21: 452–458.
- Tee, C. S. and Maziah, M. 2005. Optimization of biolistic bombardment parameters for *Dendrobium Sonia* 17 calluses using GFP and GUS as the reporter system. *Plant Cell, Tissue and Organ Cult.* 80: 77–89.
- Theissen, G., Becker, A., Di Rosa, A., Kanno, A., Kim, J.T., and Munster, T. 2000. A short history of MADS-box genes in plants. *Plant Mol. Biol.* 42: 115-149.
- Tsay, H., Ho, H., Gupta, S. K., Wang, C., Chen, P., and Chen, E. C. 2012. Development of pollen mediated activation tagging system for *Phalaenopsis* and *Doritaenopsis*. *Electron. J. Biotechnol.* 15 (4): 1-10.
- Travella, S., Ross, S. M., Harden, J., Everett, C., Snape, J. W., and Harwood, W. A. 2005. A comparison of transgenic barley lines produced by particle bombardment and *Agrobacterium*-mediated techniques. *Plant Cell Rep.* 23:780–789.
- Tsai, W. and Chen, H. 2006. The Orchid MADS-Box Genes Controlling Floral Morphogenesis. *Scientific World Journal.* 1: 109-120.
- Tzfira, T., Li, J., Lacroix, B., and Citovsky, V. 2004. *Agrobacterium* T-DNA integration: molecules and models. *Trends Genet.* 20 (8): 375-383.

- Vain, P., Worland, B., Kohli, A., Snape, J. W., and Christou, P. 1998. The green fluorescent protein (GFP) as a vital screenable marker in rice transformation. *Theor. Appl. Genet.* 96: 164-169.
- Van Steenis, C. G. G. J. V., Bloembergen, S., and Eyma, P. J. 2006. *Flora*. Diterjemahkan oleh Suryowinoto, M., Hardjosuwarno, S., Adisewojo, S. S., Wibisono, and Partodidjojo, M. Pradnya Paramita. Jakarta. Hal. 364.
- Von Korff, M. 2018. On flowering and grain number in cereals. <https://academic.oup.com/DocumentLibrary/JXB/floweringblogs/erw084.pdf>. Diakses 20 mei 2018 pukul 20.00.
- Wahyuningsih, S., Lawrie, M.D., Daryono, B.S., Moeljopawiro, S., Jang, S., and Semiarti, E. 2016. Early Detection of the Orchid Flowering Gene *PaFT1* in Tobacco Cells Using a GFP Reporter. *I. J. Biotech.* 21 (1): 12—21.
- Wang, Z. H., Wang, L., and Ye, Q. S. 2009. High frequency early flowering from in vitro seedlings of *Dendrobium nobile*. *Sci. Hort.* 122: 328–331
- Widyasari, W. B. and Suhandono, S. 2007. Konstruksi vektor biner untuk ekspresi gen *dipp22* (yang diisolasi dari tebu varietas *M 442-51*) pada tanaman. *Berk. Penel. Hayati.* 13: 15-26.
- Wigge, P. A. 2011. *FT*, A Mobile Developmental Signal in Plants. *Curr. Biol.* 21: R374–R378.
- Wigge, P.A., Kim, M.C., Jaeger, K.E., Busch, W., Schmid, M., Lohmann, J.U., and Weigel, D. 2005. Integration of Spatial and Temporal Information During Floral Induction in *Arabidopsis*. *Science.* 309: 1056-1059.
- Winfield, S., Lawton, R., Daniell, H., and Dhir, S. K. 2001. Transformation of sweet potato tissues with green-fluorescent protein gene. *In Vitro Cell. Dev. Biol. Plant.* 37:648-653.
- Yamaguchi, A., Kobayashi, Y., Goto, K., Abe, M., and Araki, T. 2005. *TWIN SISTER OF FT (TSF)* Acts as a Floral Pathway Integrator Redundantly with *FT*. *Plant Cell Physiol.* 46 (8): 1175–1189.
- Yang, Y., Klejnot, J., Yu, X., Liu, X., and Lin, C. 2007. Florigen (II): It is a Mobile Protein. *J. Integr. Plant Biol.* 49 (12): 1665–1669.

- Yeoh, C. C., Balcerowicz, M., Laurie, R., Macknight, M., and Putterill, J. 2011. Developing a method for customized induction of flowering. *Biotechnology*. 11 (36): 1-11.
- Yu, X., Klejnot, J., and Lin, C. 2006. Florigen: One Found, More to Follow? *J. Integr. Plant Biol.* 48 (6): 617–621.
- Yuwono, T. 2006. *Bioteknologi Pertanian*. Gadjah Mada University Press. Yogyakarta. Hal. 14, 217.
- Xia, N., Luo, W., Zhang, J., Xie, X., Yang, H., Li, S., Chen, M., and Ng, M. 2002. Bioluminescence of *Aequorea macrodactyla*, a Common Jellyfish Species in the East China Sea. *Mar. Biotechnol.* 4: 155–162.
- Xu, F., Rong, X., Huang, X., and Cheng, S. 2012. Recent Advances of *Flowering Locus T* Gene in Higher Plants. *Int. J. Mol. Sci.* 13: 3773-3781.
- Zhang, B., Liu, F., Liu, Z., Wang, H., and Yao, C. 2001. Effects of kanamycin on tissue culture and somatic embryogenesis in Cotton. *Plant Growth Regulation.* 33: 137–149.
- Zhou, S., Jiang, L., Guan, S., Gao, Y., Gao, Q., Wang, G., and Duan, K. 2018. Expression profiles of five FT-like genes and functional analysis of *PhFT-1* in a *Phalaenopsis* hybrid. *Electron J. Biotechnol.* 31: 75–83
- Zik, M. and Irish, F. 2003. Flower development: Initiation, differentiation, and diversification. *Annu. Rev. Cell Dev. Biol.* 19: 119–40.
- Wang, Y., Liu, L., Song, S., Li, Y., Shen, L., and Yu, H. 2017. *DOFT* and *DOFTIP1* affect reproductive development in the orchid *Dendrobium Chao Praya Smile*. *J. Exp. Bot.*, 68 (21–22): 5759–5772.
- Zupan, J., Muth, T. R., Draper, O., and Zambryski, P. 2000. The transfer of DNA from *Agrobacterium tumefaciens* into plants: a feast of fundamental insights. *Plant J.* 23 (1): 11-28.



UNIVERSITAS
GADJAH MADA

**ANALISIS FUNGSI GEN PEMBUNGAAN *Phalaenopsis aphrodite* Flowering locus T1 PADA
TANAMAN TEMBAKAU
(*Nicotiana tabacum* L.)**

Sri Wahyuningsih, Dr. Endang Semiarti, M.S., M.Sc.; Prof. Dr. Sukarti Moeljopawiro, M.App.Sc.; Dr. Budi Setiadi Dary
Universitas Gadjah Mada, 2018 | Diunduh dari <http://etd.repository.ugm.ac.id/>