

REFERENCES

- Annunziato, A. (2007). The tsunami assessment modeling system by the joint research centre. *Science of Tsunami Hazards*, 26(2), 70. Retrieved from <http://www.tsunamisociety.org/262Annunziato.pdf>
- Atillah, A., El Hadani, D., Moudni, H., Lesne, O., Renou, C., Mangin, A., & Rouffi, F. (2011). Tsunami vulnerability and damage assessment in the coastal area of Rabat and Sal??, Morocco. *Natural Hazards and Earth System Sciences*, 11(12), 3397–3414. <https://doi.org/10.5194/nhess-11-3397-2011>
- Berryman, K. (2005). *Review of Tsunami Hazard and Risk in New Zealand Review of Tsunami Hazard and Risk in New Zealand*. Lower Hutt, New Zealand.
- Birkmann, J. (2007). Risk and vulnerability indicators at different scales: Applicability, usefulness and policy implications. *Environmental Hazards*, 7(1), 20–31. <https://doi.org/10.1016/j.envhaz.2007.04.002>
- BNPB. (2011). *Data of disaster in Indonesia 2010*. Jakarta.
- BPS Kabupaten Kepulauan Mentawai. (2016). *Kepulauan Mentawai Regency in Figures 2016*. BPS Kabupaten Kepulauan Mentawai.
- Bryant, E. (2008). *Tsunami The Underrated Hazard* (2nd ed.). Berlin, Heidelberg: Springer Berlin Heidelberg. <https://doi.org/10.1007/978-3-540-74274-6>
- Cecioni, C., & Bellotti, G. (2012). Generation and Propagation of Frequency-Dispersive Tsunami. In N.-A. Mörner (Ed.), *The Tsunami Threat - Research and Technology* (pp. 621–640). InTech.
- Dall’Osso, F., Dominey-Howes, D., Tarbotton, C., Summerhayes, S., & Withycombe, G. (2016). Revision and improvement of the PTVA-3 model for assessing tsunami building vulnerability using “international expert judgment”: introducing the PTVA-4 model. *Natural Hazards*, 83(2), 1229–1256. <https://doi.org/10.1007/s11069-016-2387-9>
- Dall’Osso, F., Gonella, M., Gabbianelli, G., Withycombe, G., & Dominey-Howes, D. (2009). A revised (PTVA) model for assessing the vulnerability of buildings to tsunami damage. *Natural Hazards and Earth System Science*, 9(5), 1557–1565. <https://doi.org/10.5194/nhess-9-1557-2009>

- Dall’Osso, F., Maramai, A., Graziani, L., Brizuela, B., Cavalletti, A., Gonella, M., & Tinti, S. (2010). Applying and validating the PTVA-3 model at the Aeolian Islands, Italy: Assessment of the vulnerability of buildings to tsunamis. *Natural Hazards and Earth System Science*, *10*(7), 1547–1562. <https://doi.org/10.5194/nhess-10-1547-2010>
- Dalrymple, R., Grilli, S., & Kirby, J. (2006). Tsunamis and Challenges for Accurate Modeling. *Oceanography*, *19*(1), 142–151. <https://doi.org/10.5670/oceanog.2006.97>
- Dias, W. P. S., Yapa, H. D., & Peiris, L. M. N. (2009). Tsunami vulnerability functions from field surveys and Monte Carlo simulation. *Civil Engineering and Environmental Systems*, *26*(2), 181–194. <https://doi.org/10.1080/10286600802435918>
- Dominey-Howes, D., & Papatoma, M. (2007). Validating a tsunami vulnerability assessment model (the PTVA Model) using field data from the 2004 indian ocean tsunami. *Natural Hazards*, *40*(1), 113–136. <https://doi.org/10.1007/s11069-006-0007-9>
- Eisner, R. K. (2005). Planning for tsunamis: Reducing future losses through mitigation. In E. N. Bernard (Ed.), *Developing Tsunami-Resilient Communities: The National Tsunami Hazard Mitigation Program* (pp. 155–162). Dordrecht: Springer Netherlands. https://doi.org/10.1007/1-4020-3607-8_10
- El Moussaoui, S., Omira, R., Zaghoul, M. N., El Talibi, H., & Aboumaria, K. (2017). Tsunami hazard and buildings vulnerability along the Northern Atlantic coast of Morocco –the 1755-like tsunami in Asilah test-site. *Geoenvironmental Disasters*, *4*(1), 25. <https://doi.org/10.1186/s40677-017-0089-6>
- Fernando, H. J. S., Braun, A., Galappatti, R., Ruwanpura, J., & Wirasinghe, S. C. (2008). Tsunamis: manifestation and aftermath. In M. Gad-el-Hak (Ed.), *Large-Scale Disasters* (pp. 258–292). Cambridge: Cambridge University Press. <https://doi.org/10.1017/CBO9780511535963.013>
- Garcin, M., Prame, B., Attanayake, N., De Silva, U., Desprats, J. F., Fernando, S.,

- ... Siriwardana, C. H. E. R. (2007). *Geographic Information System for Coastal Hazards - Application to a pilot site in Sri Lanka (Final Report)*.
- Gardi, A., Valencia, N., & Sheet, S. (2009). *WP3.3 – GIS conceptual model and processing for production of elements required for test sites scenarios, Deliverable 3.1 part II*.
- Griffin, J. D., Pranantyo, I. R., Kongko, W., Haunan, A., Robiana, R., Miller, V., ... Latief, H. (2016). Assessing tsunami hazard using heterogeneous slip models in the Mentawai Islands, Indonesia. *Geological Society, London, Special Publications*, 441, SP441.3. <https://doi.org/10.1144/SP441.3>
- House, C. C. (2001). Statistical Aspects of a Census. In *Conference on Agricultural and Environmental Statistical Applications in Rome (CAESAR)* (pp. 1–12). Rome.
- Ioualalen, M., Asavanant, J., Kaewbanjak, N., Grilli, S. T., Kirby, J. T., & Watts, P. (2007). Modeling the 26 December 2004 Indian Ocean tsunami: Case study of impact in Thailand. *Journal of Geophysical Research*, 112(C7), C07024. <https://doi.org/10.1029/2006JC003850>
- Ismail, H., Abd Wahab, A. K., Mohd Amin, M. F., Mohd Yunus, M. Z., Jaffar Sidek, F., & Esfandier J., B. E. (2012). A 3-tier tsunami vulnerability assessment technique for the north-west coast of Peninsular Malaysia. *Natural Hazards*, 63(2), 549–573. <https://doi.org/10.1007/s11069-012-0166-9>
- Isnin, S. N. (2016). Analisis Tingkat Resiko Tsunami Terhadap BANGunan Hunian di Desa Ulee Lheue Kecamatan Meuraxa, Kota Banda Aceh. *Jurnal Ilmiah Ilmu Sosial*, 2(1), 66–84.
- Jha, A. K., & Dwyne, J. E. (2010). *Safer homes, stronger communities : a handbook for reconstructing after natural disasters*. Washington, USA: The World Bank.
- Kingma, N., McCall, M. K., & Montoya, L. (2011). Elements at risk. In C. J. van Westen, D. Alkema, M. C. J. Damen, N. Kerle, & N. C. Kingma (Eds.), *Multi-hazard risk assessment* (pp. 401–443). UNU - ITC DGIM.
- Lay, T., Ammon, C. J., Kanamori, H., Yamazaki, Y., Cheung, K. F., & Hutko, A. R. (2011). The 25 October 2010 Mentawai tsunami earthquake (Mw 7.8) and

- the tsunami hazard presented by shallow megathrust ruptures. *Geophysical Research Letters*, 38(6), 2–6. <https://doi.org/10.1029/2010GL046552>
- Leone, F., Denain, J. C., Vinet, F., & Bachri, S. (2006). *Analyse spatiale des dommages au bâti de Banda Aceh (Sumatra, Indonésie): contribution à la connaissance du phénomène et à l'élaboration de scénarios de risque tsunami. Scientific report of Tsunarisque (2005-2006) program.*
- Mikami, T., Shibayama, T., Esteban, M., Ohira, K., Sasaki, J., Suzuki, T., ... Widodo, T. (2014). Tsunami vulnerability evaluation in the Mentawai islands based on the field survey of the 2010 tsunami. *Natural Hazards*, 71(1), 851–870. <https://doi.org/10.1007/s11069-013-0936-z>
- Mück, M., Taubenböck, H., Post, J., Wegscheider, S., Strunz, G., Sumaryono, S., & Ismail, F. A. (2013). Assessing building vulnerability to earthquake and tsunami hazard using remotely sensed data. *Natural Hazards*, 68(1), 97–114. <https://doi.org/10.1007/s11069-012-0481-1>
- Nanayakkara, K. I. U., & Dias, W. P. S. (2016). Fragility curves for structures under tsunami loading. *Natural Hazards*, 80(1), 471–486. <https://doi.org/10.1007/s11069-015-1978-1>
- Natawidjaja, D. H. (2007). *Gempabumi dan Tsunami di Sumatra dan Upaya Untuk Mengembangkan Lingkungan Hidup yang Aman Dari Bencana Alam.* Jakarta.
- Newman, A. V., Hayes, G., Wei, Y., & Convers, J. (2011). The 25 October 2010 Mentawai tsunami earthquake, from real-time discriminants, finite-fault rupture, and tsunami excitation. *Geophysical Research Letters*, 38(5), 5–11. <https://doi.org/10.1029/2010GL046498>
- O'Donnell, J. (2016). *Simplifying the Papathoma Tsunami Vulnerability Assessment: Towards an Open and GIS-based Data Collection and Processing Method.* University of Sheffield.
- O'loughlin, K. F., & Lander, J. F. (2003). Types and Effects of Tsunamis. In *Caribbean Tsunamis A 500-Year History from 1498-1998* (pp. 37–79). Springer Netherlands. https://doi.org/10.1007/978-94-017-0321-5_4
- Omira, R., Baptista, M. A., Miranda, J. M., Toto, E., Catita, C., & Catalão, J. (2010). Tsunami vulnerability assessment of Casablanca-Morocco using numerical

modelling and GIS tools. *Natural Hazards*, 54(1), 75–95.
<https://doi.org/10.1007/s11069-009-9454-4>

Panjaitan, B. S. P. (2017). *Understanding Tsunami Hazard Knowledge and Preparedness: Before and After the 2010 Tsunami in Mentawai (Indonesia)*. University of Canterbury. Retrieved from [https://ir.canterbury.ac.nz/bitstream/handle/10092/13417/Panjaitan, Berton_Final PhD Thesis.pdf?sequence=1](https://ir.canterbury.ac.nz/bitstream/handle/10092/13417/Panjaitan_Berton_Final%20PhD%20Thesis.pdf?sequence=1)

Papathoma, M., & Dominey-Howes, D. (2003). Tsunami vulnerability assessment and its implications for coastal hazard analysis and disaster management planning, Gulf of Corinth, Greece. *Natural Hazards and Earth System Science*, 3(6), 733–747. <https://doi.org/10.5194/nhess-3-733-2003>

Rasyif, T. M., Syamsidik, Al'ala, M., & Fahmi, M. (2016). Numerical simulation of the impacts of reflected tsunami waves on Pulo Raya Island during the 2004 Indian Ocean tsunami. *Journal of Coastal Conservation*, 20(6), 489–499. <https://doi.org/10.1007/s11852-016-0464-6>

Reese, S., Cousins, W. J., Power, W. L., Palmer, N. G., Tejakusuma, I. G., & Nugrahadi, S. (2007). Tsunami vulnerability of buildings and people in South Java - Field observations after the July 2006 Java tsunami. *Natural Hazards and Earth System Science*, 7(5), 573–589. <https://doi.org/10.5194/nhess-7-573-2007>

Selvan, S. C., & Kankara, R. (2016). Tsunami model simulation for 26 December 2004 and its effect on Koodankulam region of Tamil Nadu Coast. *The International Journal of Ocean and Climate Systems*, 7(2), 62–69. <https://doi.org/10.1177/1759313115623165>

Strunz, G., Post, J., Zosseder, K., Wegscheider, S., Mück, M., Riedlinger, T., ... Muhari, A. (2011). Tsunami risk assessment in Indonesia. *Natural Hazards and Earth System Science*, 11(1), 67–82. <https://doi.org/10.5194/nhess-11-67-2011>

Sumaryono. (2010). *Assessing Building Vulnerability to Tsunami Hazard Using Integrative Remote Sensing and GIS Approaches*. Ludwig Maximilian University of Munich. <https://doi.org/10.1007/s11069-016-2567-7>

- Syamsidik, & Fikri, F. (2016). The Indian Ocean Tsunami and Land Use Changes in Indonesia. In M. Banba & R. Shaw (Eds.), *Land Use Management in Disaster Risk Reduction: Practice and Cases from a Global Perspective* (pp. 297–310). Tokyo: Springer Japan. https://doi.org/10.1007/978-4-431-56442-3_16
- Tappin, D. R. (2017). The Generation of Tsunamis. In *Encyclopedia of Maritime and Offshore Engineering* (pp. 1–10). American Cancer Society. <https://doi.org/10.1002/9781118476406.emoe523>
- Towner, N. (2016). How to manage the perfect wave: Surfing tourism management in the Mentawai Islands, Indonesia. *Ocean and Coastal Management*, 119, 217–226. <https://doi.org/10.1016/j.ocecoaman.2015.10.016>
- USGS. (2009). USGS Scientists in Samoa and American Samoa Studying Impacts of Recent Tsunami, October-November 2009. Retrieved August 19, 2017, from <https://walrus.wr.usgs.gov/news/tsu-terms.html>
- Valencia, N., Gardi, A., Gauraz, A., Leone, F., & Guillande, R. (2011). New tsunami damage functions developed in the framework of SCHEMA project: Application to European-Mediterranean coasts. *Natural Hazards and Earth System Sciences*, 11(10), 2835–2846. <https://doi.org/10.5194/nhess-11-2835-2011>
- Wibowo, T. W. (2012). *Analisis Risiko Tsunami Terhadap Bangunan Dan Pengurangan Risiko Bencana Berbasis Transfer Risiko: Studi Kasus Di Kelurahan Plosos. Pacitan*. Universitas Gadjah Mada. Retrieved from http://etd.repository.ugm.ac.id/index.php?mod=penelitian_detail&sub=PenelitianDetail&act=view&typ=html&buku_id=55111