

DAFTAR PUSTAKA

- Ahmad, D., Esmadi, M., Steinmann, W. 2013. Idiopathic CD4 Lymphocytopenia: Spectrum of opportunistic infections, malignancies, and autoimmune diseases. *Avicenna Journal of Medicine*, 3(2), 37. <https://doi.org/10.4103/2231-0770.114121>
- Aksornphusitaphong, A., & Phupong, V. 2013. Risk factors of early and late onset pre-eclampsia. *Journal of Obstetrics and Gynaecology Research*, 39(3), 627–631. <https://doi.org/10.1111/j.1447-0756.2012.02010.x>
- Aminzadeh, Z., & Parsa, E. 2016. Relationship between Age and Peripheral White Blood Cell Count in Patients with Sepsis, 2(4), 238–242.
- Azab, B., Camacho-Rivera, M., & Taioli, E. 2014. Average values and racial differences of neutrophil lymphocyte ratio among a nationally representative sample of United States subjects. *PLoS ONE*, 9(11). <https://doi.org/10.1371/journal.pone.0112361>
- Blumenreich, M. 1990. The white blood cell and differential count. *Clinical Methods: The History, Physical and Laboratory Examinations, 3rd Edition*, 724–727. [http://newmodernlabservices.com/userfiles/file/WBC DLC.pdf](http://newmodernlabservices.com/userfiles/file/WBC%20DLC.pdf)
- Boij, R., Svensson, J., Nilsson-Ekdahl, K., Sandholm, K., Lindahl, T. L., Palonek, E., ... Matthiesen, L. 2012. Biomarkers of Coagulation, Inflammation, and Angiogenesis are Independently Associated with Preeclampsia. *American Journal of Reproductive Immunology*, 68(3), 258–270. <https://doi.org/10.1111/j.1600-0897.2012.01158.x>
- Busti, A. 2015. A General Review of the Mechanisms for Steroid or Glucocorticoid Induced Increases in the White Blood Cell (WBC) Count.
- Cakmak, H. A., Dincgez Cakmak, B., Abide Yayla, C., Inci Coskun, E., Erturk, M., & Keles, I. 2017. Assessment of relationships between novel inflammatory markers and presence and severity of preeclampsia: Epicardial fat thickness, pentraxin-3, and neutrophil-to-lymphocyte ratio. *Hypertension in Pregnancy*, 36(3), 233–239. <https://doi.org/10.1080/10641955.2017.1321016>
- Canzoneri, B. J., Lewis, D. F., Groome, L., & Wang, Y. 2009. Increased neutrophil numbers account for leukocytosis in women with preeclampsia. *American Journal of Perinatology*, 26(10), 729–732. <https://doi.org/10.1055/s-0029-1223285>
- Chen, Y., Huang Y., Jiang R., Teng Y. 2012. Syncytiotrophoblast-derived microparticle shedding in early-onset and late-onset severe pre-eclampsia. *International Journal of Gynecology and Obstetrics*, 119, 234-238. <https://dx.doi.org/10.1016/j.ijgo.2012.07.010>

- Cunningham, F.G., Leveno, K.J., Bloom, S., Hauth, J.C., Rouse, D., Spong, C. 2014. Pregnancy Hypertension. *William Obstetric* 24th. United States of America: Mc Graw Hill Medical Companies, p728
- Jager, C. P. C., van Wijk, P. T. L., Mathoera, R. B., de Jongh-Leuvenink, J., van der Poll, T., & Wever, P. C. 2010. Lymphocytopenia and neutrophil-lymphocyte count ratio predict bacteremia better than conventional infection markers in an emergency care unit. *Critical Care*, 14(5). <https://doi.org/10.1186/cc9309>
- Gezer, C., Ekin, A., Ertas, I. E., Ozeren, M., Solmaz, U., Mat, E., & Taner, C. E. 2016. High first-trimester neutrophil-to-lymphocyte and platelet-to-lymphocyte ratios are indicators for early diagnosis of preeclampsia. *Ginekologia Polska*, 87(6), 431–435. <https://doi.org/10.5603/GP.2016.0021>
- Gezer, C., Ekin, A., Özeren, M., Taner, C. E., & Avc, M. E. 2014. The role of the first trimester inflammation markers at early and late preeclampsia. <https://doi.org/10.2399/prn.14.0223003>
- Hernández-Díaz, S., Toh, S., & Cnattingius, S. 2009. Risk of pre-eclampsia in first and subsequent pregnancies: Prospective cohort study. *BMJ (Online)*, 339(7711), 34. <https://doi.org/10.1136/bmj.b2255>
- Herzog, E. M., Eggink, A. J., van der Zee, M., Lagendijk, J., Willemsen, S. P., de Jonge, R., ... Steegers-Theunissen, R. P. M. 2016. The impact of early- and late-onset preeclampsia on umbilical cord blood cell populations. *Journal of Reproductive Immunology*, 116, 81–85. <https://doi.org/10.1016/j.jri.2016.05.002>
- Hladunewich, M., Karumanchi, S. A., & Lafayette, R. 2007. Pathophysiology of the Clinical Manifestations of Preeclampsia. *Clinical Journal of the American Society of Nephrology*, 2(3), 543–549. <https://doi.org/10.2215/CJN.03761106>
- John, J. H., Ziebland, S., Yudkin, P., Roe, L. S., & Neil, H. A. W. 2002. Effects of fruit and vegetable consumption on plasma antioxidant concentrations and blood pressure: A randomised controlled trial. *Lancet*, 359(9322), 1969–1974. [https://doi.org/10.1016/S0140-6736\(02\)98858-6](https://doi.org/10.1016/S0140-6736(02)98858-6)
- Kirbas, A., Ersoy, A. O., Daglar, K., Dikici, T., Biberoglu, E., Kirbas, O., & Danisman, N. 2015. Prediction of preeclampsia by first trimester combined test and simple complete blood count parameters. *Journal of Clinical and Diagnostic Research*, 9(11), QC20-QC23. <https://doi.org/10.7860/JCDR/2015/15397.6833>
- Kurtoglu, E., Kokcu, A., Celik, H., Tosun, M., & Malatyalioglu, E. 2015. May ratio of neutrophil to lymphocyte be useful in predicting the risk of developing preeclampsia? A pilot study. *J.Matern.Fetal Neonatal Med.*, 28(1476–4954 (Electronic)), 97–99. <https://doi.org/10.3109/14767058.2014.905910>

- Li, X. L., Guo, P. L., Xue, Y., Gou, W. L., Tong, M., & Chen, Q. 2016. An analysis of the differences between early and late preeclampsia with severe hypertension. *Pregnancy Hypertension*, 6(1), 47–52. <https://doi.org/10.1016/j.preghy.2015.12.003>
- Matthiesen, L., Berg, G., Ernerudh, J., Ekerfelt, C., Jonsson, Y., & Sharma, S. 2005. Immunology of pre-eclampsia. *American Journal of Reproductive Immunology AJRI Official Journal of the American Society for the Immunology of Reproduction and the International Coordination Committee for Immunology of Reproduction*, 63(6), 49–61. <https://doi.org/10.1159/000087912>
- Nelson, D. B., Ziadie, M. S., McIntire, D. D., Rogers, B. B., & Leveno, K. J. 2014. Placental pathology suggesting that preeclampsia is more than one disease. *American Journal of Obstetrics and Gynecology*, 210(1), 66.e1-66.e7. <https://doi.org/10.1016/j.ajog.2013.09.010>
- Oylumlu, M., Ozler, A., Yildiz, A., Oylumlu, M., Acet, H., Polat, N., ... Ertas, F. 2014. New inflammatory markers in pre-eclampsia: Echocardiographic epicardial fat thickness and neutrophil to lymphocyte ratio. *Clinical and Experimental Hypertension*, 36(7), 503–507. <https://doi.org/10.3109/10641963.2013.863324>
- Ramma, W., & Ahmed, A. 2011. Is inflammation the cause of pre-eclampsia? *Biochemical Society Transactions*, 39(6), 1619–1627. <https://doi.org/10.1042/BST20110672>
- Ramma, W., Buhimschi, I. A., Zhao, G., Dulay, A. T., Nayeri, U. A., Buhimschi, C. S., & Ahmed, A. 2012. The elevation in circulating anti-angiogenic factors is independent of markers of neutrophil activation in preeclampsia. *Angiogenesis*, 15(3), 333–340. <https://doi.org/10.1007/s10456-012-9261-5>
- Redman Sarah J Germain, C. W., Sacks, G. P., & Soorana, S. R. 2007. Microparticles Circulating Syncytiotrophoblast Pregnancy and Preeclampsia: The Role of Systemic Inflammatory Priming in Normal. *J Immunol References The Journal of Immunology*, 178, 5949–5956. <https://doi.org/10.4049/jimmunol.178.9.5949>
- Ricardo, T., Farah, B. Q., Ritti-Dias, R. M., Botero, J. P., Brito, D. C., Moura, P. M. M. F. de, & Prado, W. L. do. 2014. Relation between leukocyte count, adiposity, and cardiorespiratory fitness in pubertal adolescents. *Einstein (São Paulo)*, 12(4), 420–424. <https://doi.org/10.1590/S1679-45082014AO3214>
- Roberts, J. M., August, P. A., Bakris, G., Barton, J. R., Bernstein I. M., Druzin M.,...Martin, J. N. 2013. Hypertension in pregnancy. *American College of Obstetricians and Gynecologists*, 618, 13-15
- Romeo, C., Cruccetti, A., Turiaco, A., Impellizzeri, P., Turiaco, N., Di Bella, C., ... Salpietro, D. C. 2002. Monocyte and neutrophil activity after minor surgical

- stress. *Journal of Pediatric Surgery*, 37(5), 741–744.
<https://doi.org/10.1053/jpsu.2002.32268>
- Serin, S., Avci, F. Il, Ercan, O., Köstü, B., Bakacak, M., & Kiran, H. 2016. Is neutrophil/lymphocyte ratio a useful marker to predict the severity of pre-eclampsia? *Pregnancy Hypertension*, 6(1), 22–25.
<https://doi.org/10.1016/j.preghy.2016.01.005>
- Shen, M., Smith, G.N., Rodger, M., White, R.R., Walker, M.C., Wen, S.W. 2017. Comparison of risk factors and outcomes of gestational hypertension and pre-eclampsia. *PLoS ONE*, 12(4), e0175914.
<https://doi.org/10.1371/journal.pone.0175914>
- Toptas, M., Asik, H., Kalyoncuoglu, M., & Can, E. 2016. Are Neutrophil / Lymphocyte Ratio and Platelet / Lymphocyte Ratio Predictors for Severity of Preeclampsia ? *J Clin Gynecol Obstet.*, 5(1), 27–31.
- Villar, J., Abdel-Aleem, H., Merialdi, M., Mathai, M., Ali, M. M., Zavaleta, N., ... Lindheimer, M. 2006. World Health Organization randomized trial of calcium supplementation among low calcium intake pregnant women. *American Journal of Obstetrics and Gynecology*, 194(3), 639–649.
<https://doi.org/10.1016/j.ajog.2006.01.068>
- Wang, R. T., Zhang, J. R., Li, Y., Liu, T., & Yu, K. J. 2015. Neutrophil-Lymphocyte ratio is associated with arterial stiffness in diabetic retinopathy in type 2 diabetes. *Journal of Diabetes and Its Complications*, 29(2), 245–249.
<https://doi.org/10.1016/j.jdiacomp.2014.11.006>
- Yavuzcan, A., Çağlar, M., Üstün, Y., Dilbaz, S., Özdemir, I., Yildiz, E., ... Kumru, S. 2014. Mean platelet volume, neutrophil-lymphocyte ratio and platelet-lymphocyte ratio in severe preeclampsia. *Ginekologia Polska*, 85(3), 197–203.
- Zhou, X., Zhang, G. Y., Wang, J., Lu, S. L., Cao, J., & Sun, L. Z. 2012. A novel bridge between oxidative stress and immunity: The interaction between hydrogen peroxide and human leukocyte antigen G in placental trophoblasts during preeclampsia. *American Journal of Obstetrics and Gynecology*, 206(5), 7–16. <https://doi.org/10.1016/j.ajog.2012.03.013>