

## REFERENCES

- Adeyeye, E.I., Akinyeye, R.O., Ogunlade, I., Olaofe, O., Boluwade, J.O., 2010. Effect of farm and industrial processing on the amino acid profile of cocoa beans. *Food Chem.* 118, 357–363.
- Afoakwa, E.O., Paterson, A., Fowler, M., 2007. Factors influencing rheological and textural qualities in chocolate - a review. *Trends Food Sci. Technol.* 18, 290–298.
- Afoakwa, E.O., Paterson, A., Fowler, M., Ryan, A., 2008a. Flavor formation and character in cocoa and chocolate: A critical review. *Crit. Rev. Food Sci. Nutr.* 48, 840–857.
- Afoakwa, E.O., Paterson, A., Fowler, M., Vieira, J., 2008b. Particle size distribution and compositional effects on textural properties and appearance of dark chocolates. *J. Food Eng.* 87, 181–190.
- Ahmed, Z., 2001. Production of natural and rare pentoses using microorganisms and their enzymes. *Electron. J. Biotechnol.* 4.
- Aidoo, R.P., Depypere, F., Afoakwa, E.O., Dewettinck, K., 2013. Industrial manufacture of sugar-free chocolates - Applicability of alternative sweeteners and carbohydrate polymers as raw materials in product development. *Trends Food Sci. Technol.* 32, 84–96.
- Albak, F., Tekin, A.R., 2016. Variation of total aroma and polyphenol content of dark chocolate during three phase of conching. *J. Food Sci. Technol.* 53, 848–855.
- Amin, A.S., 2005. *Teknologi Pasca Panen Kakao untuk Masyarakat Perkakaoan Indonesia*. BPPT Press, Badan Pengkajian dan Penerapan Teknologi, Jakarta.
- Anonymous, 2008. *Biji Kakao*. 01-2323–2008.
- Anonymous, 2015. *Statistik Konsumsi Pangan 2015*. Jakarta.
- Anonymous, 2017. *Global Nutrition Report: Indonesia*.
- Apriyantono, A., Kumara, B., 2004. Identification of Character Impact Odorants of Wood Apple Fruit ( *Feronia limonia* ). *Teknol. dan Ind. Pangan* XV.
- Arlorio, M., 2004. *Alimenti nervini: cacao, caffè, tè*. Padova.
- Arnoldi, A., Arnoldi, C., Baldi, O., Griffini, A., 1988. Flavor Components in the Maillard Reaction of Different Amino-Acids with Fructose in Cocoa Butter Water - Qualitative and Quantitative-Analysis of Pyrazines. *J. Agric. Food Chem.* 36, 988–992.
- Ascrizzi, R., Flamini, G., Tessieri, C., Pistelli, L., 2017. From the raw seed to

chocolate: Volatile profile of Blanco de Criollo in different phases of the processing chain. *Microchem. J.* 133, 474–479.

Asikin, Y., Kamiya, A., Mizu, M., Takara, K., Tamaki, H., Wada, K., 2014. Changes in the physicochemical characteristics, including flavour components and Maillard reaction products, of non-centrifugal cane brown sugar during storage. *Food Chem.* 149, 170–177.

Bertelsen, H., Andersen, H., Tvede, M., 2001. Fermentation of D-Tagatose by Human Intestinal Bacteria and Dairy Lactic Acid Bacteria. *Microb. Ecol. Health Dis.* 13, 87–95.

Biehl, B., Brunner, E., Passern, D., Quesnel, V.C., Adomako, D., 1985. Acidification, proteolysis and flavour potential in fermenting cocoa beans. *J. Sci. Food Agric.* 36, 583–598.

Bonvehí, J.S., 2005. Investigation of aromatic compounds in roasted cocoa powder. *Eur. Food Res. Technol.* 221, 19–29.

Bonvehí, J.S., Coll, F.V., 2002. Factors affecting the formation of alkylpyrazines during roasting treatment in natural and alkalinized cocoa powder. *J. Agric. Food Chem.* 50, 3743–50.

Branen, A.L., Davidson, P.M., Salminen, S., III, J.H.T., 2002. *Food Additives*, Second Edi. ed. Marcel Dekker, Inc., New York.

Buettner, A., 2017. *Handbook of Odor*. Springer International Publishing, Cham.

Byrne, D., O’Sullivan, M., Dijksterhuis, G., Bredie, W.L., Martens, M., 2001. Sensory panel consistency during development of a vocabulary for warmed-over flavour. *Food Qual. Prefer.* 12, 171–187.

Cämmerer, B., Wedzicha, B.L., Kroh, L.W., 1999. Nonenzymatic browning reactions of retro-aldol degradation products of carbohydrates. *Eur. Food Res. Technol.* 209, 261–265.

Camu, N., De Winter, T., Addo, S.K., Takrama, J.S., Bernaert, H., De Vuyst, L., 2008. Fermentation of cocoa beans: influence of microbial activities and polyphenol concentrations on the flavour of chocolate. *J. Sci. Food Agric.* 88, 2288–2297.

Chaintreau, A., 2001. Simultaneous distillation-extraction: from birth to maturity-review. *Flavour Fragr. J.* 16, 136–148.

Chattopadhyay, S., Raychaudhuri, U., Chakraborty, R., 2014. Artificial sweeteners - A review. *J. Food Sci. Technol.* 51, 611–621.

Chen, F., Zu, Y., Yang, L., 2015. A novel approach for isolation of essential oil from fresh leaves of *Magnolia sieboldii* using microwave-assisted simultaneous distillation and extraction. *Sep. Purif. Technol.* 154, 271–280.

- Chen, Z., Chen, J., Zhang, W., Zhang, T., Guang, C., Mu, W., 2018. Recent research on the physiological functions, applications, and biotechnological production of d-allose. *Appl. Microbiol. Biotechnol.*
- Chisholm, M.G., Jell, J.A., Cass, D.M., 2003. Characterization of the major odorants found in the peel oil of Citrus reticulata Blanco cv. Clementine using gas chromatography-olfactometry. *Flavour Fragr. J.* 18, 275–281.
- Cho, I.H., Lee, S., Jun, H.R., Roh, H.J., Kim, Y.S., 2010. Comparison of volatile Maillard reaction products from tagatose and other reducing sugars with amino acids. *Food Sci. Biotechnol.* 19, 431–438.
- Counet, C., Callemien, D., Ouwerx, C., Collin, S., 2002. Use of Gas Chromatography–Olfactometry To Identify Key Odorant Compounds in Dark Chocolate. Comparison of Samples before and after Conching. *J. Agric. Food Chem.* 50, 2385–2391.
- Cree, G.M., Perlin, A.S., 1968. O -Isopropylidene derivatives of D -allulose ( D -psicose) and D - erythro-hexopyranos -2,3-diulose. *Can. J. Biochem.* 46, 765–770.
- Davidek, T., Clety, N., Aubin, S., Blank, I., 2002. Degradation of the Amadori compound N-(1-deoxy-d-fructos-1-yl)glycine in aqueous model systems. *J. Agric. Food Chem.* 50, 5472–5479.
- Davídek, T., Robert, F., Devaud, S., Vera, F.A., Blank, I., 2006. Sugar Fragmentation in the Maillard Reaction Cascade: Formation of Short-Chain Carboxylic Acids by a New Oxidative  $\alpha$ -Dicarbonyl Cleavage Pathway.
- Davies, C.G.A., Labuza, T.P., 1997. The Maillard reaction: application to confectionery products. *Confect. Sci.* 35–66.
- Do, T.-A.L., Vieira, J., Hargreaves, J.M., Wolf, B., Mitchell, J.R., 2008. Impact of Limonene on the Physical Properties of Reduced Fat Chocolate. *J. Am. Oil Chem. Soc.* 85, 911–920.
- Doner, L.W., 1979. Isomerization of d-fructose by base: Liquid-chromatographic evaluation and the isolation of d-psicose. *Carbohydr. Res.* 70, 209–216.
- Dunlop, A.P., 1948. Furfural Formation and Behavior. *Ind. Eng. Chem.* 40, 204–209.
- Emmadi, M., Kulkarni, S.S., 2014. Recent advances in synthesis of bacterial rare sugar building blocks and their applications. *Nat. Prod. Rep.* 31, 870–9.
- Frauendorfer, F., Schieberle, P., 2006. Identification of the Key Aroma Compounds in Cocoa Powder Based on Molecular Sensory Correlations. *J. Agric. Food Chem.* 54, 5521–5529.
- Gómez-Cortés, P., Sacks, G.L., Brenna, J.T., 2015. Quantitative analysis of

volatiles in edible oils following accelerated oxidation using broad spectrum isotope standards. *Food Chem.* 174, 310–8.

Granström, T.B., Takata, G., Tokuda, M., Izumori, K., 2004. Izumoring: a novel and complete strategy for bioproduction of rare sugars. *J. Biosci. Bioeng.* 97, 89–94.

Haylock, S.J., Dods, T.M., 2009. *Industrial Chocolate Manufacture and Use*, Fourth Edi. ed, Industrial Chocolate Manufacture and and Use. Blackwell Publishing Ltd., United Kingdom.

Herz, W.J., Shallenberger, R.S., 1960. SOME AROMAS PRODUCED BY SIMPLE AMINO ACID, SUGAR REACTIONS. *J. Food Sci.* 25, 491–494.

Hites, R.A., 1997. Gas Chromatography Mass Spectrometry. In: Settle, F.A. (Ed.), *Handbook of Instrumental Techniques for Analytical Chemistry*. Prentice Hall PTR, New Jersey.

Ho, C.-T., Riha, W.E., 2005. Formation of Maillard Aromas During Extrusion Cooking. In: *The Maillard Reaction in Foods and Medicine*. Elsevier, pp. 187–192.

Hodge, J.E., 1953. Dehydrated Foods, Chemistry of Browning Reactions in Model Systems. *J. Agric. Food Chem.* 1, 928–943.

Hofmann, T., Schieberle, P., 1997. Identification of Potent Aroma Compounds in Thermally Treated Mixtures of Glucose/Cysteine and Rhamnose/Cysteine Using Aroma Extract Dilution Techniques. *J. Agric. Food Chem.* 45, 898–906.

Iida, T., Kishimoto, Y., Yoshikawa, Y., Hayashi, N., Okuma, K., Tohi, M., Yagi, K., Matsuo, T., Izumori, K., 2008. Acute D-psicose administration decreases the glycemic responses to an oral maltodextrin tolerance test in normal adults. *J. Nutr. Sci. Vitaminol. (Tokyo)*. 54, 511–4.

Ishihara, Y., Katayama, K., Sakabe, M., Kitamura, M., Aizawa, M., Takara, M., Itoh, K., 2011. Antioxidant properties of rare sugar D-allose: Effects on mitochondrial reactive oxygen species production in Neuro2A cells. *J. Biosci. Bioeng.* 112, 638–642.

Itoh, H., Sato, T., Izumori, K., 1995. Preparation of d-psicose from d-fructose by immobilized d-tagatose 3-epimerase. *J. Ferment. Bioeng.* 80, 101–103.

Izumori, K., 2006. Izumoring: A strategy for bioproduction of all hexoses. *J. Biotechnol.* 124, 717–722.

Ji, C.Y., Cheng, T.O., 2009. Epidemic increase in overweight and obesity in Chinese children from 1985 to 2005. *Int. J. Cardiol.* 132, 1–10.

Jousse, F., Jongen, T., Agterof, W., Russell, S., Braat, P., 2002. Simplified kinetic scheme of flavor formation by the Maillard reaction. *J. Food Sci.* 67, 2534–

2542.

- Kadivar, S., De Clercq, N., Mokbul, M., Dewettinck, K., 2016. Influence of enzymatically produced sunflower oil based cocoa butter equivalents on the phase behavior of cocoa butter and quality of dark chocolate. *LWT - Food Sci. Technol.* 66, 48–55.
- Kamen, J.M., Peryam, D.R., Peryam, D.B., Kroll, B.J., 1969. Hedonic Differences as a Function of Number of Samples Evaluated. *J. Food Sci.* 34, 475–479.
- Kang, K.-M., Baek, H.-H., 2014. Aroma quality assessment of Korean fermented red pepper paste (gochujang) by aroma extract dilution analysis and headspace solid-phase microextraction–gas chromatography–olfactometry. *Food Chem.* 145, 488–495.
- Khairy, H.L., Saadoon, A.F., Zzaman, W., Yang, T.A., Mat Easa, A., 2017. Identification of flavor compounds in rambutan seed fat and its mixture with cocoa butter determined by SPME-GCMS. *J. King Saud Univ. - Sci.*
- Kongor, J.E., Hinneh, M., de Walle, D. Van, Afoakwa, E.O., Boeckx, P., Dewettinck, K., 2016. Factors influencing quality variation in cocoa (*Theobroma cacao*) bean flavour profile - A review. *Food Res. Int.* 82, 44–52.
- Kroger, M., Meister, K., Kava, R., 2006. Low-calorie sweeteners and other sugar substitutes: A review of the safety issues. *Compr. Rev. Food Sci. Food Saf.* 5, 35–47.
- Lawless, H.T., Heymann, H., 2010. *Sensory Evaluation of Food: Principles and Practices*, Science, Food Science Text Series. Springer New York, New York, NY.
- Leahy, M.M., Reineccius, G.A., 1983. Comparison of method for the isolation of volatile compounds from aqueous model system. In: Schreier, P. (Ed.), *Analysis of Volatile Methods and Application*. Walter de Gruyter, Berlin.
- Ledauphin, J., Saint-Clair, J.F., Lablanquie, O., Guichard, H., Fournier, N., Guichard, E., Barillier, D., 2004. Identification of trace volatile compounds in freshly distilled calvados and cognac using preparative separations coupled with gas chromatography-mass spectrometry. *J. Agric. Food Chem.* 52, 5124–5134.
- Leiva, G.E., Naranjo, G.B., Malec, L.S., 2017. A study of different indicators of Maillard reaction with whey proteins and different carbohydrates under adverse storage conditions. *Food Chem.* 215, 410–416.
- Levin, G. V., 2002. Tagatose, the New GRAS Sweetener and Health Product. *J. Med. Food* 5, 23–36.
- Lijinsky, W., 1991. The formation and occurrence of polynuclear aromatic

- hydrocarbons associated with food. *Mutat. Res. Toxicol.* 259, 251–261.
- Lipp, M., Simoneau, C., Ulberth, F., Anklam, E., Crews, C., Brereton, P., de Greyt, W., Schwack, W., Wiedmaier, C., 2001. Composition of Genuine Cocoa Butter and Cocoa Butter Equivalents. *J. Food Compos. Anal.* 14, 399–408.
- Littlewood, A.B., 1970. *Gas Chromatography: Principles, Techniques, and Applications*. Elsevier Science.
- Liu, J., Liu, M., He, C., Song, H., Guo, J., Wang, Y., Yang, H., Su, X., 2015. A comparative study of aroma-active compounds between dark and milk chocolate: relationship to sensory perception. *J. Sci. Food Agric.* 95, 1362–1372.
- Livesey, G., C Brown, J., 1996. D-Tagatose is a bulk sweetener with zero energy determined in rats, *The Journal of nutrition*.
- Lund, M.N., Ray, C.A., 2017. Control of Maillard Reactions in Foods: Strategies and Chemical Mechanisms. *J. Agric. Food Chem.* 65, 4537–4552.
- Maarse, H., 1991. Volatile compounds in foods and beverages, *Food science and technology (USA)*. no. 44. Marcel Dekker.
- MacLeod, G., Ames, J.M., 1989. Volatile components of celery and celeriac. *Phytochemistry* 28, 1817–1824.
- Maggi, F., Papa, F., Cristalli, G., Sagratini, G., Vittori, S., Giuliani, C., 2010. Histochemical localization of secretion and composition of the essential oil in *Melittis melissophyllum* L. subsp. *melissophyllum* from Central Italy. *Flavour Fragr. J.* 25, 63–70.
- Majors, R.E., 2014. *Sample Preparation Fundamentals for Chromatography*, Agilent Technologies Inc. Agilent Technologies Inc., Canada.
- Mala, N., Tamura, H., 2016. Identification of volatile compounds in dried kaffir lime leaves by liquid-liquid extraction method. Kagawa University.
- Marseglia, A., Palla, G., Caligiani, A., 2014. Presence and variation of  $\gamma$ -aminobutyric acid and other free amino acids in cocoa beans from different geographical origins. *Food Res. Int.* 63, 360–366.
- Martins, S., Martins, S.I.F.S., Jongen, W.M.F., 2001. A review of Maillard reaction in food and implications to kinetic modelling A review of Maillard reaction in food and implications to kinetic modelling. *Trends Food Sci. Technol.* 11, 364–373.
- Matsuo, T., Izumori, K., 2009. D-Psicose inhibits intestinal  $\alpha$ -glucosidase and suppresses the glycemic response after ingestion of carbohydrate in rats. *J. Clin. Biochem. Nutr.* 54, 219–219.



- Matsuo, T., Suzuki, H., Hashiguchi, M., Izumori, K., 2002. D-psicose is a rare sugar that provides no energy to growing rats. *J. Nutr. Sci. Vitaminol. (Tokyo)*. 48, 77–80.
- Meilgaard, M., Civille, G.V., Carr, T.B., 1991. *Sensory Evaluation Techniques*.
- Menavuvu, B.T., Poonperm, W., Leang, K., Noguchi, N., Okada, H., Morimoto, K., Granström, T.B., Takada, G., Izumori, K., 2006. Efficient biosynthesis of D-allose from D-psicose by cross-linked recombinant L-rhamnose isomerase: separation of product by ethanol crystallization. *J. Biosci. Bioeng.* 101, 340–345.
- Meyer, J., 2009. *Science and Technology of Enrobed and Filled Chocolate, Confectionery and Bakery Products, Science and Technology of Enrobed and Filled Chocolate, Confectionery and Bakery Products*.
- Mookdasanit, J., Tamura, H., Yoshizawa, T., Tokunaga, T., Nakanishi, K., 2003. Trace Volatile Components in Essential Oil of Citrus sudachi by Means of Modified Solvent Extraction Method. *Food Sci. Technol. Res.* 9, 54–61.
- Mottram, D.S., 2007. The Maillard Reaction: Source of Flavour in Thermally Processed Foods. In: *Flavours and Fragrances*. Springer Berlin Heidelberg, Berlin, Heidelberg, pp. 269–283.
- Mu, W., Zhang, W., Feng, Y., Jiang, B., Zhou, L., 2012. Recent advances on applications and biotechnological production of D-psicose. *Appl. Microbiol. Biotechnol.* 94, 1461–1467.
- Muchtadi, T.N., Sugiono, 1992. *Ilmu Pengetahuan Bahan Pangan*. Pusat Antar Universitas Pangan dan Gizi, IPB, Bogor.
- Mulato, S., Widyatomo, S., Misnawi, Suharjo, E., 2010. *Pengolahan Produk Primer dan Sekunder Kakao*. Puslitkoka, Jember.
- Müller, E., Berger, R., Blass, E., Sluyts, D., 2005. Liquid – Liquid Extraction. *Ullmann's Encycl. Ind. Chem.* 54.
- Naito, A., 2003. Aroma Analysis of Aminocarbonyl Reaction Product by Rare Sugar and L-phenylalanine. *Takamatsu*.
- Nara Batista, N., Lacerda Ramos, C., Ribeiro Dias, D., Carla Marques Pinheiro, A., Freitas Schwan, R., 2015. The impact of yeast starter cultures on the microbial communities and volatile compounds in cocoa fermentation and the resulting sensory attributes of chocolate.
- Newton, A.E., Fairbanks, A.J., Golding, M., Andrewes, P., Gerrard, J.A., 2012. The role of the Maillard reaction in the formation of flavour compounds in dairy products – not only a deleterious reaction but also a rich source of flavour compounds. *Food Funct.* 3, 1231.

- Nielsen, D.S., Crafacck, M., Jespersen, L., Jakobsen, M., 2013. Chocolate in Health and Nutrition, Chocolate in Health and Nutrition.
- Nursten, H.E., 1981. Recent developments in studies of the maillard reaction. Food Chem. 6, 263–277.
- Nursten, H.E., 2007. The Maillard reaction: chemistry, biochemistry and implications. Royal Society of Chemistry.
- O’Sullivan, M.G., 2017. Descriptive Methods. In: A Handbook for Sensory and Consumer-Driven New Product Development. Elsevier, pp. 13–37.
- Oh, D.K., 2007. Tagatose: Properties, applications, and biotechnological processes. Appl. Microbiol. Biotechnol. 76, 1–8.
- Ortega-Heras, M., González-SanJosé, M.L., Beltrán, S., 2002. Aroma composition of wine studied by different extraction methods. Anal. Chim. Acta 458, 85–93.
- Ostovar, K., Keeney, P.G., 1973. Isolation and Characterization in the Fermentation Of Trinidad’s Cacao Beans. J. Food Sci. 38, 611–6117.
- Pande, K.K., Pande, L., Pande, B., Pujari, A., Sah, P., Sah, S., 2011. Limonene dominates the Phytochemistry of Trigonella foenum-graceum in Nature. Nat. Sci. 9.
- Parsons, J.G., Keeney, P.G., Patton, S., 1969. Identification and Quantitative Analysis of Phospholipids in Cocoa Beans. J. Food Sci. 34, 497–499.
- Payne, M.L., Craig, W.J., Williams, A.C., 1997. Sorbitol is a Possible Risk Factor for Diarrhea in Young Children. J. Am. Diet. Assoc. 97, 532–534.
- Pennarun, A.-L., Prost, C., Demaimay, M., 2002. Identification and origin of the character-impact compounds of raw oyster *Crassostrea gigas*. J. Sci. Food Agric. 82, 1652–1660.
- Pino, J., Roncal, E., 1992. Linalool content in roasted cocoa butter as a characteristic of several flavour grade cocoas. Food / Nahrung 36, 299–301.
- Pittenauer, E., Allmaier, G., 2009. The Renaissance of High-Energy CID for Structural Elucidation of Complex Lipids: MALDI-TOF/RTOF-MS of Alkali Cationized Triacylglycerols. J. Am. Soc. Mass Spectrom. 20, 1037–1047.
- Redgwell, R., Trovato, V., Merinat, S., Curti, D., Hediger, S., Manez, A., 2003. Dietary fibre in cocoa shell: Characterisation of component polysaccharides. Food Chem.
- Redgwell, R.J., Trovato, V., Curti, D., 2003. Cocoa bean carbohydrates: Roasting-induced changes and polymer interactions. Food Chem. 80, 511–516.



- Reineccius, G.A., Andersen, D.A., Kavanagh, T.E., Keeney, P.G., 1972. Identification and Quantification of the Free Sugars in Cocoa Beans 20, 199–202.
- Rodriguez Furlán, L.T., Baracco, Y., Lecot, J., Zaritzky, N., Campderrós, M.E., 2017. Influence of hydrogenated oil as cocoa butter replacers in the development of sugar-free compound chocolates: Use of inulin as stabilizing agent. *Food Chem.* 217, 637–647.
- Roy, K.-M., 2000. Sulfones and Sulfoxides. In: *Ullmann's Encyclopedia of Industrial Chemistry*. Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim, Germany.
- Salter, L.J., Mottram, D.S., Whitfield, F.B., 1989. Volatile compounds produced in maillard reactions involving glycine, ribose and phospholipid. *J. Sci. Food Agric.* 46, 227–242.
- Sandrou, D.K., Arvanitoyannis, I.S., 2000. Low-Fat / Calorie Foods : Current State and Perspectives. *Food Sci. Nutr.* 37–41.
- Schieberle, P., Pfner, P., 1999. Characterization of key odorants in chocolate. *Flavor Chem.* 147–153.
- Schermann, P., Schieberle, P., 1997. Evaluation of Key Odorants in Milk Chocolate and Cocoa Mass by Aroma Extract Dilution Analyses. *J. Agric. Food Chem.* 45, 867–872.
- Shinoda, Y., Komura, H., Homma, S., Murata, M., 2005. Browning of Model Orange Juice Solution: Factors Affecting the Formation of Decomposition Products. *Biosci. Biotechnol. Biochem.* 69, 2129–2137.
- Shu, C.-K., 1998. Pyrazine Formation from Amino Acids and Reducing Sugars, a Pathway Other than Strecker Degradation. *J. Agric. Food Chem.* 46, 1515–1517.
- Sun, Y., Hayakawa, S., Ogawa, M., Fukada, K., Izumori, K., 2008. Influence of a rare sugar, D-Psicose, on the physicochemical and functional properties of an aerated food system containing egg albumen. *J. Agric. Food Chem.* 56, 4789–4796.
- Sun, Y., Hayakawa, S., Ogawa, M., Izumori, K., 2007. Antioxidant properties of custard pudding dessert containing rare hexose, d-psicose. *Food Control* 18, 220–227.
- Sun, Y., Hayakawa, S., Puangmanee, S., Izumori, K., 2006. Chemical properties and antioxidative activity of glycated  $\alpha$ -lactalbumin with a rare sugar, D-allose, by Maillard reaction. *Food Chem.*
- Sunanto, H., 1992. *Cokelat, Budidaya, Pengolahan Hasil dan Aspek Ekonominya*.

Kanisius, Jakarta.

- Surh, Y.-J., Tannenbaum, S.R., 1994. Activation of the Maillard Reaction Product 5-(Hydroxymethyl)furfural to Strong Mutagens via Allylic Sulfonation and Chlorination. *Chem. Res. Toxicol.* 7, 313–318.
- Takeshita, K., Suga, A., Takada, G., Izumori, K., 2000. Mass production of D-psicose from D-fructose by a continuous bioreactor system using immobilized D-tagatose 3-epimerase. *J. Biosci. Bioeng.* 90, 453–455.
- Tamura, H., 2010. Aroma Profile of Vanilla in Bourbon Beans. In: Ho, C.-T., Mussinan, C.J., Shahidi, F., Contis, E.T. (Eds.), *Recent Advances in Food and Flavor Chemistry*. Royal Society of Chemistry, Cambridge, pp. 139–149.
- Tamura, H., Boonbumrung, S., Yoshizawa, T., Varanyanond, W., 2000. Volatile Components of the Essential Oils in the Pulp of Four Yellow Mangoes (*Mangifera indica* L.) in Thailand. *Food Sci. Technol. Res.* 6, 68–73.
- Tamura, H., Boonbumrung, S., Yoshizawa, T., Varanyanond, W., 2001. The Volatile Constituents in the Peel and Pulp of a Green Thai Mango, Khieo Sawoei Cultivar (*Mangifera indica* L.). *Food Sci. Technol. Res.* 7, 72–77.
- Teixeira, S., Mendes, A., Alves, A., Santos, L., 2007. Simultaneous distillation-extraction of high-value volatile compounds from *Cistus ladanifer* L. *Anal. Chim. Acta* 584, 439–446.
- Tuohy, K.M., Hinton, D.J.S., Davies, S.J., Crabbe, M.J.C., Gibson, G.R., Ames, J.M., 2006. Metabolism of Maillard reaction products by the human gut microbiota – implications for health. *Mol. Nutr. Food Res.* 50, 847–857.
- Van Boekel, M.A.J.S., 2006. Formation of flavour compounds in the Maillard reaction. *Biotechnol. Adv.* 24, 230–233.
- Vázquez-Araújo, L., Enguix, L., Verdú, A., García-García, E., Carbonell-Barrachina, A.A., 2008. Investigation of aromatic compounds in toasted almonds used for the manufacture of turrón. *Eur. Food Res. Technol.* 227, 243–254.
- Vernin, G., Chakib, S., Rogacheva, S.M., Obretenov, T.D., Párkányi, C., 1997. Thermal decomposition of ascorbic acid. *Carbohydr. Res.* 305, 1–15.
- Vinson, J.A., Proch, J., Zubik, L., 1999. Phenol Antioxidant Quantity and Quality in Foods: Cocoa, Dark Chocolate, and Milk Chocolate. *J. Agric. Food Chem.* 47, 4821–4824.
- Voigt, J., Biehl, B., 1995. Precursors of the Cocoa-Specific Aroma Components are Derived from the Vicilin-Class (7S) Globulin of the Cocoa Seeds by Proteolytic Processing. *Bot. Acta* 108, 283–289.
- Voigt, J., Lieberei, R., 2013. Biochemistry of cocoa fermentation. In: Schwan, R.,

- Fleet, G. (Eds.), *Cocoa and Coffee Fermentations*. CRC Press, Boca Raton.
- Wahyudi, T., Panggabean, T.R., Pujiyanto, 2008. *Panduan Lengkap Kakao*. Penebar Swadaya, Jakarta.
- Wang, H., Li, P., Sun, S.H., Zhang, Q.D., Su, Y., Zong, Y.L., Xie, J.P., 2014. Comparison of Liquid-Liquid Extraction, Simultaneous Distillation Extraction, Ultrasound-Assisted Solvent Extraction, and Headspace Solid-Phase Microextraction for the Determination of Volatile Compounds in Jujube Extract by Gas Chromatography/Mass Spectr. *Anal. Lett.* 47, 654–674.
- Wang, P.S., Odell, G. V, 1973. Formation of pyrazines from thermal treatment of some amino-hydroxy compounds. *J. Agric. Food Chem.* 21, 868–70.
- Watthanaphiromsakul, M., Tamura, H., Mookdasanit, J., Yonekura, L., 2015. Comparison of Extraction Methods and Characteristic Aroma Components of Traditional Tom Yum Paste. Kagawa University.
- Wong, K.H., Abdul Aziz, S., Mohamed, S., 2008. Sensory aroma from Maillard reaction of individual and combinations of amino acids with glucose in acidic conditions. *Int. J. Food Sci. Technol.* 43, 1512–1519.
- Yang, C., Wang, R., Song, H., 2012. The mechanism of peptide bonds cleavage and volatile compounds generated from pentapeptide to heptapeptide via Maillard reaction. *Food Chem.* 133, 373–382.
- Yates, P., 2009. *Formulation of chocolate for industrial applications, Science and Technology of Enrobed and Filled Chocolate, Confectionery and Bakery Products*. Woodhead Publishing Limited.
- Yaylayan, V.A., 1997. Classification of the Maillard reaction: A conceptual approach. *Trends Food Sci. Technol.* 8, 13–18.
- Yaylayan, V.A., Huyghues-Despointes, A., Feather, M.S., 1994. Chemistry of Amadori rearrangement products: Analysis, synthesis, kinetics, reactions, and spectroscopic properties. *Crit. Rev. Food Sci. Nutr.* 34, 321–369.
- Yu, A.-N., Zhang, A.-D., 2010. The effect of pH on the formation of aroma compounds produced by heating a model system containing l-ascorbic acid with l-threonine/l-serine. *Food Chem.* 119, 214–219.
- Zak, D.L., Keeney, P.G., 1976. Extraction and fractionation of cocoa proteins as applied to several varieties of cocoa beans. *J. Agric. Food Chem.* 24, 479–483.
- Zhang, W., Wang, R., Yuan, Y., Yang, T., Liu, S., 2016. Changes in volatiles of palm kernel oil before and after kernel roasting. *LWT - Food Sci. Technol.* 73, 432–441.