

## DAFTAR PUSTAKA

- Aberle, T., Bourn, R.L., Chen, H., Roberts, V.C., Guthridge, J.M., Bean, K., et al. 2017. Use of SLICC criteria in a large, diverse lupus registry enables SLE classification of a subset of ACR-designated subjects with incomplete lupus. *Lupus Sci. Med.*, 4(1): e000176. <http://lupus.bmj.com/lookup/doi/10.1136/lupus-2016-000176>.
- Almohmedhusain, A.Z. 2012. *Lipid associated biomarkers in patients with systemic lupus erythematosus and rheumatoid arthritis*.
- AlSaleem, A., AIE'ed, A., AlSaghier, A. and Al-Mayouf, S.M. 2015. Vitamin D status in children with systemic lupus erythematosus and its association with clinical and laboratory parameters. *Clin. Rheumatol.*, 34(1): 81–84.
- Ardoin, S., Sandborg, C. and Schanberg, L. 2007. Management of dyslipidemia in children and adolescents with systemic lupus erythematosus. *Lupus*, 16(8): 618–626. <http://lup.sagepub.com/cgi/doi/10.1177/0961203307079566>.
- Arsana, P.M., Rosandi, R., Manaf, A., Budhiarta, A., Permana, H., Sucipta, K.W., et al. 2015. Panduan Pengelolaan Dislipidemia di Indonesia. *PB Perkeni*: 4.
- Carbone, L.D., Rosenberg, E.W., Tolley, E.A., Holick, M.F., Hughes, T.A., Watsky, M.A., et al. 2008. 25-Hydroxyvitamin D, cholesterol, and ultraviolet irradiation. *Metabolism.*, 57(6): 741–748.
- Carter, M.A. 2012. Lupus Eritematosus Sistemik. In *Patofisiologi: Konsep Klinis Proses-Proses Penyakit*. Jakarta: Balai Penerbit IDAI: 1392–1396.
- Carvalho, L.S.F., Sposito, A.C., Clarke, J., Callen, J., Studio, A.R., Iv, P., et al. 2015. Vitamin D for the prevention of cardiovascular disease: Are we ready for that? *Atherosclerosis*, 241(2): 729–740. <http://www.lipidworld.com/content/11/1/42>.
- Castaneda, R.A., Nader, N., Weaver, A., Singh, R. and Kumar, S. 2012. Response to vitamin D3 supplementation in obese and non-obese caucasian adolescents. *Horm. Res. Paediatr.*, 78(4): 226–231.
- Challoumas, D. 2014. Vitamin D supplementation and lipid profile : What does the best available evidence show ? *Atherosclerosis*, 235(1): 130–139. <http://dx.doi.org/10.1016/j.atherosclerosis.2014.04.024>.
- Çomak, E. 2014. Vitamin D Levels and Disease Activity in Children with Systemic Lupus Erythematosus. *Arch. Rheumatol.*, 29(1): 47–52. <http://www.tjr.org.tr/text.php3?id=553>.
- Ferranti, S.D. and Jane, N. 2016. Dyslipidemia in children: Definition, screening, and diagnosis. *UpToDate*, (table 1): 1–37. [https://www.uptodate-com.ezproxy.usek.edu.lb/contents/dyslipidemia-in-children-definition-screening-and-diagnosis?source=search\\_result&search=dyslipidemia in children&selectedTitle=1~150](https://www.uptodate-com.ezproxy.usek.edu.lb/contents/dyslipidemia-in-children-definition-screening-and-diagnosis?source=search_result&search=dyslipidemia%20in%20children&selectedTitle=1~150).
- Fors Nieves, C.E. and Izmirly, P.M. 2016. Mortality in Systemic Lupus Erythematosus: an Updated Review. *Curr. Rheumatol. Rep.*, 18(4): 1–7.
- Fragoso, T., Dantas, A., Marques, C., Da Rocha Jr, L., Melo, J., Costa, A., et al. 2012. 25-hydroxyvitamin D3 levels in patients with systemic lupus

- erythematosus and its association with clinical parameters and laboratory tests. *Rev. Bras. Reumatol.*, 52(1): 55–65.  
<http://www.embase.com/search/results?subaction=viewrecord&from=export&id=L364219447%5Cnhttp://www.scielo.br/cgi-bin/wxis.exe/iah/?IsisScript=iah/iah.xis&base=article%5Edlibrary&format=iso.pdf&lang=i&nextAction=lnk&indexSearch=AU&exprSearch=DANTAS,+ANDREA+>.
- Garanty-Bogacka, B., Syrenicz, M.M.M., Goral, J., Krupa, B., Syrenicz, J., Walczak, M.M., et al. 2011. Serum 25-hydroxyvitamin D (25-OH-D) in obese adolescents. *Endokrynol. Pol.*, 62(6): 506–511.  
[http://www.embase.com/search/results?subaction=viewrecord&from=export&id=L364007677%5Cnhttp://sfx.library.uu.nl/utrecht?sid=EMBASE&issn=0423104X&id=doi:&atitle=Serum+25-hydroxyvitamin+D+\(25-OH-D\)+in+obese+adolescents&stitle=Endokrynol.+Pol.&title=Endokry](http://www.embase.com/search/results?subaction=viewrecord&from=export&id=L364007677%5Cnhttp://sfx.library.uu.nl/utrecht?sid=EMBASE&issn=0423104X&id=doi:&atitle=Serum+25-hydroxyvitamin+D+(25-OH-D)+in+obese+adolescents&stitle=Endokrynol.+Pol.&title=Endokry).
- Gauer, R. 2010. Hyperlipidemia treatment in children: The younger, the better. *Am. Fam. Physician*, 82(5): 460–467.
- Gupta, P. and Bhatia, V. 2008. Corticosteroid physiology and principles of therapy. *Indian J. Pediatr.*, 75(10): 1039–1044.
- Hochberg, M.C. 1997. Updating the American College of Rheumatology revised criteria for the classification of systemic lupus erythematosus. *Arthritis Rheum.*, 40(9): 1725. <http://www.ncbi.nlm.nih.gov/pubmed/9324032>.
- Houman, M.H., Smiti-Khanfir, M., Ghorbell, I.B. and Miled, M. 2004. Systemic lupus erythematosus in Tunisia: demographic and clinical analysis of 100 patients. *Lupus*, 13(3): 204–211.  
<http://lup.sagepub.com/cgi/doi/10.1191/0961203303lu530xx>.
- Kasjmir, Y., Handono, K., Wijaya, L.K., Hamijoyo, L., Albar, Z., Kalim, H., et al. 2011. *Rekomendasi perhimpunan reumatologi indonesia untuk diagnosis dan pengelolaan lupus eritematosus sistemik*. Jakarta: Perhimpunan Reumatologi Indonesia.
- Katsicas, M.M., Borgia, E.R. and Russo, R.A. 2013. SAT0472 Accuracy of Systemic Lupus International Collaborating Clinics Classification Criteria Applied to Juvenile Systemic Lupus Erythematosus Patients. *Ann. Rheum. Dis.*, 72(Suppl 3): A741.2-A741. <http://ard.bmj.com/lookup/doi/10.1136/annrheumdis-2013-ular.2196>.
- Kawasaki, Y., Ohara, S., Miyazaki, K., Kanno, S., Ono, A., Suyuma, K., et al. 2015. Incidence and Prognosis of Systemic Lupus Erythematosus in a 35 year period in Fukushima, Japan. *Pediatr. Int.*, 57(6509655): 1–28.
- Kementrian Kesehatan RI. 2017. Infodatin-Lupus-2017.pdf : 1–7.
- Khanna, S., Pal, H., Pandey, R.M. and Handa, R. 2004. The relationship between disease activity and quality of life in systemic lupus erythematosus. *Rheumatology*, 43(12): 1536–1540.  
<https://academic.oup.com/rheumatology/article-lookup/doi/10.1093/rheumatology/keh376>.

- Klein-Gittelman MS, M.M. 2007. *Nelson textbook of pediatrics : systemic lupus erythematosus*. 18th ed. Philadelphia: WB Saunders Co.
- Lameshow, S., Jr, D.W.H., Klar, J. and Lwanga, S.K. 1997. *Besar sampel dalam penelitian kesehatan*. <http://www.ncbi.nlm.nih.gov/pubmed/21960193>.
- Lehman, T. 2016. Systemic lupus erythematosus (SLE) in children: pathogenesis , clinical manifestations and diagnosis. *Uptodate*.
- Levy, D.M. and Kamphuis, S. 2012. Systemic Lupus Erythematosus in Children and Adolescents. *Pediatr. Clin. North Am.*, 59(2): 345–364.
- Lim, S.H.L., Benseler, S.M., Tyrrell, P.N., Charron, M., Harvey, E., Hebert, D., et al. 2011. Low bone mineral density is present in newly diagnosed paediatric systemic lupus erythematosus patients. *Ann. Rheum. Dis.*, 70(11): 1991–1994. <http://ard.bmj.com/cgi/doi/10.1136/ard.2010.144311>.
- Lythgoe, H., Morgan, T., Heaf, E., Lloyd, O., Al-Abadi, E., Armon, K., et al. 2017. Evaluation of the ACR and SLICC classification criteria in juvenile-onset systemic lupus erythematosus: a longitudinal analysis. *Lupus*, 0: 1–6.
- Metheniti, D., Sakka, S., Dracopoulou, M., Margeli, A., Papassotiriou, I., Kanakagantenbein, C., et al. 2013. Decreased circulating 25-(OH) Vitamin D concentrations in obese female children and adolescents: Positive associations with Retinol Binding Protein-4 and Neutrophil Gelatinase-associated Lipocalin. *Hormones*, 12(3): 397–404.
- Misra, M., Motil, K. and Drezner, M. 2013. Vitamin D insufficiency and deficiency in children and adolescents. *UpToDate*, 25.
- Ortiz, T.T., Terreri, M.T., Caetano, M., Souza, F.S., D’Almeida, V., Sarni, R.O.S., et al. 2013. Dyslipidemia in pediatric systemic lupus erythematosus: The relationship with disease activity and plasma homocysteine and cysteine concentrations. *Ann. Nutr. Metab.*, 63(1–2): 77–82.
- Piccolo, B.D., Dolnikowski, G., Seyoum, E., Thomas, A.P., Gertz, E.R., Souza, E.C., et al. 2013. Association between subcutaneous white adipose tissue and serum 25-hydroxyvitamin D in overweight and obese adults. *Nutrients*, 5(9): 3352–3366.
- Pusdatin Kemenkes. 2017. *Situasi lupus di indonesia*. Pusat Data dan Informasi Kementerian Kesehatan Republik Indonesia.
- Roy, J.S., Das, P.P. and Datta, A. 2010. SLE in Pregnancy. *Bangabandhu Sheikh Mujib Med. Univ. J.*, 3(1): 54–59.
- Sag, E., Tartaglione, A., Batu, E.D., Ravelli, A., Khalil, S.M.A., Marks, S.D., et al. 2014. Performance of the new SLICC classification criteria in childhood systemic lupus erythematosus: A multicentre study. *Clin. Exp. Rheumatol.*, 32(3): 440–444.
- Saleh, A.M., Kurniati, N. and Syarif, B.H. 2014. Penilaian Aktivitas Penyakit Lupus Eritematosus Sistemik dengan Skor SLEDAI di Departemen Ilmu Kesehatan Anak RSCM. *Sari Pediatr.*, 16(4): 292–298.
- Saliba, W., Barnett-Griness, O. and Rennert, G. 2013. The relationship between obesity and the increase in serum 25(OH)D levels in response to vitamin D

- supplementation. *Osteoporos. Int.*, 24(4): 1447–54.  
<http://www.ncbi.nlm.nih.gov/pubmed/22955311>.
- Sastroasmoro, S. and Ismael, S. 2011. *Dasar-dasar metodologi penelitian klinis*.
- Soepriadi M, S.B. 2006. Pedoman Penatalaksanaan Alergi & Imunologi : Lupus eritematosus. In Bandung: Peralumni: 28–50.
- Soepriadi M, S.B. 2005. Pedoman Terapi Ilmu Kesehatan Anak FK UNPAD/RSHS : Lupus eritematosus sistemik. In Bandung: Bagian Ilmu Kesehatan Anak FK UNPAD/RSHS: 133–42.
- Suryawati, G.A., Junior, M., Artha, R. and Rina, K. 2016. Manifestasi infark miokard tanpa obstruksi arteri koroner pada kasus lupus eritematosus sistemik. , 51: 169–175.
- Svenungsson, E., Gunnarsson, I., Fei, G.-Z., Lundberg, I.E., Klareskog, L. and Frostegård, J. 2003. Elevated triglycerides and low levels of high-density lipoprotein as markers of disease activity in association with up-regulation of the tumor necrosis factor  $\alpha$ /tumor necrosis factor receptor system in systemic lupus erythematosus. *Arthritis Rheum.*, 48(9): 2533–2540.  
<http://doi.wiley.com/10.1002/art.11264>.
- Tay, S.H., Ho, C.S., Ho, R.C.-M. and Mak, A. 2015. 25-Hydroxyvitamin D3 Deficiency Independently Predicts Cognitive Impairment in Patients with Systemic Lupus Erythematosus. *PLoS One*, 10(12): e0144149.  
<http://dx.plos.org/10.1371/journal.pone.0144149>.
- Uribe, A.G., Vilá, L.M., McGwin, G., Sanchez, M.L., Reveille, J.D. and Alarcón, G.S. 2004. The Systemic Lupus Activity Measure-Revised, the Mexican Systemic Lupus Erythematosus Disease Activity Index (SLEDAI), and a Modified SLEDAI-2K are adequate instruments to measure disease activity in systemic lupus erythematosus. *J. Rheumatol.*, 31(10): 1934–1940.
- Uribe, A.G., Vila, L.M., McGwin, G., Sanchez, M.L., Revele, J.D. and Alarcón, G.S. 2016. The Systemic Lupus Activity Measure-Revised , the Mexican Systemic Lupus Erythematosus Disease Activity Index ( SLEDAI ... *J. Rheumatology*, 31 (10)(November 2004): 1934–40.
- Utami, S., Chairulfatah, A. and Rusmil, K. 2015. Perbandingan Kadar Vitamin D (25 Hidroksivitamin D) pada Anak Sakit Kritis dan Nonkritis. *Sari Pediatr.*, 16(6): 434–40.
- Weiss, J.E. 2012. Pediatric Systemic Lupus Erythematosus: More Than a Positive Antinuclear Antibody. *Pediatr. Rev.*, 33(2): 62–74.  
<http://pedsinreview.aappublications.org/cgi/doi/10.1542/pir.33-2-62>.
- Wright, T.B., Shults, J., Leonard, M.B., Zemel, B.S. and Burnham, J.M. 2009. Hypovitaminosis D is Associated with Greater Body Mass Index and Disease Activity in Pediatric Systemic Lupus Erythematosus. *J. Pediatr.*, 155(2): 260–265. <http://dx.doi.org/10.1016/j.jpeds.2009.02.033>.
- Yazdanpanah, M., Bailey, D., Walsh, W., Wan, B. and Adeli, K. 2013. Analytical measurement of serum 25-OH-vitamin D3, 25-OH-vitamin D2 and their C3-epimers by LC-MS/MS in infant and pediatric specimens. *Clin. Biochem.*,

46(13–14): 1264–1271.

- Yoon, J.M. 2014. Dyslipidemia in children and adolescents: when and how to diagnose and treat? *Pediatr. Gastroenterol. Hepatol. Nutr.*, 17(2): 85–92. <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=4107225&tool=pmc-entrez&rendertype=abstract>.
- Yuan, J., Li, L., Wang, Z., Song, W. and Zhang, Z. 2015. Dyslipidemia in patients with systemic lupus erythematosus: Association with disease activity and B- type natriuretic peptide levels. *Biomed. Reports*: 68–72. <http://www.spandidos-publications.com/10.3892/br.2015.544>.
- Zhou, P., Schechter, C., Cai, Z. and Markowitz, M. 2011. Determinants of 25(OH)D sufficiency in obese minority children: Selecting outcome measures and analytic approaches. *J. Pediatr.*, 158(6).