

DAFTAR PUSTAKA

- Ahmed, H.U., Finckh, M.R., Alfonso, R.F., dan Mundt, C.C. 1999. Epidemiological effect of gene deployment strategies on bacterial blight of rice. *Phytopathology*. 87: 66-70.
- Altschul, S.F., Madden, T.L., Schaffer, A.A., Zhang, J., Zhang, Z., Miller, W., dan Lipman, D.J. 1997. Gapped BLAST and PSI-BLAST: a new generation of protein database search programs. *Nucleic Acids Res.* 25: 3389-3402.
- Babu, M.R., Sajeena A., Samundeeswari V.A., Sreedhar A., Vidhyasekeran P., dan Reddy M.,S. 2003. Induction of bacterial blight (*Xanthomonas oryzae* pv. *oryzae*) resistance in rice by treatment with acibenzolar-S-methyl. *Ann. appl. Biol.* 143:333-340.
- van der Biezen, E.A., dan Jones, J.D.G. 1998. Plant disease resistance proteins and the gene-for-gene concept. *Trends Biochem. Sci.* 23: 454-456.
- Bittner-Eddy, P., Canan, C., Gunn, N., Pinel, M., Tor, M., Crute, I.R., Holub, E.B. dan Beynon, J.L. 1999. Genetic and physical mapping of the *RPP13* locus, in *Arabidopsis*, responsible for specific recognition of several *Peronospora parasitica* (downy mildew) isolates. *Mol. Plant-Microbe Interact.* 12: 792-802.
- Boch, J., dan Bonas, U. 2010. XanthomonasAvrBs3 family-type III effectors: discovery and function. *Annu. Rev. Phytopathol.*48: 419-436.
- Cao, Y., Ding, X., Cai, M., Zhao, J., Lin, Y., Li, X., Xu, C., dan Wang, S. 2007. The expression pattern of a rice disease resistance gene Xa3/Xa26 is differentially regulated by the genetic backgrounds and developmental stages that influence its function. *Genetics.* 177: 523-533.
- Carding, S.R., Lu, D., dan Bottomly K.A. 1992. A polymerase chain reaction assay for the detection and quantification of cytokine gene expression in small number of cells. *J.Immunol.Methods.* 151: 277-287.
- Century, K.S., Regina A.L., Michael A., John M., Renee T., Keri S., Aubrey S., Jaime L., Pamela C.R., dan Maureen C.W. 1999. Developmental control of Xa21-mediated disease Resistance in Rice. *The Plant Journal.* 20(2): 231-236.
- Chaudhary, R.C. 2003. Speciality rices of the world: Effect of WTO and IPR on its production trend and marketing. *J Food Agric Environ.* 1(2):34-41.

- Chu, Z., Yuan, M., dan Yao, J. 2006. Promoter mutations of an essential gene for pollen development result in disease resistance in rice. *Genes Dev.*20: 1250-1255.
- Chutipaijit, S., Chaum, S. dan Sompornpailin, K. 2011. High contents of proline and anthocyanin increase protective response to salinity in *Oryza sativa* L. spp. Indica. *In: AJCS.* 5(10):1191– 1198.
- David, S., Agordorku, S., Bassanaga, S., Couloud, J.Y., Adu-Kumi, M., Okuku, I. dan Wandji, D. 2006. *A guide for conducting farmer field schools on cocoa integrated crop and pest management.* Sustainable Tree Crops Program, International Institute of Tropical Agriculture. Hlmn: 17.
- Djarmiko, H.A., Budi, P., dan Nur, P. 2011. Penentuan Patotipe dan Keragaman Genetik *Xanthomonas oryzae* pv. *oryzae* pada Tanaman Padi di Wilayah Karesidenan Banyumas. *J. HPT Tropika.* Vol. 11. No. 1: 35-46.
- Doyle, E.L., Stoddard, B.L., Voytas, D.F., dan Bogdanove, A.J. 2013. TAL effectors: highly adaptable phyto-bacterial virulence factors and readily engineered DNA-targeting proteins. *Trends Cell Biol.*23: 390–398.
- Görlach, A., Klappa, P., dan Kietzmann, T. 2006. The endoplasmic reticulum: Folding, calcium homeostasis, signaling, and redox control. *Antioxid. Redox Signal.* 8:1391-1418.
- Gao, D.Y., Liu, A.M., Zhou, Y.H., Cheng, Y.J., Xiang, Y.H., Sun, L.H. dan Zhai, W.X. 2005. Molecular mapping of a bacterial blight resistance gene Xa25 in rice. *Acta Genetic Sinica.* 31(2): 183– 188.
- Grant, M., Brown, I., Adams, S., Knight, M., Ainslie, A., dan Mansfield, J. 2000. The RPM1 plant disease resistance gene facilitates a rapid and sustained increase in cytosolic calcium that is necessary for the oxidative burst and hypersensitive cell death. *Plant J.* 23:441-450.
- Gresebach, H. 1981. Lignins. *The Biochemistry of Plants.* 7: 457-478.
- Grewal, R.K., Sumanti, G., dan Sampa, D. 2012. *Xanthomonas oryzae* pv. *oryzae* triggers immediate transcriptomic modulations in rice. *BMC Genomics.* 13(49).
- Görlach, A., Klappa, P., dan Kietzmann, T. 2006. The endoplasmic reticulum: Folding, calcium homeostasis, signaling, and redox control. *Antioxid. Redox Signal.* 8:1391–1418.

- Hammond-Kosack, K.E., dan Jones, J.D.G. 1997. Plant disease Resistance Genes. *Annu. Rev. Plant Physiol., Plant Mol. Biol.* 48: 575-607.
- Hampsey, M. 1998. Molecular genetics of the RNA polymerase II general transcriptional machinery. *Microbiol. Mol. Biol. Rev.* 62: 465-503.
- Heath, M.C. 2000. Hypersensitive response-related death. *Plant Mol. Biol.* 44:321-334.
- Hilaire, E., Young, S.A., Willard, L.H., Mc Gee, J.D., Sweat, T., Chittoor, J.M., Guikema, J.A. dan Leach, J.E. 2001. Vascular defense responses in rice: peroxidase accumulation in xylem parenchyma cells and xylem wall thickening. *Mol. Plant-Microbe Interact.* 14: 1411-1419.
- Holub, E.B., dan Beynon, J. 1997. Symbiology of mouse-ear cress (*Arabidopsis thaliana*) and oomycetes. *Adv. Bot. Res.* 24: 228-273.
- Horgan, K.J. dan Jeffrey, O.H. 2015. Resistance Genes of *Oryza sativa* for Protection against *Xanthomonas oryzae* pv. *oryzae*, the Causative Agent of Bacterial Leaf Blight. *Journal of Student Research.* 4(1): 12-17.
- Huang, N., Angeles, E.R., Domingo, J., Magpantay, G., Singh, S., Zhang, G., Kumaravadivel, N., Bennett, J. dan Khush, G.S. 1997. Pyramiding of bacterial blight resistance genes in rice: marker-assisted selection using
- Hummel, A.W., Doyle, E.L. dan Bognadove, A.J. 2012. Addition of transcription activator-like effector binding sites to a pathogen strain-specific rice bacterial blight resistance gene makes it effective against additional strains and against bacterial leaf streak. *New Phytologist.* 195:883-893.
- Ichikawa, H., Ichiyanaagi, T., Xu, B., Yoshii, Y., Nakajima, M. dan Konishi, T. 2001. Antioxidant activity of anthocyanin extract from purple black rice. *J Med Food.* 4(4):211-218.
- Iyer, A.S. dan Mc Couch, S.R. 2004. The rice bacterial blight resistance gene xa5 encodes a novel form of disease resistance. *Mol. Plant Microbe Interact.* 17: 1348-1354.
- Iyer-Pascuzzi, A.S., Jiang, H., Huang, H.L. dan McCouch, S.R. 2008. Genetic and functional characterization of the rice bacterial blight disease resistance gene xa5. *Phytopathology.* 98(3),289-295.

- Jabs, T., Tschöpe, M., Colling, C., Hahlbrock, K., dan Scheel, D. 1997. Elicitor-stimulated ion fluxes and O₂- from the oxidative burst are essential components in triggering defense gene activation and phytoalexin synthesis in parsley. *Proc. Natl. Acad. Sci.* 94:4800–4805.
- Jeger, M.J., dan Viljanen-Rollinson, S.L.H. 2001. The use of the area under the disease-progress curve (AUDPC) to assess quantitative disease resistance in crop cultivars. *Theor Appl Genet.* 102:32–40.
- Kristamtini, S., Widyayanti, Sutarno, dan Sudarmaji. 2009. Keragaman Genetik Lima Kultivar Lokal Padi Beras Hitam Asal Yogyakarta Berdasarkan Sifat Morfologi. *Prosiding Seminar Nasional Sumber Daya Genetik Pertanian.* Hlmn: 90-100.
- Kong, L., Wang, Y. dan Cao, Y. 2008. Determination of Myo-inositol and D-chiro-inositol in black rice bran by capillary electrophoresis with electrochemical detection. *J Food Compos.*
- Kumar, A., Guha, A., Bimolata, W., Reddy, A.R., Laha, G.S., Sundaram, R.M., Pandey, M.K., dan Ghazi, I.R. 2013. Leaf gas exchange physiology in rice genotypes infected with bacterial blight: An attempt to link photosynthesis with disease severity and rice yield. *Australian Journal of Crop Science.* 7(1): 32-39.
- Kushwaha, U.K.S. 2016. Black Rice Anthocyanin Content Increases with Increase in Altitude of its Plantation. *Advances in Plants dan Agriculture Research.* 5(1): 1-4.
- Lee, J.C., Kim, J.D., Hsich, F.H. dan Eun, J.B. 2008. Production of black rice cake using ground black rice and medium-grain brown rice. *International Journal of Food Science and Technology.* 43(6): 1078-1082.
- Ling, W.H., Wang, L.L. dan Ma, J. 2002. Supplementation of the black rice outer layer fraction to rabbits decreases atherosclerotic plaque formation and increases antioxidant status. *J Nutr.* 132:20–26.
- Livak, K.J, dan Schmittgen, T.D. 2001. Analysis of relative gene expression data using real-time quantitative PCR and the $2^{-\Delta\Delta CT}$ method. *Methods.* 25: 402-408.
- Lorenz, T.C. 2012. Polymerase Chain Reaction: Basic Protocol Plus Troubleshooting and Optimization Strategies. *Journal of Visualized Experiments.* 63 (3998): 1-15.

- Mew, T.W., Alvarez, A.M., Leach, J.E. dan Swings, J. 1993. Focus on bacterial blight of rice. *Plant Dis.* 77: 5–12.
- Mew, T.W., Vera C.C.M., dan Reves, R. C., 1982. Interaction of *Xanthomonas campestris* pv. *oryzae* and a resistant rice cultivar. *Phytopathology.* 72: 786-789.
- Min, S.K. 1992. *An outline of rice breeding in China. In: Rice in China (in Chinese).* Agricultural Publisher of Science and Technology of China, Beijing. Hlmn. 58-67
- Mishra, D., Vishnupriya, M.R., Anil, M.G., Konda, K., Raj, Y. and Sonti, R.V. 2013. Pathotype and genetic diversity amongst Indian isolates of *Xanthomonas oryzae* pv. *oryzae*. *PLoS ONE.* 8.
- Noda, T. dan Kaku, H. 1999. Growth of *Xanthomonas oryzae* pv. *oryzae* in planta and in guttation fluid of rice. *Ann. Phytopathol. Soc. Japan.* 65: 9–14.
- Nino-Liu, D.O., Ronald, P.C., dan Bogdanove, A.J.. 2006. *Xanthomonas oryzae* pathovars: model pathogens of a model crop. *Mol. Plant Pathol.* 7(5): 303–324.
- Ozer, J., Bolden, A.H., dan Lieberman, P.M. 1996. Transcription factor IIA mutations show activator-specific defects and reveal a IIA function distinct from stimulation of TBP–DNA binding. *J. Biol. Chem.* 271: 11182–11190.
- Ou, S.H. 1985. *Rice Diseases.* Kew, Surrey: Commonwealth Agricultural Bureau.
- Park, C.J., Peng, Y., Chen, X., Dardick, C., Ruan, D., Bart, R., Canlas, P.E., dan Ronald, P.C. 2008. Rice XB15, a protein phosphatase 2C, negatively regulates cell death and XA21-mediated innate immunity. *PLoS Biol.* 6:231.
- Peng, H., Zheng, C., Zhiwei, F., Junfei, Z., Zhihui, X., Lifen, G., Lihong, C., Lili, L., Tiantian, L., Wenxue, Z., dan Weixiong, Z. 2015. Rice Xa21 primed genes and pathways that are critical for combating bacterial blight infection. *Nature.* 5 (12165).
- Pinton, P., Giorgi, C., Siviero, R., Zecchini, E., dan Rizzuto, R. 2008. Calcium and apoptosis: ER-mitochondria Ca²⁺ transfer in the control of apoptosis. *Oncogene.* 27: 6407–6418.
- Radonic, A., Stefanie, T., Ian, M.M, Olfert, L., Wolfgang, S., dan Andreas, N. 2003. Guideline to reference gene selection for quantitative real-time PCR. *Biochemical and Biophysical Research Communications.* 313: 856–862.

- Reimers, P.J., Guo, A. dan Leach, J.E. 1992. Increased activity of a cationic peroxidase associated with an incompatible interaction between *Xanthomonas oryzae* pv. *oryzae* and rice *Oryza sativa*. *Plant Physiol.* 99: 1044-1050.
- Reimers, P.J., dan Leach, J.E. 1991. Race-specific resistance to *Xanthomonas oryzae* pv. *oryzae* conferred by bacterial blight resistance gene Xa-10 in rice *Oryza sativa* involves accumulation of a lignin-like substance in host tissues. *Physiol. Mol. Plant Pathol.* 38: 39-56.
- Retnoningrum, M.,D. 2017. Analisis Transkriptomik Gen Ketahanan *Xa* Padi (*Oryza sativa* L.) setelah Infeksi *Xanthomonas oryzae* pv. *oryzae*. Tesis. Fakultas Biologi, Universitas Gadjah Mada.
- RFLP and PCR.Theor. *Appl. Genet.* 95: 313-320.
- Saumi, R. 2017. Deteksi Gen Ketahanan Hawar Daun Bakteri *Xa7* dan *Xa21* pada Tiga Kultivar Lokal Padi Hitam (*Oryza sativa* L.) di Yogyakarta. *Skripsi.* Fakultas Biologi, Universitas Gadjah Mada.
- Shao, Y., Zhang, G. dan Bao, J. 2011. Total phenolic content and antioxidant capacity of rice grains with extremely small size. *Afr J Agric Res.* 6(10):2289–2293.
- Shore, G.C., Papa, F.R., dan Oakes, S.A. 2011. Signaling cell death from the endoplasmic reticulum stress response. *Curr. Opin. Cell Biol.* 23:143-149.
- Sinapidou, E., Williams, K., Nott, L., Bahkt, S., Tor, M., Crute, I., Bittner-Eddy, P., dan Beynon J. 2004. Two TIR:NB:LRR genes are required to specify resistance to *Peronospora parasitica* isolate Cala2 in Arabidopsis. *Plant J.* 38: 898-909.
- Sompong, R., Siebenhandl, E.S., Linsberger, M.G. dan Berghofer, E. 2011. Physicochemical and antioxidative properties of red and black rice varieties from Thailand, China and Sri Lanka. *Food Chem.* 124(1):132–140.
- Somssich, I.E., dan Hahlbrock, K. 1998. Pathogen defense in plants-a paradigm of biological complexity. *Trends in Plant Sci.* 3(3):86-90.
- Song, W.Y., Pi, L.Y., Wang, G.L., Gardner, J., Holsten, T., dan Ronald, P.C. 1997. Evolution of the rice Xa21 disease resistance gene family. *The Plant Cell.* 9: 1279-1287.

- Suparyono, Sudir, dan Suprihanto. 2003. Composition pathogenic pathotype of bacterial leaf blight in rice plants at grow different stadia (in Indonesian). *Jurnal Penelitian Pertanian Tanaman Pangan*. 22 (1): 45- 50.
- Suparyono, Sudir, dan Suprihanto. 2004. Pathotype profile of *Xanthomonas oryzae* pv. *oryzae* isolates from the rice ecosystem in Java. *Indonesian Journal of Agricultural Science*. 5(2): 63-69.
- Suzuki, M., Kimur, T., Yamagishi, K., Shinmoto, H. dan Yamak, K. 2004. Comparison of mineral contents in 8 cultivars of pigmented brown rice. *Nippon Shokuhin Kagaku Kogaku Kaishi*. 51(58): 424–427.
- Szurek, B., Marois, E., Bonas, U., and Van den Ackerveken, G. 2001. Eukaryotic features of the *Xanthomonas* type III effector AvrBs3: protein domains involved in transcriptional activation and the interaction with nuclear import receptors from pepper. *Plant J*. 26: 523–534.
- Teng, P.S., dan James, W.C. 2002. *Disease and yield loss assessment*. Monsanto Company Makati city, Philippines and ISAAA americenter, Cornell University, USA.
- Thomma, B.P., Nurnberger, T., dan Joosten, M.H. 2011. Of PAMPs and effectors: the blurred PTI-ETI dichotomy. *Plant Cell*. 23:4-15.
- Utami, D.W., Septiningsih, E.M., Triny, T.S., Fatimah, dan Yuriyah. 2010. Allele mining of bacterial blight resistance gene, Xa7 on Indonesian Local Rice Germplasm. *J. AgroBiogen*. 6: 1-9.
- Vaughan, D.A., Lu, B., dan Tomooka, N. 2008. The evolving story of rice evolution. *Plant Science*. 174 (4): 394–408.
- Velusamy, P., Immanuel, J.E., dan Gnanamanickam, S.S. 2013. Rhizosphere Bacteria for Biocontrol of Bacterial Blight and Growth Promotion of Rice. *Rice Science*. 20(5): 356-362.
- Wang, G.L., Song, W.Y., Ruan, D.L., Sideris, S., dan Ronald, P.C. 1996. The cloned gene, Xa21, confers resistance to multiple *Xanthomonas oryzae* pv. *oryzae* isolates in transgenic plants. *Mol Plant Microbe Interact*. 9:850-855.
- Warren, R.F., Henk, A., Mowery, P., Holub, E.B., dan Innes, R.W. 1998. A mutation within the leucine-rich repeat domain of the *Arabidopsis* disease resistance gene *RPS5* partially suppresses multiple bacterial and downy mildew resistance genes. *Plant Cell*. 10: 1439-1452.
- Weaver, R. 2002. *Molecular Biology*, 2nd Edition. Pages: 73-79.

- Wijayanti, P. 2017. Ekspresi Gen Ketahanan Xa7 pada Padi (*Oryza sativa* L.) Hitam setelah Infeksi *Xanthomonas oryzae* pv. *oryzae*. Tesis. Fakultas Biologi, Universitas Gadjah Mada.
- Wilfinger, W.W., Mackey, K., dan Chomczynski, P. 1997. Effect of pH and ionic strength on the spectrophotometric assessment of nucleic acid purity. *Biotechniques*. 22 (3): 474-481.
- Yang, B., dan Adam, B. 2012. Inoculation and Virulence Assay for Bacterial Blight and Bacterial Leaf Streak of Rice. *Methods in Molecular Biology*. 956: 249-255.
- Yoshimura, S., Yoshimura, A., Nelson, R., Iwata, N., Mc Couch, S.R., Abenes, M.L., Baraoidan, M.R., Mew, T.W., dan Nelson, R.J. 1995. Tagging and combining bacterial blight resistance genes in rice using RAPD and RFLP markers. *Mol Breed*. 1:375-387.
- Yoshimura, S., Utako, Y., Yuichi, K., Seiichi, T., Zi-xuan, W., Izumi, K., Nori, K., Masahiro, Y., Nobuo, I., dan Takuji, S. 1998. Expression of Xa1, a bacterial blight-resistance gene in rice, is induced by bacterial inoculation. *Proc. Natl. Acad. Sci. USA*. 95: 1663-1668.
- Young, S.A., Guo, A., Guikema, J.A., White, F.F., and Leach, J.E. 1995. Rice cationic peroxidase accumulates in xylem vessels during incompatible interactions with *Xanthomonas oryzae* pv. *oryzae*. *Plant Physiol*. 107: 1333-1341.
- Yuan, M., Chu, Z., Li, X., Xu, C., dan Wang, S. 2010. The bacterial pathogen *Xanthomonas oryzae* overcomes rice defenses by regulating host copper redistribution. *Plant Cell*. 22:3164-3176.
- Yulyani, S.R. 2017. Deteksi Gen Ketahanan Hawar Daun Bakteri Xa1, Xa4, dan Xa23 pada Tiga Kultivar Lokal Padi Hitam (*Oryza sativa* L.) di Yogyakarta. *Skripsi*. Fakultas Biologi, Universitas Gadjah Mada.
- Zhang, H., dan Wang, S. 2013. Rice versus *Xanthomonas oryzae* pv. *oryzae*: a unique pathosystem. *Current Opinion in Plant Biology*. 16: 188-195.
- Zhao, J., Fu, J., Li, X., Xu, C., dan Wang, S. 2009. Dissection of the factors affecting development-controlled and racespecific disease resistance conferred by leucine-rich repeat receptor kinase-type R genes in rice. *Theoretical Applied Genetics*. 119: 231-239.