

DAFTAR PUSTAKA

- Ahuja, S. dan Dong, M., 2005. , dalam: *Handbook of Pharmaceutical Analysis by HPLC*. Elsevier, hal. 20-22; 203.
- Anubala, S., Sekar, R., dan Nagaiah, K., 2016. Determination of Curcuminoids and Their Degradation Products in Turmeric (*Curcuma longa*) Rhizome Herbal Products by Non-aqueous Capillary Electrophoresis with Photodiode Array Detection. *Food Analytical Methods*, **9**: 2567–2578.
- Araujo, P., 2009. Key aspects of analytical method validation and linearity evaluation. *Journal of Chromatography B*, **877**: 2224–2234.
- Batubara, I., Rafi, M., dan Darusman, L.K., 2005. Estimasi kandungan kurkumin pada sediaan herbal komersial secara spektrofotometri derivatif. *JurnalSains Kimia*, **9**: 28–3.
- Bos, R., Windono, T., Woerdenbag, H.J., Boersma, Y.L., Koulman, A., dan Kayser, O., 2007. HPLC-photodiode array detection analysis of curcuminoids in *Curcuma* species indigenous to Indonesia. *Phytochemical Analysis*, **18**: 118–122.
- Chan, C.C., Lee, Y.C., Lam, H., dan Zhang, X.-M. (Editor), 2004. *Analytical Method Validation and Instrument Performance Verification*. John Wiley & Sons, Hoboken, N.J, hal. 10-21.
- Chau, S.-L., Tang, H.-W., dan Ng, K.-M., 2016. Gold nanoparticles bridging infrared spectroscopy and laser desorption/ionization mass spectrometry for direct analysis of over-the-counter drug and botanical medicines. *Analytica Chimica Acta*, **919**: 62–69.
- Cheng, J., Weijun, K., Yun, L., Jiabo, W., Haitao, W., Qingmiao, L., dkk., 2010. Development and validation of UPLC method for quality control of *Curcuma longa* Linn.: Fast simultaneous quantitation of three curcuminoids. *Journal of Pharmaceutical and Biomedical Analysis*, **53**: 43–49.
- Danzer, K., Otto, M., dan Currie, L.A., 2004. Guidelines for calibration in analytical chemistry. Part 2: Multicomponent calibration (IUPAC Technical Report). *Pure and Applied Chemistry*, **76**: .
- Depkes RI, 2008. *Farmakope Herbal Indonesia*, 1st ed. ed. Departemen Kesehatan Republik Indonesia, Jakarta.
- Ermer, J. dan Miller, J.H.M. (Editor), 2005. *Method Validation in Pharmaceutical Analysis: A Guide to Best Practice*. Wiley-VCH, Weinheim.
- Faber, N.M. dan Rajkó, R., 2007. How to avoid over-fitting in multivariate calibration—The conventional validation approach and an alternative. *Analytica Chimica Acta*, **595**: 98–106.
- Ferenczi-Fodor, K., 2001. Validation and Quality Assurance of Planar Chromatographic Procedures in Pharmaceutical Analysis **84**: 1265–1276.

- Ferreira, S.L.C., Bruns, R.E., Ferreira, H.S., Matos, G.D., David, J.M., Brandão, G.C., dkk., 2007. Box-Behnken design: An alternative for the optimization of analytical methods. *Analytica Chimica Acta*, **597**: 179–186.
- Fiorucci, S., Meli, R., Bucci, M., dan Cirino, G., 2001. Dual inhibitors of cyclooxygenase and 5-lipoxygenase. A new avenue in anti-inflammatory therapy? *Biochemical pharmacology*, **62**: 1433–1438.
- Gandjar, I.G. dan Rohman, A., 2012. *Analisis Obat Secara Spektrofotometri Dan Kromatografi*. Pustaka Pelajar, Yogyakarta, hal 233-243.
- González, G.A. dan Herrador, Á.M., 2007. A practical guide to analytical method validation, including measurement uncertainty and accuracy profiles. *TrAC Trends in Analytical Chemistry*, **26**: 227–238.
- ICH, 2005. Validation of analytical procedures: text and methodology. *Q2 (R1)*, **1**:
- ISFI, P., 2008. *Daftar Obat Alam*, Edisi III. ed. PD ISFI Jawa Tengah, GP Jamu dan Obat Tradisional Indonesia.
- Jadhav, B.-K., Mahadik, K.-R., dan Paradkar, A.-R., 2007. Development and Validation of Improved Reversed Phase-HPLC Method for Simultaneous Determination of Curcumin, Demethoxycurcumin and Bis-Demethoxycurcumin. *Chromatographia*, **65**: 483–488.
- Jagetia, G.C. dan Aggarwal, B.B., 2007. “Spicing Up” of the Immune System by Curcumin. *Journal of Clinical Immunology*, **27**: 19–35.
- Jiang, H., Somogyi, Á., Jacobsen, N.E., Timmermann, B.N., dan Gang, D.R., 2006. Analysis of curcuminoids by positive and negative electrospray ionization and tandem mass spectrometry. *Rapid Communications in Mass Spectrometry*, **20**: 1001–1012.
- Kalariya, P.D., Namdev, D., Srinivas, R., dan Gananadhamu, S., 2017. Application of experimental design and response surface technique for selecting the optimum RP-HPLC conditions for the determination of moxifloxacin HCl and ketorolac tromethamine in eye drops. *Journal of Saudi Chemical Society*, **21**: S373–S382.
- Karoui, R., Downey, G., dan Blecker, C., 2010. Mid-Infrared Spectroscopy Coupled with Chemometrics: A Tool for the Analysis of Intact Food Systems and the Exploration of Their Molecular Structure–Quality Relationships – A Review. *Chemical Reviews*, **110**: 6144–6168.
- Khan, A., Imam, S.S., Aqil, M., Sultana, Y., Ali, A., dan Khan, K., 2016. Design of experiment based validated stability indicating RP-HPLC method of temozolomide in bulk and pharmaceutical dosage forms. *Beni-Suef University Journal of Basic and Applied Sciences*, **5**: 402–408.
- Koop, H.S., de Freitas, R.A., de Souza, L.M., Martinez, G.R., dan Silveira, J.L.M., 2013. Development and Validation of a RP-HPLC–PDA Method for Determination of Curcuminoids in Microemulsions. *Chromatographia*, **76**: 1041–1048.
- Korany, M.A., Haggag, R.S., Ragab, M.A.A., dan Elmallah, O.A., 2013. A validated stability-indicating HPLC method for simultaneous

- determination of Silymarin and Curcumin in various dosage forms. *Arabian Journal of Chemistry*, hal.1-15.
- Kumar, L., Sreenivasa Reddy, M., Managuli, R.S., dan Pai K., G., 2015. Full factorial design for optimization, development and validation of HPLC method to determine valsartan in nanoparticles. *Saudi Pharmaceutical Journal*, **23**: 549–555.
- Lechtenberg, M., Quandt, B., dan Nahrstedt, A., 2004. Quantitative determination of curcuminoids in *Curcuma* rhizomes and rapid differentiation of *Curcuma domestica* Val. and *Curcuma xanthorrhiza* Roxb. by capillary electrophoresis. *Phytochemical Analysis*, **15**: 152–158.
- Lestari, H.P., Martono, S., Wulandari, R., dan Rohman, A., 2017. Simultaneous analysis of Curcumin and Demethoxycurcumin in *Curcuma xanthorrhiza* using FTIR spectroscopy and chemometrics. *International Food Research Journal*, **24**: 2097–2101.
- Long, Y., Zhang, W., Wang, F., dan Chen, Z., 2014. Simultaneous determination of three curcuminoids in *Curcuma longa* L. by high performance liquid chromatography coupled with electrochemical detection. *Journal of Pharmaceutical Analysis*, **4**: 325–330.
- Lu, H., Wang, S., Cai, R., Meng, Y., Xie, X., dan Zhao, W., 2012. Rapid discrimination and quantification of alkaloids in *Corydalis* Tuber by near-infrared spectroscopy. *Journal of Pharmaceutical and Biomedical Analysis*, **59**: 44–49.
- Miller, J.N. dan Miller, J.C., 2010. *Statistics and Chemometrics for Analytical Chemistry*, 6. ed. ed. Prentice Hall, Harlow.
- Moros, J., Garrigues, S., dan Guardia, M. de la, 2010. Vibrational spectroscopy provides a green tool for multi-component analysis. *TrAC Trends in Analytical Chemistry*, **29**: 578–591.
- Nugroho, A., Rohman, A., Lukitaning, E., Rakhmawati, N., dan . S., 2015. Analysis of Curcumin in Ethanolic Extract of *Curcuma longa* Linn. and *Curcuma xanthorrhiza* Roxb. Using High Performance Liquid Chromatography with UV-Detection. *Research Journal of Phytochemistry*, **9**: 188–194.
- Péret-Almeida, L., Cherubino, A.P.F., Alves, R.J., Dufossé, L., dan Glória, M.B.A., 2005. Separation and determination of the physico-chemical characteristics of curcumin, demethoxycurcumin and bisdemethoxycurcumin. *Food Research International*, **38**: 1039–1044.
- Petrozzi, S., 2013. *Practical Instrumental Analysis: Methods, Quality Assurance and Laboratory Management*. Wiley-VCH, Weinheim, Germany. hal 75-77
- Qin, N.Y., Yang, F.Q., Wang, Y.T., dan Li, S.P., 2007. Quantitative determination of eight components in rhizome (*Jianghuang*) and tuberous root (*Yujin*) of *Curcuma longa* using pressurized liquid extraction and gas chromatography–mass spectrometry. *Journal of Pharmaceutical and Biomedical Analysis*, **43**: 486–492.
- Revathy, S., Elumalai, S., dan Antony, M.B., 2011. Isolation, purification and identification of curcuminoids from turmeric (*Curcuma longa* L.) by column chromatography. *Journal of Experimental sciences*, **2**:21 -25.

- Roggo, Y., Chalus, P., Maurer, L., Lema-Martinez, C., Edmond, A., dan Jent, N., 2007. A review of near infrared spectroscopy and chemometrics in pharmaceutical technologies. *Journal of Pharmaceutical and Biomedical Analysis*, **44**: 683–700.
- Rohaeti, E., Rafi, M., Syafitri, U.D., dan Heryanto, R., 2015. Fourier transform infrared spectroscopy combined with chemometrics for discrimination of *Curcuma longa*, *Curcuma xanthorrhiza* and *Zingiber cassumunar*. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, **137**: 1244–1249.
- Rohman, A., 2012. Analysis of curcuminoids in food and pharmaceutical products. *Int Food Res J*, **19**: 19–27.
- Rohman, A., 2014. *Spektroskopi Infra Merah dan Kemometrika untuk Analisa Farmasi*. Pustaka Pelajar, Yogyakarta, 48-68, 225.
- Sahu, P.K., Ramiseti, N.R., Cecchi, T., Swain, S., Patro, C.S., dan Panda, J., 2017. An overview of experimental designs in HPLC method development and validation. *Journal of Pharmaceutical and Biomedical Analysis*, hal.1-22
- Sandeep, I.S., Das, S., Nayak, S., dan Mohanty, S., 2016. Chemometric Profile of *Curcuma longa* L. Towards Standardization of Factors for High Essential Oil Yield and Quality. *Proceedings of the National Academy of Sciences, India Section B: Biological Sciences*, hal. 1-9.
- Shabir, G.A., 2003. Validation of high-performance liquid chromatography methods for pharmaceutical analysis Understanding the differences and similarities between validation requirements of the US Food and Drug Administration, the US Pharmacopeia and the International Conference on Harmonization. *J. Chromatogr. A*, **10**: 57-66
- Sharma, K., Agrawal, S.S., dan Gupta, M., 2012. Development and Validation of UV spectrophotometric method for the estimation of Curcumin in Bulk Drug and Pharmaceutical Dosage Forms. *International Journal of Drug Development and Research*, hal. 375-380.
- Shishodia, S., 2005. Curcumin: Getting Back to the Roots. *Annals of the New York Academy of Sciences*, **1056**: 206–217.
- Silva-Buzanello, R.A. da, Ferro, A.C., Bona, E., Cardozo-Filho, L., Araújo, P.H.H. de, Leimann, F.V., dkk., 2015. Validation of an Ultraviolet–visible (UV–Vis) technique for the quantitative determination of curcumin in poly(l-lactic acid) nanoparticles. *Food Chemistry*, **172**: 99–104.
- Singh, V.D., Daharwal, S.J., dan Suresh, P.K., 2014. A Review of Instrumental Analytical Methods to Assay Active Ingredients in Multicomponent Pharmaceutical Formulations, hal 27-39.
- Siregar, C., Prabaningdyah, N.K., Choiri, S., Riyanto, S., dan Rohman, A., 2018. Optimization of HPLC Using Central Composite Design for Determination of Curcumin and Demethoxycurcumin in Tablet Dosage Form. *Dhaka University Journal of Pharmaceutical Sciences*, **16**: 137.
- Snyder, L.R., Kirkland, J.J., dan Dolan, J.W., 2010. *Introduction to Modern Liquid Chromatography*, 3rd ed. ed. Wiley, Hoboken, N.J, hal 531-548.

- Tanaka, K., Kuba, Y., Sasaki, T., Hiwatashi, F., dan Komatsu, K., 2008. Quantitation of Curcuminoids in Curcuma Rhizome by Near-infrared Spectroscopic Analysis. *Journal of Agricultural and Food Chemistry*, **56**: 8787–8792.
- USP convention, 2017. *The United States Pharmacopeia*, 40th ed. USP convention, <1225>, hal. 1780-1787
- Van Eerdenbrugh, B. dan Taylor, L.S., 2011. Application of mid-IR spectroscopy for the characterization of pharmaceutical systems. *International Journal of Pharmaceutics*, **417**: 3–16.
- Wichitnithad, W., Jongaroonngamsang, N., Pummangura, S., dan Rojsitthisak, P., 2009. A simple isocratic HPLC method for the simultaneous determination of curcuminoids in commercial turmeric extracts. *Phytochemical Analysis*, **20**: 314–319.