

DAFTAR PUSTAKA

- Adel, W., William, V., Josef, M., Al-mahallawy, N. 2014. Tissue Doppler systolic annular velocity and myocardial performance index as predictors of right ventricular affection and culprit lesion location in acute inferior myocardial infarction. *The Egyptian Heart Journal*, 1–7.
- Coldea, L., Lupu, S., Hicea, S., Paradis, A., Mocan, T. 2014. Serum levels of the soluble IL-1 receptor family member ST2 and right ventricular dysfunction. *Biomarkers Med.*, 8(1), 95–106.
- Anonim (a). 2002. K/DOQI Clinical practice guidelines for chronic kidney disease: evaluation, classification and stratification. *Am J Kidney Dis.* 39:S1-S266.
- Anonim (b). 2003. *Penyakit paru obstruktif kronik (PPOK) pedoman diagnosis & penatalaksanaan di Indonesia*. Jakarta: Perhimpunan Dokter Paru Indonesia.
- Baba, Y., Maeda, K., Yashiro, T., Inage, E., Kasakura, K., Suzuki, R., *et al.* 2012. GATA2 is a critical transactivator for the human IL1RL1/ST2 promoter in mast cells/basophils: Opposing roles for GATA2 and GATA1 in human IL1RL1/ST2 gene expression. *J. Biol. Chem.*, 287, 32689–32696.
- Broch, K., Leren, I., Saberniak, J., Ueland, T., Edvardsen, T., Gullestad, L., Haugaa, K. 2017. Soluble ST2 is associated with disease severity in arrhythmogenic right ventricular cardiomyopathy. *Biomarkers*, 0(0)
- Bakker, E.N., Matlung, H.L., Bonta, P., De Vries, C.J., Van Rooijen, N., Vanbavel, E. 2008. Blood flow-dependent arterial remodeling is facilitated by inflammation but directed by vascular tone. *Cardiovascular Research*; 78: 341-348.
- Beghetti M, Galiè N. 2009. Eisenmenger syndrome: a clinical perspective in a new therapeutic era of pulmonary arterial hypertension. *Journal of the American College of Cardiology*; 53:733-740
- Cabrita, Z., Ruisanchez, C., Dawson, D., Grapsa, J., North, B., Howard, L. S., ... Gibbs, J. S. R. 2010. Right ventricular function in patients with pulmonary hypertension ; the value of myocardial performance index measured by tissue Doppler imaging. *European Journal of Echocardiography*, 11, 719–724
- Cantor, W.J., Harrison, D.A., Moussadji, J.S., Connelly, M.S., Webb, G.D., Liu, P *et al.* 1999. Determinants of survival and length of survival in adults with Eisenmenger syndrome. *Am J Cardiol*; 84:677–681.

- Carlomagno, G., Messalli, G., Melillo, R., Stanziola, A., Visciano, C., Mercurio, V. et al. 2012. Serum soluble ST2 and interleukin-33 levels in patients with pulmonary arterial hypertension. *Int J Cardiol.*; 168:1545–1547.
- Cho, Y.K., and Ma, J.S. 2013. Right ventricular failure in congenital heart disease. *Korean J Pediatr*; 56(3):101-106
- Ciccone, M. M., Cortese, F., Gesualdo, M., Riccardi, R., Nunzio, D. Di, Moncelli, M., Scicchitano, P. 2013. A Novel Cardiac Bio-Marker: ST2: A Review. *Molecules*, 18, 15314-15328
- Coldea, L.A., Lupu, S., Hicea, S., Paradis, A., Mocan, T. 2014. Serum level of the soluble IL-1 receptor family member ST2 and right ventricular dysfunction. *Biomarker Med.* 8(1), 95-106.
- Davlouros, P. A., Niwa, K., Webb, G., Gatzoulis, M. A. 2006. *The right ventricle in congenital heart disease*, 92(Suppl I), 27–38.
- Daniels, L. B., Clopton, P., Iqbal, N., Tran, K. 2010. Association of ST2 levels with cardiac structure and function and mortality in outpatients. *American Heart Journal*, 160(4), 721–728.
- Diller, G.P., and Gatzoulis, M.A. 2007. Pulmonary vascular disease in adults with congenital heart disease. *Circulation*; 115:1039-1050.
- Diller, G.P., Dimopoulos, K., Kafka, H., Ho, S. Y., Gatzoulis, M. A. 2007. Model of chronic adaptation : right ventricular function in Eisenmenger syndrome. *European Heart Journal*, 9, 54–60.
- Dimopoulos, K., Wort, S.J., Gatzoulis, M.A. 2014. Pulmonary hypertension related to congenital heart disease : a call for action. *European Heart Journal*;35:691-700.
- Dinarti, L.K. 2017. Hubungan antara kadar prostasiklin, nitrogen monoksida, endotelin-1 dengan hipertensi arteri pulmonal pada pasien defek septum atrium dewasa yang belum dikoreksi. Disertasi. Program Doktor Ilmu Kedokteran dan Kesehatan FK UGM.
- D’Alto, M. and Mahadevan, V.S. 2012. Pulmonary arterial hypertension associated with congenital heart disease. *Eur Respir Rev*;21:126, 328-337.
- D’Alto, M., Merola, A., Dimopoulos, K. 2015. Pulmonary hypertension related to congenital heart disease: A comprehensive review. *Global Cardiology Science and Practice*: 42.

- Engelfriet P.M., Duffels M.G.J., Mo'ller T., Boersma E., Tijssen J.G.P., Thaulow E., Gatzoulis M.G., Mulder B.J.M. 2007. Pulmonary arterial hypertension in adults born with a heart septal defect: the Euro Heart Survey on adult congenital heart disease. *Heart*;93:682–687
- Freixa, X., and Ibrahim, R. 2012. Why all pulmonary hypertensive patients need a heart catheter study? *Progress in Pediatric Cardiology*; 34: 123-127.
- Gan, C.T., McCann, G.P., Marcus, J.T., van Wolferen, S.A., Twisk, J.W., Boonstra, A., Postmus, P.E., Vonk-Noordegraaf, A. 2006. NT-proBNP reflects right ventricular structure and function in pulmonary hypertension. *Eur Respir J* ;28:1190–1194.
- Geva, T., Martins, J.D., Wald, R.M. 2014. Atrial septal defects. *The Lancet*. 383: 1921-1932.
- Galie, N., Hoeper, M.M., Humbert, M., Torbicki, A., Vachiery, J.L., Barbera, J.A., et al. 2009. Guidelines for the diagnosis and treatment of pulmonary hypertension. *European Heart Journal*; 30: 2493–2537.
- Galiè, N., Hoeper, M.M., Humbert, M., Vachiery, J.L., Gibbs, S., Lang, I., et al. 2015. Guidelines for the diagnosis and treatment of pulmonary hypertension: the Task Force for the Diagnosis and Treatment of Pulmonary Hypertension of the European Society of Cardiology (ESC) and the European Respiratory Society (ERS), endorsed by the International Society of Heart and Lung Transplantation (ISHLT). *European Heart Journal*: 5-47.
- Gorgulu, S., Eren, M., Uslu, N., Ozer, O., Nurkalem, Z. 2006. The determinants of right ventricular function in patients with atrial septal defect. *International Journal of Cardiology*, 111, 127–130.
- Gottdiener, J.S., Bednarz, J., Devereux, R., Gardin, J., Klein, A., Manning, W.J., et al. 2004. American society of echocardiography recommendations for use of echocardiography in clinical trials. *J Am Soc Echocardiogr*; 17: 1086-1119.
- Haddad, F., Doyle, R., Murphy, D. J., Hunt, S. A. 2008. Contemporary Reviews in Cardiovascular Medicine Right Ventricular Function in Cardiovascular Disease , Part II Ventricular Failure. *Circulation* ,1717–1731.
- Haddad, F., Hunt, S.A., Rosenthal, D.N., Murphy, D.J. 2008. Right Ventricular Function in Cardiovascular Disease ,Part I Anatomy, Physiology, Aging, and Functional Assessment of the Right Ventricle. *Circulation*;117:1436-1448

- Haddad, F., Couture, P., Tousignant, C., Denault, A. 2009. The Right Ventricle in Cardiac Surgery , a Perioperative Perspective : I . Anatomy , Physiology , and Assessment. *Anesth Analg*, 108(2), 407–421.
- Ho, S.Y., and Nihoyannopoulos, P. 2006. Anatomy, echocardiography, and normal right ventricular dimensions. *Heart* ,92(Suppl I):i2–i13
- Ismail, M.T., Hidayati, F., Krisdinarti, L., Noormanto, Nugroho, S., Wahab, A.S. 2015. Epidemiological Profile of Congenital Heart Disease in a National Referral Hospital. *Acta Card Ind*; 1(2): 66-71.
- Januzzi, J. L., Peacock, W. F., Maisel, A. S., Chae, C. U., Jesse, R. L., Baggish, A. L. Wu, A. H. B. 2007. Measurement of the Interleukin Family Member ST2 in Patients With Acute Dyspnea Investigation of Dyspnea in the Emergency Department) Study. *Journal of the American College of Cardiology*, 50(7).
- Jurcut, R., Gerche, L., Vasile, S., Giusca, S., Ginhina, C., Voigt, J. 2010. The echocardiographic assessment of the right ventricle : what to do in 2010 ?. *European Journal of Echocardiography*.11: 81–96
- Jung, J.W. 2007. Pulmonary arterial hypertension of congenital heart disease: from reversible pulmonary hypertension to eisenmenger syndrome. *Korean Circulation*; 37:287-297.
- Kakkar, R. And Lee, R.T. 2008. The IL-33/ST2 pathway: Therapeutic target and novel biomarker. *Nat. Rev. Drug Discov.*, 7, 827–840.
- Kaemmerer H., Mebus S., Neick I.S., Eicken A., Trindade P.T., Hager A., Oechslin E., Niwa., Lang I., Hes J. 2010. The Adult Patient with Eisenmenger Syndrome: A Medical Update After Dana Point. *Current Cardiology Reviews*. 6: 343-355.
- Koestenberger, M., Nagel, B., Ravekes, W., & Avian, A. (n.d.). Tricuspid Annular Peak Systolic Velocity (S 0) in Children and Young Adults with Pulmonary Artery Hypertension Secondary to Congenital Heart Diseases , and in Those with Repaired Tetralogy of Fallot : Echocardiography and MRI Data. *Journal of the American Society of Echocardiography*, 25(10), 1041–1049.
- Kuijpers, J. M., Mulder, B. J. M., Bouma, B. J. 2015. Secundum atrial septal defect in adults : a practical review and recent developments, 205–211.
- Kiefer, T.L., Bashore, T. 2013. Anatomy of Congenital Heart Disease Lesions Associated With Pulmonary Arterial Hypertension. *Advances in Pulmonary Hypertension*; Vol 11 Issue 4. P166.
- Kulik, T., Mullen, M., Adatia, I. 2009. Pulmonary arterial hypertension associated with congenital heart disease. *Progress in Pediatric Cardiology*; 27:25-33.

- Lancellotti P, Moura L, Pierard LA, Agricola E, Popescu BA, Tribouilloy C, Hagendorff A, Monin JL, Badano L, Zamorano JL, Sicari R, Vahanian A, Roelandt JRTC. 2010. European association of echocardiography recommendations for the assessment of valvular regurgitation. Part 2: mitral and tricuspid regurgitation (native valve disease). *European Heart Journal Cardiovascular Imaging*; 11:307-332.
- Lang, R. M., Badano, L. P., Mor-avi, V., Afilalo, J., Armstrong, A., Ernande, L., ... Muraru, D. 2015. Recommendations for Cardiac Chamber Quantification by Echocardiography in Adults : An Update from the American Society of Echocardiography and the European Association of Cardiovascular Imaging. *Journal of the American Society of Echocardiography*, 28(1), 1–39.e14.
- Lange, S.A., Braun, M.U., Schoen, S.P., Strasser, H. 2013. Latent pulmonary hypertension in atrial septal defect: dynamic stress echocardiography reveals unapparent pulmonary hypertension and confirms rapid normalisation after ASD closure. *Neth Heart J* ;21(7-8):333-343.
- Lax, A., Sacher-Mas, J., Lopez, M. C., Del Palacio, M. J., Caballero, L., Garrido, I. P. 2015. Mineralocorticoid Receptor Antagonists Modulate Galectin-3 and Interleukin-33/ ST2 Signaling in Left Ventricular Systolic Dysfunction After Acute Myocardial Infarction. *J Am Coll Cardiol HF*, 3(1), 50–58.
- Li, H., Tago, K., Io, K., Kuroiwa, K., Arai, T., Iwahana, H., Tominaga, S., Yanagisawa, K. 2000. The Cloning and Nucleotide Sequence of Human ST2L cDNA. *Genomics*. 67:284–290.
- Li W, Henein M, Gatzoulis MA. 2007. *Echocardiography in Adult Congenital Heart Disease*, London, Springer-Verlag.
- Mertens, L. and Khairy, P. 2013. Right Ventricular Diastolic Function in Congenital Heart Disease. *CJCA*, 29(7), 755-756.
- Manzano-Fernández, S., Mueller, T., Pascual- Figal, D., Truong, Q.A., Januzzi, J.L. 2011. Usefulness of soluble concentrations of interleukin family member ST2 as predictor of mortality in patients with acutely decompensated heart failure relative to left ventricular ejection fraction. *Am. J. Cardiol.*, 107(2), 259–267.

- Moceri, P., Dimopoulos, K., Liodakis, E., Germanakis, I., Kempny, A., Diller, G. 2012. Echocardiographic Predictors of Outcome in Eisenmenger syndrome. *Circulation*, 126, 1461–1468.
- Noordegraaf, A.V. and Galie, N. 2011. *The role of the right ventricle in pulmonary arterial hypertension*, 243–253.
- Ojji, D., Lecour, S., Adeyemi, O., & Sliwa, K. 2017. Soluble ST2 correlates with some indicators of right ventricular function in hypertensive heart failure. *Vascular Health and Risk Management*, 13, 311–316.
- Pascual-Figal, D. A. and Januzzi, J. L. 2015. The Biology of ST2: The International ST2 Consensus Panel. *The American journal of cardiology*. 115(7 Suppl):3B–7B.
- Pavlicek, M., Wahl, A., Rutz, T., Marchi, S. F. De, Hille, R., Eigenmann, C., ... Seiler, C. 2011. Right ventricular systolic function assessment: rank of echocardiographic methods vs . cardiac magnetic resonance imaging, *European Journal of Echocardiography*, 1–10.
- Piper, S., Sherwood, R., Amin-youssef, G., Mcdonagh, T. 2016. Biologic Variability of Soluble ST2 in Patients With Stable Chronic Heart Failure and Implications for Monitoring. *The American Journal of Cardiology*, 118(1), 95–98.
- Poels, E. M., Martins, P. A., Empel, V. P. 2015. Adaptive capacity of the right ventricle, why does it fail? *Am J Physiol Heart*, 23-25
- Post. 2013. Association between pulmonary hypertension and an atrial septal defect. *Neth Heart J* ;21:331–332.
- Reddy, S., Bernstein, D., Alto, P. 2015. Molecular Mechanisms of Right Ventricular Failure. *Circulation*, 132(18), 1734–1742
- Rudski, L. G., Lai, W. W., Afilalo, J., Hua, L., Handschumacher, M. D., Chandrasekaran, K., Williams, C. 2010. Guidelines for the Echocardiographic Assessment of the Right Heart in Adults: A Report from the American Society of Echocardiography. *J Am Soc Echocardiogr*, 23;685-713
- Ryan, J., Huston, J., Kutty, S., Hatton, N., Bowman, L., Tian, L. 2016. Right Ventricular Adaptation and Failure in Pulmonary Arterial Hypertension. *Canadian Journal of Cardiology*, 31(4), 391–406.

- Sabatine, M.S., Morrow, D.A., Higgins, L.J., *et al.* 2008. Complementary roles for biomarkers of biomechanical strain ST2 and N-terminal prohormone B-type natriuretic peptide in patients with ST-elevation myocardial infarction. *Circulation*, 117(15), 1936–1944.
- Saxena, N., Rajagopalan, N., Edelman, K., Candales, A. 2006. Tricuspid Annular Systolic Velocity : A Useful Measurement in Determining Right Ventricular Systolic Function Regardless of Pulmonary Artery Pressures. *Jrnl. of CV Ultrasound & Allied Tech*, 23(9), 750–755.
- Schmieder, A., Multhoff, G., Radons, J. 2012. Interleukin-33 acts as a pro-inflammatory cytokine and modulates its receptor gene expression in highly metastatic human pancreatic carcinoma cells. *Cytokine*, 60, 514–521.
- Schmitz, J., Owyang, A., Oldham, E., Song, Y., Murphy, E., McClanahan, T.K., *et al.* 2005. IL-33 an interleukin-1- like cytokine that signals via the IL-1 receptor related protein ST2 and induces T helper type 2-associated cytokines. *Immunity*, 23, 479–490.
- Shah, R.V., Chen-Tournoux, A.A., Picard, M.H., van Kimmenade, R.J., Januzzi, J.L. 2009. Serum levels of the interleukin-1 receptor family member ST2, cardiac structure and function, and long-term mortality in patients with acute dyspnea. *Circ. Heart Fail.*, 2(4), 311–319.
- Shimpo, M., Morrow, D.A., Weinberg, E.O., *et al.* 2004. Serum levels of the interleukin-1 receptor family member ST2 predicts mortality and clinical outcome in acute myocardial infarction. *Circulation*, 109(18), 2186–2190.
- Sommer, R.J., Hijazi, Z.M., Rhodes, J.F. 2008. Pathophysiology of Congenital Heart Disease in the Adult Part I: Shunt Lesions. *Circulation*;117:1090-1099.
- Souza, R., Bogossian, H.B., Humbert, M., Jardim, C., Rabelo, R., Amato, M.B., Carvalho, C.R. 2005. N-terminal-pro-brain natriuretic peptide as a haemodynamic marker in idiopathic pulmonary arterial hypertension. *Eur Respir J* ;25:509–513.
- Voelkel, N. F., Quaife, R. A., Leinwand, L. A., Barst, R. J., Mcgoon, M. D., Meldrum, D. R. Gail, D. B. 2006. Right Ventricular Function and Failure. *Circulation*, 114:1883-1891
- Webb, G.D., Smallhorn, J.F., Therrien, J., Redington, A.N. 2012. Diseases of The Heart, Pericardium, and Pulmonary Vasculature Bed, Chapter 65 Congenital Heart Disease In: Bonow et al. (eds.), *Braunwald's Heart Disease A Textbook of Cardiovascular Medicine Volume I Ninth Edition*. Philadelphia : Elsevier Saunders.

- Webb, G. and Gatzoulis, M.A. 2006. Atrial Septal Defects in the Adult : Recent Progress and Overview. *Circulation*, 114: 1645-1653.
- Weinberg, E.O., Shimpo, M., de Keulenaer, G.W., MacGillivray, C., Tominaga, S., Solomon, S.D., Rouleau, J.L., Lee, R.T. 2002. Expression and regulation of ST2, an interleukin-1 receptor family member, in cardiomyocytes and myocardial infarction. *Circulation*, 106, 2961–2966.
- Weinberg, E.O. 2009. ST2 protein in heart disease: From discovery to mechanisms and prognostic value. *Biomark. Med.*, 3, 495–511.
- Zheng, Y., Yang, T., He, J., Chen, G., Liu, Z., Xiong, C *et al.* 2014. Clinical Investigations Plasma Soluble ST2 Levels Correlate With Disease Severity and Predict Clinical Worsening in Patients With Pulmonary Arterial Hypertension. *Clin. Cardiol.* 37, 6, 365–370