



DAFTAR PUSTAKA

- Acquaah, George. 2012. Principles of Plant Genetics and Breeding 2nd edition. John Wiley and Sons Ltd., UK.
- Akpan, G.A. 2006. Hibiscus. In: Anderson, N.O. (ed.) Flower Breeding and Genetics: Issues, Challenges and Opportunities for the 21st Century. Springer, Dordrecht.
- Anonim. 2017. History of Hibiscus. <<http://www.hiddenvalleyhibiscus.com/history.htm>>. Diakses tanggal 19 Oktober 2017
- Arullappan, S., S. Muhamad and Z. Zakaria. 2013. Cytotoxic activity of the leaf and stem extracts of *Hibiscus rosa sinensis* (Malvaceae) against leukaemic cell line (K-562). Tropical Journal of Pharmaceutical Research 12(5): 743-746.
- Beers, Les and Howie, Jim. 1990. Growing Hibiscus, Second Edition. Kangaroo Press Pty Ltd, Hongkong.
- Braglia, L., S. Bruna, S. Lanteri, A. Mercuri and E. Portis. 2010. An AFLP-based assessment of the genetic diversity within *Hibiscus rosa-sinensis* and its place within the Hibiscus genus complex. Scientia Horticulturae 123:372-378.
- Brown, J., P. Caligari and H. Campos. 2014. Plant Breeding 2nd Edition. John Wiley and Sons Ltd., UK.
- Cheng, K.T., H.C. Chang, C.H. Su, and F.L. Hsu. 1997. Identification of dried rhizomes of Coptis species using random amplified polymorphic DNA. Botanical Bulletin of Academia Sinica 38: 241-244.
- Delgado-vargas, Fransisco & Paredes-Lopez, Octavio. 2003. Natural Colorants for Food and Nutraceutical Uses. CRC Press, USA.
- Essiest, U.A., and E.S. Iwok. 2014. Floral and leaf anatomy of *Hibiscus* species. American Journal of Medical and Biological Research 2(5): 101-117.
- Fryxell, P.A. 1988. Malvaceae of Mexico. Syst. Bot. Monographs 25:1-522.
- Gilani A., S. Bashir., K.H. Janbaz dan A.J. Shah. (2005). Presence of cholinergic and calcium channel blocking activities explains the traditional use of *Hibiscus rosasinensis* in constipation and diarrhoea. Journal of Ethnopharmacology 102: 289-294.
- Hammad, Ibtisam. 2009. Genetic variation among *Hibiscus rosa-sinensis* (Malvaceae) of different flower colors using ISSR and Isozymes. Australian Journal of Basic and Applied Sciences 3(1): 113-125.



UNIVERSITAS
GADJAH MADA

ANALISIS KERAGAMAN 63 AKSESI GENUS HIBISCUS BERDASARKAN PENANDA MORFOLOGI DAN MOLEKULER
MIRANDA FERWITA SARI, Dr.Ir. Aziz Purwantoro, M.Sc
Universitas Gadjah Mada, 2018 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Handayani, Fitri. 2015. Analisis keragaman genetik lai (*Durio kutejensis* (Hassk.) Becc.) berdasarkan penanda morfologi dan inter simple sequence repeat. Tesis. Universitas Gadjah Mada, Yogyakarta.

Harvey, Geoff. 2004. Hibiscus Hybridization guide Part 3: Applied genetic. <http://www.internationalhibiscussociety.org/HI17_file/hiv1n171-2.htm>. diakses tanggal 16 Februari 2017.

Howie J. 1980. Hibiscus – Queen of the Flowers. 1st Edition. Brisbane, Australia. <<http://www.hibiscusworld.com/howie/table.htm>>. Diakses tanggal 17 Desember 2017.

Huang, W.J. 2016. Bloom Characteristics, Learn to describe your hibiscus. Hibiscus International 16 (3): 7-14.

Hutapea, J.R. 2000. Inventaris Tanaman Obat Indonesia Jilid 1. Departemen Kesehatan dan Kesejahteraan Sosial RI. Jakarta.

Jadhav, V.M., R.M. Thorat., V.J. Kadam., & N.S. Sathe. 2009. Traditional medical uses of *Hibiscus rosa-sinensis*. Journal of Pharmacy research 2(8):1220-1222.

Jena SN., S. Verma, K.N. Nair, A.K. Srivastava, S. Misra & T.S. Rana. 2014. Genetic diversity and population structure of the mangrove lime (*Merope angulata*) in India revealed by AFLP and ISSR markers. Aquatic Botany 120 : 260-267.

Jusoh, N.H., A.A. Ali, N. Saridin, M.S.A. Wahab and R.M. Zohdi. 2014. Evaluation of *Hibiscus rosa-sinensis* leaves extracts as wound healing promoter on rats. IEEE Conference on Biomedical Engineering and Sciences, Sarawak, Malaysia.

Kadve, S., M. Yadav and A. Tiwari. 2012. Genetic analysis on hibiscus species by using RAPD markers. International Journal of Biomedical and Advance Research 3(6): 473-485.

Karp, A., K.J. Edwards, S. Castaglione, M.O. Winfield, F. Sala, C. Van de Wiel, G. Bredemeijer, B. Vosman, M. Matthes, A. Daly, R. Brettschneider, P. Bettini, M. Buiatti, E. Maestri, A. Malcevschi, N. Marmiroli, R. Aert, G. Volckaert, J. Rudea, R. Linacero, A. Vazquez, and Jones. 1997. Reproducibility testing of RAPD, AFLP and SSR markers in plants by a network of European laboratories. Molecular Breeding 3: 381–390.

Karsinah, Sudarsono, L. Setyobudi, dan H. Aswidinnoor. 2002. Keragaman genetik plasma nutfah jeruk berdasarkan analisis penanda RAPD. Jurnal Bioteknologi Pertanian 7(1): 8-16.

Kate, I.E. and O.O. Lucky. 2010. The effects of aqueous extracts of the leaves of *Hibiscus rosa-sinensis* Linn. on renal function in hypertensive rats. Afr. J. Biochem. Res. 4(2): 43-46.



UNIVERSITAS
GADJAH MADA

ANALISIS KERAGAMAN 63 AKSESI GENUS HIBISCUS BERDASARKAN PENANDA MORFOLOGI DAN
MOLEKULER
MIRANDA FERWITA SARI, Dr.Ir. Aziz Purwantoro, M.Sc
Universitas Gadjah Mada, 2018 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Khan, Z.A., S.A.R. Naqvi, A. Mukhtar and Z. Hussain. 2014. Antioxidant and antibacterial activities of *Hibiscus rosa-sinensis* Linn flower extracts. *J. Pharm. Sci.* 27(3):469-474.

Kuligowska, K., H. Lutken, B. Christensen and R. Muller. 2016. Interspecific hybridization among cultivars of hardy *Hibiscus* species section Muenchhusia. *Breeding Science* 66: 300-308.

Li, A., S. Ge. 2006. Genetic variation and conservation of *Changnienia amoena*, an endangered orchid endemic to China. *Plant Systematic and Evolution* 258: 251–260.

Lowe A., S. Harris, and P. Ashton. 2004. *Ecological Genetics (Design, Analysis and Application)*. Blacwell publishing. Singapore

Lynch, M. and B.G. Milligan. 1994. Analysis of population genetic structure with RAPD markers. *Molecular Ecology* 3: 91–99.

Magdalita, P.M. and R.B. Pimentel. 2013. Development of hibiscus hybrids ‘women in public service series II and propagation studies on *Hibiscus rosa-sinensis* ‘Cynthia A. Villar. *Philippine Science Letters* 6(1): 39-56.

Mamun, A., S. Islam, A.H.M.K. Alam, A.A. Rahman and M. Rashid. 2013. Effects of ethanolic extract of *Hibiscus rosa-sinensis* leaves on alloxan-induced diabetes with dyslipidemia in rats. *Bangladesh Pharmaceutical Journal* 16(1): 27-31.

Medri, C., E.A. Ruas, C.F. Ruas, P.S. Medri, M.E. Medri, and P.M. Ruas. 2011. Population genetic structure of the tropical tree species *Aegiphila sellowiana* (Lamiaceae). *Genetic Molecular Research* 10(4): 3186-3198.

Mondini, L., A. Noorani, and M.A. Pagnotta. 2009. Assessing Plant Genetic Diversity by Molecular Tools. *Diversity* 1: 19-35.

Mullis, K.B. and F. Falloona. 1987. Specific synthesis of DNA in vitro via polymerase chain reaction. *Methods Enzymology* 155: 350–355

Nakamura, Y., M. Hidaka, H. Masaki, H. Seto and T. Uozumi. 1990. Major Anthocyanin of the Flower of Hibiscus (*Hibiscus rosa-sinensis* L.). *Agric. Biol. Chem* 54(12): 3345-3346.

Newton, C.R. and A. Graham. 1994. *PCR: Basic Principles and Methods*. EngBios Scientific Publisher, Oxford.

Onyesom I., J. Mordi, A.O. Opajobi and C.O. Esume. 2008. Hepatoprotective potentials of *Hibiscus rosasinensis* petal anthocyanin extracts against carbon tetrachloride-induced acute liver damage in wistar rats. *Sudan JMS* 3(1):33-37.



UNIVERSITAS
GADJAH MADA

ANALISIS KERAGAMAN 63 AKSESI GENUS HIBISCUS BERDASARKAN PENANDA MORFOLOGI DAN MOLEKULER
MIRANDA FERWITA SARI, Dr.Ir. Aziz Purwantoro, M.Sc
Universitas Gadjah Mada, 2018 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Palai, S.K. and G.R. Rout. 2007. Identification and genetic variation among eight varieties of ginger by using random amplified polymorphism DNA markers. *Plant Biotechnology* 24: 417-420.
- Patel, R., A. Patel, D. Vaghasiya, and A. Nagee. 2012. Elucidation of genetic diversity among five cultivars of *Hibiscus rosa-sinensis* using single primer amplification reaction (Spar). *IOSR Journal of Pharmacy and Biological Sciences* 1: 15-19.
- Pekamwar, S.S., T.M. Kalyankar and A.C. Jadhav. 2013. *Hibiscus rosa-sinensis*: a review in ornamental plant. *World Journal of Pharmacy and Pharmaceutical Science* 2(6): 4719-4727.
- Pereira D.A., R.X. Correa & A.C. Oliveira. 2015. Molecular genetic diversity and differentiation of populations of 'somnus' passion fruit trees (*Passiflora setacea* DC) : implications for conservation and pre-breeding. *Biochemical Systematics and Ecology* 59 : 12-21.
- Prasad M.P. 2014. Molecular characterization and genetic diversity determination of Hibiscus species using RAPD molecular markers. *Asian Journal of Plant Science and Research* 4(3): 50-56.
- Prihatiningsih, Rika. 2011. Studi Variasi Bentuk Bunga Hibiscus rosa-sinensis L. Secara Morfologi, Anatomii, dan Molekular di Kampus UI Depok. Fakultas MIPA. Universitas Indonesia. Depok.
- Rao, K.N.V., K. Geetha, A. Raja, and D. Banji. 2014. Quality control study and standardization of *Hibiscus rosasinensis* flowers and leaves as per WHO guidelines. *Journal of Pharmacognosy and Phytochemistry* 3(4): 29-37.
- Sachdewa A, & Khemani. 2003. Effect of *Hibiscus rosa-sinensis* Linn. Ethanol flower extract on blood glucose and lipid profile in streptozotocin induced diabetes in rats. <http://www.ncbi.nlm.nih.gov/pubmed/pdf>. diakses pada 14 Maret 2017.
- Sawarkar, A., C.R. Jangde, P.D. Thakre, R. Kadoo and S. Shelu. 2009. Analgesic activity of *Hibiscus rosa sinensis* Linn in rat. *Veterinary World* 2(9):353-354.
- Seeruttun, B. and V.M. Ranghoo-sanmukhiya. 2013. Molecular characterization of some *Hibiscus* spesies cultivated in Mauritius. *International Journal of Life Sciences Biotechnology and Pharma Research* 2(3): 358-366.
- Shanan, N.T. and R.E.A. Moghaieb. 2015. Genetic diversity among four genotypes from *Hibiscus rosasinensis* in relation to drought stress. *Journal of Horticulture and Forestry* 8(3):24-31.
- Singh, Y. N. 1986. Traditional medicine in Fiji, Some herbal folk cures used by Fiji Indians. *J. Ethnopharmacol* 15:57-88.



UNIVERSITAS
GADJAH MADA

ANALISIS KERAGAMAN 63 AKSESI GENUS HIBISCUS BERDASARKAN PENANDA MORFOLOGI DAN
MOLEKULER
MIRANDA FERWITA SARI, Dr.Ir. Aziz Purwantoro, M.Sc
Universitas Gadjah Mada, 2018 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Sneath, P.H. and R.R. Sokal. 1973. Numerical Taxonomy. W.H. Freeman and company.
San Fransisco. P 114-132.

Sondur, S.N., R.M. Manshardt, and J.I. Stiles. 1996. A genetic linkage map of papaya
based on randomly amplified polymorphic DNA markers. Theoretical and Applied
Genetics 93: 547-553

Srivastava. 2013. Anti ulcer activity of ethanolic extract of *Hibiscus rosa sinensis* leaves.
International Journal of Pharmacy and Pharmaceutical Sciences 5: 829-830.

Steenis, C.G.G.J. 2008 .Flora 12th Ed., 271. PT Pradnya Paramita. Jakarta.

Suvakanta-Barik, Senapati, S.K., Subhashree-Aparajita, Anuradha-Mohapatra Rout. 2006.
Identification and genetic variation among *Hibiscus* species (Malvaceae) using
RAPD markers. Biosciences 61(1): 123-128.

Te-chato, S., M. Lim., and M. Masahiro. 2005. Comparison of cultivar identification
methods of longkong, langsat and duku: *Lansium* spp. Songklanakarin Journal of
Science Technology 27(30): 465-471.

Tjitosoepomo, Gembong. 1999. Morfologi Tumbuhan. Gadjah Mada University Press,
Yogyakarta.

Udo, I.J., M.G. Ben, C.U. Etuk and A. I. Tiomthy. 2016. Phytochemical, proximate and
antibacterial properties of *Hibiscus rosa sinensis* leaf. Journal of Medicinal Plant
Studies 4(5): 193-195.

Upadhyay, S.M., P. Upadhyay, A.K. Ghosh, V. Singh and V. K. Dixit. 2011. Effect of
ethanolic of *Hibiscus rosa sinensis* L. flowers on hair growth in female wistar rats.
Der Pharmacia Lettre 3(4): 258-263.

Vicente, M.C., C. Lopez, La Molina and T. Fulton. 2003. Genetic diversity analysis with
molecular marker data: learning module. IPGRI and Cornell University.

Weising, K., H. Nybom, K. Wolff, and G. Kahl. 2005. DNA Fingerprinting in Plants:
Principles, Methods, and Applications. Second Edition. Taylor & Francis Group.
Boca Raton.

William, J.G.K., A.R. Kubelik, K.J. Livak, J.A. Rafalski, and S.V. Tingey. 1990. DNA
Polymorphism Amplified by arbitrary Primers are useful as genetic marker. Nucleic
Acids Research 18: 6531-6535.

Xu, Yunbi. 2010. Molecular Plant Breeding. CABI, United Kingdom.

Zulfahmi. 2013. Penanda DNA untuk analisis genetik tanaman. Jurnal Agroteknologi 3(2):
41-52.