

DAFTAR PUSTAKA

- Adhikari, T.B., Cruz C.M., Zhang, Q., Nelson, R.J., Skinner, D.Z., Mew, T.M., dan Leach, J.E., 1995, "Genetic diversity of *Xanthomonas oryzae* pv. *oryzae* in Asia", *Appl Environ Microbiol*, 61:966–971.
- Aditya, R.H., Wahyuni, W.S., dan Mihardjo, P.A. 2015. Ketahanan Lapangan Lima Genotipe Padi terhadap Penyakit Hawar Daun Bakteri. *Jurnal Fitopatologi Indonesia*. 11(5), hal. 159-165.
- Agarwal, V.K., dan Sinclair, J.B., 1987, *Principles of seed pathology*, Florida: Boca Raton.
- Agrios, G. N., 1997, *Plant Pathology 4th Ed*, New York : Academic Press.
- Balai Besar Penelitian Tanaman Padi. 2015. Pengendalian Penyakit Kresek dan Hawar Daun Bakteri, <<http://bbpadi.litbang.pertanian.go.id/index.php/berita/info-teknologi/content/45-pengendalian-penyakit-kresek-dan-hawar-daun-bakteri.html>> (diakses Juli 2016).
- Barber, C. E., Tang, J. L., Feng, J. X., Pan, M. Q., Wilson, T. J. G., Slater, H., Dow, J. M., Williams, P., dan Daniels, M. J., 1997, "A novel regulatory system required for pathogenicity of *Xanthomonas campestris* is mediated by a small diffusible signal molecule", *Mol. Microbiol*, 24:555–566.
- Bintang, M., 2010, *Teknik Penelitian Biokimia*, Jakarta: Erlangga.
- Bradbury, J.F., 1984, Genus II. *Xanthomonas*, dalam *Bergey's Manual of Systematic Bacteriology*, Diedit oleh N.R. Krieg dan J.G. Holt, Baltimore: Williams & Wilkins, hal. 199–210.
- Buttner, D., dan Bonas, U., 2010, Review Article: Regulation and Secretion of *Xanthomonas* Virulence Factors, *Federation of European Microbiological Societies : Microbiological Reviews*. 34(2):107-133.
- Chen,X.L., Yu,L., Gao,L.L., Jiang,T., Li, Q.Y dan Huang, Q., 2012, "Elevational Variation in Diversity of *Xanthomonas oryzae* pv. *oryzae* in South-West China", *J Phytopathol*, 160:261–268.
- Cho, J.H., Yoon, J.M., Lee, S.W., Noh, Y.H., dan Cha, J.S., 2013, "*Xanthomonas oryzae* pv. *oryzae* *RpfE* Regulates Virulence and Carbon Source Utilization without Change of the DSF Production", *The Plant Pathology Journal*. (4):364-73.
- Corpet, F., 1988, "Multiple Sequence Alignment with Hierarchical Clustering" *Nucleic Acids Res*. 16(22), hal. 81-90.
- Djatmiko, H.A., Prakoso, B., dan Prihatiningsih, N., 2011, "Penentuan Patotipe dan Keragaman Genetik *Xanthomonas oryzae* pv. *oryzae* Pada Tanaman Padi di Wilayah Karesidenan Banyumas", *HPT Tropika*, 11(1), hal. 35 – 46.

- EPPO, 2007, *Xanthomonas oryzae*: Diagnostics, Bulletin OEPP/EPPO, 37 (3), hal.543-553.
- Farida, Y., 2009, Metode Sidik Jari DNA dengan *Rep*-PCR, Prosiding Seminar Nasional Penelitian, Pendidikan dan Penerapan MIPA.
- George, M.L.C., M. Bustamam., W.T. Cruz., J.E. Leach., dan R.J. Nelson., 1998., “Movement of *Xanthomonas oryzae* pv. *oryzae* in Southeast Asia detected using PCR-based DNA fingerprinting”, *Phytopathology*, 87(3), hal.302-309.
- Gnanamanickam, S.S., V.B. Priyadarisini, N.N. Narayanan, P. Vasudevan., dan Kavitha, S., 1999, “An overview of bacterial blight disease of rice and strategies for its management”, *Current Science*, 77 (11), hal.1435-1443.
- Hadioetomo, R.S., 1990, *Teknik dan Prosedur Dasar Laboratorium Mikrobiologi*, Jakarta: Gramedia.
- He, Y.W., Wu, J., Cha, J.S., dan Zhang, L.H., 2010, “Research article Rice bacterial blight pathogen *Xanthomonas oryzae* pv. *oryzae* produces multiple DSF-family signals in regulation of virulence factor production”, *BMC Microbiology*, 10:187.
- Hidayat, R.J, Harnoto, Mahmud, M., dan Sumarno., 2000, *Teknologi produksi Benih Kedelai*, Jakarta : Puslitbangtan. Badan Penelitian dan Pengembangan Pertanian.
- International Rice Research Institute, 1996, *Standard Evaluation System for Rice. 4th edition*. Philipphines : IRRI.
- International Rice Research Institute, 2003, Bacterial leaf blight, <http://www.knowledgebank.irri.org/riceDoctor_MX/Fact_Sheets/Diseases/Bacterial_Leaf_Blight.htm>.
- Khan, Islam., Alam, M.S., M.R., A.I., Hossain, I., Adam, L.R., dan Daayf, F., 2016, “Analyses of genetic diversity of bacterial blight pathogen, *Xanthomonas oryzae* pv. *oryzae* using IS1112 in Bangladesh”, *Comptes Rendus Biologies*, No.339, hal. 399–407.
- Jha, G., Rajeswhari, R., dan R.V. Shonti., 2007, “Functional Interplay Between Two *Xanthomonas oryzae* pv. *oryzae* Secretion Systems In Modulating Virulence On Rice”, *Mol. Plant-Microbe Interact*, No.20, hal.31-40.
- Kadir, T.S., 2009. “Menangkal HDB dengan menggilir varietas”, *Warta Penelitian dan Pengembangan Pertanian*. 31(5), hal.1-3.
- Keller, B., Feuillet, C., dan Messmer, M., 2000, Basic Concepts and Application in Resistance Breeding, dalam *Mechanisms of Resistance to Plant Diseases*, Diedit oleh A.J. Slusarenko, Fraser. R.S.S. dan L.C van Loon, London : Kluwer Academic Publisher, hal. 101–160.
- Keshavarz, K., Sijam, K., Maz, A., Habibuddin, H., Nejat, N., dan Nazerian, E., 2011, “Molecular Characteristic Of *Xanthomonas oryzae* pv. *oryzae* Ras From Rice Fields In Malaysia”, *J. Of Plant Pathology*, 93(3), hal. 719-724.

- Khan, T.U.Z., S.I. Yasin., M. Ayub., J.A. Shah., dan M. Ahmad., 2006, “Effect of Different Chemicals and antibiotics on Bacterial Leaf Blight (*Xanthomonas oryzae* pv. *oryzae*) of Rice”, Mycopath, No.3, hal. 57-59.
- Lane, D.J., 1991, 16S/23S rRNA sequencing, dalam *Nucleic Acid Techniques in Bacterial Systematics*, Diedit oleh Stackebrandt. E. Dan Goodfellow. M, New York : John Wiley and Sons, hal. 115-175.
- Lang, J. M., Hamilton, J. P., Diaz, M. G. Q., Van Sluys, M. A., Burgos, M. R. G., dan Cruz, C.V., 2010, “Genomics-Based Diagnostic Marker Development for *Xanthomonas oryzae* pv. *oryzae* and *X. oryzae* pv. *oryzicola*”, Plant Disease, 94(3), hal.311-319.
- Lee, B.M., Park, Y.J., Park, D.S., Kang, H.W., Kim, J.G., Song, E.S., Park, I.C., Yoon, U.H., Hahn, J.H., Koo, B.S., Lee, G.B., Kim, H., Park, H.S., Yoon, K.O., Kim, J.H., Jung, C.H., Koh, N.H., Seo, J.S., dan Go, S.J., 2005, “The Genome Sequence Of *Xanthomonas oryzae* pv. *oryzae* Kacc10331, The Bacterial Blight Pathogen Of Rice”, Nucleic Acids Res, 33(2), hal. 577–586.
- Lelliot, R. A., dan Stead, D.E., 1987, *Methods for The Diagnosis of Bacterial Disease of Plant*, London : Blackwell Scientific Publication.
- Lisek A, Lidia SP, Michal O, Pawel T, Aleksandra B, Agnieszka K, dan Eligio M., 2011, “Use of the *Rep*-PCR technique for differentiating isolats of Rhizobacteria”, J. of Fruit and Ornamental Plant Research, 19(1), hal.5-12.
- Mew, T.W., Alvarez, A.M., Leach, J.E., dan Swings, J., 1993, “Focus on bacterial blight of rice”, Plant Disease, No.77, hal. 5–12.
- Moffett, M.J., dan Croft, B.J., 1983, *Xanthomonas*, dalam *Plant Bacterial Diseases*, Diedit oleh Fahy. P.C dan Persley. G.J, London : Academic Press, hal. 189– 228.
- Nayak, D., M.L. Shanti., L.K. Bose., dan U.D. Singh., 2008, “Pathogenicity association in *Xanthomonas oryzae* pv. *oryzae* the causal organism of rice bacterial blight disease”, Journal of Agri-cultural and Biological Science, 3 (1), hal.12-27.
- Niño-Liu, D.O., Darnielle, L., dan Bogdanove, A.J., 2006, “*Xanthomonas oryzae* pathovars: model pathogens of a model crop”, Molecular Plant Pathology, 7(5), hal.303-324.
- Noda, T., dan Kaku, H., 1999, “Growth of *Xanthomonas oryzae* pv. *oryzae* in planta and in guttation fluid of rice”, Ann. Phytopathol. Soc. Japan, No.65, hal. 9–14.
- Nuraini, F., Addy, H.S. dan Majid, A., 2015, “Karakterisasi Isolat *Xanthomonas oryzae* pv. *oryzae* yang Menyerang Tanaman Padi di Kabupaten Jember Menggunakan Teknik RAPD (*Random Amplified Polymorphic DNA*)”, Berkala Ilmiah Pertanian, 1(1), hal. 20.

- Ochiai, H., Inoue, Y., Takeya, M., Sasaki, A., dan Kaku, H., 2005, "Genome sequence of *Xanthomonas oryzae* pv. *oryzae* suggests contribution of large numbers of effector genes and insertion sequences to its race diversity", Jpn. Agr. Res. No.39, hal.275–287.
- Ou, S.H., 1985, *Rice Diseases*, Surrey: Commonwealth Agricultural Bureau.
- Pangastuti, A., 2006, "Review : Definisi Spesies Prokaryota Berdasarkan Urutan Basa Gen Penyandi 16s rRna dan Gen Penyandi Protein", BIODIVERSITAS, Volume. 7, hal. 292-296.
- Pandey, S., Singh, B dan Kumar,J., 2014, "DNA typing and virulence determination of *Xanthomonas oryzae* pv. *oryzae* population for the management of bacterial leaf blight of rice in Udham Singh Nagar, India", European Journal of Plant Pathology, No.138, hal. 847–862.
- Poerba, Y.S., dan Martanti, D., 2008, "Keragaman Genetik Berdasarkan Marka *Random Amplified Polymorphic DNA* pada *Amorphophallus muelleri* Blume di Jawa", Biodiversitas, 9(4), hal. 245-249.
- Qi, Z., 2009, "Genetics and improvement of bacterial blight resistance of hybrid rice in China", Rice Science, 16 (2), hal. 83-92.
- Rudolp, K., Roy, M.A., Sasser, M., Stead, D.E., Davis, M., Swings, J., dan Gossele, F., 1990, Isolation of bacteria, dalam *Methods in Phytobacteriology*, Diedit oleh Klement. Z, Rudolp. K. dan Sands. D.C, Budapest : Akodemial Kiado, hal. 45–86.
- Salzberg, S.L., Sommeri, D.D., Schatzi, M.C., Philippy, A.M., Rabinowicz, P.D., Tsuge, S., Furutani, A., Ochiai, H., Delcher, A.L., Kelley, D., Madupu, R., Puiu, D., Radune, D., Shumway, M., Trapnell, C., Aparnas, G., Jha, G. Pandey, A., Patils, P.B., Ishihara, H., Meyer, D.F., Szureki, B., Verdier, V., Koebnik, R., Dow, J.M., Ryan, R.P., Hirata, H., Tsuyumu, S., Lee, S.W., Ronald, P.C., Sontis, R.V., Sluyo, M.V., Leach, J.E., White, F.F., dan Bogdanove, A.J., 2008, "Genome sequence and rapid evolution of the rice pathogen *Xanthomonas oryzae* pv. *oryzae* PXO99A", BMC Genomics, 9(204), hal.1-16.
- Schaad, N.W., Jones, J.B., dan Lacy, G.H., 2001. *Xanthomonas*, dalam *Laboratory Guide For Identification of Plant Pathogenic Bacteria*, Diedit oleh Schaad. N.W, Jones. J.B dan Chun. W, St. Paul. Minnesota : APS Press, hal. 175 – 200.
- Semangun, H., 1991, *Penyakit-penyakit Tanaman Pangan di Indonesia*, Yogyakarta: Gajah Mada University Press.
- Shanti *et al.* 2001. Identification of resistance genes effective against rice bacterial blight pathogen in Eastern India. *Plant Disease* 85:506-512.
- Srinivasan, B., dan Gnanamanickam, S.S., 2005, "Identification of a new source of resistance in wild rice, *Oryza rufipogon* to bacterial blight of rice caused

- by Indian strain of *Xanthomonas oryzae* pv. *Oryzae*", *Current science*, No. 88, hal. 1229– 1231.
- Sudir, B., Nuryanto., Triny., Kadir, S., 2012, "Epidemiologi, Patotipe, dan Strategi Pengendalian Penyakit Hawar Daun Bakteri pada Tanaman Padi", *Iptek Tanaman Pangan*, 7(2), hal.79-87.
- Sudir, Yuliani, D., 2016, "Composition and Distribution of *Xanthomonas oryzae* pv. *oryzae* Pathotypes, The Pathogen of Rice Bacterial Leaf Blight in Indonesia", *AGRIVITA Journal of Agricultural Science*, 38(2), hal. 174-185.
- Suharti, T., Joko, T., dan Arwiyanto, T., 2017, "Deteksi Bakteri Patogen Terbawa Benih Akor (*Acacia Auriculiformis* A. Cunn. Ex Benth.)", *J. HPT Tropika*, 17(1), hal. 19 – 36.
- Suparyono, Sudir dan Suprihanto, 2004, "Pathotype profile of *Xanthomonas oryzae* pv. *Oryzae* isolats from the rice ecosystem in Java", *Indonesian Journal of Agricultural Science*, 5 (2), hal. 63-69.
- Suprihatno, B., Daradjat, A.A., Satoto., Baehaki, S.E., Suprihanto, A., Setyono., Indrasari, S.D., Wardana, I.P., dan Sembiring, H, 2010, "Deskripsi varietas padi. Balai Besar Penelitian Tanaman Padi", *Badan Litbang Pertanian. Departemen Pertanian*, hal 109.
- Suryadi, Y., Susilowati, D.N., Lestari, P., Sutoro., Ifa, M., dan Kadir, T.S., 2014, "Analisis keragaman genetik isolat bakteri *Xanthomonas oryzae* pv. *oryzae* dari Jawa Barat dan Jawa Tengah berdasarkan analisis ARDRA gen 16SrRNA", *J Fitopatol Indonesia*, 10(2), hal.53-60.
- Syair., Samirin., Wijayanto,T., dan Khaeruni, A., 2012, "Pengelompokan Patotipe *Xanthomonas Oryzae* Pv. *Oryzae* Asal Sulawesi Tenggara Menggunakan Padi Galur Isogenik IRRI", *Jurnal Agroteknos*, 2(1), hal. 41-49.
- Tasliah, Mahrup, dan Prasetyono, J., 2013, "Identifikasi Molekuler Hawar Daun Bakteri (*Xanthomonas oryzae* pv. *oryzae*) dan Uji Patogenisitasnya pada Galur-galur Padi Isogenik", *Jurnal AgroBiogen*, 9(2), hal.49-57.
- Tsushima, S., Shinohara, H., Nakazato, T., Ando, S., Sugisawa, T., dan Tabei, Y, 2006, "Phylogenetic Analysis Of *Xanthomonas Albilineans* Strains From Okinawa, Japan, Through A Comparison Of The GyrB And RpoD Genes In Geographically Distinct Strains", *J. Phytopathology*, No.154, hal. 683–687.
- Verdier, V., Cruz, V.C. dan Leach, J.E., 2011, "Controlling rice bacterial blight in Africa: needs and prospects.", *J. Biotechnol.*
- Wahyudi, A.T., Meliah, S dan Nawangsih, A.A., 2011, "*Xanthomonas Oryzae* pv. *Oryzae* Bakteri Penyebab Hawar Daun pada Padi: Isolasi, Karakterisasi, dan Telaah Mutagenesis dengan Transposon", *Makara Sains*, 15(1), hal. 89-96.
- Wang, L., 2007, *Understanding the virulence mechanisms of bacterial phytopathogens: from Pseudomonas to Xanthomonas*, Disertasi : Iowa State University.

- Yildirim, I., Yildirim, S., dan Kocak, N., 2011, "Molecular Methods For Bacterial Genotyping And Analyzed Gene Regions", *Journal of Microbiology and Infectious Diseases*, 1 (1), hal. 42-46.
- Yasin, S.I., Khan, T.U.Z., Ayub, M., Shah, J.A., dan Anwar, M., 2005, "Economic evaluation of bacterial leaf blight (*Xanthomonas oryzae* pv. *oryzae*) disease of rice", *Mycopath*, No. 3, hal.65–67.
- Yu, X., Liang, X., Liu, K., Dong, W., Wang, J., Zhou, M., 2015, "The thiG Gene Is Required for Full Virulence of *Xanthomonas oryzae* pv. *oryzae* by Preventing Cell Aggregation" *PLOS ONE*, 10(7), hal. 1-15.
- Yuriyah, S., dan Utami, D.W., 2015, "Genetic Diversity of Indonesian Bacterial Leaf Blight Isolat (*Xanthomonas oryzae* pv. *oryzae*) Core Collection based on the *VNTR* and *avrXa7* Molecular Markers", *Makara J. Sci*, hal.123-130.
- Yuwono, T., 2006, *Teori dan Aplikasi Polymerase Chain Reaction*, Yogyakarta : Andi.
- Zou, H.S., Yuan, L., Guo, W., Li, Y-R., Che, Y-Z., dan Zou, L-F., 2011, "Construction of a Tn5-tagged mutant library of *Xanthomonas oryzae* pv. *oryzicola* as an Invaluable Resource for Functional Genomics", *Current microbiology*, 62(3), hal.908–16.