

DAFTAR PUSTAKA

- Abou El-Reash, Y.G., 2016, Magnetic chitosan modified with cysteine-glutaraldehyde as adsorbent for removal of heavy metals from water, *J. Environ. Chem. Eng.*, 4, 4, 3835–3847.
- Andreeva, N., Ishizaki, T., Baroch, P. & Saito, N., 2012, High sensitive detection of volatile organic compounds using superhydrophobic quartz crystal microbalance, *Sensors Actuators, B Chem.*, 164, 1, 15–21.
- Bi, X. & Yang, K.L., 2008, Real-time liquid crystal-based glutaraldehyde sensor, *Sensors Actuators, B Chem.*, 134, 2, 432–437.
- Bower, D.I., 2002, *An Introduction to Polymer Physics*, Cambridge University Press, Cambridge.
- Cai, Q., Xu, B., Ye, L., Di, Z., Huang, S., Du, X., Zhang, J., Jin, Q. & Zhao, J., 2015, 1-Dodecanethiol based highly stable self-Assembled monolayers for germanium passivation, *Appl. Surf. Sci.*, 353, 890–901.
- Cimpoca, G. V., Popescu, I. V., Dulama, I.D., Radulescu, C., Bancuta, I., Cimpoca, M., Cernica, I., Schiopu, V., Danila, M. & Gavrilă, R., 2009, Self assembled monolayer of ethanthiol on gold surfaces by quartz crystal microbalance, *Proc. Int. Semicond. Conf. CAS*, 1, 1, 135–138.
- Das, R., Biswas, S., Bandyopadhyay, R. & Pramanik, P., 2013, Polymerized linseed oil coated quartz crystal microbalance for the detection of volatile organic vapours, *Sensors Actuators, B Chem.*, 185, 2, 293–300.
- de Freitas Rezende, F.B., de Souza Santos Cheibub, A.M., Pereira Netto, A.D. & Marques, F.F. de C., 2017, Determination of formaldehyde in bovine milk using a high sensitivity HPLC-UV method, *Microchem. J.*, 134, 383–389.
- Duan, Xiaoxia., 2014, Lipid Based Sensing of Organic Vapours: A Study Combining AFM and QCM, *Doctoral (Ph.D) Thesis*, School of Engineering and Computing Sciences, Durham University, United Kingdom.
- Hraybi, A., Mougharbel, I., Kassem, K. & Ghaziri, H., 2017, Quartz crystal microbalance (QCM) for the detection of explosive vapor - Measurements and simulations, *2017 1st Int. Conf. Landmine Detect. Clear. Legis. LDCL 2017*, 16–21.
- Ihdene, Z., Mekki, A., Mettai, B., Mahmoud, R., Hamada, B. & Chehimi, M.M., 2014, Quartz crystal microbalance VOCs sensor based on dip coated polyaniline emeraldine salt thin films, *Sensors Actuators, B Chem.*, 203, 647–654.

- Li, Y., Chen, N., Deng, D., Xing, X., Xiao, X. & Wang, Y., 2017, Formaldehyde detection: SnO₂ microspheres for formaldehyde gas sensor with high sensitivity, fast response/recovery and good selectivity, *Sensors Actuators, B Chem.*, 238, 264–273.
- Ma, Q., Shuler, P.J., Aften, C.W. & Tang, Y., 2015, Theoretical studies of hydrolysis and stability of polyacrylamide polymers, *Polym. Degrad. Stab.*, 121, 69–77.
- Morris, Alan., 2001, *Measurement and Instrumentation Principles*, Butterworth-Heinemann Publishing, Oxford.
- Matsuguchi, M. & Kadowaki, Y., 2008, Poly(acrylamide) derivatives for QCM-based HCl gas sensor applications, *Sensors Actuators, B Chem.*, 130, 2, 842–847.
- Öztürk, S., Kösemen, A., Kösemen, Z.A., Kiliç, N., Öztürk, Z.Z. & Penza, M., 2016, Electrochemically growth of Pd doped ZnO nanorods on QCM for room temperature VOC sensors, *Sensors Actuators, B Chem.*, 222, 280–289.
- Petrović, Ž., Metikoš-Huković, M. & Babić, R., 2008, Potential-assisted assembly of 1-dodecanethiol on polycrystalline gold, *J. Electroanal. Chem.*, 623, 1, 54–60.
- Pi, U.H., Kim, J.H., Yu, H.Y., Park, C.W., Choi, S.Y., Kim, Y.K. & Ha, J.S., 2006, Enhanced surface evolution induced by the molecular desorption in dodecanethiol self-assembled monolayer on Au(1 1 1), *Surf. Sci.*, 600, 3, 625–631.
- Sarsenbekuly, B., Kang, W., Fan, H., Yang, H., Dai, C., Zhao, B. & Aidarova, S.B., 2017, Study of salt tolerance and temperature resistance of a hydrophobically modified polyacrylamide based novel functional polymer for EOR, *Colloids Surfaces A Physicochem. Eng. Asp.*, 514, 66, 91–97.
- Sedlak, P., Sikula, J., Majzner, J., Vrnata, M. & Vyslouzil, F., 2011, Noise in Quartz Crystal Microbalance, *21st Int. Conf. Noise Fluctuations*, 102, 336–339.
- Sheng, H.Y., Dong, Z.C., Fujita, D., Ohgi, T. & Nejoh, H., 1998, Observation of 1-dodecanethiol molecules on graphite by scanning tunneling microscopy, *Ultramicroscopy*, 73, 1–4, 195–198.
- Vives, A.A., 2008, *Piezoelectric Transducers and Applications*, Second ed, Springer Berlin Heidelberg, Berlin.
- Wahba, M.I., 2017, Chitosan-glutaraldehyde activated calcium pectinate beads as a covalent immobilization support, *Biocatal. Agric. Biotechnol.*, 12, August, 266–274.
- Wang, N., Wang, X., Jia, Y., Li, X., Yu, J. & Ding, B., 2014, Electrospun

- nanofibrous chitosan membranes modified with polyethyleneimine for formaldehyde detection, *Carbohydr. Polym.*, 108, 1, 192–199.
- Wang, X., Cui, F., Lin, J., Ding, B., Yu, J. & Al-Deyab, S.S., 2012, Functionalized nanoporous TiO₂ fibers on quartz crystal microbalance platform for formaldehyde sensor, *Sensors Actuators, B Chem.*, 171–172, 658–665.
- Wang, X., Ding, B., Sun, M., Yu, J. & Sun, G., 2010, Nanofibrous polyethyleneimine membranes as sensitive coatings for quartz crystal microbalance-based formaldehyde sensors, *Sensors Actuators, B Chem.*, 144, 1, 11–17.
- Whitesides, G.M., Kriebel, J.K. & Love, J.C., 2005, Molecular engineering of surfaces using self-assembled monolayers, *Sci. Prog.*, 88, 17–48.
- Yang, M. & He, J., 2016, Graphene oxide as quartz crystal microbalance sensing layers for detection of formaldehyde, *Sensors Actuators, B Chem.*, 228, 486–490.
- Yeh, T.S., Lin, T.C., Chen, C.C. & Wen, H.M., 2013, Analysis of free and bound formaldehyde in squid and squid products by gas chromatography-mass spectrometry, *J. Food Drug Anal.*, 21, 2, 190–197.
- Zhou, X.C., Zhong, L., Li, S.F.Y., Ng, S.C. & Chan, H.S.O., 1997, Organic vapour sensors based on quartz crystal microbalance coated with self-assembled monolayers, *Sensors Actuators, B Chem.*, 42, 1, 59–65.