

## DAFTAR PUSTAKA

- Arndt, K.A. and Hsu, J.T., (2007). *Manual of Dermatologic Therapeutics*. 7<sup>th</sup> edn. Lippincott Williams & Wilkins. Philadelphia.
- Asamoto, M., Hokaiwado, N., Murasaki, T. and Shirai, T., (2004). ‘Connexin-32 Dominant Negative Mutant Transgenic Rats Are Resistant to Hepatic Damage By Chemicals’. *Hepatology*. vol.40. pp.205-210.
- Balasubramaniyan, V., Dhar, D.K., Warner, A.E., Li, W.Y.V., Amiri, A.F., Bright, B., Mookerjee, R.P., Davies, N.A., Becker, D.L. and Jalan, R., (2013). ‘Importance of Connexin-43 Based Gap junction in Cirrhosis and Acute-on-Chronic Liver Failure’. *Journal of Hepatology*. vol.58(6). pp.1194-1200.
- Baldo, B.A. and Pham, N.H., (2002). *Drug Allergy: Clinical Aspects, Diagnosis, Mechanisms, Structure-Activity Relationships*. Springer. New York.
- Beyer, E.C., Paul, D.L. and Goodenough, D.A., (1990). ‘Connexin Family of Gap Junction Proteins’. *The Journal of Membrane Biology*. vol.116(3). pp.187-194.
- Bushra, S. M. B., Riyaz, S., Tasneem, S., Hameed, R., Rana Nikhat, S., and Prasad Naik, N. (2017). ‘Prevalence and Causality Assessment of Cutaneous Adverse Drugreactions’. *International Journal of Advance Research*. vol.5(1). pp.2320–5407.
- Dagli, M.L.Z., Yamasaki, H., Krutovskikh, V. and Omori, Y., (2004). ‘Delayed Liver Regeneration and Increased Susceptibility to Chemical Hepatocarcinogenesis in Transgenic Mice Expressing a Dominant-negative Mutant of Connexin32 Only in The Liver’. *Carcinogenesis*. vol.25(4), pp.483-492.
- Daniel, S.P. and Marshall, M.K., (1999). *Evaluation of the Liver: Laboratory Tests. Schiff’s Diseases of the Liver*. 8<sup>th</sup> edn. Lippincott. Philadelphia.
- Danon A, Zeevi-Levin N, Pinkovich DY, Michaeli T, Berkovich A, Flugelman M, et al. (2010). ‘Hypoxia Causes Connexin 43 Internalization in Neonatal Rat Ventricular Myocytes’. *General Physiology and Biophysics*. vol.29(3). pp.222–233.
- Eugenín, E.A., González, H.E., Sánchez, H.A., Brañes, M.C. and Sáez, J.C., (2007). ‘Inflammatory Conditions Induce Gap Junctional Communication Between Rat Kupffer Cells Both In Vivo and In Vitro’. *Cellular Immunology*. vol.247(2), pp.103-110.

- Farshchian, M., Ansar, A., Zamanian, A., Rahmatpour-Rokni, G., Kimyai-Asadi, A. and Farshchian, M., (2015). 'Drug-induced Skin Reactions: a 2-Year Study'. *Clinical, Cosmetic and Investigational Dermatology*. vol. 8. p.53.
- Friedman, S.F., Martin, P. and Munoz, J.S., (2003). 'Laboratory Evaluation of the Patient with Liver Disease'. *Hepatology, a Textbook of Liver Disease*. vol.1. pp.661-709.
- Giannini, E.G., Testa, R. and Savarino, V., (2005). 'Liver Enzyme Alteration: a Guide for Clinicians'. *Canadian Medical Association Journal*. vol. 172(3). pp.367-379.
- González, H.E., Eugenín, E.A., Garcés, G., Solís, N., Pizarro, M., Accatino, L. and Sáez, J.C., (2002). 'Regulation of Hepatic Connexins in Cholestasis: Possible Involvement of Kupffer Cells and Inflammatory Mediators'. *American Journal of Physiology-Gastrointestinal and Liver Physiology*. vol. 282(6), pp.G991-G1001.
- Igarashi, I., Makino, T., Suzuki, Y., Kai, K., Teranishi, M., Takasaki, W. and Furuhashi, K., (2013). 'Background Lesions During a 24-month Observation Period in Connexin 32-deficient Mice'. *Journal of Veterinary Medical Science*. vol. 75(2). pp.207-210.
- Igarashi, I., Maejima, T., Kai, K., Arakawa, S., Teranishi, M. and Sanbuissho, A., (2014). 'Role of Connexin32 in Acetaminophen Toxicity in a Knockout Mice Model'. *Experimental and Toxicologic Pathology*. vol. 66(2-3). pp.103-110.
- Kang, J., Kang, N., Lovatt, D., Torres, A., Zhao, Z., Lin, J. and Nedergaard, M., (2008). 'Connexin43 Hemichannels are Permeable to ATP'. *Journal of Neuroscience*. vol. 28(18), pp.4702-4711.
- Katkov, W.N., Friedman, L.S., Cody, H., Evans, A., Kuo, G., Choo, Q.L., Houghton, M. and Dienstag, J.L., (1991). 'Elevated Serum Alanine Aminotransferase Levels in Blood Donors: The Contribution of Hepatitis C Virus'. *Annals of internal medicine*. vol. 115(11). pp.882-887.
- Lee, T., Lee, Y.S., Yoon, S.Y., Kim, S., Bae, Y.J., Kwon, H.S., Cho, Y.S., Moon, H.B. and Kim, T.B., (2013). 'Characteristics of Liver Injury in Drug-induced Systemic Hypersensitivity Reactions'. *Journal of the American Academy of Dermatology*. vol. 69(3). pp.407-415.

- Maes, M., McGill, M.R., da Silva, T.C., Abels, C., Lebofsky, M., de Araújo, C.M.M., Tiburcio, T., Pereira, I.V.A., Willebrords, J., Yanguas, S.C. and Farhood, A., (2016). 'Involvement of Connexin43 in Acetaminophen-induced Liver Injury'. *Biochimica et Biophysica Acta (BBA)-Molecular Basis of Disease*. vol.1862(6). pp.1111-1121.
- Matsuda T, Fujio Y, Nariai T, Ito T, Yamane M, Takatani T, *et al.* (2006). 'N-cadherin Signals through Rac1 Determine the Localization of Connexin43 in Cardiac Myocytes'. *Journal of Molecular and Cellular Cardiology*. vol.40. pp.495-502.
- Moha, E.M.R., Oktarina, D.A.M., KK, S. and Wulan, D., (2017). *Prevelansi Gambaran Klinis Pasien Adverse Cutaneous Drug Reaction dengan Hipersensitivitas Tipe IV di Rumah Sakit DR. Sardjito Yogyakarta Periode 2011-2015*. Universitas Gadjah Mada. Yogyakarta
- Nagao-Dias, A.T., Barros-Nunes, P., Coelho, H.L. and Solé, D., (2004). 'Allergic Drug Reactions'. *Jornal de Pediatria*. vol.80(4), pp.259-266.
- Nakashima, Y., Ono, T., Yamanoi, A., El-Assal, O.N., Kohno, H. and Nagasue, N., (2004). 'Expression of Gap Junction Protein Connexin32 in Chronic Hepatitis, Liver Cirrhosis, and Hepatocellular Carcinoma'. *Journal of Gastroenterology*. vol.39(8). pp.763-768.
- Naiki-Ito, A., Asamoto, M., Naiki, T., Ogawa, K., Takahashi, S., Sato, S., & Shirai, T. (2010). 'Gap Junction Dysfunction Reduces Acetaminophen Hepatotoxicity with Impact on Apoptotic Signaling and Connexin 43 Protein Induction in Rat'. *Toxicologic Pathology*. vol.38(2). pp.280-286.
- Ogawa, K., Pitchakarn, P., Suzuki, S., Chewonarin, T., Tang, M., Takahashi, S., Naiki-Ito, A., Sato, S., Takahashi, S., Asamoto, M. and Shirai, T., (2012). 'Silencing of Connexin 43 Suppresses Invasion, Migration and Lung Metastasis of Rat Hepatocellular Carcinoma Cells'. *Cancer Science*. vol.103(5). pp.860-867.
- Patel, T.K., Thakkar, S.H. and Sharma, D.C., (2014). 'Cutaneous Adverse Drug Reactions in Indian Population: A systematic review'. *Indian Dermatology Online Journal*, vol. 5. p.S76-S86.
- Riedl, M.A. and Casillas, A.M., (2003). 'Adverse Drug Reactions: Types and Treatment Options'. *American Family Physician*. vol.68(9). pp.1781-1794.
- Rosalki, S.B. and McIntyre, N.I., (1999). 'Biochemical investigations in the management of liver disease'. *Oxford Textbook of Clinical Hepatology*. 2<sup>nd</sup> edn. Oxford University Press. Oxford. New York. pp.503-521.

- Sacks, S. (2016). 'Liver Function Tests'. *Clinipath Pathology*. pp.1–4.
- Sato M, Jiao Q, Honda T, Kurotani R, Toyota E, Okumura S, *et al.* (2009). 'Activator of G Protein Signaling 8 (AGS8) is Required for Hypoxia-induced Apoptosis of Cardiomyocytes: Role of G Betagamma and Connexin43 (Cx43)'. *Journal of Biological Chemistry*. vol.284(45). pp.31431–31440.
- Severs, N.J., Bruce, A.F., Dupont, E. and Rothery, S., (2008). 'Remodelling of Gap Junctions and Connexin Expression in Diseased Myocardium'. *Cardiovascular Research*. vol.80(1). pp.9-19.
- Shah, S.P., Desai, M.K., Dikshit, R.K., (2011). 'Analysis of Cutaneous Adverse Drug Reactions at a Tertiary Care Hospital – a Prospective Study'. *Tropical Journal of Pharmaceutical Research*. vol.10(4). pp.517-522.
- Someshwar, S., and Jerajani, H., (2014). 'Cutaneous Adverse Drug Reactions'. *MGM Journal of Medical Sciences*. vol.1(2). pp. 84-94.
- Sophiati, M. (2017). *Analisis Retrospektif Pada Pasien Adverse Cutaneous Drug Reactions (ACDR) dengan Reaksi Hipersensitivitas Tipe IV Berdasarkan Agen Kausatif dan Faktor Risiko di RSUP DR Sardjito Yogyakarta Periode 2011-2015*. Universitas Gadjah Mada. Yogyakarta
- Thapa, B.R. and Walia, A., (2007). 'Liver Function Tests and Their Interpretation'. *The Indian Journal of Pediatrics*. vol.74(7). pp.663-671.
- Verma, D. R., Tiwari, D. S., Gupta, D. C., & Verma, D. N., (2014). 'Cutaneous Adverse Drug Reactions-A Study of Clinical Patterns, Causality, Severity & Preventability'. *IOSR Journal of Dental and Medical Sciences*. vol.13(7). pp.102–109.
- Vinken, M., Henkens, T., De Rop, E., Fraczek, J., Vanhaecke, T. and Rogiers, V., (2008). 'Biology and Pathobiology of Gap junctional Channels in Hepatocytes'. *Hepatology*. vol. 47(3). pp.1077-1088.
- Yamaoka, K., Nouchi, T., Kohashi, T., Marumo, F. and Sato, C., (2000). 'Expression of Gap Junction Protein Connexin 32 in Chronic Liver Diseases'. *Liver International*. vol 20(2). pp.104-107.
- Yanguas, S.C., Willebrords, J., Maes, M., da Silva, T.C., Pereira, I.V.A., Cogliati, B., Dagli, M.L.Z. and Vinken, M., (2016). 'Connexins and Pannexins in Liver Damage'. *EXCLI Journal*. vol.15, p.177-186.
- Warrington, R. and Silviu-Dan, F., (2011). 'Drug Allergy'. *Allergy, Asthma & Clinical Immunology*. vol.7(1). pp.1-8.

Wolf, R., Orion, E., Marcos, B. and Matz, H., (2005). 'Life Threatening Acute Adverse Cutaneous Drug Reactions'. *Clinics in Dermatology*. vol.23(2), pp.171-181.

Zeevi-Levin N, Barac YD, Reisner Y, Reiter I, Yaniv G, Meiry G, *et al.* (2005). 'Gap Junctional Remodeling by Hypoxia in Cultured Neonatal Rat Ventricular Myocytes'. *Cardiovascular Research*. vol.66(1). pp.64-73.