

## DAFTAR PUSTAKA

- Aekplakorn, W. et al., 2014. Prevalence of Dyslipidemia and Management in the Thai Population, National Health Examination Survey IV, 2009. *Journal of Lipids*.
- Almatsier, S., 2004. *Prinsip Dasar Ilmu Gizi*. Jakarta: PT Gramedia Pustaka Utama.
- Anderson, J. & Tietzen, C., 1986. Dietary fiber: hyperlipidemia, hypertension and coronary artery disease. *Am J Gastroenterol*, Volume 81, pp. 907-19.
- Basciano, H., Frederico, L. & Adeli, K., 2005. Fructose, insulin resistance and metabolic dyslipidemia. *Nutr & Metab*, 2(5), pp. 1-14.
- Bays, E. H. et al., 2013. Obesity, adiposity and dyslipidemia: A consensus statement from the National Lipid Association. *Journal of Clinical Lipidology*, Volume 7, pp. 304-383.
- Belzung, F., Raclot, T. & Groscolas, R., 1993. Fish oil n-3 fatty acids selectively limit the hypertrophy of abdominal fat depots in growing rats fed high-fat diets. *Am J Physiol*, Volume 264, pp. R1111-8.
- Berneis, K. & Krauss, R., 2002. Metabolic origins and clinical significance of LDL heterogeneity. *J Lipid Res*, 43(9), pp. 1363-1379.
- Blaha, M., Blumenthal, R., Brinton, E. & Jacobson, T., 2008. The importance of non-HDL cholesterol reporting in lipid management. *J Clin Lipidol*, August, 2(4), pp. 267-73.
- Ble-Castillo, J. et al., 2012. Differential Effects of High-Carbohydrate and High-Fat Diet Composition on Metabolic Control and Insulin Resistance in Normal Rats. *International Journal of Environmental Research and Public Health*, Volume 9, pp. 1663-1676.
- Bodhy, W. & Manampiring, A., 2011. Prevalensi Sindroma Metabolik pada Remaja di Kota Tomohon. *Naskah Publikasi*.
- Botham, K. & Mayes, P., 2009. Sintesis, transport dan ekskresi kolesterol. In: *Biokimia Harper*. Jakarta: Buku Kedokteran EGC, pp. 239-49.
- Brannon, P. M., Tso, P. & Jandacek, R. J., 2013. Digestion and Absorption of Lipids. In: *Biochemical, Physiological and Molecular Aspects of Human Nutrition*. s.l.:Elsevier, pp. 179-191.
- Brown, L., Rosner, B., Willet, W. & Sacks, F., 1999. Cholesterol-lowering effects of dietary fiber: a meta-analysis. *Am J Clin Nutr*, Volume 69, pp. 30-42

- Brown, M. S. & Goldstein, J. L., 1997. The SREBP Pathway: Regulation of Cholesterol Metabolism by Proteolysis of a Membrane-Bound Transcription Factor. *Cell*, Volume 89, pp. 331-340.
- Buettner, R., Scholmerich, J. & Cornelius Bollheimer, L., 2007. High-fat diets: modeling the metabolic disorders of human obesity in rodents. *OBESITY*, Volume 15, pp. 798-808.
- Chapman, M., Laplaud, P. & Luc, G., 1988. Further resolution of the low density lipoprotein spectrum in normal human plasma: physicochemical characteristics of discrete subspecies separated by density gradient ultracentrifugation. *J Lipid Res*, 29(4), pp. 442-458.
- Corbett, S., Stern, J. & Keesey, R., 1986. Energy expenditure in rats with diet-induced obesity. *Am J Clin Nutr*, Volume 44, pp. 173-80.
- Crook, M., 2012. *Clinical Biochemistry & Metabolic Medicine*. Boca Raton, Florida: CRC Press.
- Crook, M. A., 2012. *Clinical Biochemistry and Metabolic Medicine*. London: Hodder Education.
- Daniel, J. & Hovingh, G., 2014. HDL and cardiovascular disease. *Lancet*, Volume 384, pp. 618-625.
- den Besten, G. et al., 2013. The role of short-chain fatty acids in the interplay between diet, gut microbiota and host energy metabolism. *Journal of Lipid Research*, Volume 54, pp. 2325-2340.
- Ekelund, U. et al., 2007. Association of weight gain in infancy and early childhood with metabolic risk in young adults. *J Clin Endocrinol Metab*, Volume 92, pp. 98-103.
- Fairudz, A. & Nisa, K., 2015. Pengaruh Serat Pangan terhadap Kolesterol Penderita Overweight. *Majority*, 4(8), p. 121.
- Feingold, K. & Grunfeld, C., 2015. *Introduction to Lipids and Lipoproteins*. s.l.:s.n.
- Frassen, R., Monajemi, H., Stroes, E. & Kastelein, J., 2011. Obesity and Dyslipidemia. *Med Clin N Am*, Volume 95, pp. 893-902.
- Fujita, Y., Kouda, K., Nakamura, H. & Iki, M., 2013. Association of rapid weight gain during early childhood with cardiovascular risk factors in Japanese adolescents. *J Epidemiol*, 23(2), pp. 103-108.
- Giustiani-Garcia, D. & Stein, R., 2016. Genetics of Dyslipidemia. *Arq Bras Cardiol*, May, 106(5), pp. 434-438.
- Go, A. S., Mozaffarian, D., Roger, V. & Benjamin, E. e. a., 2014. *Heart Disease and Stroke Statistics-2014 Update*, s.l.: s.n.

- Goldberg, A., 2015. *Dyslipidemia*, s.l.: s.n.
- Goldstein, J. & Brown, M., 1984. Progress in understanding the LDL receptor and HMG-Coa reductase, two membrane proteins that regulate the plasma cholesterol. *J Lipid Res*, 29(4), pp. 1450-1461.
- Goldstein, J. & Brown, M., 2009. History of Discovery: The LDL Receptor. *Arterioscler Thromb Vasc Biol*, 29(4), pp. 431-438.
- Greiner, T. & Backhed, F., 2011. Effects of the gut microbiota on obesity and glucose homeostasis. *Trends in Endocrinology and Metabolism*, 22(4), pp. 117-123.
- Hariri, N. & Thibault, L., 2010. High-fat diet-induced obesity in animal models. *Nutrition Research Reviews*, 23(02), pp. 270-299.
- Harper, C. R. & Jacobson, T. A., 2010. Using Apolipoprotein B to Manage Dyslipidemic Patients: Time for a Change?. *Mayo Clin Proc.*, May, 85(5), pp. 440-445.
- Ishimoto, T. et al., 2012. Opposing effects of fructokinase C and A isoforms on fructose-induced metabolic syndrome in mice. *Proc Natl Acad Sci U.S.A*, Mar, 109(11), pp. 4320-5.
- Jager, S., Handschin, C. & Spiegelman, B., 2007. AMP-activated protein kinase (AMPK) action in skeletal muscle via direct phosphorylation of PGC-1 alpha. *Proc. Natl. Acad. Sci. USA*, Volume 104, pp. 12017-12022.
- Jellinger, P. S. et al., 2012. *American Association of Clinical Endocrinologists' Guidelines for Management of Dyslipidemia and Prevention of Atherosclerosis*. s.l., s.n.
- Jia, Y.-J. et al., 2013. Dyslipidemia in rat fed with high-fat diet is not associated with PCSK9-LDL-receptor pathway but ageing. *Journal of Geriatric Cardiology*, Volume 10, pp. 361-368.
- Johnson, R. J. et al., 2009. Hypothesis: Could Excessive Fructose Intake and Uric Acid Cause Type 2 Diabetes. *Endocrine reviews*, 30(1), pp. 96-116.
- Joossens, J., 1988. Mechanism of hypercholesterolemia and atherosclerosis. *Acta Cardiol Suppl*, Volume 29, pp. 63-83.
- Kenneth Walker, H., Dallas Hall, W. & Willis Hurst, J., 1990. *Clinical Methods*, 3rd edition. Georgia: Emory University School of Medicine.
- Kimura, I., Inoue, D. & Tsujimoto, G., 2014. The SCFA receptor GPR43 and energy metabolism. *Frontiers in Endocrinology*, Volume 5.
- Koolman, J. & Roehm, K., 2004. *Color Atlas of Biochemistry*. New York: Thieme Stuttgart.
- Kopelman, P., 2007. Health risk associated with overweight and obesity. *Obesity reviews*, 8(1), pp. 13-17.

- Kumar, V. et al., 2010. *Pathologic Basic of Disease, 8th ed.* Philadelphia: Saunders Elsevier Inc.
- Kusharto, C., 2006. Serat makanan dan peranannya bagi kesehatan. *Jurnal Gizi dan Pangan*, Volume 2, pp. 45-54.
- Kusharto, C., 2006. Serat Makanan dan Peranannya Bagi Kesehatan. *Jurnal Gizi dan Pangan*, 1(2), pp. 45-54.
- Kwiterovich, P. O. et al., 2003. Effect of a high-fat ketogenic diet on plasma levels of lipids, lipoproteins and apolipoproteins in children. *Journal of American Medical Association*, 290(7), pp. 912-920.
- Lattimer, J. M. & Haub, M. D., 2010. Effects of dietary fiber and its components on metabolic health. *Nutrients*, Volume 2, pp. 1266-1289.
- Leadbetter, J., Ball, M. & Mann, J., 1991. Effects of increasing quantities of oat bran in hypercholesterolemic people. *Am J Clin Nutr*, Volume 841-5, p. 54.
- Lee, C.-H. et al., 2006. PPAR $\delta$  regulates glucose metabolism and insulin sensitivity. *PNAS*, 103(9), pp. 3444-3449.
- Le, K. et al., 2006. A 4-wk high diets alters lipid metabolism without affecting insulin sensitivity or ectopic in healthy humans. *Am J Clin Nutr*, Volume 84, pp. 1374-79.
- Libby, P., 2005. The forgotten majority: unfinished business in cardiovascular risk reduction. *J Am Coll Cardiol*, 4 Oct, 46(7), pp. 1225-8.
- Lin, J., Handschin, C. & Spiegelman, B., 2005. Metabolic control through the PGC-1 family of transcription coactivators. *Cell Metab*, Volume 1, pp. 361-370.
- Lopez-Garcia, E. et al., 2005. Consumption of Trans Fatty Acid is Related to Plasma Biomarkers of Inflammation and Endothelial Dysfunction. *J. Nutr*, Volume 135, pp. 562-566.
- Maki, K. C. et al., 2010. Whole-Grain Ready-to-Eat Oat Cereal, as Part of a Dietary Program for Weight Loss, Reduces Low-Density Lipoprotein Cholesterol in Adults with Overweight and Obesity More than a Dietary Program Including Low-Fiber Control Foods. *Journal of the American Dietetic Association*, 110(2), pp. 205-215.
- Mann, J. & Truswell, A. S., 2012. Lipids. In: *Essentials of Human Nutrition Fourth Edition*. s.l.:Oxford University Press, pp. 49-69.
- Maryanto, S., 2003. Pengaruh Pemberian Serat Buah Jambu Biji (*Psidium guajava* L) terhadap Profil Lipid Serum Tikus Sprague Dawley Hiperkolesterolemia. *Tesis*.
- Maryanto, S., Fatimah, S., Sugiri & Marsono, Y., 2013. Efek pemberian buah jambu biji merah terhadap produksi SCFA dan kolesterol dalam caecum tikus hiperkolesterolemia. *Agritech*, Agustus.33(3).

- Mayes, P. A., 2003. *Biokimia Harper Edisi 5*. Jakarta: EGC.
- Mensink, R. P., Zock, P. L., Kester, A. D. & Katan, M. B., 2003. Effects of dietary fatty acids and carbohydrates on the ratio serum total to HDL cholesterol and on serum lipids and apolipoprotein: a meta-analysis of 60 controlled trials. *Am J Clin Nutr*, Volume 77, pp. 1146-55.
- Miller, M. et al., 2011. Triglycerides and cardiovascular disease: a scientific statement from the American Heart Association. *Circulation*, 123(20), pp. 2292-2333.
- Nashriana, N., Wirjatmadi, B. & Adriani, M., 2015. Combined food (bekatul dan lemak) menurunkan kadar kolesterol total, trigliserida dan LDL pada tikus galur wistar. *Jurnal Kedokteran Brawijaya*, Februari.28(3).
- Panchal, S. K. et al., 2011. High-carbohydrate, High-fat Diet-induced metabolic syndrome and Cardiovascular Remodeling in Rats. *J Cardiovasc Pharmacol*, May.57(5).
- Pasquier, B. et al., 1996. Emulsification and lipolysis of triacylglycerol are altered by viscous soluble dietary fiber in acidic gastric medium in vitro. *Biochem J*, Volume 314, pp. 269-275.
- Peng, C.-H. et al., 2013. Oat attenuate non alcoholic fatty liver and obesity via inhibiting lipogenesis in high fat-fed rat. *Journal of Functional Food*, Volume 5, pp. 53-61.
- PERKENI, 2015. *Panduan Pengelolaan Dislipidemia di Indonesia*. Jakarta: PB Perkeni .
- Peterson, A. & McBride, P., 2012. A review of guidelines for dyslipidemia in children and adolescents. *WMJ*, 111(6), pp. 274-281.
- Peterson, A. & McBride, P., 2012. A review of guidelines for dyslipidemia in children and adolescents. *WMJ*, 111(6), pp. 274-281.
- Popkin, B. M., Adair, L. S. & Ng, S. W., 2012. The Global Nutrition Transition: The Pandemic of Obesity in Developing Countries. *Nutr Rev*, 70(1), pp. 3-21.
- Reeves, Nielsen & Fahey, 1993. AIN-93 purified diets for laboratory rodents: final report of the American Institute of Nutrition ad hoc writing committee on the reformulation of the AIN-76A rodent diet. *The Journal of Nutrition*, 123(11), pp. 1939-51.
- Reyna-Villasmil, N. et al., 2007. Oat-derived beta glucan significantly improves HDLC and diminishes LDLC and non-HDL cholesterol in overweight individuals with mild hypercholesterolemia. *American Journal of Therapeutics*, Volume 14, pp. 203-212.
- Rohman, M., 2007. Patogenesis dan Terapi Sindroma Metabolik. *Jurnal Kardiologi Indonesia*, 28(2), pp. 160-168.

- Sanchez Lozada, L. et al., 2007. Fructose induced metabolic syndrome is associated with glomerular hypertension and renal microvascular damage in rat. *Am J Physiol*, Volume 292, pp. F423-F29.
- Santiago, L. et al., 2002. Hypercholesterolemia and associated cardiovascular risk factor in young children and adolescent. *Portuguese Journal of Cardiology*, 21(3), pp. 301-313.
- Santoso, A., 2011. Serat Pangan (Dietary Fiber) dan Manfaatnya bagi Kesehatan. *Magistra*, 75(23).
- Sasidharan, S. et al., 2013. An Experimental Approach for Selecting Appropriate Rodent Diets for Research Studies on Metabolic Disorders. *Biomed Research International*, Volume 2014.
- Schaefer, E. J., Gleason, J. A. & Dansinger, M. L., 2009. Dietary Fructose and Glucose Differentially Affect Lipid and Glucose Homeostasis. *The Journal of Nutrition*, pp. 1257S-1262S.
- Singh, A., Singh, S., Agrawal, N. & Gopal, K., 2011. Obesity and dyslipidemia. *Int J Biol Med Res*, 2(3), pp. 824-828.
- Skoog, S. & Bharucha, A., 2004. Dietary fructose and gastrointestinal symptoms: a review. *Am J Gastroenterol*, 99(10), pp. 2046-50.
- Slavin, J., 2013. Fiber and prebiotics: mechanisms and health benefits. *Nutrients*, 5(4), pp. 1417-35.
- Stanhope, K. & Havel, P., 2008. Fructose consumption: Potential mechanism for its effects to increase visceral adiposity and induce dyslipidemia and insulin resistance. *Curr opin in Lipidol*, Volume 19, pp. 16-4.
- Sunarti, 2017. *Serat Pangan dalam Penanganan Sindrom Metabolik*. Yogyakarta: Gadjah Mada University Press.
- Taghibiglou, C. et al., 2000. Mechanism of hepatic very low density lipoprotein overproduction in insulin resistance. *Biol Chem*, pp. 8416-25.
- Taskinen, M.-R., 2002. Diabetic dyslipidemia. *Atherosclerosis Supplements* 3, pp. 47-51.
- Teff, K. et al., 2004. Dietary fructose reduce circulating insulin and leptin, attenuates post prandial suppression of ghrelin and increases triglyceride in women. *J Clin Endocrinol Metab*, Volume 89, pp. 2963-72.
- Teng, K.-T., Chang, C.-Y., Chang, L. F. & Nesaretnam, K., 2014. Modulation of obesity-induced inflammation by dietary fats: mechanisms and clinical evidence. *Nutrition Journal*, 13(12).

- Tepperman, H., Dewitt, J. & Tepperman, J., 1986. Effect of a high fat diet on rat adipocyte lipolysis: responses to epinephrine, forskolin, methylisobutylxanthine, dibutyryl cyclic AMP, insulin and nicotinic acid. *J Nutr*, Volume 1984-991, p. 116.
- Truesdale, K. P., Stevens, J. & Cai, J., 2005. The effect of weight history on glucose and lipids. *Am J Epidemiol*, 161(12), pp. 1133-1143.
- Ulven, S., Dalen, K., Gustafsson, J. & Nebb, H., 2005. LXR is crucial in lipid metabolism. *Prostaglandins Leukot Essent Fatty Acids*, 73(1), pp. 59-63.
- Verges, B., 2015. Pathophysiology of diabetic dyslipidemia: where are we. *Diabetologia*, 58(5), pp. 886-899.
- Yang, Z.-X., Shen, W. & Hang, S., 2010. Effects of nuclear receptor FXR on the regulation of liver lipid metabolism in patients with non-alcoholic fatty liver disease. *Hepatol Int*, Volume 4, pp. 741-748.
- Younes, H., Levrat, M.-A., Demigne, C. & Remesy, C., 1995. Resistant starch is more effective than cholestyramine as a lipid-lowering agent in rat. *Lipids*, September, 30(9), pp. 847-853.
- Zaki, I., Johan, A. & Nyoman, S. W., 2015. Pengaruh pemberian jus mangga terhadap profil lipid dan malondialdehyde pada tikus yang diberi minyak jelantah. *Jurnal Gizi Indonesia*, 3(2), pp. 108-115.