

DAFTAR PUSTAKA

- Adriani, R., Effendy, C., & Nurhesti, P. O. Y. (2009). Perbedaan tingkat pengetahuan perawat pre dan post pemberian *booklet* diagnosa keperawatan dan masalah kolaboratif pada pasien stroke. *JIK*, 4(3), 160-165. Akses 11 Maret 2018 pukul 07.30 WIB. <https://journal.ugm.ac.id/jik/article/view/10531/7931>
- Agusman, F., W, Chatarina U., Nursalam, Mahfud, H., Kuntoro, Notobroto, H.B., Hargono, R., Widjonarko, B. (2015). A model of independent restorative nursing care on ischemic stroke patients. *IOSR Journal of Nursing and Health Science*, 4(1), 27-32. doi: 10.9790/1959-04122732. Akses 18 Maret 2017 pukul 14.53 WIB. <https://doi.org/10.9790/1959-04122732>
- Alemayehu, C. M., & Birhanesilasie, S. K. (2013). Assessment of stroke patients: occurrence of unusually high number of haemorrhagic stroke cases in tikot anbessa specialized hospital, addis ababam ethiopia. *Clinical Medicine Research*, 2(5), 94-100. Akses 11 Maret 2018 pukul 08.10 WIB. <http://article.sciencepublishinggroup.com/pdf/10.11648.j.cmr.20130205.11.pdf>
- Ambalavanan, D. (2014). *The characteristics of ischemic stroke patients and the treatment pattern in RSUP Dr. Sardjito Yogyakarta* (thesis). Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta, Indonesia. Akses 4 Februari 2017 pukul 10.33 WIB. <http://etd.repository.ugm.ac.id/index.php?mod=download&sub=DownloadFile&act=view&typ=html&id=79200&ftyp=potongan&potongan=title.pdf>
- American Heart Association. (2015a). Ischemic stroke. Akses 6 Februari 2017 pukul 22.42 WIB. http://www.strokeassociation.org/idc/groups/stroke-public/@wcm/@hcm/documents/downloadable/ucm_309725.pdf
- American Heart Association. (2015b). Stroke, TIA and warning signs. Akses 6 Februari 2017 pukul 22.43 WIB. http://www.strokeassociation.org/idc/groups/stroke-public/@wcm/@hcm/@sta/documents/downloadable/ucm_309532.pdf
- American Nurses Association (2010). *Nursing: Scope and Standards of Practice*, 2nd Edition. Silver Spring, MD.
- Aminoff, M.J., Boller, F., & Swaab, D.F. (2009). *Handbook of clinical neurology*. Amsterdam: Elsevier B.V.
- Anggraeni, A. (2016). *Gambaran tindakan perawat pada pasien post operasi dengan nyeri di rsud panembahan senopati bantul yogyakarta*. Fakultas Kedokteran dan Ilmu Kesehatan, Universitas Muhammadiyah Yogyakarta. Akses 18 Mei 2017 pukul 20.36 WIB. <http://repository.umy.ac.id/bitstream/handle/123456789/2690/HALAMAN%20JUDUL.pdf?sequence=2&isAllowed=y>
- Arikunto, S. (2013). *Prosedur penelitian suatu pendekatan praktik*. Jakarta: PT Rineka Cipta
- Aslani, Z., Alimohammadi, N., Taleghani, F., & Khorasani, P. (2016). Nurses's empowerment in self-care education to stroke patients: an action research

- study. *IJCBNM*, 4(4), 329-338. Akses 12 April 2018 pukul 06.29 WIB. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5045977/pdf/IJCBNM-4-329.pdf>
- Astuti, A. D. (2017). *Gambaran indikator klinis dari diagnosis keperawatna (NANDA-i) fatigue dan piper fatigue scale pada pasien di instalasi dialisis rsup dr. sardjito*. Fakultas Kedokteran Universitas Gadjah Mada, Yogyakarta.
- Badan Penelitian dan Pengembangan Kesehatan. (2013). Riset kesehatan dasar; RISKESDAS. Akses 31 Januari 2017 pukul 03.54 WIB. www.depkes.go.id
- Baillie, L. & Gallagher, A. (2011). Respecting dignity in care in diverse care settings: strategies of UK nurses. *International Journal of Nursing Practice*, 17(4), 336-341. Akses 25 Maret 2018 pukul 21.09 WIB. <https://doi.org/10.1111/j.1440-172X.2011.01944.x>
- Banfield, B.E. (2011). Environment: A perspective of the self-care deficit Nursing theory. *Nursing Science Quarterly*, 24(2), 96-100. Doi: 10.1177/0894318411399457. Akses 6 Februari 2017 pukul 03.54 WIB. <http://journals.sagepub.com/doi/pdf/10.1177/0894318411399457>
- Begin, L. (2007). The nursing student's practical guide to writing care plans. Akses 16 Juni 2017 pukul 14.48 WIB. <https://www.bristolcc.edu/media/bcc-website/students/writingcenter/tips/The,Nursing,Students,Guide,to,Writing,Care,Plans.pdf>
- Belgen, B., Beninato, M., Sullivan, P.E., & Narielwalla, K. (2006). The association of balance capacity and falls self-efficacy with history of falling in community-dwelling people with chronic stroke. *Archives of Physical Medicine and Rehabilitation*, 87(4), 554-561. doi: 10.1016/j.apmr.2005.12.027. Akses 28 Februari 2017 pukul 06.58 WIB. [http://www.archives-pmr.org/article/S0003-9993\(05\)01495-4/fulltext](http://www.archives-pmr.org/article/S0003-9993(05)01495-4/fulltext)
- Bergbom, I., Pettersson, M., & Mattsson E. (2017). Patient clothing-practical solution or means of imposing anonymity?. *Journal of Hospital & Medical Management*, 3(3), 1-6. Akses 8 April 2018 pukul 11.40 WIB. <http://hospital-medical-management.imedpub.com/patient-clothing--practical-solution-or-means-of-imposing-anonymity.pdf>
- Braun, A., Herber, V., & Michaelsen, S.M. (2012). Relationship among physical activity level, balance and quality of life in individuals with hemi paresis. *Revista Brasileira De Medicina Do Esporte*, 18(1), 30-34. Akses 28 Februari pukul 05.05 WIB. http://www.scielo.br/pdf/rbme/v18n1/en_06.pdf
- Bulechek, G.M., Butcher, H.K., Dochterman, J.M., & Wagner, C.M. (2013). Nursing intervention classification (NIC), Sixth Edition.
- Cavalcante, T.F., Moreira, R.P., Guedes, N.G., de Araujo, T.L., Lopes, M.V. de O., Damasceno, M.M.C., & Lima, F.E.T. (2011). Nursing intervention for stroke patients: an integrative literature review. *Rev Esc Enferm USP*, 45(6), 1486-1490. Akses 20 Oktober 2016 pukul 10.09 WIB. http://www.scielo.br/pdf/reeusp/v45n6/en_v45n6a31.pdf
- Centers for Disease Control and Prevention. (2016). Stroke fact sheet. Akses 31 Januari 2017 pukul 04.27 WIB. <https://www.cdc.gov/stroke/facts.htm>
- Chan, L., Lin, Y.-D., Liu, & C.-H. (2016). World stroke day in taiwan: raising public awareness of stroke. *International Journal of Gerontology*, 10(3), 175-

179. doi: 0.1016/j.ijge.2016.03.009. Akses 24 Februari 2017 pukul 19.13 WIB.
www.sciencedirect.com/science/article/pii/S1873959816300722
- Chen, W., Srinivasan, S.R., & Berensom, G.S. (2010). Amplification of the association between birthweight and blood pressure with age: the bogalusa heart study. *Journal Hypertens*, 28(10), 2046-2052. doi: 10.1097/HJH.0b013e32833cd31f. Akses 15 Maret 2017 pukul 05.35 WIB.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3105358/>
- Civelek, G.M., Atalay, A., & Turhan, N. (2016). Medical complication experienced by first-time ischemic stroke patients during inpatient, tertiary level stroke rehabilitation. *Journal Phys Ther Sci*, 28, 382-291. Akses 5 Mei 2017 pukul 18.50 WIB. https://www.jstage.jst.go.jp/article/jpts/28/2/28_jpts-2015-746/_pdf
- Clayton, B. (2014). Clustered stroke patients on a general medical unit: what nursing skills and knowledge contribute to optimal patient outcome?. *Canadian Journal of Neuroscience Nursing*, 36(3), 32-40. Akses 1 April 2018 pukul 07.44 WIB.
<https://pdfs.semanticscholar.org/b6d4/01e9e260301200640147526437e4233ff25d.pdf>
- Clinical Practice Guideline Development Group for The Management of Stroke Patients in Primary Health Care. (2009). Akses 18 Maret 2017 pukul 15.16 WIB.
http://www.guiasalud.es/GPC/GPC_466_Ictus_AP_Lain_Entr_compl_en.pdf
- Collin, C., Wade, D.T., & Horne, V. (1988). The barthel adl index: a reliability study. *Int. Disability Studies*, 10(2). 61-63. Akses 24 Agustus 2017 pukul 19.42 WIB. <http://sci-hub.cc/10.3109/09638288809164103>
- Davis, L. L. (1992). Instrument review: getting the most from a panel of experts. *Applied Nursing Research*, 5, 194-197. Akses 27 Agustus 2017 pukul 19.08 WIB. [http://doi.org.oiolo.sci-hub.cc/10.1016/S0897-1897\(05\)80008-4](http://doi.org.oiolo.sci-hub.cc/10.1016/S0897-1897(05)80008-4)
- Demir, Y.P., Balci, N.C., Unluer, N.O., Ulug, N., Dogru, E., Kilinc, M., & Yildirim, S.A., & Yilmaz, O. (2015). Three different points of view in stroke rehabilitation: patient, caregiver, and physiotherapist. *Topics in Stroke Rehabilitation*, 22(5), 377-385. doi: 10.1179/1074935714Z.0000000042. Akses 2 Februari 2017 pukul 18.39 WIB.
<http://www.tandfonline.com/doi/full/10.1179/1074935714Z.0000000042>
- Downey, L., & Lloyd, H. (2008). Bed bathing patients in hospital. *Nursing Standard*, 22(34), 35-40. Akses 28 Maret 2008 pukul 05.50 WIB.
<http://nrl.northumbria.ac.uk/1837/1/Downey%20L%2C%20Lloyd%20H%20-%20Bed%20bathing%20patients%20in%20hospital%20-%20article.pdf>
- F, Y. (2003). Content validity and its estimation. *Journal Of Medical Education*, 3(1), 25-27.
- Fadlulloh, S.F., Upoyo, A.S., & Hartanto, Y.D. (2014). Hubungan tingkat ketergantungan dalam pemenuhan aktivitas kehidupan sehari-hari dengan harga diri penderita stroke di poliklinik syaraf RSUD Prof. Dr. Margono Soekarjo Purwokerto. *Jurnal Keperawatan Soedirman*, 9(2), 134-145. Akses 27 Februari 2017 pukul 21.28 WIB.
<http://jks.fikes.unsoed.ac.id/index.php/jks/article/view/579/319>

- Fujita, T., Nagayama, H., Sato, A., Yamamoto, Y., Yamane, K., Otsuki, K., Tsuchiya, K., & Tozato, F. (2016). Hierarchy of dysfunction related to dressing performance in stroke patients: a path analysis study. *Plos One*, *11*(3), 1-9. doi: 10.1371/journal.pone.0151162. Akses 19 Oktober 2016 pukul 19.48 WIB. <https://www.ncbi.nlm.nih.gov/pubmed/26954499>
- Fujita, T., Sato, A., Yamamoto, Y., Otsuki, K., Iokawa, K., Sone, T., Midorikawa, M., Tsuchiya, K., Bumsuk, L., & Tozato, F. (2016). Propensity-matched analysis of the gap between capacity and actual performance of dressing in patients with stroke. *The Journal of Physical Therapy Science*, *28*, 1883-1887. Akses 2 Februari 2017 pukul 04.37 WIB. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4932080/>
- Fujita, T., Sato, A., Yamamoto, Y., Yamane, K., Otsuki, K., Tsuchiya, K., & Tozato, F. (2015). relationship between dressing and motor function in stroke patients: a study with partial correlation analysis. *Journal Phys Ther Sci*, *27*(12), 3771-3771. Akses 15 Februari 2017 pukul 17.59 WIB. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4713788/>
- Fung, T.T., Chiuve, S.E., McCullough, M.L., Rextrode, K.M., Logroscino, G., & Hu, F.B. (2008). Adherence to a dash-style diet and risk of coronary heart disease and stroke in women. *Archives of Internal Medicine*, *168*(7), 713-720. doi: 10.1001/archinte.168.7.713. akses 16 Maret 2017 pukul 07.50 WIB. <http://jamanetwork.com/journals/jamainternalmedicine/fullarticle/414155>
- Gamborg, M., Byberg, L., Rasmussen, F., Andersen, P.K., Baker, J.L., Bengtsson, C., Canoy, D., Droyvold, W., Eriksson, J.G., Forsen, T., Gunnarsdottir, I., Jarvelin, M.-R., Koupil, I., Lapidus, L., Neilsen, T.I., Olsen, S.F., Schack-Nielsen, L., Thorsdottir, I., Tuomainen, T.-P., & Sorensen, T.I.A. (2007). birth weight and systolic blood pressure in adolescence and adulthood: meta-regression analysis of aex-and age-specific result from 20 nordic studies. *American Journal of Epidemiology*, *166*(6), 634-645. doi: 10.1093/aje/kwm042. Akses 15 Maret 2017 pukul 04.52 WIB. <https://academic.oup.com/aje/article-lookup/doi/10.1093/aje/kwm042>
- Gencturk, N., Ay, F., Demirci, S., Acamur, Z., Izdes, S., & Bulut, A. (2017). An examination of the nursing records of cerebrovascular disease patients in intensive care. *International Journal of Caring Science*, *10*(1), 413-420. Akses 7 April 2018 pukul 04.07 WIB. <https://pdfs.semanticscholar.org/91cf/fcb8fcee44ff8ff0c4d28ed494ac31ab0a0.pdf>
- Geyer, J.D., & Gomez, C.R. (2009). *Stroke: a practical approach*. Lippincott Williams & Wilkins.
- Gialanella, B., Santoro, R., & Ferlucci, C. (2013). Predicting outcome after stroke: the role of basic activities of daily living. *European Journal of Physical and Rehabilitation Medicine*, *49*(5), 629-637. Akses 9 Februari 2017 pukul 05.26 WIB. <https://www.ncbi.nlm.nih.gov/pubmed/22641250>
- Goldstein, L. B., Adams, R., Alberts, M. J., Appel, L. J., Brass, L. M., DeGraba, T. J., Gorelick, P. B., Guyton, J. R., Hart, R. G., Howard, G., Kelly-Hayes, M., Nixon, J. V. (Ian), & Sacco, R. L. (2006). Primary prevention of ischemic stroke. a guideline from the american heart association/american stroke

- association stroke council: cosponsored by the atherosclerotic peripheral vascular disease interdisciplinary working group; cardiovascular nursing council; clinical cardiology council; nutrition, physical activity, and metabolism council; and the quality of care and outcomes research interdisciplinary working group. *Stroke*, 37(6), 1583-1633. Akses 10 Maret 2018 pukul 07.30 WIB. <http://strokeahajournals.org>
- Graham, M., Milanowski, A., & Miller, J. (2012). Measuring and promoting inter-rater agreement of teacher and principal performance ratings. Center for Educator Compensation Reform Westat. Akses 22 Januari 2018 pukul 13.33 WIB. <https://files.eric.ed.gov/fulltext/ED532068.pdf>
- Hafsteinsdottir, T. B., Varekamp, R., Resink, M., van Linge, R., Lindeman, E., Schuurmans, M., & On Behalf of the Rehabilitation Guideline Stroke Working Group. (2013). Feasibility of a nursing rehabilitation guideline for patients with stroke: evaluating the use by nurses. *Disability & Rehabilitation*, 35(1), 939-949. Akses 12 April 2018 pukul 07.39 WIB. <https://scihub.tw/10.3109/09638288.2012.721049>
- Haghgoo, H.A., Pazuki, E.S., Hosseini, A.S., & Rassafiani, M. (2013). Depression, activities of daily living and quality of life in patients with stroke. *Journal of the Neurological Sciences*, 328(1), 87-91. doi: 10.1016/j.jns.2013.02.027. Akses 8 Februari 2017 pukul 18.06 WIB. <https://www.ncbi.nlm.nih.gov/pubmed/23522526>
- Hall, E. O. C., & Hoy, B. (2011). Re-establishing dignity: nurses' experiences of caring for older hospital patients. *Scandinavian Journal of Caring Science*, 1-8. Akses 27 Maret 2018 pukul 06.48 WIB. <https://scihub.tw/https://doi.org/10.1111/j.1471-6712.2011.00931.x>
- Hankey, G.J. (2013). Secondary stroke prevention. *Lancet Neural*, 13(2), 178-194. doi: 10.1016/S1474-4422(13)70255-2. Akses 1 Februari 2017 pukul 06.02 WIB. [http://www.thelancet.com/journals/lanneur/article/PIIS1474-4422\(13\)70255-2/fulltext](http://www.thelancet.com/journals/lanneur/article/PIIS1474-4422(13)70255-2/fulltext)
- Hansell, R. & Chapman, H. M. (2013). *Washing and dressing: a care plan*. Faculty of Health and Social Care University of Chester. Akses 4 April 2018 pukul 05.52 WIB. https://s3.amazonaws.com/academia.edu.documents/31267057/FINALNewScholar_2013NSC1.pdf?AWSAccessKeyId=AKIAIWOWYYGZ2Y53UL3A&Expires=1522797830&Signature=4d9asb6MZbCoFWu9VtvUmlRHW08%3D&response-content-disposition=inline%3B%20filename%3DAttitudes_of_nursing_staff_to_inpatient.pdf#page=12
- Hanung, S. (2016). Implementasi AHS di RSUP Dr. Sardjito. Akses 25 Agustus 2017 pukul 22.39 WIB. <http://fk.ugm.ac.id/wp-content/uploads/2016/12/dr.-Syafak-Hanung-SpA-IMPLEMENTASI-AHS-di-Sardjito.pdf>
- Haor, B., Rybka, M., Antczak, A., & Kwasiborska, A. (2015). Determinants of functional capacity of patients who experienced haemorrhagic stroke. *The Journal of Neurological and Neurosurgical Nursing*, 4(2), 62-68. Akses 7 April 2018 pukul 14.06 WIB. www.jnnn.pl/index.php/neurological-and-neurosurgical/article/download/99/80

- Herdman, T.H., & Kamitsuru, S. (Eds.). (2014). *NANDA international nursing diagnoses: definition & classification, 2015-2017*. Oxford: Wiley Blackwell
- Howard, V.J., Woolson, R.F., Egan, B.M., Nicholas, J.S., Robert, J.A., Howard, G., & Lackland, D.T. (2011). Prevalence of hypertension by duration and age at exposure to the stroke belt. *Journal Am Soc Hypertens*, 4(1), 32-41. doi: 10.1016/j.jash.2010.02.001. Akses 15 Maret 2017 pukul 04.57 WIB. <https://www.ncbi.nlm.nih.gov/pubmed/20374949>
- Hoy, B., Wagner, L., & Hall, E. O. C. (2007). The elderly patient's dignity. The core value of health. *International Journal of Qualitative Studies on Health and Well-Being*, 2, 160-168. Akses 7 April 2018 pukul 07.50 WIB. <https://www.tandfonline.com/doi/pdf/10.1080/17482620701472447>
- Iwai, N., Aoyagi, Y., Tokuhisa, K., Yamamoto, J., & Shimada, T. (2011). The gaps between capability ADL and performance ADL of stroke patients in a convalescent rehabilitation ward based on the functional independence measure. *Journal Phys. Ther. Sci*, 23(2), 333-338. Akses 3 Februari 2017 pukul 22.09 WIB. https://www.jstage.jst.go.jp/article/jpts/23/2/23_2_333/_pdf
- Jordan, L-A., Mackey, E., Coughlan, K., Wyer, M., Allnutt, N., & Middleton, S. (2011). Continence management in acute stroke: a survey of current practice in australia. *Journal of Advanced Nursing*, 67(1), 94-104. Akses 10 Maret 2018 pukul 22.23 WIB. <https://sci-hub.tw/https://doi.org/10.1111/j.1365-2648.2010.05480.x>
- Kabita, K., & Ajish, S. (2016). *Evidence based nursing care for an acute stroke: theoretical study*. University of Applied Sciences. Akses 23 Maret 2017 pukul 21.52 WIB. <https://www.theseus.fi/handle/10024/118607>
- Kaur, M., Vati, J., & Kaur, S. (2006). Self care deficits of admitted patients. *Nursing and Midwifery Research Journal*, 2(1), 10-15. Akses 1 Maret 2017 pukul 02.38 WIB. <http://medind.nic.in/nad/t06/i1/nadt06i1p1.pdf>
- Kaur, N., Kaur, J., & Thapar, K. (2015). Perceived self-care deficit and social support system among the elderly. *Nursing and Midwifery Research Journal*, 11(3), 112-119. Akses 5 Februari 2017 pukul 12.08 WIB. <http://medind.nic.in/nad/t15/i3/nadt15i3p112.pdf>
- Kenny, T. (2017). Stroke. Akses 6 Februari 2017 pukul 15.11 WIB. patient.info/health/stroke-leaflet Discuss
- Koul, R. (2011). *Augmentatif & alternatif communication for adults with aphasia*. Emerald Group Publishing Limited.
- Kurtz, C.P., & Schmidt, N.A. (2016). Conceptualizing cognitif-behavioral therapy as a supportive-educative nursing system for patients with insomnia. *Self Care, Dependent-Care & Nursing*, 22(1), 18-19. Akses 23 Maret 2017 pukul 21.35 WIB. https://static1.squarespace.com/static/55f1d474e4b03fe7646a4d5d/t/56feb8e0f850820b9f00a168/1459534056695/Vol22_No01_Spring_2016-1.pdf
- Latifah, L. N. (2016). Pemenuhuna kebutuhan *activity daily living* pasien stroke oleh perawat di rumah sakit pku muhammadiyah yogyakarta dan gamping. Fakultas Kedokteran Universitas Muhammadiyah Yogyakarta. Akses 10 Maret 2018 pukul 07.50 WIB. journal.student.uny.ac.id/ojs/index.php/fipbk/article/download/215/196

- Lee, E., & Park, H. (2015). Comparison of indirect nursing intervention performed by korean and u.s. nurses using the nursing intervention classification (NIC) system. *International Journal of Nursing Knowledge*, 1-7. Akses 4 Januari 2017 pukul 18.58 WIB. <http://onlinelibrary.wiley.com/resolve/doi?DOI=10.1111/2047-3095.12093>
- Lee, M., Saver., J.L., Chang, B., Chang, K.-H., Hao, Q., & Ovbiagele, B. (2011). Presence of baseline prehypertension and risk of incident stroke. *Neurology*, 77, 1330-1337. Akses 15 Maret 2017 pukul 03.55 WIB. www.neurology.org/content/77/14/1330
- Lim, S. M., Palethorpe, N., & Rodger, S. (2012). Understanding the common inter-rater reliability measures. *International Journal of Therapy and Rehabilitation* 19(9). 488-496. Akses 27 Agustus 2017 pukul 21.03 WIB.
- Lin, Y-P. & Tsai, Y-F. (2010). Mantaining patients' dignity during clinical care: a qualitative interview study. *Journal of Advanced Nursing* 67(2), 340-348. Akses 25 Maret 2018 pukul 21.17 WIB. <https://sci-hub.tw/10.1111/j.1365-2648.2010.05498.x>
- Liu, L., Zhao, H., Lu, G., Ling, Y., Jiang, L., Cai, H., & Gao, W. (2016). Attitudes of hospitalized patients toward wearing patient clothing in tianjin, china: a cross-sectional study. *International Journal of Nursing Science*, 3(4), 390-393. Akses 10 April 2018 pukul 18.31 WIB. <https://sci-hub.tw/10.1016/j.ijnss.2016.11.005>
- Lopez-Espuela, F., Pedrera-Zamorano, J. D., Jimenez-Caballero, P. E., Ramirez-Moreno, M., Portilla-Cuenca, J. C., Lavado-Garcia, J. M., & Casado-Naranjo, I. (2016). Functional status and disability in patients after acute stroke: a longitudinal study. *American of Critical Care*, 25(2), 144-152. Akses 10 Maret 2018 pukul 07.39 WIB. <http://ajcc.aacnjournals.org/content/25/2/144.full.pdf+html>
- Lucena, A. de.F., Gutierrez, M.G.R.de., Echer, I.C., & Barros, A.L.B.de. (2010). Nursing interventions in the clinical practice of an intensive care unit. *Rev. Latino-Am. Enfermagem*, 18(5), 873-880. doi: 10.1590/S0104-11692010000500006. Akses 8 Februari 2017 pukul 16.23 WIB. <https://www.ncbi.nlm.nih.gov/pubmed/21120405>
- Maharani, S.H. (2014). *Perbedaan tingkat kemampuan aktivitas kehidupan sehari-hari (AKS) pada kejadian stroke iskemik serangan pertama dan berulang*. Universitas Sebelas Maret. Akses 3 Mei 2017 pukul 21.59 WIB. digilibuns.ac.id
- McCray, G. (2013). Assessing inter-rater agreement for nominal judgement variables. *Paper presented at the Language Testing Forum*. Nottingham, November 15-17. Akses 14 Januari 2018 pukul 17.13 WIB. http://www.agreestat.com/research_papers/assessing_inter_rater_agreement_f_or_nominal_judgement_variables.pdf
- McHugh, M. L. (2012). Interrater reliability: the kappa statistic. *Biochem Med*, 22(3), 276-282. Akses 24 Januari 2018 pukul 14.32 WIB. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3900052/>
- McKevitt, C., Fudge, N., Redfern, J., Sheldenkar, A., Crichton, A., Rudd, A.R., Forster, A., Young, J., Nazareth, I., Silver, L.E., Rothwell, P.M., & Wolfe,

- C.D.A. (2011). Self-reported long-term needs after stroke. *Stroke*, *42*, 1398-1403. doi: 10.1161/STROKEAHA.110.598839. Akses 2 Februari 2017 pukul 06.07 WIB. <https://www.ncbi.nlm.nih.gov/pubmed/21441153>
- Melgaard, L., Rasmussen, L. H., Skjoth, F., Lip, G. Y. H., & Larsen, T. B. (2014). Age dependence of risk factors for stroke and death in young patients with atrial fibrillation a nationwide study. *Stroke*, *45*, 1331-1337. Akses 11 Maret 08.00 WIB. <http://stroke.ahajournals.org/content/strokeaha/45/5/1331.full.pdf>
- Mendrofa, F. A., Wahyuni, C. U., Nursalam, Machfoed, H., Kuntoro, Notobroto, H. B., Hargono, R. & Widjonarko, B. (2015). Independency models of nursing self-care for ischemic stroke patient. *International Journal of Public Health Science*, *4*(2), 88-93. Akses 25 Maret 2018 pukul 06.53 WIB. <https://media.neliti.com/media/publications/7218-EN-independency-models-of-nursing-self-care-for-ischemic-stroke-patient.pdf>
- Mercy, M. & Grace, N. (2017). Nursing interventions needed for improving quality of life of stroke patients. Degree Programme in Nursing Laurea University. Akses 25 Maret 2018 pukul 21.00 WIB. http://www.theseus.fi/bitstream/handle/10024/138117/Mwangi%20_Mercy_Ngure_Grace.pdf?sequence=1&isAllowed=y
- Minagawa, T., Tamura, A., Ichihara, T., Hisaka, Y., & Nagahiro, S. (2015). Increasing upper-limb joint range of motion in post-stroke hemiplegic patients by daily hair-brushing. *British Journal of Neuroscience Nursing*, *11*(3), 112-117. Akses 1 April 2018 pukul 08.51 WIB. <https://scihub.tw/https://www.magonlinelibrary.com/doi/pdf/10.12968/bjnn.2015.11.3.112>
- Mlinac, M.E., & Feng, M.C. (2016). Assessment of activities daily living, self-care, and independence. *Archives of Clinical Neuropsychology*, 1-11. doi: 10.1093/arclin/acw049. Akses 7 Februari 2017 pukul 23.00 WIB. <https://www.ncbi.nlm.nih.gov/pubmed/27475282>
- Moorhead, S., Johnson, M., Maas, M.L., & Swanson, E. (2013). Nursing outcomes classification (NOC) 5th ed. ST Louis, Missouri: Elsevier Mosby
- Moreira, R.P., Araujo, T.L. de, & Pagliuca, L.M.F. (2013). Physical mobility of stroke patients in the home: a proposed concept. *Rev Rene*, *14*(5), 920-928. Akses 2 Maret 2017 pukul 07.12 WIB. <http://login.ezproxy.library.ualberta.ca/login?url=http://search.ebscohost.com/login.aspx?direct=true&db=edb&AN=91997203&site=eds-live&scope=site>
- Mostofsky, E., Burger, M. R., Schlaug, G., Mukamal, K. J., Rosamond, W. D., & Mittleman, M. A. (2010). Alcohol and acute ischemic stroke onset: the stroke onset study. *Stroke*, *41*(9), 1845-1849. Akses 16 Maret 2017 pukul 06.58 WIB. <https://doi.org/10.1161/STROKEAHA.110.580092>
- Mostofsky, E., Laier, E., Levitan, E. B., Rosamond, W. D., Schlaug, G., & Mittleman, M. A. (2011). Physical activity and onset of acute ischemic stroke: the stroke onset study. *American Journal of Epidemiology*, *173*(3), 330-336. Akses 16 Maret 2017 pukul 07.03 WIB. <https://doi.org/10.1093/aje/kwq369>
- Moura, N. G. d., do Nascimento, J. C., de Lima, M. A., Frota, N. M., Cristino, V. M., & Caetano, J. A. (2015). Activities of living of disabled people according to the roper-logan-tierney model of nursing. *Rev Rene*, *16*(3), 317-326. doi:

- 10.15253/2175-6783.2015000300004. Akses 27 Juli 2017 pukul 13.52 WIB.
<http://arquivos.info.ufrn.br/arquivos/2016140117ebb6308953400d39572e174/1867-16364-1-PB.pdf>
- Muflihatin, S. K. (2006). *Analisis kesesuaian penggunaan diagnosa keperawatan tujuan dan intervensi dengan nanda, noc (nursing outcome classification) nic (nursing intervention classification) pada pasien stroke rsup dr. sardjito yogyakarta*. Universitas Gadjah Mada. Akses 13 Februari 2017 pukul 09.25 WIB.
- Murti, B. (2011). Validitas dan reliabilitas pengukuran. Fakultas Kedokteran, Universitas Sebelas Maret. Akses 25 April 2017 pukul 20.40 WIB.
<http://fk.uns.ac.id/index.php/download/file/61>
- N, R., E.,C., & Haryani. (2008). Gambaran tingkat ketergantungan *activity daily living* pada pasien haemoragik dan non haemoragik berdasarkan indeks barthel. *JIK*, 3(1), 28-32. Akses 10 Maret 2018 pukul 07.40 WIB.
<https://journal.ugm.ac.id/jik/article/view/10282/7765>
- Nakao, S., Takata, S., Uemura, H., Kashihara, M., Osawa, T., Komatsu, K., Masuda, Y., Okahisa, T., Nishikawa, K., Kondo, S., Yamada, M., Takahara, R., Ogata, Y., Nakamura, Y., Nagahiro, S., Kaji, R., & Yasui, N. (2010). Relationship between Barthel Index scores during the acute phase of rehabilitation and subsequent ADL in stroke patients. *The Journal of Medical Investigation*, 57, 81-88. Akses 24 Agustus 2017 pukul 20.32 WIB.
http://medical.med.tokushima-u.ac.jp/jmi/vol57/pdf/v57_n1-2_p081.pdf
- National Stroke Association. (2013). Explaining stroke. Akses 7 Februari 2017 pukul 03.30 WIB. www.stroke.org
- Ningrum, G. A. (2013). Validasi pelaksanaan nursing intervention classification (NIC) pain management di rsup dr. sardjito yogyakarta. Universitas Gadjah Mada. Akses 19 Juli 2017 pukul 14.00 WIB.
- Nonnenmacher, C. L., Ávila, C. W., Mantovani, V. M., Ambrosina, M. D. O. V., Echer, I. C., & Lucena, A. D. F. (2016). Cross mapping between the priority nursing care for stroke patients treated with thrombolytic therapy and the nursing interventions classification (NIC). *International Journal of Nursing Knowledge*, 0(0), 1–7. doi: 10.1111/2047-3095.12147. Akses 4 Januari 2017 pukul 18.52 WIB.
- Notoatmodjo, S. (2012). Metodologi penelitian kesehatan. Jakarta: Rineka Cipta
- O'Donnell, M.J., Xavier, D., Liu, L., Zhang, H., Chin, S.L., Rao-Melacini, P., Rangarajan, S., Islam, S., Pais, P., McQueen, M.J., Mondo, C., Damasceno, A., Lopez-Jaramillo, P., Hankey, G.J., Dans, A.L., Yusuf, K., Truelsen, T., Diener, H.-C., Sacco, R.L., Ryglewicz, D., Czlonkowska, A., Weimar, C., Wang, X., & Yusuf, S. (2010). Risk Factors for Ischaemic and Intracerebral Haemorrhagic Stroke in 22 Countries (The Interstroke Study): A Case-Control Study. *Lancet*, 376, 112-123. doi: 10.1016/S0140-6736(10)60834-3. Akses 16 Maret 2017 pukul 04.40 WIB.
[http://www.thelancet.com/journals/lancet/article/PIIS0140-6736\(16\)30506-2/fulltext](http://www.thelancet.com/journals/lancet/article/PIIS0140-6736(16)30506-2/fulltext)
- Paramadina, A. T. (2013). Analisa praktik profesi keperawatan kesehatan masyarakat perkotaan pada pasien dengan stroke hemoragik di ruang perawatan

- pu 6 rumah sakit pusat angkatan darat gatot subroto jakarta. Fakultas Keperawatan Universitas Indonesia. Akses 10 Maret 2018 pukul 07.04 WIB. <http://lib.ui.ac.id/file?file=digital/20351575-PR-Aulia%20Titia.pdf>
- Pei, L., Zang, X.-Y., Wang, Y., Chai, Q.-W., Wang, J.-Y., Sun, C.-Y., & Zhang, Q. (2016). Factors associated with activity daily living among the disabled elders with stroke. *International Journal of Nursing Knowledge*, 3, 29-34. Akses 5 Mei 2017 pukul 06.44 WIB. <http://dx.doi.org/10.1016/j.ijnss.2016.01.002>
- Petrea, R. E., Beiser, A. S., Seshadri, S., Kelly-Hayes, M., Kase, C. S., & Wolf, P. A. (2009). Stroke in women-gender differences in stroke incidence and post-stroke disability in the framingham heart study. *Stroke*, 40(4), 1032-1037. Akses 11 Maret 2018 pukul 08.15 WIB. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2676725/pdf/nihms-109499.pdf>
- Pierce, L. L., Finn, M. G., & Steiner, V. (2004). Families dealing with stroke desire information about self-care needs. *Rehabilitation Nursing*, 29(1), 14-17. Akses 19 Februari 2017 pukul 08.42 WIB. <https://doi.org/10.1002/j.2048-7940.2004.tb00294.x>
- Polit, D. F. & Beck, C. T. (2006). The content validity index: are you sure you know what's being reported? critique and recommendations. *Research in Nursing & Health*, 29, 489-497. Akses 25 Agustus 2017 pukul 09.06 WIB. <http://scihub.cc/10.1002/nur.20147>
- Polit, D. F. & Beck, C. T., & Owen, S. V. (2007). Focus on research methods Is the CVI an acceptable indicator of content validity? Appraisal and recommendations. *Research in Nursing & Health*, 30, 459-467. Akses 25 Agustus 2017 pukul 09.06 WIB. <http://www.ncbi.nlm.nih.gov/ololo.scihub.cc/pubmed/17654487>
- Polit, D. F., & Beck, C. T. (2012). *Nursing research: generating and assessing evidence for nursing practice* (9th ed.). China: Wlters Kluwer Health
- Pongmoragot, J., Lee, D. S., Park, T. H., Fang, J., & Austin, P. C. (2016). Stroke and heart failure: clinical features, access to Care, and outcomes. *Journal of Stroke and Cerebrovascular Diseases*, 1-9. Akses 18 Oktober 2016 pukul 06.50 WIB. <https://doi.org/10.1016/j.jstrokecerebrovasdis.2016.01.013>
- Putranti, D. P. & Firmawati, E. (2016). Tingkat ketergantungan pasien stroke berdasarkan skor indeks barthel di rumah sakit muhammadiyah yogyakarta dan rumah sakit pku muhammadiyah gamping. Fakultas Ilmu Keperawatan Universitas Muhammadiyah Yogyakarta. Akses 10 Maret 2018 pukul 07.50 WIB. <http://repository.umy.ac.id/handle/123456789/6764>
- Renoux, C., Dell'Aniello, S., Garbe, E., & Suissa, S. (2010). Transdermal and oral hormone replacement therapy and the risk of stroke: a nested case-control study. *BMJ*, 1-7. Akses 16 Maret 2017 pukul 09.23 WIB. <https://doi.org/10.1136/bmj.c2519>
- Richards, K. (2013). Self-care is a lifelong journey. *Nursing Economics*, 31(4), 198-202. Akses 6 Februari 2017 pukul 04.15 WIB. <https://www.ncbi.nlm.nih.gov/pubmed/24069721>
- Rowland, T. J., Cooke, D. M., & Gustafsson, L. A. (2008). Role of occupational therapy after stroke. *Annals of Indian Academy of Neurology*, 11(5), 99-107.

- Akses 12 April 2018 pukul 17.36 WIB. <http://dabamirror.sci-hub.tw/0a8cb99338d8b9f79973513297076a43/mcpherson2007.pdf>
- Schepers, V.P.M., Ketelaar, M., Visser-Meily, A.J.M., Groot, V.de, Twisk, J.W.R., & Lindeman, E. (2008). Functional recovery differs between ischaemic and haemorrhagic stroke patients. *Journal Rehab Med*, 40, 487-489. doi: 10.2340/16501977-0198. Akses 5 Mei 2017 pukul 20.58 WIB. <https://www.medicaljournals.se/jrm/content/abstract/10.2340/16501977-0198>
- Shah, R. S., & Cole, J. W. (2011). Smoking and stroke: the more you smoke the more you stroke. *Expert Rev Cardiovasc Ther*, 8(7), 917-932. Akses 16 Maret 2017 pukul 06.32 WIB. <https://doi.org/10.1586/erc.10.56>.
- Skolarus, L. E., Burke, J. F., Brown, D. L., & Freedman, V. A. (2014). Understanding stroke survivorship: expanding the concept of poststroke disability. *Journal of The American Heart Association*, 45(1), 224-230. Akses 12 Februari 2017 pukul 15.25 WIB. <https://doi.org/10.1161/STROKEAHA.113.002874>
- Smiltzer, Suzanne C. O'Connell, Bane, Brenda G., Hinkle, Janice L., Cheever, Kerry H. (2010). Brunner and suddart's textbook of medical surgical nursing 12th ed. Lippincott Williams & Wilkins.
- Stroke Association. (2012). Balance problems after stroke. Akses 24 Februari 2017 pukul 21.16 WIB. https://www.stroke.org.uk/sites/default/files/balance_problems_after_stroke.pdf
- Sugiyono. (2016). Metode penelitian pendidikan pendekatan kuantitatif, kualitatif dan R&D. Bandung: Alfabeta.
- Sultan, M., Debebe, F., Azazh, A., & Hassen, G. W. (2017). Epidemiology of stroke patients in tikur anbessa specialized hospital: emphasizing clinical characteristics of hemorrhagic stroke patients. *Ethiop. J. Health Debv*, 31(1), 13-17. Akses 10 Maret 2018 pukul 07.40 WIB. <https://www.ajol.info/index.php/ejhd/article/view/167760/157169>
- Swann, J.I. (2011). Managing dressing after having a stroke. *Nursing & Residential Care*, 13(5), 219-221. Akses 3 Mei 2017 pukul 21.37 WIB. <http://dx.doi.org/10.12968/nrec.2011.13.5.219>
- Tania, N. & Kuntarti. (2014). Perilaku perawat dalam mencegah aspirasi pada pasien stroke: studi pendahuluan. *Journal Keperawatan Indonesia*, 17(3), 101-107. Akses 11 Maret 2018 pukul 20.46 WIB. <http://jki.ui.ac.id/index.php/jki/article/view/455/554>
- Tate, J. & Bushnell, C. (2011). Pregnancy and stroke risk in women. *Womens Health (Lond Engl)*, 7(3), 363-374. Akses 25 Maret 2018 pukul 21.03 WIB. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3137888/pdf/nihms-304153.pdf>
- Theofanidis, D., & Gibbon, B. (2016). Nursing interventions in stroke care delivery: an evidence-based clinical review. *Journal of Vascular Nursing*, 34(4), 144-151. Akses 25 Februari 2017 pukul 06.22 WIB. <https://doi.org/10.1016/j.jvn.2016.07.001>
- Tsutsumi, A., Kayaba, K., Kario, K., & Ishikawa, S. (2009). Prospective study on occupational stress and risk of stroke. *Arch Intern Med*, 169(1), 56-61. Akses

- 10 Maret 2018 pukul 07.45 WIB.
<https://jamanetwork.com/journals/jamainternalmedicine/fullarticle/414699>
- Walker, M. F., Sunderland, A., Fletcher-Smith, J., Drummond, A., Logan, P., Edmans, J. A., Garvey, K., Dineen, R.A., Ince, P. Horne, J., Fisher, R.J., & Taylor, J. L. (2011). The DRESS trial : a feasibility randomized controlled trial of a neuropsychological approach to dressing therapy for stroke inpatients. *Clinical Rehabilitation*, 26(8), 675–685. Akses 8 Februari 2017 pukul 04.55 WIB. <https://doi.org/10.1177/0269215511431089>
- Waltz, C. F., Strickland, O. L., & Lenz, E. R. (2010). *Measurement in nursing and health research fourth edition*. New York: Springer Publishing Company.
- Wang, X., & Yang, J. (2016). Nursing roles in the subacute rehabilitation of patients with stroke. *J Pain Manage Ther.* 1(1), 24-27. Akses 12 April 2018 pukul 13.00 WIB. <http://www.alliedacademies.org/abstract/nursing-roles-in-the-subacute-rehabilitation-of-patients-with-stroke-6761.html>
- Wardhani, I. O. & Martini, S. (2015). Hubungan karakteristik pasien stroke dan dukungan keluarga pasien dengan kepatuhan menjalani rehabilitasi. *Jurnal Berkala Epidemiologi*, 3(1), 24-34. Akses 11 Maret 2018 pukul 08.05 WIB. <https://e-journal.unair.ac.id/JBE/article/download/1310/1069>
- Webster, C. & Bryan, k. (2009). Older people’s views of dignity and how it can be promoted in a hospital environment. *Journal of Clinical Nursing*, 18, 1784-1792. Akses 25 Maret 2018 pukul 21.20 WIB. <https://sci-hub.tw/10.1111/j.1365-2702.2008.02674.x>
- Widhiarso, W. (2005). *Mengestimasi reliabilitas*. Fakultas Psikologi Universitas Gadjah Mada. Akses 27 Agustus 2017 pukul 20.05 WIB. http://widhiarso.staff.ugm.ac.id/files/bab_2_estimasi_reliabilitas_via_spss.pdf
- Wijaya, W., Harjanto, T., & Nurjannah, I. (2017). *Gambaran indikator klinis diagnosis toileting self care deficit dan skor kemampuan penggunaan toilet dalam indeks barthel pada pasien stroke di rsup dr. sardjito*. Fakultas Kedokteran Universitas Gadjah Mada.
- World Health Organization. (2002). *Towards a common language for functioning, disability and health ICF*. Akses 1 Februari 2017 pukul 20.40 WIB. <http://www.who.int/classifications/icf/training/icfbeginnersguide.pdf>
- World Health Organization. (2009). *Self-care in the context of primary health care; report of the regional consultation bangkok, thailand, 7-9 januari 2009*. Akses 19 Februari 2017 pukul 16.05 WIB. http://www.searo.who.int/entity/primary_health_care/documents/sea_hsd_320.pdf
- World Health Organization. (2011). *Global atlas on cardiovascular disease prevention and control*. Akses 4 Februari 2017 pukul 20.26 WIB. http://apps.who.int/iris/bitstream/10665/44701/1/9789241564373_eng.pdf
- World Health Organization. (2016). *WHO methods and data sources for country-level causes of death 2000-2015*. Akses 31 Januari 2017 pukul 01.59 WIB. http://www.who.int/healthinfo/global_burden_disease/GlobalCOD_method_2000_2015.pdf?ua=1
- Wyatt, E. (2013). *The measurement properties of the original Barthel Index and its applicability to measure function with older adults: a systematic review*.

Faculty of Health Sciences, The University of Sydney. Akses 24 Agustus 2017
pukul 20.26 WIB.
<https://ses.library.usyd.edu.au/bitstream/2123/10038/1/THESIS%20E%20WYATT%2021.1.2014.pdf>

Xie, Q. (2013). Agree or disagree? A demonstration of an alternative statistic to cohen's kappa for measuring the extent and reliability of agreement between observers. Akses 24 Januari 2018 pukul 18.45 WIB.
https://fcsn.sites.usa.gov/files/2014/05/J4_Xie_2013FCSM.pdf

Zia, E., Engstrom, G., Svensson, P. J., Norrving, B., & Pessah-Rasmussen, H. (2009). Three-year survival and stroke recurrence rates in patients with primary intracerebral hemorrhage. *Stroke*, 40, 3567–3574. Akses 16 Maret 2017 pukul 06.09 WIB. <https://doi.org/10.1161/STROKEAHA.109.556324>

Zulfa, V. F., Harjanto, D., & Nurjannah, I. (2017). *Gambaran indikator klinis diagnosis feeding self care deficit dan skor kemampuan fungsi makan dalam indeks barthel pada pasien stroke di rsup dr. sardjito*. Fakultas Kedokteran Universitas Gadjah Mada.