UNIVERSITAS
GADJAH MADA
PENGARUH PENGGUNAAN BANTAL MENYUSUI TERHADAP PERLEKATAN IBU-BAYI SELAMA MENYUSUI
PRILLYANTIKA W, Dr. Wenny Artanty Nisman, S.Kep., Ns., M.Kes.; Widyawati, S.Kp., M.Kes., Ph.D.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

INTISARI

Latar Belakang: Terdapat beberapa masalah yang dialami oleh sebagian besar ibu pasca melahirkan. Masalah yang sering terjadi yaitu ibu kesulitan melakukan perlekatan menyusui dengan benar karena posisi menyusui yang salah. Oleh karena itu diperlukan intervensi untuk membantu ibu dan bayi melakukan perlekatan menyusui yang benar dan optimal dengan menggunakan bantal menyusui.
Tujuan Penelitian: Untuk mengetahui pengaruh penggunaan bantal menyusui terhadap perlekatan ibu-bayi selama menyusui.
Metode: Penelitian menggunakan metode *Pra Eksperimental-One Group Pretest Posttest Design.* Penelitian ini dilakukan mulai bulan September 2017 sampai bulan Januari 2018 pada ibu menyusui dengan bayi usia 7-21 hari yang bertempat tinggal disekitar Puskesmas U dan Puskesmas M. Jumlah responden penelitian sebanyak 35 reponden yang diambil menggunakan teknik *consecutive sampling* dengan kriteria inklusi dan eksklusi. Pengambilan data menggunakan lembar observasi LATCH *assessment tool*. Hasil persamaan persepsi pengamat menggunakan uji Fleiss' Kappa yaitu 0,95. Analisis data menggunakan uji Wilcoxon.
Hasil: Secara statistik penggunaan bantal menyusui berpengaruh secara signifikan terhadap perlekatan menyusui (p= 0,000) dan setiap indikator LATCH: *latch* (p=0,000)*, audible swallowing* (p=0,000)*, comfort* (p=0,000), dan *hold* (p=0,014). Sedangkan pada indikator *type of nipple*, penggunaan bantal menyusui tidak berpengaruh secara signifikan (p=0,180).
Kesimpulan: Penggunaan bantal menyusui berpengaruh terhadap perlekatan ibu-bayi selama menyusui dan setiap indikator LATCH: *latch, audible swallowing, comfort*, dan *hold*. Penggunaan bantal menyusui tidak berpengaruh terdapat indikator *type of nipple*.

Kata Kunci: bantal menyusui, LATCH, menyusui, perlekatan ibu-bayi

UNIVERSITAS
GADJAH MADA
PENGARUH PENGGUNAAN BANTAL MENYUSUI TERHADAP PERLEKATAN IBU-BAYI SELAMA MENYUSUI
PRILLYANTIKA W, Dr. Wenny Artanty Nisman, S.Kep., Ns., M.Kes.; Widyawati, S.Kp., M.Kes., Ph.D.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

ABSTRACT

Background: There are some problems in breastfeeding process experienced by most post-partum mothers. One of the most common problems is the wrong breastfeeding position that makes the breastfeeding attachment between mother and baby become difficult. Therefore, it is necessary to do an intervention to help both mother and baby achieve the right and optimal breastfeeding attachment by using nursing pillow.
Objective: To know the impact of the use of nursing pillow to the mother-baby's attachment during breastfeeding process.
Method: This study used Pre Experimental-One Group Pretest Post-test Design method. The study is conducted from September 2017 until January 2018. The target of the study is breastfeeding mothers who have 7-21 days old babies and live near U and M Primary Health Care. There are 35 respondents that have been taken by using consecutive sampling technique with inclusion and exclusion criterias. The data is gathered using LATCH assesment tool. The result of observer's equality of perception was 0,95 and uses Fleiss' Kappa test. The data analysis uses Wilcoxon test.
Result: Statistically, the use of nursing pillow has significant impact to the breastfeeding attachment (p=0,000) and each LATCH indicator: latch (p=0,000), audible swallowing (p=0,000), comfort (p=0,000) and hold (p=0,014). As for the indicator of type of nipple, the use of nursing pillow gives no significant impact (p=0,180).
Conclusion: The use of nursing pillow impacts the breastfeeding attachment process as well as each LATCH indicator: latch, audible swallowing, comfort, and hold. However, the use of nursing pillow does not impact the indicator of type of nipple.

Keyword: nursing pillow, LATCH, breastfeeding, mother-baby attachment