



DAFTAR PUSTAKA

- Ahola, A. J., Saraheimo, M., Forsblom, C., Hietala, K., Sintonen, H., dan Groop, P. H, 2010, Health related quality of life in patients with type 1 diabetes--association with diabetic complications (the FinnDiane Study). *Nephrology Dialysis Transplantation*, **25**(6), 1903–1908.
- Alcubierre, N., Rubinat, E., Traveset, A., Hernandez, M., Jurjo, C., dan Mauricio, D., 2014, A prospective cross-sectional study on quality of life and treatment satisfaction in type 2 diabetic patients with retinopathy without other major late diabetic complications, *BioMed Centra*, **12**(131), 1-4.
- American Academy of Ophthalmology, 2014, *Retina and Vitreus Preferred Practice Pattern: Diabetic Retinopathy*, American Journal of Ophthalmology, USA.
- American Diabetes Association (ADA), 2017, Standard of medical care in diabetes - 2017. *Diabetes Care*, **40** (1), s4–s128.
- American Diabetes Association, 2016, Standards of medical care in diabetes, *Diabetes Care*, **39**(1), S1-S106.
- American Diabetes Association, 2017, Diabetic retinopathy A Position Statement by the American Diabetes Association, *Diabetes Care*, **40** (3), 412–418.
- Anissa, 2013, Penilaian Kualitas Hidup pada Usia Lanjut Dengan EQ-5D Di Klub Jantung Sehat Kelurahan Pondok Kelapa dan Faktor-Faktor yang Mempengaruhi. *Tesis*. Universitas Indonesia.
- Australian Diabetes Society , 2008, Guidelines for the Management of Diabetic Retinopathy, *National Health and Medical Research Council*, **4176**, 44-47.
- Badan Penelitian dan Pengembangan Kementrian Kesehatan, 2013, *Riset Kesehatan Dasar*, Edisi 5, Departemen Kesehatan RI, Jakarta.
- Bandello F, 2012, New approaches for the treatment of DME: recommendation by an expert panel. *Eye* .**26**.485-493.
- Beaulieu Wesley T., Neil M., Melia m., Owsley C., Mein C. E., Gross J. G., Jampol Lee M., and Glassman R. Adam for the Diabetic Retinopathy Clinical Research Network, 2016 ,Panretinal Photocoagulation versus Ranibizumab for Proliferative Diabetic Retinopathy: Patient-Centered Outcomes from a Randomized Clinical Trial, *Am J Ophthalmol*, **21**(2), 129–139.



Bestari Anikha Widya, 2016, Pengaruh dukungan keluarga dan status dm terhadap kualitas hidup pasien hemodialisis, *Jurnal Berkala Epidemiologi*, **4** (2), 200–212.

Bhikoo, R., Murray, N., Sikivou, B., Emma, S., dan Mcghee, C., 2017, Demographic features and visual *outcomes* of patients presenting to diabetic photo-screening and treated for sight threatening retinopathy in Fiji, *International Journal of Ophthalmology*, **10**(5), 790-795.

BPOM, 2006, *Kepatuhan Pasien: Faktor Penting Dalam Keberhasilan Terapi*, **7**(5), Badan POM Republik Indonesia, Jakarta.

Cetin, E., Bulgu, Y., Zencir, M., Avunduk, A., Yайлали, V., dan Yildirim, C. (2012). Vision related quality of life in patients with diabetic retinopathy. *RETINA-The J Ret Vit Dis*, **20**, 213–217.

Chiang, C.K., Chwei-Shiun Y., Kuan-Yu H., ShouShan C., Yang-Hsun H., dan Yu-Seng P., 2004. Health-related Quality of Life of Hemodialysis Patient in Taiwan : A Multicenter Study. *Journal Blood Purification* **22** (6) :490–498.

Cho WB, Oh SB, Moon JW dan Kim HC., 2009, Panretinal photocoagulation combined with intravitreal bevacizumab in high-risk proliferative diabetic retinopathy, *Retina*, **29**, 516–522.

Clarke P, Gray A, Holman R., 2002, Estimating Kualitas hidup values for health states of type 2 diabetic patients using the EQ-5D (UKPDS 62), *Med Decis Making* , **22**, 340–349.

Coyne, K. S., Margolis, M. K., Kennedy-Martin, T., Baker, T. M., Klein, R., Paul, M. D., dan Revicki, D. A., 2004, The impact of diabetic retinopathy: Perspectives from patient focus groups. *Family Practice*, **21**(4), 447–453.

Departemen Kesehatan RI, 2015, *Pharmaceutical care untuk penyakit diabetes mellitus*, Departemen Kesehatan RI, Jakarta.

Diener, E., 2000, Subjective well-being: The science of happiness, and a proposal for national index. *American Psychologist*, **55**, 34-43

Dijah, Iskandar, E., dan Musa, I. R., 2015, Effectiveness of Panretinal Photocoagulation in Treatment of Diabetic Retinopathy, *Ophthalmol Ina*, **41** (1), 8–13.

Dirani, M., Xie, J., Fenwick, E., Benarous, R., Rees, G., Wong, T.Y. 2011. Are Obesity and Anthropometry Risk Factors for Retinopati diabetik? : The Diabetes Management Project. *Investigative Ophthalmology dan Visual*



Science Journal, **52**, 4416-4421.

Dwipayana, P.M., Suastika, K., Saraswati, I.M.R., Gotera, W.B., Budhiarta, A.A.G., Sutanegara, Gunadi, I.G.N., Badjra, I.K., Wita, W., Rina, K., Santoso, A., Kajiwara, N., Taniguchi, H, 2010, Prevalensi Sindroma Metabolik pada Populasi Penduduk Bali, Indonesia, *Naskah Lengkap Joint Symposium Surabaya Metabolic Syndrome Update-6 Metabolic Cardiovascular Disease*, 82-288.

Espallargues, M., Czoski-Murray, C. J., Bansback, N. J., Carlton, J., Lewis, G. M., Hughes, L. A. dan Brazier, J. E., 2005, The impact of age-related macular degeneration on health status utility values. *Investigative Ophthalmology and Visual Science*, **46**(11), 4016–4023.

Fal, A. M., Jankowska, B., dan Uchmanowicz, I., 2011, Type 2 diabetes quality of life patients treated with insulin and oral hypoglycemic medication, *Acta Diabetol*, **48**, 237–242.

Fenwick EK, Xie J, Ratcliffe J, Pesudovs K, Finger RP, Wong TY dan Lamoureux EI, 2012, The Impact of Diabetic Retinopathy and Diabetic Macular Edema on Health-Related Quality of Life In Type 1 and Type 2 Diabetes. *The Association for Research in Vision and Ophthalmology*, **53** (2). 677-683.

Fenwick, E. K., Jing Xie, Konrad Pesudovs, Julie Ratcliffe, Peggy PC Chiang, Robert P Finger dan Ecosse L Lamoureux, 2012, Assessing disutility associated with diabetic retinopathy, diabetic macular oedema and associated visual impairment using the Vision and Quality of Life Index, *Clinical and Experimental Optometry Research*, **95**, 362–370.

Fenwick, E. K., Pesudovs, K., Wong, T. Y., dan Lamoureux, E. L., 2012, The impact of diabetic retinopathy on quality of life: qualitative findings from an item bank development project, *Springer Science*, **21**, 1771–1782.

Fenwick, Eva KPesudovs, KonradWong, Tien YLamoureux, Ecosse, 2005, The Impact of Diabetic Retinopathy and Diabetic Macular Edema on Health-Related Quality of Life in Type 1 and Type 2 Diabetes, *McGill Journal of Medicine*, **8**, 142-148.

Fowler, M. J., 2008, Microvascular and Macrovascular Complications of Diabetes, *Clinical diabetes*, **26** (2), 77–82.

Gadelman, N., dan Piani, G., 2013, Quality of Life Satisfaction among Workers and Non-Workers in Uruguay, *Social Indicators Research*, **111**(1), 97–115.



Ghasemi, A., dan Zahediasl, S., 2012, Normality tests for statistical analysis: A guide for non-statisticians. *International Journal of Endocrinology and Metabolism*, **10**(2), 486–489.

Gross J. G., Glassman A. R. and Diabetic Retinopathy Clinical Research Network, 2015, Panretinal Photocoagulation versus Ranibizumab for Proliferative Diabetic Retinopathy: Patient-Centered Outcomes from a Randomized Clinical Trial, *JAMA*, **314**(20): 2137–2146.

Gupta, N., dan Gupta, R., 2015, Diabetic Retinopathy - An Update. *Journal International Medical Sciences Academy*, **28**(1), 54–58.

Harmaini F, 2006. Uji Keandalan dan Kesahihan Formulir European Quality of Life – 5 Dimensions (EQ-5D) untuk Mengukur Kualitas Hidup Terkait Kesehatan pada Usia Lanjut di RSUPNCM, *Tesis*, Fakultas Kedokteran, Universitas Indonesia.

Hays RD, Hahn H dan Marshall G, 2002, Use of the SF-36 and other healthrelated quality of life measures to assess persons with disabilities, *Arch Phys Med Rehabil*, **83**, 4–9.

Heintz, E., Wiréhn, A. B., Peebo, B. B., Rosenqvist, U., dan Levin, L. Å., 2012, QALY weights for diabetic retinopathy - A comparison of health state valuations with HUI-3, EQ-5D, EQ-VAS, and TTO. *Value in Health*, **15**(3), 475–484.

Huang YH, Yeh PT, Chen MS, Yang CH danYang CM., 2009, Intravitreal bevacizumab and panretinal photocoagulation for proliferative diabetic retinopathy associated with vitreous hemorrhage, *Retina*, **29**, 1134–1140.

InaDRS, 2013, *Pedoman penanganan retinopati diabetika*. Persatuan Dokter Spesialis Mata Indonesia, Jakarta.

International Diabetes Federation, 2015, *Diabetes Atlas*, **4**(2).

Jannuzzi, F. F., Cintra, F. A., Rodrigues, R. C. M., São-João, T. M., dan Gallani, M. C. B. J., 2014, Medication adherence and quality of life among the elderly with diabetic retinopathy. *Revista Latino-Americana de Enfermagem*, **22**(6), 902–910.

Jingi, A. M., Noubiap, J. J., Ellong, A., Bigna, J. J., dan Mvogo, C. E, 2014, Epidemiology and treatment outcomes of diabetic retinopathy in a diabetic population from Cameroon, *BMC Ophthalmol*, **14**(19), 1471–2415.

Jorge R, Costa RA, Calucci D, Cintra LP dan Scott IU., 2006, Intravitreal



- bevacizumab (Avastin) for persistent new vessels in diabetic retinopathy, (IBEPE study). *Retina*, **26**, 1006–1013.
- Kachan, P dan Rajesh Nair, 2017, Outcome tools for diabetes-specific quality of life, *Canadian Family Physician*, **63**, 310–315.
- Kamran, J. S., Jafroudi, S., Kazem, E., dan Leili, N., 2017, Quality of Life in Patients with Diabetic Retinopathy, *Journal of Holistic Nursing and Midwifery*, **27**(1), 69–77.
- Kastien-Hilka, T., Rosenkranz, B., Schwenkglenks, M., Bennett, B. M., dan Sinanovic, E., 2017, Association between health-related quality of life and medication adherence in pulmonary tuberculosis in South Africa, *Frontiers in Pharmacology*, **8** (919) 1-7.
- Kementerian Kesehatan RI, 2017, Tahun 2030 Prevalensi Diabetes Melitus Di Indonesia Mencapai 21,3 Juta, <http://www.depkes.go.id/pdf.php?id=414>, 18 September 2017.
- Khan, S., Wong, S., Deane, J., dan Lawrence, I., 2011, Fundamentals in diabetes, Part 2 : Diabetic retinopathy, *Journal of Diabetes Nursing*, **15**(8).
- Khan, T. M, Sulaiman, S.A.S, dan Hassali, M.A., 2009, The cause of depression? A Survey Among Malaysians About Perception For Causes Of Depression, *Asian Journal of Pharmaceutical and Clinical Research*, **2**, 6-9.
- Kontodimopoulos N, Pappa E, Chadjiapostolou Z, Arvanitaki E, Papadopoulos AA dan Niakas D, 2012, Comparing the sensitivity of EQ-5D,SF-6D and 15D utilities to the specific effect of diabetic complications, *Eur J Health Econ*, **13**(1), 111–120.
- Laoh, Joice M dan Tampongango D. (2015). Gambaran Kualitas Hidup Pasien Diabetes Mellitus di Poliklinik Endokrin RSUP Prof. Dr. R. D. Kandou Manado. *Juiperdo*, **4**(1), 32–37.
- Lam, W. Y., dan Fresco, P., 2015, Medication Adherence Measures : An Overview, *BioMed Research International*, 1-12.
- Lemeshow S, Hosmer DW, Klar J, Lwanga SK, 1997, *Adequacy of sample size in health studies*. Edisi terjemahan. Yogyakarta: Gadjah Mada University Press.
- Marks, N. F., 1996, Flying solo at midlife. *Journal of Marriage and Family*, **58**, 930.



Milne, A., Jeffery, M. L. I. S., Johnson, A., Tennant, M., Rudnisky, C., Donna, F. R. C. S. C., dan Dryden, M., 2012, Measuring Health-Related Quality of Life for Patients with Diabetic Retinopathy University of Alberta Evidence-based Practice Center, *Department of Health and Human Service*, USA.

Morisky DE, Green LW dan Levine DM, 1986, Concurrent and predictive validity of a self-reported measure of medication adherence. *Med Care*, **24**, 67–74.

Morisky, D.E., Ang, A., Krousel-Wood, M.A dan Ward, H., 2008, Predictive Validity of A Medication Adherence Measure in an Outpatient Setting, *J. Clin. Hyperiens*, **10**, 348- 54.

Mozaffarieh, M., Benesch, T., Sacu, S., Krepler, K., Biowski, R., dan Wedrich, A., 2005, Photocoagulation for diabetic retinopathy: Determinants of patient satisfaction and the patient-provider relationship, *Acta Ophthalmologica Scandinavica*, **83**(3), 316–321.

Mulyati, Amin, R., dan Santoso, B., 2015, Kemajuan Visus Penderita Retinopati Diabetik yang Diterapi dengan Laser Fotokoagulasi dan atau Injeksi Intravitreal di Rumah Sakit Mohammad Hoesin Palembang, *Majalah Kedokteran Sriwijaya*, **47**(2), 115–122.

Murata, G.H., dkk., 2003, Factors affecting diabetes knowledge in Type 2 diabetic, *veterans Diabetologia*, **46** 1170-1178.

Nofitri, N.F.M., 2009, Gambaran kualitas hidup penduduk dewasa pada lima wilayah di Jakarta, *Skripsi*, Fakultas Psikologi, Universitas Indonesia.

Notoatmodjo, S., 2010, *Ilmu Perilaku Kesehatan*, Rineka Cipta, Jakarta.

Nurchayati, S., 2011, Analisis Faktor-faktor yang Berhubungan dengan Kualitas Hidup Pasien Penyakit Ginjal Kronik yang Menjalani Hemodialisis di Rumah Sakit Islam Fatimah Cilacap dan Rumah Sakit Umum Daerah Banyumas, *Tesis*, Ilmu Keperawatan Universitas Indonesia. Depok.

Patrick, D. L., & Deyo, R. A. (1989). Generic and disease-specific measures in assessing health status and quality of life. *Medical Care*, **27**(3).

Pereira, D. M., Shah, A., D'Souza, M., Simon, P., George, T., D'Souza, N. Dan Baliga, M. S, 2017, Quality of life in people with diabetic retinopathy: Indian study, *Journal of Clinical and Diagnostic Research*, **11**(4), NC01-NC06.

Porta M., dan Bandello F., 2002, Diabetic retinopathy. *Diabetologia*, **45**(12),



1617–1634.

Presiden RI, 2003, Undang-Undang Republik Indonesia Nomor 20 Tahun 2003 Tentang Sistem Pendidikan Nasional, Presiden RI, Jakarta.

Price, S.A., dan Lorraine M., 2006, *Patofisiologi Konsep Klinis Proses-Proses Penyakit*, Vol.2 (edisi ke-6). Terjemahan Oleh: Pendit, B.U., dkk. EGC, Jakarta, Indonesia.

Purba, F. D., Hunfeld, J. A. M., Iskandarsyah, A., Fitriana, T. S., Sadarjoen, S. S., Ramos-Goñi, J. M. dan Busschbach, J. J. V., 2017, The Indonesian EQ-5D-5L Value Set. *PharmacoEconomics*, **35**(11), 1153–1165.

Pusat Data dan Informasi Kesehatan RI (INFODATIN), 2014, *Situasi dan Analisis Diabetes*, Kementerian Kesehatan RI, Jakarta.

Qureshi T. Visual outcome after laser photocoagulation in diabetic retinopathy, *Thesis*, submitted for award of MCH Government medical college, Address for Correspondence: Dr. Tariq Associate Professor Postgraduate Department of Ophthalmology.

Raudatuzzalamah dan Fitri, A. R., 2012, Psikologi Kesehatan, *Al-Mujtahadah Press*, Pekanbaru.

Rema M, Sujatha P, Pradeepa R., 2015, Visual outcomes of pan-retinal photocoagulation in diabetic retinopathy at one-year follow-up and associated risk factors. *Indian Journal of Ophthalmology*, **53** (2), 93-9.

Ridley, S dan Young, D. (2002). Classification and Measurement Problems of Outcomes after intensive care In: Griffiths, R.D., Jones, C., ed. Intensive care after care Oxford . Butterworth-Heinemann. (5), 142-155.

Rohling, M., Herder, C., Stemper, T., & Müssig, K., 2016, Influence of Acute and Chronic Exercise on Glucose Uptake, *Journal of Diabetes Research*, 1-33.

Rosenfield M, Logan N, Keith H, Edwards I. In : Optometry: Science, Techniques and Clinical Management. Elsevier Health Sciences, 2009. 24-30.

Rosyida, L., Priyandani, Y., Sulistyarini, A., dan Nita, Y., 2015, Kepatuhan Pasien Pada Penggunaan Obat Antidiabetes Dengan Metode Pill-Count dan MMAS-8 di Puskesmas Kedurus Surabaya, *Jurbak Farmasi Komunitas*, **2**(2), 36–41.

Royal College of Ophthalmologists, 2012, *Diabetic Retinopathy Guidelines*, The Royal College of Ophthalmologists , London.



Ruggeri, M., Bisof□, G., Fontecedro, L., dan Warner, R. (2001). Subjective and Objective Dimensions of Quality of Life in Psychiatric Patients: a Factor Analytical Approach: The South Verona *Outcome Project 4. British Journal of Psychiatry*, **178**(3), 268-275.

Shah, S. V, Jani, H. C., & Saxena, D. A., 2014, Effect of retinal laser photocoagulation on contrast sensitivity and visual acuity in patients of diabetic retinopathy, *International Journal of Scientific and Research Publications*, **4**(10), 1–7.

Sakamaki, H., Ikeda, S., Ikegami, N., Uchigata, Y., Iwamoto, Y., Origasa, H., dan Otani, T., 2006, Measurement of HRQL Using EQ-5D in Patients with Type 2 Diabetes Mellitus in Japan. *Value in Health*, **9**(1), 47–53.

Salam, A., Mathew, R., dan Sivaprasad, S., 2011, Treatment of proliferative diabetic retinopathy with anti-VEGF agents. *Acta Ophthalmologica*, **89**(5), 405–411.

Santoso Setiyo Budi , Dyah Aryani Perwitasari , Imaniar Noor Faridah dan A. A. Kaptein, 2017 , Hubungan kualitas hidup dan persepsi pasien tentang penyakit diabetes mellitus tipe 2 dengan komplikasi, *Pharmaciana*, **7**(1)33-40.

Sari, M.R., Thobari, J.A., dan Andayani, T.M. (2011). Evaluasi kualitas pasien Diabetes Mellitus Tipe 2 yang diterapi rawat jalan dengan anti diabetik oral di RSUD Dr. Sardjito. *Jurnal managemen dan pelayanan farmasi*. **1** (1).

Schmidinger G, Maar N, Bolz M, Scholda C danSchmidt-Erfurth U, 2011, Repeated intravitrealbevacizumab (Avastin(R)) treatment of persistent new vessels in proliferative diabetic retinopathy after complete panretinal photocoagulation, *Acta Ophthalmol*, **89**, 76-81

Schwartz, C. E., dan Rapkin, B. D, 2004, Reconsidering the psychometrics of quality of life assessment in light of response shift and appraisal. *BioMed Central* , **2**, 6–11.

Setiati, S., Harimurti,K., Dewiasty E., Istanti R.,. 2010. Predictors and Scoring System for Healthrelated Quality of Life in an Indonesian Community - Dwelling Elderly Population, *Thesis*, Department of Internal Medicine, Faculty of Medicine, University of Indonesia.

Shanti F, 2005, Keberhasilan Terapi Fotokoagulasi pada Pasien Diabetes Retinopati di Rumah Sakit Cicendo Bandung, Fakultas Kedokteran



Universitas Padjajaran.

Silaban R.L., 2013, Kualitas Hidup Pasien Diabetes Mellitus di Poliklinik Endokrin RSUD. Dr. Pirngadi Medan, *Skripsi*, Fakultas Keperawatan, Universitas Sumatera Utara.

Skevington S.M., Lotfy M., O'Connell K.A., 2004. The World Health Organization's Quality of Life Assessment: Psychometric Properties and Results of The International Field Trial A Report, *Kluwer Academic Publisher Netherlands*. 299-310

Smith DH, Johnson ES, Russell A, Hazlehurst Brian, Muraki Cecilia, Nichols Gregory A., Oglesby Allen dan Betz-Brown Jonathan, 2008, Lower visual acuity predicts worse Kualitas hidup values among patients with type 2 diabetes. *Quality of Life Research*, **17**, 1277–84.

Soewondo, P., Soegondo, S., Suastika, K., Pranoto, A., dan Soeatmadji, D. W., 2010, The DiabCare Asia 2008 study – *Outcomes* on control and complications of type 2 diabetic patients in Indonesia, *Med J Indones*, **19**(4), 235–244.

Solli, O., Stavem, K., dan Kristiansen, I. S., 2010, Health-related quality of life in diabetes : The associations of complications with EQ-5D scores, *Health and Quality of Life Outcomes*, **8** (18), 1–8.

Susan L. Dennett, PhD, RPh, Kristina S. Boye, PhD, RPh dan Nicole R. Yurgin, PhD, 2008, The Impact of BodyWeight on Patient Utilities with or without Type 2 Diabetes:A Review of the Medical Literature, *Strategic Health Outcomes*, **11**(3).

Suyono, 2006. *Diabetes Melitus di Indonesia*, dalam: Buku Ajar Ilmu Penyakit Dalam. Edisi keempat jilid III. Balai Penerbit FK UI,Jakarta.

Tapp R, Shaw J, Zimmet P. Complications of Diabetes. Dalam: Gan D, Allgot B, King H, Lefèvre P, Mbanya JC, Silink M, penyunting. *Diabetes Atlas*. Edisi ke-2. Belgium, *International Diabetes Federation*, 2003, 72-112.

The Diabetes Control and Complications Trial Research Group, 1995, The relationship of glycemic exposure (HbA1c) to the risk of development and progress of retinopathy in the Diabetes Control and Complications Trial. *DCCT Research Group*, **44**(8), 968-983.

Tonello M, Costa RA, Almeida FP, Barbosa JC, Scott IU, Jorge R., 2008, Panretinal photocoagulation versus PRP plus intravitreal bevacizumab for high risk proliferative diabetic retinopathy (IBeHi study), *Acta Ophthalmol*, **86**, 385–389.



UK Prospective Diabetes Study (UKPDS) Group, 1998, Intensive blood-glucose control with sulphonylureas or insulin compared with conventional treatment and risk of complications in patients with type 2 diabetes, *The lancet*, **53**, 352:837.

Vaughan D. and Ashbury T. 1995. *Retinal Vascular Disease* dalam *General Ophthalmology*. 24 ed. A Lange Medical Book. New York, 199-203.

Vika Vika, Minarma S., dan Grace W., 2016, *Validity and reliability of Morisky Medication Adherence Scale 8 Bahasa version to measure statin adherence among military pilots*, *Health Science Jurnal of Indonesia*, **7**(2).

Viswanath and Mc Gavin, 2003, Diabetic Retinopathy: Clinical Findings and Management, *Community Eye Health*, **16**(46): 21–24.

Waisbord, M., Goldstein, M., dan Loewenstein, A., 2011, Treatment of diabetic retinopathy with anti-VEGF drugs, *Acta Ophthalmol*, **89**, 203–207.

WHO, 1982, *Provisional Guidelines on Standard International Age Classifications*, Department of International Economic and Social Affairs, New York (74).

WHO, 2006, Global Database on Body Mass Index, http://apps.who.int/bmi/index.jsp?introPage=intro_3.html, 6 Februari 2018.

Wong TY, Cheung N, Tay WT, 2008, Prevalence and risk factors for diabetic retinopathy: the Singapore Malay Eye Study. *Ophthalmology journal*, **115**(11), 1869-1875.

Yam, J., dan Kwok, A., 2007, Update on the treatment of diabetic retinopathy. *The Scientific World Journal*, **8**(1), 98–120.

[Yogesh Gautam](#), [AK Sharma](#), [AK Agarwal](#), [MK Bhatnagar](#), and [Roochika Ranjan Trehan](#) 2009, A Cross-sectional Study of QOL of Diabetic Patients at Tertiary Care Hospitals in Delhi, *Indian J Community Med*, **34**(4): 346–350.

Yusran M., 2017, Retinopati Diabetik : Tinjauan Kasus Diagnosis dan Tatralaksana Diabetic Retinopathy : Diagnosis and Treatment Case Review, *Jurnal Kedokteran Unila*, **1**, 578–582.

Zhang Ping, Morton B. Brown, Dori Bilik, RonaldT.A., Rui Li dan William H. Herman ,2012, Health Utility Scores for People With Type 2 Diabetes in U.S.Managed CareHealth Plans , *Diabetes care*, **35**, 225.