

## DAFTAR PUSTAKA

- Adnyana, W., Soede, L. P., Gearheart, G., & Halim, M. (2008). Status of green turtle (*Chelonia mydas*) nesting and foraging populations of Berau, East Kalimantan, Indonesia, including results from tagging and telemetry. *Indian Ocean Turtle Newsletter* (7), 2-11.
- Alongi, D. M., Mudiyarso, D., Fourqurean, J., Kauffman, J., Hutahaean, A., Crooks, S., Wagey, T. (2016). Indonesia's blue carbon: a globally significant and vulnerable sink for seagrass and mangrove carbon. *Wetlands Ecology and Management*, 24(1), 3-13.
- Anggoro, A., Siregar, V. P., & Agus, S. B. (2017). Klasifikasi multiskala untuk pemetaan zona geomorfologi dan habitat bentik menggunakan metode OBIA di Pulau Pari. *Penginderaan Jauh*, 14(2), 89-76.
- Anonim. (2016, Juni 2). *95 Persen Bangunan Hotel dan Penginapan di Pulau Derawan Tak Kantongi Ijin*. Diambil kembali dari Berau News: <http://www.berauneWS.com/pembangunan-lingkungan/pembangunan/72-95-persen-bangunan-hotel-dan-penginapan-di-pulau-derawan-tak-kantongi-ijin>
- Aziizah, N. N., Siregar, V. P., & Agus, S. B. (2015). Penerapan algoritma Spectral Angle Mapper (SAM) untuk klasifikasi lamun menggunakan citra satelit Worldview-2. *Penginderaan Jauh*, 13(2), 61-72.
- Ban, Y. (2016). *Multitemporal Remote Sensing - Methods and Applications*. Springer.
- Blakey, T., Melesse, A., & Hall, M. O. (2015). Supervised classification of benthic reflectance in shallow subtropical waters using a generalized pixel-based classifier across a time series. *Remote Sen.*, 5098-5116.
- Borum, J., & Krause-Jensen, D. (2004). Why are seagrasses important? - Goods and services provided by seagrass meadows. Dalam J. Borum, C. M.

Duarte, D. Krause-Jensen, & T. M. Greve, *European seagrasses: an introduction to monitoring and management* (hal. 8-10). The M&MS project.

Campbell, J. B., & Wynne, R. H. (2011). *Introduction to Remote Sensing* (5th ed.). New York: The Guilford Press.

Chemura, A., Mutanga, O., & Dube, T. (2016). Separability of coffee leaf rust infection levels with machine learning methods at Sentinel-2 MSI spectral resolution. *Precision Agric*, 1-24.

Cho, H. J., Mishra, D., & Wood, J. (2012). Remote Sensing of Submerged Aquatic Vegetation. Dalam B. Escalante, *Remote Sensing - Applications* (hal. 297-308). InTech.

Christianen, M. M., Herman, P. M., Bouma, T. J., Lamers, L. P., van Katwijk, M. M., van der Heide, T., . van de Koppel, J. (2014, November 25). Habitat collapse due to overgrazing threatens turtle conservation in marine protected areas. *Proc. R. Soc. B*, 281, 1-7. doi:10.1098/rspb.2013.2890

Christianen, M., Govers, L., Bouma, T., Kiswara, W., Roelofs, J., Lamers, L., & van Katwijk, M. (2011). Marine megaherbivore grazing may increase seagrass tolerance to high nutrient loads. *Journal of Ecology*.

Christianen, M., van Belzen, J., Herman, P., van Katwijk, M., Lamers, L., van Leent, P., & Bouma, T. (2013). Low-canopy seagrass beds still provide important coastal protection services. *PLoS ONE*, 8(5), 1-7.

Congalton, R. G., & Green, K. (2009). *Assessing the accuracy of remotely sensed data: Principles and practices*. CRC Press.

Coppin, P., Jonckheere, I., Nackaerts, K., & Muys, B. (2004). Digital change detection methods in ecosystem monitoring: a review. *International Journal of Remote Sensing*, 25(9), 1565-1596.

Danoedoro, P. (2012). *Pengantar Penginderaan Jauh Digital*. Yogyakarta: Penerbit Andi.

ESA. (2015). *Sentinel-2 User Handbook*.

Fauzan, M. A., Kumara, I., Yogyantoro, R., Suwardhana, S., Fadhilah, N., Nurmalasari, I. . . P, W. (2017). Assessing the capability of Sentinel-2A data for mapping seagrass percent cover in Jerowaru, East Lombok. *Indonesian Journal of Geography*, 195-203.

Ferwerda, J. G., de Leeuw, J., Atzberger, C., & Vekerdy, Z. (2007). Satellite-based monitoring of tropical seagrass vegetation: current techniques and future development. *Hydrobiologia*, 591, 59-71.

Goodman, J. A., Purkis, S. J., & Phinn, S. R. (2013). *Coral Reef Remote Sensing*. Springer.

Green, E. P., & Short, F. T. (2003). *World Atlas of Seagrasses*. (E. Green, & F. Short, Penyunt.) California: University of California Press.

Green, E. P., Mumby, P. J., Edwards, A. J., & Clark, C. D. (2000). *Remote Sensing Handbook for Tropical Coastal Management*. Paris: UNESCO.

Guiry, M. D., & Guiry, G. M. (2000, Desember 28). *AlgaeBase*. Dipetik Januari 16, 2017, dari AlgaeBase: <http://www.algaebase.org>

Hafizt, M., Iswari, M. Y., & Prayudha, B. (2017). Kajian metode klasifikasi citra Landsat 8 untuk pemetaan habitat bentik di Kepulauan Padaido, Papua. *Oseanologi dan Limnologi di Indonesia*, 1-13.

Hagolle, O. (2018, 04 12). *Let's ask ESA to improve Sentinel-2 multi-temporal registration*. Diambil kembali dari Series Temporelles CESBIO: <http://www.cesbio.ups-tlse.fr/multitemp/?p=13112>

Harrison, P. (1982). Spatial and temporal patterns in abundance of two intertidal seagrasses, *Zostera americana* and *Zostera marina*. *Aquatic Botany*, 18, 305-320.



- Hartono, & Muljosukojo, B. (1991). Monitoring mangrove disappearance by remote sensing: A case study in Surabaya, East Java-Indonesia. *Indonesian Journal of Geography*, 21(61), 15-32.
- Heithaus, R., Alcoverro, R., Arthur, R., Burkholder, D., Coates, K., Christianen, M., . . . Fourqurean, J. (2014). Seagrass in the age of sea turtle conservation and shark overfishing. *Frontiers in Marine Science*, 1-6.
- Hemminga, M. A., & Duarte, C. M. (2000). *Seagrass Ecology*. Cambridge: Cambridge University Press.
- Hernawan, U. E., Sjafrie, N., Supriyadi, I., & Suyarso, I. M. (2017). *Status Padang Lamun Indonesia 2017*. Jakarta: Puslit Oseanografi - LIPI.
- Hogarth, P. J. (2015). *The Biology of Mangrove and Seagrasses*. Oxford: Oxford University Press.
- Horning, N., Robinson, J. A., Sterling, E. J., Turner, W., & Spector, S. (2010). *Remote Sensing for Ecology and Conservation: A Handbook of Techniques*. Oxford: Oxford University Press.
- Hossain, M. S., Bujang, J. S., Zakaria, M. H., & Hashim, M. (2015). The application of remote sensing to seagrass ecosystems: an overview and future research prospects. *Int. J. Remote Sens.*, 36(1), 61-113.
- Kardono, P., Hartono, & Suprajaka. (2015). *Paradigma Geomaritim: Strategi Mewujudkan Indonesia Sebagai Poros Maritim Dunia dalam Perspektif Geografi*. Jakarta: Badan Informasi Geospasial dan Ikatan Geograf Indonesia.
- Keputusan Menteri Lingkungan Hidup No. 200 Tahun 2004 tentang Kriteria Baku Kerusakan dan Pedoman Penentuan Status Padang Lamun.
- Knudby, A., & Nordlund, L. (2011). Remote sensing of seagrass in patch. *International Journal of Remote Sensing*, 2227-2244.

- Knudby, A., Newman, C., Shaghude, Y., & Muhando, C. (2010). Simple and effective monitoring of historic changes in nearshore environments using the free archive of Landsat imagery. *International Journal of Applied Earth Observation and Geoinformation*, 125, 5116-5122.
- Krause-Jensen, D., Quaresma, A. L., & Cunha, A. H. (2004). How are seagrass distribution and abundance monitored? Dalam J. Borum, C. M. Duarte, D. Krause-Jensen, & T. M. Greve, *European seagrasses: an introduction to monitoring and management* (hal. 45-53). The M&MS project.
- Kusumastanto, T. (2001). *Ekonomi Sumberdaya dan Lingkungan*. Bogor: Program Studi Pengelolaan Sumberdaya Pesisir dan Laut -IPB.
- Lal, A., Arthur, R., Marba, N., Lill, A., & Alcoverro, T. (2010). Implications of conserving an ecosystem modifier: Increasing green turtle (*Chelonia mydas*) densities substantially alters seagrass meadows. *Biological Conservation*, 2730-2738.
- Lantzanakis, G., Z, M., & Chrysoulakis, N. (2016). Comparison of physically & image based atmospheric correction methods for Sentinel-2 imagery. *Four International Conference on Remote Sensing and Geoinformation of the Environment*. Proc. of SPIE.
- Lanyon, J. M., & Marsh, H. (1995). Temporal changes in the abundance of some tropical intertidal seagrasses in North Queensland. *Aquatic Botany*, 49, 217-237.
- Lin, H.-J., & Shao, K.-T. (1998). Temporal changes in intertidal seagrass beds. *Bot. Bull. Acad. Sin*, 39, 191-198.
- Lirman, D., Deangelo, G., Serafy, J., Hazra, A., Hazra, D. S., Herlan, J., . . . Clauzing, R. (2007). Seasonal changes in the abundance and distribution of submerged aquatic vegetation in a highly managed coastal lagoon. *Hydrobiologia*, 596, 105-120.

- Lyons, M. B., Phinn, S. R., & Roelfsema, C. M. (2012). Long term land cover and seagrass mapping using Landsat and object-based image analysis from 1972 to 2010 in the coastal environment of South East Queensland, Australia. *ISPRS Journal of Photogrammetry and Remote Sensing*, 71, 34-46.
- Lyons, M. B., Phinn, S. R., & Roelfsema, C. M. (2013). Towards understanding temporal and spatial dynamics of seagrass landscape using time-series remote sensing. *Estuarine, Coastal and Shelf Science*, 120, 42-53.
- Manessa, M. D., Kanno, A., Sekine, M., Ampou, E. E., Widagti, N., & As-syakur, A. R. (2014). Shallow-water benthic identification using multispectral satellite imagery: Investigation on the effects of improving noise correction method and spectral cover. *Remote Sensing*, 4454-4472.
- McKenzie, L. J., Yaakub, S. M., Tan, R., & Seymour, J. Y. (2016). Seagrass habitats of Singapore: Environmental drivers and key process. *Raffles Bulletin of Zoology*, 60-77.
- Misbari, S., & Hashim, M. (2016). Change detection of submerged seagrass biomass in shallow coastal water. *Remote Sens*, 8(200), 1-29.
- Navarro, G., Caballero, I., Silva, G., Parra, P.-C., Vazquez, A., & Caldeira, R. (2017). Evaluation of forest fire on Madeira Island using Sentinel-2A MSI imagery. *International Journal of Applied Earth Observation and Geoinformation*, 58, 97-106.
- Nurlidiasari, M., & Budhiman, S. (2005). Coral reef habitat changing assessment of Derawan Islands, East Kalimantan, using remote sensing data. *Remote Sensing and Earth Sciences*, 2, 32-44.
- Peraturan Kepala Badan Informasi Geospasial No. 8 Tahun 2014 tentang Pedoman Teknis Pengumpulan dan Pengolahan Data Geospasial habitat dasar perairan laut dangkal. (t.thn.).*



- Phinn, S., Roelfsema, C., Dekker, A., Brando, V., & Anstee, J. (2008). Mapping seagrass species, cover and biomass in shallow waters: An assessment of satellite multi-spectral and airborne hyper-spectral imaging systems in Moreton Bay (Australia). *Remote Sens. Environ.*, 112, 3413-3425.
- Pu, R., Bell, S., Meyer, C., Bagget, L., & Zhao, Y. (2012). Mapping and assessing seagrass along the western coast of Florida using Landsat TM and EO-1 ALI/Hyperion imagery. *Estuarine, Coastal and Shelf Science*, 115, 234-245.
- Rees, A. F., Avens, L., Ballorain, K., Bevan, E., Broderick, A., Carthy, R., Johnston, D. (2018). The potential of unmanned aerial systems for sea turtle research and conservation: a review and future directions. *Endangered Species Research*, 35, 81-100.
- Roelfsema, C. M., & Phinn, S. R. (2009). *Georeferenced Photo Transects Surveys to Assess the Benthos of Coral Reef and Seagrass Habitat version 3.0*. Brisbane: Centre for Remote Sensing and Spatial Information Science, The University of Queensland.
- Roelfsema, C. M., Lyons, M., Kovacs, E. M., Maxwell, P., Saunders, M. I., Samper-Villarreal, J., & Phinn, S. R. (2014). Multi-temporal mapping of seagrass cover, species, and biomass: A semi-automated object based image analysis approach. *Remote Sensing of Environment*, 172-187.
- Roelfsema, C., Kovacs, E. M., Saunders, M. I., Phinn, S., Lyons, M., & Maxwell, P. (2013). Challenge of remote sensing for quantifying changes in large complex seagrass environments. *Estuarine, Coastal, and Shelf Science*, 113, 161-171.
- Roem, M. (2013). Laju produktifitas biomassa daun *Halodule uninervis* Padang Lamun Pulau Derawan. *Jurnal Harpodon Borneo*, 6(2), 153-162.
- Roem, M., & Laga, A. (2014). Struktur komunitas padang lamun Pulau Derawan. *Jurnal Harpodon Borneo*, 7(2), 93-101.



Roem, M., Laga, A., Listina, I., Rukmana, I., & Astriani, K. (2016). Studi parameter oseanografi fisik perairan Pulau Derawan. *Jurnal Harpodon Borneo*, 9(2), 143-157.

Seminoff, J. A. (2004). *Green turtle*. Dipetik March 27, 2017, dari The IUCN Red List of Threatened Species: <http://www.iucnredlist.org/details/4615/0>

Serusi, S. (2010). *Estimation of leaves nutrient content in seagrass using spectral data: The case of Halodule uninervis*. Enschede: ITC.

Servigne, S., Lesage, N., & Libourel, T. (2010). Quality components, standards, and metadata. Dalam R. Devillers, & R. Jeansoulin, *Fundamentals of Spatial Data Quality*. Wiley.

Short, F. T., & Coles, R. G. (2001). *Global Seagrass Research Methods*. Amsterdam: Elsevier.

Short, F. T., Carruthers, T., Dennison, W., & Waycott, M. (2007). Global seagrass distribution and diversity: A bioregional model. *Journal of Experimental Marine Biology and Ecology*, 350, 3-20.

*Standar Nasional Indonesia No. 6502.2 Tahun 2010 tentang Penyajian Peta Rupa Bumi Indonesia*. (t.thn.).

Topouzelis, K., Spondylidis, S. C., Papakonstantinou, A., & Soulakellis, N. (2016). The use of Sentinel-2 imagery for seagrass mapping: Kalloni Gulf (Lesvos Island - Greece) case study. *Fourth International Conference of RS and Geoinfo of Envi* (hal. 1-11). Proc. SPIE.

Torning, K., Kutser, T., Laas, A., Sepp, M., Paavel, B., & Noges, T. (2016). First experiences in mapping lake water quality parameters with Sentinel-2 MSI imagery. *Remote Sensing*, 640, 1-14.

Torres-Pulliza, D., Wilson, J. R., Darmawan, A., Campbell, S. J., & Andrefouet, S. (2013). Ecoregional scale seagrass mapping: A tool to support resilient



MPA network design in the Coral Triangle. *Ocean & Coastal Management*, 80, 55-64.

*Undang-Undang No. 4 Tahun 2011 tentang Informasi Geospasial.* (t.thn.).

Unsworth, R., Ambo-Rappe, R., Jones, B., La Nafie, Y., Irawan, A., Hernawan, U., . . . Cullen-Unsworth, L. (2018). Indonesia's globally significant seagrass meadows are under widespread threat. *Science of the Total Environment*(634), 279-286.

Waycott, M., Duarte, C. M., Carruthers, T. J., Orth, R. J., Dennison, W. C., Olyarnik, S., . . . Williams, S. L. (2009, July 28). Accelerating loss of seagrasses across the globe. *PNAS*, 106(30), 12377-12381. doi:10.1073/pnas.0905620106

Wicaksono, P., & Hafizt, M. (2013). Mapping seagrass from space: addressing the complexity of seagrass LAI mapping. *European Journal of Remote Sensing*, 46, 18-39.

Wiryawan, B., Khazali, M., & Knight, M. (2005). *Menuju Kawasan Konservasi Laut Berau, Kalimantan Timur: Status sumberdaya pesisir dan proses pengembangannya*. Jakarta: Program Bersama Kelautan Berau TNC-WWF-Mitra Pesisir-/CRMP II USAID.

Wiryawan, B., Stanley, S. A., Yulianto, I., & Susanto, H. A. (2004). *Profil Kepulauan Derawan, Kabupaten Berau, Kalimantan Timur*. Berau: The Nature Conservancy dan Pemerintah Kabupaten Berau.

Yang, X. (2009). Remote Sensing, Geospatial Technologies and Coastal Ecosystems. Dalam X. Yang, *Remote Sensing and Geospatial Technologies for Coastal Ecosystem Assessment and Management*. Springer.