

DAFTAR PUSTAKA

- Abdollahi-Alibeik, M. and Moaddeli, A., 2015, Multi-component One-pot Reaction of Aldehyde, Hydroxylamine and Sodium Azide Catalyzed by Cu-MCM-41 Nanoparticles: A Novel Method for The Synthesis of 5-Substituted 1H-tetrazole Derivatives, *New J. Chem.*, 39, 2116-2122.
- Akhlaghinia, B. and Rezazadeh, S., 2012, A Novel Approach for The Synthesis of 5-Substituted-1, *J. Braz. Chem. Soc.*, 23, 2197-2203.
- Anonim, 2016, *Rata-Rata Konsumsi per Kapita Seminggu Beberapa Macam Bahan Makanan Penting Tahun 2007-2016*, Badan Pusat Statistik, Jakarta.
- Ashraf, P. M., Lalitha, K. V., and Edwin, L., 2015, Synthesis of Polyaniline Hybrid Composite: A New and Efficient Sensor for The Detection of Total Volatile Basic Nitrogen Molecules, *Sensors Actuators B Chem.*, 208, 369-378.
- Ayhan, K., Kolsarici, N., and Özkan, G. A., 1999, The Effects of A Starter Culture on The Formation of Biogenic Amines in Turkish Soudjoucks, *Meat Sci.*, 53, 183-188.
- Balamatsia, C. C., Patsias, A., Kontominas, M. G., and Savvaidis, I. N., 2007, Possible Role of Volatile Amines as Quality-indicating Metabolites in Modified Atmosphere-packaged Chicken Fillets: Correlation with Microbiological and Sensory Attributes, *Food Chem.*, 104, 1622-1628.
- Balamatsia, C. C., Paleologos, E. K., Kontominas, M. G., and Savvaidis, I. N., 2006, Correlation Between Microbial Flora, Sensory Changes and Biogenic Amines Formation in Fresh Chicken Meat Stored Aerobically or Under Modified Atmosphere Packaging at 4 Degrees C: Possible Role of Biogenic Amines as Spoilage Indicators, *Antonie Van Leeuwenhoek Int. J. General and Molecular Microbiol.*, 89(1), 9-17.
- Bunkova, L., Bunka, F., Klčovska, P., Mrkvicka, V., Dolezalova, M., and Krcmar, S., 2010, Formation of Biogenic Amines by Gram-negative Bacteria Isolated from Poultry Skin, *Food Chem.*, 121 (1), 203-206.
- Bhadra, S., Narvaez, C., Thomson, D. J., and Bridges, G. E., 2015, Non-Destructive Detection of Fish Spoilage Using a Wireless Basic Volatile Sensor, *Talanta*, 134, 718-723.
- Byun, J. S., Min, J. S., Kim, I. S., Kim, J. W., Chung, M. S., and Lee, M., 2003, Comparison of Indicators of Microbial Quality of Meat During Aerobic Cold Storage, *J. Food Protect.*, 66, 1733-1737.
- Forest, J. C., Aberle, E. D., Hendrick, H. B., Judge, M. B., and Mirkel, R. A., 1975, *Principle of Meat Science*, W. H. Freeman and Company, San Fransisco.

- Callan, J. F., de Silva, A. P., and Magri, D. C., 2005, Luminescent Sensors and Switches in The Early 21st Century, *Tetrahedron*, 61 (36), 8551-8588.
- Chang, L., Chuang, M., Zan, H., Meng, H., Lu, C., Yeh, P., and Chen, J., 2017, One-Minute Fish Freshness Evaluation by Testing the Volatile Amine Gas with an Ultrasensitive Porous-Electrode-Capped Organic Gas Sensor System, *ACS Sensors*, 2, 531-539.
- Chen, Q., Hui, Z., Zhao, J., and Ouyang, Q., 2014, Evaluation of Chicken Freshness Using a Low-cost Colorimetric Sensor Array with AdaBoost e OLDA Classification Algorithm, *LWT - Food Sci. Technol.*, 57, 502-507.
- Collins, J. D., Noerrung, B., Budka, H., Androletti, O., Buncic, S., Griffin, J., Hald, T., Havelaar, A., Hope, J., Klein, G., Koutsoumanis, K., McLauchlin, J., Müller-Graf, C., Nguyen-The, C., Peixe, L., Maradona, M. P., Ricci, A., Sofos, J., Threlfall, J., Vågsholm, I., and Vanopdenbosch, E., 2011, Scientific Opinion on risk based control of biogenic amine formation in fermented foods, *EFSA J.*, 9 (10), 1-93.
- Dudnyk, I., Janecek, E-R., Vaucher-Joset, J., and Stellacci, F., 2018, Edible Sensors for Meat and Seafood Freshness, *Sensors Actuators B Chem.*, 259, 1108-1112.
- Gao, C., Jin, X., Yan, X., An, P., Zhang, Y., Liu, L. L., Tian, H., Liu, W. S., Yao, X. J., and Tang, Y., 2013, A Small Molecular Fluorescent Sensor for Highly Selectivity of Zinc Ion, *Sensors Actuators B Chem.*, 176, 775-781.
- Gram, L., Ravn, L., Rasch, M., Bruhn, J.B., Christensen, A.B., and Givskov, M., 2002, Food Spoilage—Interactions Between Food Spoilage Bacteria. *Int. J. Food Microbiol.*, 78, 79-97.
- Hadiwiyoto, S., 1993, *Teknologi Pengolahan Hasil Perikanan*, Jilid I, Liberty, Jakarta.
- Halász, A., Baráth, Á., Simon-Sarkadi, L., and Holzapfel, W., 1994, Biogenic Amines and Their Production by Microorganisms in Food, *Trends Food Sci. Technol.*, 5, 42-49.
- Huang, L., Zhao, J., Chen, Q., and Zhang, Y., 2013, Rapid Detection of Total Viable Count (TVC) in Pork Meat by Hyperspectral Imaging, *Food Res. Int.*, 54, 821–828.
- Huang, X., Lv, R., Yao, L., Guan, C., Han, F., and Teye, E., 2015, Non-destructive Evaluation of Total Volatile Basic Nitrogen (TVB-N) and K-values in Fish Using Colorimetric Sensor Array, *Anal. Methods*, 7, 1615-1621.
- Jensen, W. K., Devine, C., and Dikeman, M., 2004, *Encyclopedia of Meat Sciences*, Academic Press: Amsterdam, ISBN: 978-0124649705.

- Jiang, J., Li, J., Zheng, F., Lin, H., and Hui, G., 2016, Rapid Freshness Analysis of Mantis Shrimps (*Oratosquilla oratoria*) by Using Electronic Nose, *J. Food Meas. Charact.*, 10, 48-55.
- Kaur, N., Kaur, G., Fegade, U. A., Singh, A., Sahoo, S. K., Kuwar, A. S., and Singh, N., 2017, Trends in Analytical Chemistry Anion Sensing with Chemosensors Having Multiple e NH Recognition Units, *Trends Anal. Chem.*, 95, 86-109.
- Khan, K. M., Fatima, I., Saad, S. M., Taha, M., and Voelter, W., 2016, An Efficient One-pot Protocol for The Conversion of Benzaldehydes into Tetrazole analogs, *Tetrahedron Lett.*, 57, 523-524.
- Kuswandi, B., Jayus, Restyana, A., Abdullah, A., Heng, L.Y., and Ahmad, M., 2012, A Novel Colorimetric Food Package Label for Fish Spoilage Based on Polyaniiline Film, *Food Control*, 25, 184-189.
- Lakowicz, J. R., 2006, Principles of Fluorescence Spectroscopy 3rd, Lakowicz, J. R., (ed) Springer US, Boston.
- Laudet, A., and Burgess, K., 2007, BODIPY Dyes and Their Derivatives: Syntheses and Spectroscopic Properties, *Chem. Rev.*, 107 (11), 4891-4932.
- Li, H., Chen, Q., Zhao, J., and Wu, M., 2015, Nondestructive Detection of total Volatile Basic Nitrogen (TVB-N) Content in Pork Meat by Integrating Hyperspectral Imaging and Colorimetric Sensor Combined with a Non-linear Data Fusion, *LWT - Food Sci. Tech.*, 63, 268-274.
- Li, J., Zhou, X., Zhou, Y., Fang, Y., and Yao, C., 2013, Molecular and Biomolecular Spectroscopy A Highly Specific Tetrazole-based Chemosensor for Fluoride ion : A New Sensing Functional Group Based on Intramolecular Proton Transfer, *Spectrochim. ACTA PART A Mol. Biomol. Spectrosc.*, 102, 66-70.
- Lv, Y., Cao, M., Li, J., and Wang, J., 2013, A Sensitive Ratiometric Fluorescent Sensor for Zinc(II) with High Selectivity, *Sensors*, 13, 3131-3141.
- Maynard, L.S., and Schenker, V.J., 1996, Monoamine-oxidase Inhibition by Ethanol, *Nature*, 196, 575-576.
- Martinez-Manes, R., and Sancenon, F., 2003, Fluorogenic and Chromogenic Chemosensors and Reagents for Anion, *Chem. R.*, 4419-4476.
- Medina, M. A., Quesada, A. R., Castro, I. N., and Sánchez-Jiménez, F., 1999, Histamine: Polyamines and Cancer, *Biochem. Pharmacol.*, 57, 1341-1344.
- Min, J. S., Lee, S. O., Jang, A., Lee, M., and Kim, Y., 2004, Quantitative Analysis of Biogenic Amines in Raw and Processed Foods of Animal Origin on Korean Domestic Market, *Asian-Australasian J. Anim. Sci.*, 17, 1764-1768.

- Mitra, B., Mukherjee, S., Pariyar, G. C., and Ghosh, P., 2018, One Pot Three-component Synthesis of 5-substituted 1H-tetrazole from Aldehyde, *Tetrahedron Lett.*, 59, 1385-1389.
- Moret, S., and Conte, L.S., 1996, High-performance Liquid Chromatographic Evaluation of Biogenic Amines in Foods an Analysis of Different Methods of Sample Preparation in Relation to Food Characteristics, *J. Chromatogr. A.*, 729, 363-369.
- Morsy, M. K., Zór, K., Kostesha, N., Alstrøm, T.S., Heiskanen, A., El-Tanahi, H., Sharoba, A., Papkovsky, D., Larsen, J., Khalaf, H., Jakobsen, M. H., and Emneus, J., 2016, Development and Validation of a Colorimetric Sensor Array for Fish Spoilage Monitoring, *Food Control*, 60, 346-352.
- Mountney, G. J., 1989, *Poultry Products Technology*, Food Products Press, New York.
- Nielsen, D. and Hyldig, G., 2004, Influence of Handling Procedures and Biological Factors on the QIM Evaluation of Whole Herring (*Clupea harengus L.*), *Food Res. Int.*, 37, 975-983.
- Nilsen, H., Esaiassen, M., Heia, K., and Sigernes, F., 2002, Visible/Near-Infrared Spectroscopy: A New Tool for the Evaluation of Fish Freshness? *J. Food Sci.*, 67, 182-1826.
- Nurohmah, B. A., 2014, Sintesis Turunan Senyawa Azo-Hidrazon dari Vanilin dan Uji Potensi sebagai Sensor Anion Secara Kolorimetri, *Tesis*, Departemen Kimia FMIPA-UGM, Yogyakarta.
- Olafsdottir, G., Jonsdottir, R., Lauzon, H.L., Luten, J., and Kristbergsson, K., 2005, Characterization of Volatile Compounds in Chilled Cod (*Gadus morhua*) Fillets by Gas Chromatography and Detection of Quality Indicators by an Electronic Nose, *J. Agric. Food Chem.*, 53, 10140-10147.
- Omanovic-miklicanin, E., and Valzacchi, S., 2017, Development of New Chemiluminescence Biosensors for Determination of Biogenic Amines in Meat, *Food Chem.*, 235, 98-103.
- Önal, A., 2007, A review: Current Analytical Methods for The Determination of Biogenic Amines in Foods, *Food Chem.*, 103, 1475-1486.
- Ouyang, Q., Zhao, J., Chen, Q., and Lin, H., 2013, Classification of Rice Wine According to Different Marked Ages Using a Novel Artificial Olfactory Technique Based on Colorimetric Sensor Array, *Food Chem.*, 138, 1320-1324.
- Parkesh, R., Vealem E. B. and Gunnalaugsson, T., 2011, Fluorescent Detection Principles and Strategies, Dalam B. Wang. dan E. V. Aslyn (ed.), *Chemosensor: Principles, Strategies, and Application*, John Wiley and Sons,

Inc., Hoboken.

- Patil, U. B., Kumthekar, K. R., and Nagarkar, J. M., 2012, A Novel Method for The Synthesis of 5-Substituted 1*H*-tetrazole from Oxime and Sodium Azide, *Tetrahedron Lett.*, 53, 3706-3709.
- Ponnuvel, K., Padmini, V., and Sribalan, R., 2016, A New Tetrazole Based Turn-on Fluorescence Chemosensor for Zn²⁺ Ions and Its Application in Bioimaging, *Sensors Actuators B. Chem.*, 222, 605-611.
- Pretsch, E., Buhlmann, P. and Badertscher, M., 1997, *Structure Determination of Organic Compounds: Tables of Spectral Data*, 4th Edition, Springer, Heidelberg.
- Rastogi, S. K., Pal, P., Aston, D. E., Bitterwolf, T. E., and Branen, A. L., 2011, 8-Aminoquinoline Functionalized Silica Nanoparticles: A Fluorescent Nanosensor for Detection of Divalent Zinc in Aqueous and in Yeast Cell Suspension, *ACS Appl. Mater. Interfaces*, 3, 1731-1739.
- Reddy, M. B. and Pasha, M. A., 2011, Iodine-Catalyzed, Efficient, One-Pot Protocol for the Conversion of Aldehydes into 5-Aryl-1*H*-tetrazoles, *Synth. Commun.*, 41, 2081-2085.
- Rochart, S., 2011, *Metal-Based Chemosensors for Important Bioanalysis*, Ecole Polytechnique Federale De Lausanne, Swiss.
- Romero, R., Gázquez, D., Bagur, M., and Sánchez-Viñas, M., 2000, Optimization of Chromatographic Parameters for The Determination of Biogenic Amines in wines by Reversed-Phase High-Performance Liquid Chromatography, *J. Chromatogr. A*, 871, 75-83.
- Rukchon, C., Nopwinyuwong, A., and Trevanich, S., 2014, Development of a Food Spoilage Indicator for Monitoring Freshness of Skinless Chicken Breast, *Talanta*, 130, 547-554.
- Sarkadi, L. S., 2009, In: Stadler, R. H., Lineback, D. R. (Eds.), *Process-induced Food Toxicants-Occurrence, Formation, Mitigation, and Health Risks*, John Wiley and Sons, Inc., New Jersey.
- Santos, M.H.S., 1996, Biogenic Amines: Their Importance in Foods, *Int. J. Food Microbiol.*, 29, 213-231.
- Sridhar, M., Mallu, K., Jillella, R., Godala, K., Beeram, C., and Chinthala, N., 2013, One-Step Synthesis of 5-Substituted 1*H*-Tetrazoles from an Aldehyde by Reaction with Acetohydroxamic Acid and Sodium Azide under Bi(OTf)₃ Catalysis, *Synthesis (Stuttg.)*, 45, 507-510.
- Svetlik, J., Martvon, A., and Lesko, J., 1979, Preparation and Spectral properties of Tetrazoles, *Chem. Zvesti*, 33(4), 521-527.

- Tavallahi, H., Deilamy-Rad, G., Parhami, A., and Mousavi, P. Z., 2013, A Novel Development of Dithizone as A Dual-Analyte Colorimetric Chemosensor: Detection and Determination of Cyanide and Cobalt(II) Ions in Dimethyl Sulfoxide/Water Media With Biological Applications, *J. Photochem. Photobiol. B.*, 125, 121-130.
- Tisseh, Z.N., Dabiri, M., Nobahar, M., Khavasi, H.R., and Bazgir, A., 2012, Catalyst-free, Aqueous and Highly Diastereoselective Synthesis of New 5-Substituted 1*H*-tetrazoles via a Multi-Component Domino Knoevenagel Condensation/1,3 Dipolar Cycloaddition Reaction, *Tetrahedron*, 68, 1769-1773.
- Urmila, K., Li, H., Chen, Q., Hui, Z., and Zhao, J., 2015, Quantifying of *total Volatile Basic Nitrogen* (TVB-N) Content in Chicken Using a Colorimetric Sensor Array and Nonlinear Regression Tool, *Anal. Methods.*, 7 (13), 5682-5688.
- Utami, U. H., 2015, Sintesis dan Uji Aktivitas Turunan Senyawa Stirena dari Vanilin Sebagai Sensor Kolorimetri Anion, *Tesis*, Departemen Kimia Universitas Gadjah Mada, Yogyakarta.
- Venkateswarulu, M., Gaur, P., and Koner, R. R., 2015, Sensitive Molecular Optical Material for Signaling Primary Amine Vapors, *Sensors Actuators B Chem.*, 210, 144-148.
- Vinci, G. and Antonelli, M., 2002, Biogenic Amines: Quality Index of Freshness in Red and White Meat, *Food Control*, 13, 519-524.
- Wang, H., Wang, J., Yang, S., Tian, H., Liu, Y., and Sun, B., 2018, Highly Selective and Rapidly Responsive Fluorescent Probe for Hydrogen Sulfide Detection in Wine, *Food Chem.*, 257, 150-154.
- Wang, B. and Aslyn, E.V., 2011, *Chemosensor: Principles, Strategies, and Applications*, John Wiley and Sons, Inc., Hoboken.
- Ward, D. R., Finne, G., and Nickelson II, R., 1979, Use of a Specific-Ion Electrode (Ammonia) in Determining The Quality of Shrimp, *J. Food Science*, 44, 1952-1057.
- Xiao-wei, H., Xiao-bo, Z., Ji-yong, S., Yanin, G., Jie-wen, Z., Jianchun, Z., and Limin, H., 2014, Determination of Pork Spoilage by Colorimetric Gas Sensor Array Based on Natural Pigments, *Food Chem.*, 145, 549-554.
- Xiaowei, H., Xiaobo, Z., Jiewen, Z., Xiaolei, Z., and Lecheng, S., 2014, Sensing The Quality Parameters of Chinese Traditional Yao-meat by Using a Colorimetric Sensor Combined with Genetic Algorithm Partial Least Squares Regression, *Meat Sci.*, 98, 203-210.
- Yen, H. J., Lin, J. H., Su, Y. O., and Liou, G. S., 2018, Observation of Ionic

Hydrogen Bonding Between Anions and Triarylamine-Based Aromatic Polyimides with Secondary Amine, *Electrochim. Acta*, 261, 307-313.

Zhang, C., Bailey, D. P., and Suslick, K. S., 2006, Colorimetric Sensor Arrays for The Analysis of Beers: A Feasibility Study, *J. Agric. Food Chem.*, 54, 4925-31.

Zhang, C. and Suslick, K. S., 2005, A Colorimetric Sensor Array for Organics in Water, *J. Am. Chem. Soc.*, 127, 11548-11549.

Zhang, C. and Suslick, K. S., 2007, Colorimetric Sensor Array for Soft Drink Analysis, *J. Agric. Food Chem.*, 55, 237-242.

Zhang, Y., Guo, X., Jia, L., Xu, S., Xu, Z., Zheng, L., and Qian, X., 2012, Substituent-Dependent Fluorescent Sensors for Zinc Ions Based on Carboxamidoquinoline, *Dalt. Trans.*, 41, 11776-11782.