

REFERENCES

- Adam, N. & Jessop, G., 1925. CCL.-Angles of contact and polarity of solid surfaces. *Journal of the Chemical Society, Transactions, Vol. 127, Part 2*, pp. 1863-1868.
- Ahmed, W., Ching, C. & Shoukri, M., 2007. Development of two-phase flow downstream of a horizontal sudden expansion. *International Journal of Heat and Fluid Flow, Vol. 29*, pp. 194-206.
- Ahmed, W. & Ching, C. S. M., 2001. *Pressure recovery of air-oil two-phase flow across sudden expansions*. Kingston, Ontario, Canada, CD Proceedings.
- Aloui, F. & Souhar, M., 1996. Experimental study of a two-phase bubbly flow in a flat duct symmetric sudden expansion - Part 1: Visualization, pressure and void fraction. *International Journal of Multiphase Flow, Vol. 22*, pp. 651-665.
- Alves, G., 1953. Co-Current Liquid-Gas Flow in a Pipeline. *Paper presented at San Fransisco meeting of A.I.Ch.E.*
- Attension, n.d. *Technology note 7: Influence of surface roughness on contact angle and wettability*, s.l.: Biolin Scientific.
- Awad, M., 2012. Two-Phase Flow. In: *An Overview of Heat Transfer Phenomena*. s.l.:InTech, pp. 251-340.
- Baker, O., 1954. Simultaneous Flow of Oil and Gas. *Oil and Gas Journal, Vol. 53*, pp. 185-195.
- Balino, J., 2012. *Modeling and Simulation of Severe Slugging in Air-Water Systems including Inertial Effects*. s.l., Bruzzone, Dauphin-Tanguy, Junco and Merkurjev Eds..

- Balino, J., Burr, K. & Nemoto, R., 2010. Modeling and simulation of severe slugging in air-water pipeline-riser systems. *International Journal of Multiphase Flow*, Vol. 36, pp. 643-660.
- Bertola, V., 2004. The structure of gas-liquid flow in a horizontal pipe with abrupt area contraction. *Experimental Thermal and Fluid Science*, Vol. 28, Issue 6, pp. 505-512.
- Bezuglyi, B., Tarasov, O. & Fedorets, A., 2001. Modified Tilting-Plate Method for Measuring Contact Angles. *Colloid Journal*, vol. 63, Issue 6, pp. 668-674.
- Breber, G., Palen, J. & Taborek, J., 1980. Prediction of Horizontal Tubeside Condensation Components Using Flow Regime Criteria. *ASME Journal of Heat Transfer*, Vol. 102, No. 3.
- Brennen, C., 2005. *Fundamentals of Multiphase Flows*. California: Cambridge University Press.
- Butterworth, D., 1972. Air-water annular flow in a horizontal tube. *Prog. Heat Mass Transfer*, Vol. 6, pp. 235-251.
- Campbell, D., Carnell, S. & Eden, R., 2013. Applicability of contact angle techniques used in the analysis of contact lenses, Part I: Comparative methodologies. *Eye & Contact Lens*, pp. 254-262.
- Cassie, A. & Baxter, S., 1944. Wettability of porous surfaces. *Transactions of the Faraday Society*, 40, p. 546.
- Cielinski, J. & Krygier, K., 2013. Influence of Surface Curvature on Sessile Droplet Contact Angle of Nanofluids. *Transactions of the Institute of Fluid-Flow Machinery*, pp. 3-12.
- Cwikel, D. et al., 2010. Comparing Contact Angle Measurements and Surface Tension Assessments of Solid Surfaces. *Langmuir*, Vol. 26, Issue 19, pp. 15289-15294.
- de Gennes, P., 1985. Wetting: statics and dynamics. *Rev. Mod. Phys.*, pp. 827-863.

- Drelich, J., 2013. Guidelines to measurements of reproducible contact angles using a sessile-drop technique. *Surface Innovations, Vol. 1, Issue 4*, pp. 248-254.
- Extrand, C. & Moon, S., 2008. Contact Angles on Spherical Surfaces. *Langmuir, Vol. 24, No. 17*, pp. 9470-9473.
- Fossa, M. & Guglielmini, G., 2002. Pressure drop and void fraction profiles during horizontal flow through thin and thick orifices. *Experimental Thermal and Fluid Science, Vol. 26*, pp. 513-523.
- Fossa, M., Guglielmini, G. & Marchitto, A., 2006. Two-phase flow structure close to orifice contractions during horizontal intermittent flows. *International Communications in Heat and Mass Transfer, Vol. 33*, pp. 698-708.
- Fowkes, F. & Harkins, W., 1940. The State of Monolayers Adsorbed at the Interface Solid - Aqueous Solution. *Journal of the American Chemical Society, Vol. 62, Issue 12*, pp. 3377-3386.
- Gao, L. & McCarthy, T. J., 2006. Contact Angle Hysteresis Explained. *Langmuir, 22(14)*, pp. 6234-6237.
- Gazley, C., 1949. Interfacial Shear and Stability in Two-Phase Flow. *Ph.D. thesis, University of Delaware*.
- Good, R. & Koo, M., 1979. The effect of drop size on contact angle. *Journal of Colloid and Interface Science, Vol. 71, Issue 2*, pp. 283-292.
- Govier, G. & Aziz, K., 1972. *The Flow of Complex Mixtures in Pipes*. New York, USA: Van Nostrand Reinhold.
- Govier, G. & Omer, M., 1962. The Horizontal Pipeline Flow of Air-Water Mixtures. *Can. Journal of Chemical Engineering, Vol. 40, Issue 93*.
- Hay, K., Dragila, M. & Liburdy, J., 2008. Theoretical model for the wetting of a rough surface. *Journal of Colloid and Interface Science*, pp. 472-477.
- Hoogendoorn, C., 1959. Gas-Liquid Flow in Horizontal Pipes. *Chemical Engineering Science, Vol. 9*, pp. 205-217.

- Jenkins & Rodman, 1947. Two-Phase Two-Component Flow of Air and Water. *M.S. Thesis, University of Delaware.*
- Jones, O. & Zuber, N., 1975. The interrelation between void fraction fluctuations and flow patterns in two-phase flow. *International Journal of Multiphase Flow, Vol. 2*, pp. 273-306.
- Kojasoy, G., Landis, F., Kwame-Mensah, P. & Chang, C., 1997. Two-phase pressure drop in multiple thick-and thin-orifice plates. *Experimental Thermal and Fluid Science, Vol. 15, Issue 4*, pp. 347-358.
- Kosterin, S., 1949. An Investigation of the Influence of the Diameter and Inclination of a Tube on the Hydraulic Resistance and Flow Structure of Gas-Liquid Mixtures. *SSSR, Otdel Tekh Nauk, No. 12.*
- Kranias, S., 2004. *Effect of drop volume on static contact angles*, France: Technical Note 310e, Kruss GmbH.
- Krasowska, M., Terpilowski, K., Chibowski, E. & Malysa, K., 2006. Apparent Contact Angles and Time of the three Phase Contact Formation by the Bubble Colliding with Teflon Surface of Different Roughness. *Physicochemical Problems of Mineral Processing, 40*, pp. 293-306.
- Krishnan, A. et al., 2005. An evaluation of methods for contact angle measurement. *Colloids Surface B Biointerfaces, Vol. 43, Issue 2*, pp. 95-98.
- Kubiak, K., Mathia, T. & Wilson, M., 2009. *Methodology for metrology of wettability versus roughness of engineering surfaces*. Paris, s.n.
- Kubiak, K., Wilson, M., Mathia, T. & Carval, P., 2011. Wettability versus roughness of engineering surfaces. *Wear, 271*, pp. 523-528.
- Kwok, D. & Neumann, A., 1999. Contact angle measurement and contact angle interpretation. *Advances in Colloid and Interface Science, Vol. 81, Issue 3*, pp. 167-249.

- Lelah, M., Grasel, T., Pierce, J. & Cooper, S., 1985. The measurement of contact angles on circular tubing surface using the captive bubble technique. *Journal of biomedical materials research, Vol. 19, Issue 9*, pp. 1011-1015.
- Lin, P. & Hanratty, T., 1987. Effect of Pipe Diameter on Flow Patterns for Air-Water Flow in Horizontal. *International Journal of Multiphase Flow*, pp. 549-563.
- Lin, Z., 1982. Two-phase flow measurements with sharp-edged orifices. *International Journal of Multiphase Flow, Vol. 8, Issue 6*, pp. 683-693.
- Mandhane, J., Gregory, G. & K., A., 1974. A flow pattern map for gas-liquid in horizontal pipes. *International Journal of Multiphase Flow, Vol.1, Issue 4*, pp. 537-553.
- McGuire, J. & Yang, J., 1991. The Effect of Drop Volume on Contact Angle. *Journal of Food Protection, Vol. 54, No. 3*, pp. 232-235.
- Meiron, T., Marmur, A. & Saguy, I., 2004. Contact angle measurements on rough surfaces. *Journal of Colloid and Interface Science, Vol. 272, No. 2*, pp. 637-644.
- Neumann, A., 1974. Contact angles and their temperature dependence: thermodynamic status, measurement, interpretation and application. *Advances in Colloid and Interface Science*, pp. 105-191.
- Neumann, A. & Kwok, D., 1998. Contact angles and surface energetics. In: *Horizons 2000 - aspects of colloid and interface science at the turn of the millenium*. s.l.:Steinkipff, pp. 170-184.
- Pearce, D., 1982. An experimental investigation of flow regimes in R12. *European Two-phase Flow Group Meeting, Paris*.
- Prajitno, D., 2016. Effect of Surfaces of Stainless Steel 304 by Sessile Drop Method. *Journal of Physics: Conference Series, Volume 739, No. 1*.
- Rogers, L., 1985. Smooth Transition Densities for One-Dimensional Diffusions. *Bulletin of the London Mathematical Society, Vol. 17, Issue 2*, pp. 157-161.

- Rouhani, S. & Sohel, M., 1983. Two-phase flow pattern: A review of research result. *Progr. Nuclear Energy, Vol. 11*, pp. 217-259.
- Roul, M. & Dash, S., 2012. Numerical investigation of single and two-phase flow through thin orifices in horizontal pipes. *Indian Journal of Science and Technology, Vol. 5, Issue 9*, pp. 3274-3280.
- Rudawska, A. & Jacniacka, E., 2009. Analysis for determining surface free energy uncertainty by the Owen-Wendt method. *International Journal of Adhesion and Adhesives 24*, pp. 451-457.
- Saadawi, A., Grattan, E. & W.M., D., 1999. Two-phase pressure loss in orifice plates and gate valves in large diameter pipes. *2nd Symp. Two-Phase Flow Modelling and Experimentations*.
- Salcudean, M. & Chun, C. G. D., 1983. Effect of flow obstructions on void distributions in horizontal air-water flow. *International Journal of Multiphase Flow, Vol. 9*, pp. 91-96.
- Schuster, J., Schvezov, E. & Rosenberger, M., 2015. Influence of Experimental Variables on the Measure of Contact Angle in Metals using the Sessile Drop Method. *Procedia Materials Science*, pp. 742-751.
- Scott, D., 1964. Properties of Co-Current Gas-Liquid Flow. *Advances in Chemical Engineering, Vol. 4*, pp. 199-277.
- Shoukri, M., Tawfik, H. & Chan, A., 1984. Two-phase redistribution in horizontal subchannel flow-turbulent mixing and gravity separation. *International Journal of Multiphase Flow*.
- Soleimani, M., Hill, R. & van de Ven, T., 2013. Bubbles and Drops on Curved Surfaces. *Langmuir, Vol. 29, No. 46*, pp. 14168-14177.
- Spori, D. et al., 2008. Beyond the lotus effect: roughness influences on wetting over a wide surface-energy range. *Langmuir*, pp. 5411-5417.

- Starov, V., Velarde, M. & Radke, C., 2007. *Wetting and Spreading Dynamics*. s.l.:CRC Press.
- Taggart, A., Taylor, T. & Ince, C., 1930. Experiments with Flotation Reagents. *Trans. A.I.K.E. (Mining Methods)*, vol. 87, pp. 285-368.
- Taitel, Y. & Dukler, A., 1976. A model of predicting flow regime transitions in horizontal and near horizontal gas-liquid flow. *American Institute of Chemical Engineers Journal*, Vol. 22, pp. 47-55.
- Warren, B. & Klausner, J., 1995. Developing lengths in horizontal two-phase bubbly flow. *Journal of Fluids Engineering, Transactions of the ASME*, Vol. 117, Issue 3, pp. 512-518.
- Weisman, J., Duncan, D., Gibson, J. & Crawford, T., 1979. Effects of fluid properties and pipe diameter on two-phase flow patterns in horizontal lines. *International Journal of Multiphase Flow*, Vol. 5, Issue 6, pp. 437-462.
- Wenzel, R., 1936. Resistance of solid surfaces to wetting by water. *Industrial and Engineering Chemistry*, 28, p. 988.
- Wu, D. et al., 2015. Determination of contact angle of droplet on convex and concave spherical surfaces. *Chemical Physics*, pp. 63-69.
- Yang, Y., Li, G., Zhou, F. & Chen, X., 2001. Flow pattern and their transition characteristics of air-water two-phase flow in a horizontal pipe with sudden-changed cross section area. *Nuclear Science Technology*, Vol.12, Issue 1, pp. 44-52.
- Young, T., 1805. An Essay on the Cohesion of Fluids. *Phil. Trans. R. Soc. Lond.*, pp. 9565-87.
- Yuan, Y. & Lee, T., 2013. Chapter 1: Contact Angle and Wetting Properties. In: *Surface Science Techniques*. Berlin: Springer.
- Zisman, W., 1964. Relation of the Equilibrium Contact Angle to Liquid and Solid Constitution. *Contact Angle, Wettability, and Adhesion*, pp. 1-51.