

DAFTAR PUSTAKA

- Abubakar, H., Wahyudi, A.T., dan Yuhana, M., 2011, Skrining Bakteri yang Berasosiasi dengan Spons Jaspis sp. Sebagai Penghasil Senyawa Antimikroba. *Ilmu Kelautan* ,16, 35–40.
- Ali A, Hala Y, Junda M, 2005, *Mikrobiologi Dasar*, UNM Press, Makassar.
- Amir, I. and Budiyanto, A., 1996, Mengenal Spons Laut (Demospongiae) secara Umum. *Oseana* ,21, 15–31.
- Anonim, 2016, Mari Bersama Atasi Resistensi Antimikroba, *depkes.co.id*, Diakses pada tanggal 4 juni 2018.
- Anonim, 2017, WHO publishes list of bacteria for which new antibiotics are urgently needed, *who.int*, Diakses pada tanggal 4 juni 2018.
- Anonim, 2018, Antimicrobial resistance, *who.int*, Diakses pada tanggal 4 juni 2018.
- Arini, S., 1995, *Farmakologi dan Terapi edisi IV*, Kedokteran UI, Jakarta.
- Bharate, S.B., Yadav, R.R., Battula, S., dan Vishwakarma, R. a, 2012, Meridianins: marine-derived potent kinase inhibitors. *Mini Rev. Med. Chem.* ,12, 618–31.
- Blunt, J.W. dan Munro, M. H. G., 2009, *Marine Chemistry Group*, MarinLit, Christchurch, New Zealand.
- Brooks, G.F., Carroll, K.C., Butel, J., Morse, S.A., dan Mietzner, T., 2013, *Medical Microbiology*.
- Cabot, G., Ocampo-Sosa, A.A., Domínguez, M.A., Gago, J.F., Juan, C., Tubau, F., dkk., 2012, Genetic markers of widespread extensively drug-resistant *Pseudomonas aeruginosa* high-risk clones. *Antimicrob. Agents Chemother.* ,56, 6349–6357.
- Carter, H.J., 1887, Report on the Marine Sponges chiefly from King Island In: The Mergui Archipelago editor: Dr. John Anderson, *Zool. J. Linn. Soc.*, 21(127-128), 61-84.
- Chanthathamrongsiri, N., Yuenyongsawad, S., Wattanapiromsakul, C., dan Plubrukarn, A., 2012, Bifunctionalized amphilectane diterpenes from the sponge *Stylissa cf. massa*. *J. Nat. Prod.* ,75, 789–792.
- Dahiya, R. dan Gautam, H., 2010, Total synthesis and antimicrobial activity of a natural cycloheptapeptide of marine origin. *Mar. Drugs* ,8, 2384–2394.

- David, W.W., dan Stroat, T.R., 1971, Disc Methode of Microbiological Antibiotic Assay, *J. Microbiology*, 22, 661-670.
- Ebada, S.S., Linh, M.H., Longeon, A., De Voogd, N.J., Durieu, E., Meijer, L., dkk., 2015, Dispacamide e and other bioactive bromopyrrole alkaloids from two Indonesian marine sponges of the genus *Stylissa*. *Nat. Prod. Res.* ,29, 231–238.
- Fajarningsih, N.D., Januar, H.I., Nursid, M., dan Wikanta, T., 2006, Potensi Antitumor Ekstrak Spons *Crella papilata* Asal Taman Nasional Laut Kepulauan Seribu. *J. Pascapanen dan Bioteknologi Kelaut. dan Perikanan.* ,1, 35–41.
- Getas, 2014, Pengaruh Penambahan Glukosa dan Waktu Inkubasi Pada Media SDA (Sabaroud Dextrose Agar) Terhadap Pertumbuhan Jamur *Candida albicans*. *Media Bina Ilm.* ,8, 51–7.
- Hanafiah, K.A, Napoleon A., Ghofur N, 2005, *Biologi Tanah, Ekologi dan Mikrobiologi Tanah*, Raja Grafindo Persada, Jakarta
- Himaya, S.W.A. dan Kim, S.K., 2013, Marine Symbiotic Microorganisms: A New Dimension in Natural Product Research. In, *Marine Microbiology: Bioactive Compounds and Biotechnological Applications.*, pp. 295–305.
- Ismet, M.S., 2007, Penapisan Senyawa Bioaktif Spons *Aaptosaptos* dan *Petrosia* sp. dari Lokasi yang Berbeda, *Tesis*, Institut Pertanian Bogor, Bogor.
- Kenneth, J.R. dan Ray, C.G., 2004, *Medical Microbiology: An Introduction to Infectious Diseases*, Vol. 4th. United States of America: McGraw Hill.
- Khattab, A.I., Babiker, E.H., dan Saeed, H.A., 2016, *Streptomyces*: isolation, optimization of culture conditions and extraction of secondary metabolites. *Int. Curr. Pharm. J.* ,5, 27–32.
- Kita, M., Gise, B., Kawamura, A., dan Kigoshi, H., 2013, *Stylissatin A*, a cyclic peptide that inhibits nitric oxide production from the marine sponge *Stylissa massa*. *Tetrahedron Lett.* ,54, 6826–6828.
- Krishnan, P., Balasubramaniam, M., Roy, S.D., Sarma, K., Hairun, R., dan Sunder, J., 2014, Research Article Characterization of the Antibacterial Activity of Bacteria Associated with. *Adv. Anim. Vet. Sci.* ,2, 20–25.
- Lee, J.S., Kim, Y.S., Park, S., Kim, J., Kang, S.J., Lee, M.H., dkk., 2011, Exceptional production of both prodigiosin and cycloprodigiosin as major metabolic constituents by a novel marine bacterium, *Zooshikella rubidus* S1-1. *Appl. Environ. Microbiol.* ,77, 4967–4973.
- Lee, Y.Y.K.Y.K., Lee, J.J.H., dan Lee, H.K.H.K., 2001, Microbial symbiosis in

marine sponges. *J. Microbiol.* ,39, 254–264.

Liu, H.B., Gao, H., Wang, N.L., Lin, H.P., Hong, K., dan Yao, X.S., 2007, Cyclic dipeptide constituents from the mangrove fungus *Penicillium oxalicum*, *Shenyang Yaoke Daxue Xuebao*, 24, 247.

Mohammed, R., Peng, J., Kelly, M., dan Hamann, M.T., 2006, Cyclic heptapeptides from the Jamaican sponge *Stylissa caribica*. *J. Nat. Prod.* ,69, 1739–1744.

Murniasih, T., 2003, Metabolit Sekunder Dari Spons Sebagai Bahan Obat-obatan. *Oseana* ,XXVIII, 27–33.

Nam, V. Van, Thi, D., Huong, M., Minh, C. Van, dan Cuong, P. Van, 2017, Compounds from culture broth of marine bacterium *oceanisphaera* sp. *Vietnam J. Chem.* ,53, 120–123.

Österblad, M., Hakanen, A., Manninen, R., Leistevuo, T., Peltonen, R., Meurman, O., dan Huovinen, P., 2000, A between-Species Comparison of Antimicrobial Resistance in Enterobacteria in Fecal Flora A between-Species Comparison of Antimicrobial Resistance in Enterobacteria in Fecal Flora. *Antimicrob. Agents Chemother.* ,44, 1479–84.

Pelczar, M. J., Chan, E. C. S., dan Krieg, N. R., 1993, *Microbiology : Concepts and Applications*, McGraw-Hill College, New York.

Pratiwi, S.T., 2008, *Mikrobiologi Farmasi*, Penerbit Erlangga, Jakarta.

Putra, M.Y., Hadi, T.A., dan Murniasih, T., 2016, In vitro antibacterial and antifungal activities of twelve sponges collected from the Anambas Islands, Indonesia. *Asian Pacific J. Trop. Dis.* ,6, 732–735.

Sampurno, 2000, *Parameter Standar Umum Ekstrak Tumbuhan Obat*, (ID): Departemen Kesehatan RI, Jakarta

Setyowati, E.P., 2005, Jaspamide : Identifikasi struktur senyawa sitotoksik dan fungisid dari spons *Stylissa flabelliformis* sponges. *Maj. Farm. Indones.* ,16, 12–19.

Setyowati, E.P., Pratiwi, S.U.T., Hertiani, T., dan Samara, O., 2017, Bioactivity of fungi *Trichoderma reesei* associated with sponges *Stylissa flabelliformis* collected from National Park West Bali, Indonesia. *J. Biol. Sci.* ,17, 362–368.

Shin, H.J., Choi, B.K., Trinh, P.T.H., Lee, H.S., Kang, J.S., Van, T.T.T., dkk., 2018, Suppression of RANKL-induced osteoclastogenesis by the metabolites from the marine fungus *aspergillus flocculosus* isolated from a sponge *stylissa* sp. *Mar. Drugs* ,16,.

- Sumaryono, W., 2005, Isolasi dan elusidasi struktur senyawa utama dari sponge *Axyssa aplysinoides*. *Structure* ,16, 186–191.
- Sun, J., Cheng, W., de Voogd, N.J., Proksch, P., dan Lin, W., 2016, Stylissatins B–D, cycloheptapeptides from the marine sponge *Stylissa massa*. *Tetrahedron Lett.* ,57, 4288–4292.
- Sunaryanto, R., Marwoto, B., Irawadi, T.T., Mas 'ud, Z.A., dan Hartoto, L., 2010, Antibiotic Compound from Marine Actinomycetes (*Streptomyces* sp A11): Isolation and Structure Elucidation. *Indo. J. Chem* ,10, 226–232.
- Susilowati, F., 2017, Uji Brain Shrimp Lethality Test (BSLT) Ekstrak Etil Asetat *Spons Calthropella* sp . Asal Zona Intertidial Pantai Krakal. *Pharmasipha* ,1,.
- Tangerina, M.M.P., Correa, H., Haltli, B., Vilegas, W., dan Kerr, R.G., 2016, Bioprospecting from cultivable bacterial communities of marine sediment and invertebrates from the underexplored Ubatuba region of Brazil. *Arch. Microbiol.* ,199, 155–169.
- Tasdemir, D., Mallon, R., Greenstein, M., Feldberg, L.R., Kim, S.C., Collins, K., dkk., 2002, Aldisine alkaloids from the Philippine sponge *Stylissa massa* are potent inhibitors of mitogen-activated protein kinase kinase-1 (MEK-1). *J. Med. Chem.* ,45, 529–532.
- Taylor, M.W., Radax, R., Steger, D., dan Wagner, M., 2007, Sponge-Associated Microorganisms: Evolution, Ecology, and Biotechnological Potential. *Microbiol. Mol. Biol. Rev.* ,71, 295–347.
- Thomas, T.R.A., Kavlekar, D.P., dan LokaBharathi, P.A., 2010, Marine drugs from sponge-microbe association - A review. *Mar. Drugs* ,8, 1417–1468.
- Tuan, C.D., Chien, V. Van, Hang, P.T., Vuong, N.Q., Huong, D.T.M., Minh, L.T., et al., 2016, Secondary Metabolites Produced By Marine Bacterium. *J. Sci. Technol.* ,54,.
- Vogeser, M. dan Seger, C., 2008, A decade of HPLC-MS/MS in the routine clinical laboratory - Goals for further developments. *Clin. Biochem.* ,41, 649–662.
- Wadhvani, T. dan Desai, K., 2008, Effect of various solvents on bacterial growth in context of determining MIC of various antimicrobials. *Internet J. Microbiol.* ,7, 1–8.
- Wayan, N., Sukmarianti, S., Suaniti, N.M., dan Swantara, I.M.D., 2013, Identifikasi dan Uji Aktivitas Antikanker Ekstrak *Spons Ianthella basta* terhadap Larva *Artemia salina* L . *Cakra Kim. Indones.* ,1,.
- Woodford, N., Turton, J.F., dan Livermore, D.M., 2011, Multiresistant Gram-

negative bacteria: The role of high-risk clones in the dissemination of antibiotic resistance. *FEMS Microbiol. Rev.* ,35, 736–755.

Yamaguchi, M., Miyazaki, M., Kodrasov, M.P., Rotinsulu, H., Losung, F., Mangindaan, R.E.P., dkk., 2013, Spongiacidin C, a pyrrole alkaloid from the marine sponge *Stylissa massa*, functions as a USP7 inhibitor. *Bioorganic Med. Chem. Lett.* ,23, 3884–3886.

Yan, H.Y., 2004, Harvesting Drugs from the Seas and How Taiwan Could Contribute to This Effort. *Chang. J Med* ,9,.

Yuliaty, R., Rante, H., Gemini, A., dan Tahir, A., 2011, Skrining Dan Analisis Klt-Bioautografi Senyawa Antimikroba Beberapa Ekstrak Spons Asal Perairan Laut Pulau Barrang Lompo, Sulawesi Selatan. *Maj. Obat Tradis.* ,16, 88–94.