



## DAFTAR PUSTAKA

- Abd-Lefdil, M., Diaz, R., Bihri, H., Ait Aouaj, M., and Rueda, F., 2007, Preparation and Characterization of Sprayed FTO Thin Films, *Eur. Phys. J. Appl. Phys.*, 38, 217–219.
- Adachi M., Murata Y., Takao J., Jiu J.T., Sakamoto M., and Wang F.M, 2004, Highly Efficient Dye-sensitized Solar Cells with a Titania Thin-film Electrode Composed of a Network Structure of Single-crystal-like TiO<sub>2</sub> Nanowires Made by the “Oriented Attachment” Mechanism, *J. Am. Chem. Soc.* 126(45),14943–14949.
- Amiri, O., Salavati-Niasari, M., Bagheri, S., and Yousefi, A.T., 2016, Enhanced DSSCs Efficiency via Cooperate Co-absorbance (CdS QDs) and Plasmonic Core-shell Nanoparticle (Ag@PVP), *Sci. Rep.*, 1-10.
- An, Y., Li, Z., Xiang, H., Huang, Y., and Shen, J., 2011, First-principle Calculations for Electronic Structure and Bonding Properties in Layered Na<sub>2</sub>Ti<sub>3</sub>O<sub>7</sub>, *Open Phys.*, 9,1488 – 1492.
- Andersson, S., and Wadsley, A.D., 1961, Crystal Structure of Na<sub>2</sub>Ti<sub>3</sub>O<sub>7</sub>, *Acta Crystallogr.*, 14, 1245-1249.
- Andersson, S., and Wadsley, A.D., 1962, The Structures of Na<sub>2</sub>Ti<sub>6</sub>O<sub>13</sub> and Rb<sub>2</sub>Ti<sub>6</sub>O<sub>13</sub> and the Alkali Metal Titanates, *Acta Crystallogr.*, 15, 194–201.
- Azarhoosh, P., McKechnie, S., Frost, J.M., Walsh, A., and van Schilfgaarde, M., 2016, Research Update: Relativistic Origin of Slow Electron-hole Recombination in Hybrid Halide Perovskite Solar Cells, *APL Materials*, 4, 91501 – 91508.
- Bahramian, A., 2013, High Conversion Efficiency of Dye-Sensitized Solar Cells Based on Coral-like TiO<sub>2</sub> Nanostructured Films: Synthesis and Physical Characterization, *Ind. Eng. Chem. Res.*, 52(42): 14837–14846.
- Bao, N., Shen, L., Srinivasan, G., Yanagisawa, K., and Gupta, A., 2008, Shape-Controlled Monocrystalline Ferroelectric Barium Titanate Nanostructures: From Nanotubes and Nanowires to Ordered Nanostructures, *J. Phys. Chem., C*, 112, 8634–8642.
- Bao, Z.Q., Xie, H., Zhu, Q., Qian, J., Ruan, P., and Zhou, X., 2013, Microsphere Assembly of TiO<sub>2</sub> with Tube-in-tube Nanostructures: Anisotropic Etching and Photovoltaic Enhancement, *Cryst. Eng. Comm.*, 15(44): 8972-8987.
- Batzill, M., Katsiev, K., and Diebold, U., 2003, Surface Morphologies of SnO<sub>2</sub> (110), *Surf. Sci.*, 529(3), 295-311.



- Bem, V., Neves, M., Nunes, M., Silvestre, A., and Monteiro, O., 2012, Influence of the Sodium/Proton Replacement on the Structural, Morphological and Photocatalytic Properties of Titanate Nanotubes, *J. Photochem. Photobiol. A*, 232, 50–56.
- Birkel, A., Lee, Y.G., Koll, D., Meerbeek, X.V., Frank, S., Choi, M.J., Kang, Y.S., Char, K., and Tremel, W., 2012, Highly Efficient and Stable Dye-Sensitized Solar Cells Based on SnO<sub>2</sub> Nanocrystals Prepared by Microwave-assisted Synthesis, *Energ. Environ. Sci.*, 5, 5392–5400.
- Bourikas, K., Kordulis, C., and Lycourghiotis, A., 2014, Titanium Dioxide (Anatase and Rutile): Surface Chemistry, Liquid-Solid Interface Chemistry, and Scientific Synthesis of Supported Catalysts, *Chem. Rev.*, 114, 9754–9823.
- Bowland, C. C., Malakooti, M. H., Zhou, Z., and Sodano, H. A., 2015, Highly Aligned Arrays of High Aspect Ratio Barium Titanate Nanowires via Hydrothermal Synthesis, *Appl. Phys. Lett.*, 106, 222903.
- Caglar, Y., Zor, M., Caglar, M., and Ilıcan, S., 2006, Influence of the Indium Incorporation on the Structural and Electrical Properties of Zinc Oxide Films, *J. Optoelectron. Adv. Mater.*, 8(5), 1867–1873.
- Chen, H.Y., Kuang, D.B., and Su, C.Y., 2012, Hierarchically Micro/Nanostructured Photoanode Materials for Dye-Sensitized Solar Cells, *J. Mater. Chem.*, 22, 15475–15489.
- Chen, H.Y., Zhang, T.L., Fan, J., Kuang, D.B., and Su, C.Y., 2013, Electrospun Hierarchical TiO<sub>2</sub> Nanorods with High Porosity for Efficient Dye-Sensitized Solar Cells, *ACS Appl. Mater. Interfaces*, 5(18): 9205–9211.
- Chen, Q., Du, G.H., Zhang, S., and Peng, L. M., 2002, The Structure of Trititanate Nanotubes, *Acta. Crystallogr. B Struct. Sci.*, 58, 587–593.
- Chen, S., Li, Z., and Zhang, Z., 2011, Fabrication and Optical Property of Periodic Sn<sub>1-x</sub>Ti<sub>x</sub>O<sub>2</sub> Nanostructures Patterned by the Polystyrene Microsphere Templates, *J. Nanomater.*, 2011, 1–7.
- Chen, X., and Mao, S., 2007, Titanium Dioxide Nanomaterials; Synthesis, Properties, Modifications and Application, *Chem. Rev.*, 107(7), 2891–2959.
- Cherepy, N.J., Smestad, G.P., Grätzel, M., and Zhang, J.Z., 1997, Ultrafast Electron Injection: Implications for A Photoelectrochemical Cell Utilizing An Anthocyanin Dye-Sensitized TiO<sub>2</sub> Nanocrystalline Electrode, *J. Phys. Chem.*, 101, 9342–9351.
- Cox, D. F., Fryberger, T. B., and Semancik, S., 1988, Oxygen Vacancies and Defect Electronic States on the SnO<sub>2</sub> (110)-1×1 Surface, *Phys. Rev. B*, 38, 2072–2083.



- Ding, S., Xu, C.Y., Wang, W.S., Huang, Y.D., and Zhen L., 2013, Formation of Tubular BaTiO<sub>3</sub> Nanoparticle Assembly Through the Kirkendall Effect using Na<sub>2</sub>Ti<sub>3</sub>O<sub>7</sub> Nanowires as Template, *Mat. Res. Bull.*, 48, 4565 – 4569.
- Eckert, J.O.Jr., Hung-Houston, C.C., Gersten, B.I., Lencka, M.M., and Riman, R. E., 1996, Kinetics and Mechanims of Hydrothermal Synthesis of Barium Titanate. *J. Am. Ceram. Soc.*, 79(11), 2929–2939.
- Ellis-Gibblings, L., Johansson, V., Walsh, R.B., Kloo, L., Quinton, J.S., and Andersson, G.G., 2012, Formation of N719 Dye Multilayers on Dye Sensitized Solar Cell Photoelectrode Surfaces Investigated by Direct Determination of Element Concentration Depth Profiles, *Langmuir*, 28, 9431–9439.
- Feng X.J., Zhai J., and Jiang L., 2005, The Fabrication and Switchable Superhydrophobicity of TiO<sub>2</sub> Nanorod Films, *Angew. Chem. Int. Ed.*, 44, 5115 – 5118.
- Feng, Q., Hirasawa, M., and Yanagisawa, K., 2001, Synthesis of Crystal-Axis-Oriented BaTiO<sub>3</sub> and Anatase Platelike Particles by a Hydrothermal Soft Chemical Process, *Chem. Mater.*, 13, 290–296.
- Fujisawa, J., Eda, T., and Hanaya, M., 2017, Comparative Study of Conduction-band and Valence-band Edges of TiO<sub>2</sub>, SrTiO<sub>3</sub>, and BaTiO<sub>3</sub> by Ionization Potential Measurements, *Chem. Phys. Lett.*, 685, 23–26.
- Ge, M., Cao, C., Huang, J., Li, S., Chen, Z., Zhang, K., Al-Deyab, S., and Lai, Y., 2016, A Review of One-dimensional TiO<sub>2</sub> Nanostructured Materials for Environmental and Energy Applications, *J. Mater. Chem. A.*, 4(18), 6772-6801.
- Grätzel, M., 2006, The Advent of Mesoscopic Injection Solar Cells, *Prog. Photovolt. Res. Appl.*, 14, 429–442.
- Hagfeldt, A., and Gratzel, M., 1995, Light-Induced Redox Reactions in Nanocrystalline Systems, *Chem. Rev.*, 95, 49–68.
- Hagfeldt, A., Boschloo, G., Sun, L., Kloo, L., and Pettersson, H., 2010, Dye Sensitized Solar Cells, *Chem. Rev.*, 110 (11), 6595–6663.
- Harizanov, O., and Harizanova, A., 2000, Development and Investigation of Sol–Gel Solutions for the Formation of TiO<sub>2</sub> Coatings, *Sol. Energy Mater Sol. Cells*, 63, 185–195.
- Howard, C.J., Sabine, T.M., and Dickson, F., 1991, Structural and Thermal Parameters for Rutile and Anatase, *Acta. Crystallogr. B Struct. Sci.*, 47, 462–468.



- Huo, J., Hu, Y., Jiang, H., Huang, W., Li, Y., Shao, W., and Li, C., 2013, Mixed Solvents Assisted Flame Spray Pyrolysis Synthesis of TiO<sub>2</sub> Hierarchically Porous Hollow Spheres for Dye-Sensitized Solar Cells, *Ind. Eng. Chem. Res.*, 52(32), 11029–11035.
- Izawa, H., Kikkawa, S., and Koizumi, M., 1982, Ion Exchange and Dehydration of Layered (Sodium and Potassium) Titanates, Na<sub>2</sub>Ti<sub>3</sub>O<sub>7</sub> and K<sub>2</sub>Ti<sub>4</sub>O<sub>9</sub>, *J. Phys. Chem.*, 86, 5023–5026.
- Janakirama R.B.V., Properties and Structure of Glasses in the Binary Systems Alkali–TiO<sub>2</sub>, *J. Am. Ceram. Soc.*, 1964, 47, 455–463.
- Jang, J., Borse, P., Lee, J.S., Lim, K., Jung, O., Jeong, E., Bae, J., and Kim, H., 2011, Photocatalytic Hydrogen Production in Water-Methanol Mixture Over Iron-doped CaTiO<sub>3</sub>, *B. Korean Chem. Soc.*, 32(1), 95-99.
- Jayabal, P., Sasirekha, V., Mayandi, J., Jeganathan, K., and Ramakrishnan, V., 2014, A Facile Hydrothermal Synthesis of SrTiO<sub>3</sub> for Dye Sensitized Solar Cell Application, *J. Alloy. Compd.*, 586, 456-461.
- Ji, F., Zhou, R., Niu, H., Wan, L., Guo, H., Mao, X., Gan, W., and Xu, J., 2016, Oriented Rutile TiO<sub>2</sub> Nanorod Arrays for Efficient Quantum Dot-sensitized Solar Cells with Extremely High Open-circuit Voltage, *Ceram. Int.*, 42(10), 12194-12201.
- Kay, A., and Grätzel, M., 2002, Dye-Sensitized Core–Shell Nanocrystals: Improved Efficiency of Mesoporous Tin Oxide Electrodes Coated with a Thin Layer of an Insulating Oxide, *Chem. Mater.*, 14(7), 2930–2935.
- Kim, H.-S., Lee, C.-R., and Im, J.-H., 2012, Lead Iodide Perovskite Sensitized All-solid-state Submicron Thin Film Mesoscopic Solar Cell With Efficiency Exceeding 9%, *Sci. Rep.*, 2, 591 – 597.
- Kim, H.W., Kim, H.S., Na, H.G., Yang, J.C., and Kim, D.Y., 2010, Growth, Structural, Raman and Photoluminescence Properties of Rutile TiO<sub>2</sub> Nanowires Synthesized by the Simple Thermal Treatment, *J. Alloys Compd.*, 504(1), 217-223.
- Kojima, A., Teshima, K., Miyasaka, T., and Shirai, Y., 2006, Novel Photoelectrochemical Cell with Mesoscopic Electrodes Sensitized by Lead-halide Compounds (2) in *Proc. 210<sup>th</sup> ECS Meeting*.
- Kojima, A., Teshima, K., Shirai, Y., and Miyasaka, T., 2009, Organometal Halide Perovskites as Visible Light Sensitizers for Photovoltaic Cells. *J. Am. Chem. Soc.*, 131, 6050–6051.



- Koka, A., Zhou, Z., Tang, H., and Sodano, H.A., 2014, Controlled Synthesis of Ultra-long Vertically Aligned BaTiO<sub>3</sub> Nanowire Arrays for Sensing and Energy Harvesting Applications, *Nanotechnology*, 25, 375603 – 375613.
- Kong, L., Ma, J., Huang, H., Zhang, R., and Que, W., 2002, Barium titanate derived from mechanochemically activated powders, *J. Alloys Compd.*, 337, 226–230.
- Kumar, A., Madaria, A.R., and Zhou, C., 2010, Growth of Aligned Single-Crystalline Rutile TiO<sub>2</sub> Nanowires on Arbitrary Substrates and Their Application in Dye-Sensitized Solar Cells, *J. Phys. Chem. C*, 114, 7787-7792.
- Le Viet A., Jose, R., Reddy, M.V., Chowdari B.V.R., and Ramakrishna S., 2010, Nb<sub>2</sub>O<sub>5</sub> Photoelectrodes for Dye-Sensitized Solar Cells: Choice of the Polymorph, *J. Phys. Chem. C*, 114(49), 21795–21800.
- Lee, J.W., Son, D.Y., Ahn, T.K., Shin, H.W., Kim, I.Y., Hwang, S.J., Ko, M.J., Sul, S., Han, H., and Park, N.G., 2013, Quantum-Dot-Sensitized Solar Cell with Unprecedentedly High Photocurrent, *Sci. Rep.*, 3, 1051 – 158.
- Lee, W.W., Chung, W.H., Huang, W.S., Lin, W.C., Lin, W.Y., Jiang, Y.R., and Chen, C.C., 2013, Photocatalytic Activity and Mechanism of Nano-Cubic Barium Titanate Prepared by A Hydrothermal Method, *J. Chem. Eng. Taiwan*, 44, 660–669.
- Lee, Y.L., Huang, B.M., Chien, H.T., 2008, Highly Efficient CdSe-Sensitized TiO<sub>2</sub> Photoelectrode for Quantum-Dot-Sensitized Solar Cell Applications, *Chem. Mat.*, 20, 6903–6905.
- Li, K.N., Wang, Y.F., Xu, Y.F., Chen, H.Y., Su, C.Y., and Kuang, D.B., 2013, Macroporous SnO<sub>2</sub> Synthesized via a Template-Assisted Reflux Process for Efficient Dye-Sensitized Solar Cells, *ACS Appl. Mater. Interfaces*, 5(11), 5105–5111.
- Li, N., Zhang, L., Chen, Y., Fang, M., Zhang, J., and Wang, H., 2011, Highly Efficient, Irreversible and Selective Ion Exchange Property of Layered Titanate Nanostructures, *Adv. Funct. Mater.*, 22 (4), 835–841.
- Lin, Y., Liu, Y., and Sodano, H. A., 2009, Hydrothermal Synthesis of Vertically Aligned Lead Zirconate Titanate Nanowire Arrays, *Appl. Phys. Lett.*, 95 122901 – 122903.
- Lin, C.Y., Lai, Y.H., Chen, H.W., Chen, J.G., Kung, C.W., Vittal, R., and Ho, K.C., 2011, Highly Efficient Dye-sensitized Solar Cell with a ZnO Nanosheet-based Photoanode, *Energ. Environ. Sci.*, 4, 3448 – 3456.



- Liu, B., and Aydil, E.S., 2009, Growth of Oriented Single-Crystalline Rutil TiO<sub>2</sub> Nanorods on Transparent Conducting Substrates for Dye-Sensitized Solar Cells, *J. Am. Chem. Soc.*, 131, 3985-3990.
- Lv, M., Zheng, D., Ye, M., Xiao, J., Guo, W., Lai, Y., Sun, L., Lin, C., and Zuo, J., 2013, Optimized Porous Rutile TiO<sub>2</sub> Nanorod Arrays for Enhancing the Efficiency of Dye-Sensitized Solar Cells, *Energ. Environ. Sci.*, 6(5), 1615-1622.
- Mali, S.S., Betty, C.A., Bhosale, P.N., Patil, P.S., 2012, Eosin-Y, and N3-Dye Sensitized Solar Cells (DSSCs) based on Novel Nanocoral TiO<sub>2</sub>: A Comparative Study, *Electrochim. Acta.*, 59, 113-120.
- Matthews, D., Infelta, P., and Grätzel, M., 1996, Calculation of the Photocurrent-Potential Characteristic for Regenerative, Sensitized Semiconductor Electrodes, *Sol. Energy Mater Sol. Cells*, 44, 119-155.
- Milanovic, M., Stijepovic, I., and Nikolic, L.M., 2010, Preparation and Photocatalytic Activity of the Layered Titanates, *Process. Appl. Ceram.*, 4, 69-73.
- Mir, N., Lee, K., Paramasivam, I., and Schmuki, P., 2012, Optimizing TiO<sub>2</sub> Nanotube Top Geometry for Use in Dye-Sensitized Solar Cells, *Chem. Eur. J.*, 18(38), 11862-11866.
- Moghaddam, H.A., Mohammadi, M.R., and Reyhani, S.M.S., 2016, Improved Photon to Current Conversion in Nanostructured TiO<sub>2</sub> Dye-Sensitized Solar Cells by Incorporating Cubic BaTiO<sub>3</sub> Particles Delimiting Incident, *J. Solar Energy*, 132, 1-14.
- Niu, G., Guo, X., and Wang, L., 2015, Review of Recent Progress in Chemical Stability of Perovskite Solar Cells, *J. Mater. Chem. A*, 3(17), 8970-8980.
- O'Brien, S., Brus, L., and Murray, C. B., 2001, Synthesis of Monodisperse Nanoparticles of Barium Titanate: Toward a Generalized Strategy of Oxide Nanoparticle Synthesis, *J. Am. Chem. Soc.*, 123, 12085-12086.
- O'Regan, B., and Grätzel, M., 1991, A Low-Cost High-Efficiency Solar Cell Based on Dye-Sensitized Colloidal TiO<sub>2</sub> Films. *Nature*, 353(737), 737-740.
- Okamoto, Y., and Suzuki, Y., 2014, Perovskite-Type SrTiO<sub>3</sub>, CaTiO<sub>3</sub> and BaTiO<sub>3</sub> Porous Film Electrodes for Dye-Sensitized Solar Cells, *J. Ceram. Soc. Jpn.*, 122, 728-731.
- Oviedo, J., and Gillan, M., 2000, The Energetics and Structure of Oxygen Vacancies on the SnO<sub>2</sub> (110) Surface, *Surf. Sci.*, 467(1-3), 35-48.



- Pottier, A., Chanéac, C., Tronc, E., Mazerolles, L., and Jolivet, J.-P., 2001, Synthesis of Brookite TiO<sub>2</sub> Nanoparticles by Thermolysis of TiCl<sub>4</sub> in Strongly Acidic Aqueous Media. *J. Mat. Chem.*, 11, 1116–1121.
- Ravi V., and Kutty T. R. N., 1991, Influence of Cubic Perovskite Phase Content on the Positive Temperature Coefficient of Resistance of *n*-type BaTiO<sub>3</sub> Ceramics, *Mater. Sci. Eng.*, B10, 41 – 52.
- Roy, P., Kim, D., Lee, K., Spiecker, E., and Schmuki, P., 2010, TiO<sub>2</sub> Nanotubes and their Application in Dye-sensitized Solar Cells, *Nanoscale*, 2, 45–59.
- Samantaray, C.B., Roy, A., Roy, M., Mukherjee, M.L., and Ray, S.K., 2002, Vibrational Spectroscopic Studies on Ba<sub>0.8</sub>Sr<sub>0.2</sub>TiO<sub>3</sub> Thin Films Prepared by RF Sputtering Technique, *J. Phys. Chem. Solids*, 63, 65–69.
- Santara, B., Giri, P.K., Imakita, K., Fujii, M., 2014, Microscopic Origin of Lattice Contraction and Expansion in Undoped Rutile TiO<sub>2</sub> Nanostructures, *J. Phys. D*, 47, 1-13.
- Sharma R., Mane R. S., Min S., and Han S., 2009, Optimization of Growth of In<sub>2</sub>O<sub>3</sub> Nanospheres Thin Films by Electrodeposition for Dye-sensitized Solar Cells, *J. Alloys Compd.*, 479(1-2), 840-843.
- Shi, Y., Zhu, C., Wang, L., Li, W., Fung, K.K., and Wang, N., 2012, Asymmetric ZnO Panel-Like Hierarchical Architectures with Highly Interconnected Pathways for Free-Electron Transport and Photovoltaic Improvements, *Chem. Eur. J.*, 19(1), 282–287.
- Smigelskas A. D., and Kirkendall E. O., 1947, Zinc Diffusion in Alpha Brass, *Trans. AIME*, 171, 130 – 135.
- Snaith H. J., and Ducati C., 2010, SnO<sub>2</sub>-Based Dye-Sensitized Hybrid Solar Cells Exhibiting Near Unity Absorbed Photon-to-Electron Conversion Efficiency, *Nano Lett.*, 10(4), 1259–1265.
- Son, H. J., Prasittichai, C., Mondloch, J. E., Luo, L., Wu, J., Kim, D.W., Farha, O.K., and Hupp, J.T., 2013, Dye Stabilization and Enhanced Photoelectrode Wettability in Water-Based Dye-Sensitized Solar Cells through Post-assembly Atomic Layer Deposition of TiO<sub>2</sub>, *J. Am. Chem. Soc.*, 135(31), 11529–11532.
- Sun, Q., Li, Y., Dou, J., and Wei, M., 2016, Improving the Efficiency of Dye-Sensitized Solar Cells by Photoanode Surface Modifications, *Science China Materials*, 59(10), 867–883.
- Suzuki, K., and Kijima, K., 2005, Optical Band Gap of Barium Titanate Nanoparticles Prepared by RF-Plasma Chemical Vapor Deposition, *Japanese J. Appl. Phys.*, 44 (4R), 2081-2082.



- Völtzke, D., Abicht, H.-P., Woltersdorf, J., and Pippel, E., 1998, Hydrothermal Modification of Pre-sintered Barium Titanate Powders, *J. Mater. Sci. Lett.*, 17(23), 1979–1981.
- Wada, S., Suzuki T., and Noma T., 1995, Preparation of Barium Titanate Fine Particles by Hydrothermal Method and Their Characterization, *J. Ceram. Soc. Jpn.*, 103, 1220-1227.
- Wang, L., Kang, H., Li, K., Xue, D., and Liu, C., 2008, Phase Evolution of BaTiO<sub>3</sub> Nanoparticles: An Identification of BaTi<sub>2</sub>O<sub>5</sub> Intermediate Phase in Calcined Steatic Acid Gel, *J. Phys. Chem.*, 112, 2382–2388.
- Wang, J., Qu, S., Zhong, Z., Wang, S., Liu, K., Hu, A., 2014, Fabrication Of TiO<sub>2</sub> Nanoparticles/Nanorod Composite Arrays via a Two-step Method for Efficient Dye-Sensitized Solar Cells, *Prog. Nat. Sci-Mater*, 24, 588–592.
- Wang, X., Chen, L., Zhao, J., Jin, L., and Li, L., 2012, Hydrothermal Synthesis of Thin Films of Barium Titanate Nanotube Arrays, *Integr. Ferroelectr.*, 99, 125–131.
- Wu, H. P., Lan, C. M., Hu, J. Y., Huang, W. K., Shiu, J. W., Lan, Z. J., Tsai, C. M., Su, C. H., and Diau, E.W.G., 2013, Hybrid Titania Photoanodes with a Nanostructured Multi-Layer Configuration for Highly Efficient Dye-Sensitized Solar Cells, *J. Phys. Chem. Lett.*, 4(9): 1570–1577.
- Wu, W. Q., Lei, B. X., Rao, H. S., Xu, Y. F., Wang, Y. F., Su, C. Y., and Kuang, D. B., 2013, Hydrothermal Fabrication of Hierarchically Anatase TiO<sub>2</sub> Nanowire arrays on FTO Glass for Dye-sensitized Solar Cells, *Sci. Rep.*, 3, 1352 – 1359.
- Xing, G., Mathews, N., Lim, S.S., Yantara, N., Liu, X., Sabba, D., Grätzel, M., Mhaisalkar, S., Sum, T.C., 2014, Low-Temperature Solution-Processed Wavelength-Tunable Perovskites for Lasing, *Nat. Mater.*, 13, 476–480.
- Yakubovich, O. V., and Kireev, V. V., 2003, Refinement of the Crystal Structure of Na<sub>2</sub>Ti<sub>3</sub>O<sub>7</sub>, *Crystallogr. Rep.*, 48, 24–28.
- Yang, J., Li, D., Wang, X., Yang, X., and Lu, L., 2003, Study on the Synthesis and Ion-exchange Properties of Layered Titanate Na<sub>2</sub>Ti<sub>3</sub>O<sub>7</sub> Powders with Different Sizes, *J. Mat. Sci.*, 38(13), 2907–2911.
- Yang, M., Ding, B., Lee, S., and Lee, J. K., 2011, Carrier Transport in Dye-Sensitized Solar Cells Using Single Crystalline TiO<sub>2</sub> Nanorods Grown by a Microwave-Assisted Hydrothermal Reaction, *J. Phys. Chem. C*, 115, 14534–14541.



- Yang, S., Kou, H., Wang, J., Xue, H., and Han, H., Tunability of the Band Energetics of Nanostructured SrTiO<sub>3</sub> Electrodes for Dye-Sensitized Solar Cells, *J. Phys. Chem. C*, 2010, 114 (9), 4245-4249.
- Yang, W., Yu, Y., Starr, M. B., Yin, X., Li, Z., Kvit, A., Wang, S., Zhao, P., and Wang, X., 2015, Ferroelectric Polarization-Enhanced Photoelectrochemical Water Splitting in TiO<sub>2</sub>-BaTiO<sub>3</sub> Core-Shell Nanowire Photoanodes, *Nano Lett.*, 15, 7574-7580.
- Yang, W. S., Noh, J. H., Jeon, N. J., Kim, Y. C., Ryu, S., Seo, J., and Seok, S. I., 2015, High-Performance Photovoltaic Perovskite Layers Fabricated Through Intramolecular Exchange, *Science*, 348(6240), 1234-1237.
- Yao, L., Pan, Z., Zhai, J., and Chen, H.H.D., 2017, Novel Design of Highly [110]-Oriented Barium Titanate Nanorod Array and Its Application in Nanocomposite Capacitors, *Nanoscale*, 9, 4255-4264.
- Ye, M., Liu, H.Y., Lin, C., and Lin, Z., 2012, Hierarchical Rutile TiO<sub>2</sub> Flower Cluster-Based High Efficiency Dye-Sensitized Solar Cells via Direct Hydrothermal Growth on Conducting Substrates, *Small*, 9(2), 312-321.
- Ye, M., Xin, X., Lin, C., and Lin, Z., 2011, High Efficiency Dye-Sensitized Solar Cells Based on Hierarchically Structured Nanotubes, *Nano Lett.*, 11(8), 3214-3220.
- Yin, Y. D., Rioux, R. M., Erdonmez, C. K., Hughes, S., Somorjai G.A., and Alivisatos A.P., 2004, Formation of Hollow Nanocrystals Through the Nanoscale Kirkendall Effect, *Science*, 304 (5671), 711-714.
- Yu, H., Zhang, S., Zhao, H., Xue, B., Liu, P., and Will, G., 2009, High-Performance TiO<sub>2</sub> Photoanode with an Efficient Electron Transport Network for Dye-Sensitized Solar Cells, *J. Phys. Chem. C*, 113, 16277-16282.
- Zhang, Y. Y., Jiang, Z. L., Huang, J. Y., Lim, L. Y., Li, W. L., Deng, J. Y., Gong D., Tang, Y. X., Lai, Y. K., and Chen, Z., 2015, Titanate and Titania Nanostructured Materials for Environmental and Energy Applications: A Review, *RSC Adv.*, 5(97), 79479-79510.
- Zhao, J., Zheng, X., Deng, Y., Li T., Shao Y., Gruverman, A., Shield, J., and Huang, 2016, Is Cu a Stable Electrode Material in Hybrid Perovskite Solar Cells for a 30-year Lifetime?, *Energ. Environ. Sci.*, 9, 3650-3656.
- Zhao, Q., Li, G.R., Song, J., Zhao, Y., Qiang, Y., and Gao, X.P., 2016, Improving the Photovoltaic Performance of Perovskite Solar Cells with Acetate, *Sci. Rep.*, 1-10.
- Zhao, X., and Park, N. G., 2015, Stability Issues on Perovskite Solar Cells, *Photonics*, 2, 1139-1151.



- Zhong, M., Shi, J., Zhang, W., Han, H., and Li, C., 2011, Charge Recombination Reduction in Dye-Sensitized Solar Cells by Depositing Ultrapure TiO<sub>2</sub> Nanoparticles on “Inert” BaTiO<sub>3</sub> Films, *Mater. Sci. Eng. B*, 176, 1115-1122.
- Zhou, Z., Fan, J., Wang, X., Zhou, W., Du, Z., and Wu, S., 2011, Effect of Highly Ordered Single-Crystalline TiO<sub>2</sub> Nanowire Length on the Photovoltaic Performance of Dye-Sensitized Solar Cells, *ACS Appl. Mater. Interfaces*, 3, 4349–4353.
- Zhou, Z., Tang, H., and Sodano, H. A., 2013, Vertically Aligned Arrays of BaTiO<sub>3</sub> Nanowires, *ACS Appl. Mater. Interfaces*, 5, 11894–11899.