

DAFTAR PUSTAKA

- Aisyah, V., Suharna and Agus, S.. 2011. Ground Amplification Mapping Using HVSR Method (Horizontal To Vertical Spectral Ratio) In Patuk, Gunungkidul, Yogyakarta (Indonesia). Makassar, Proceedings JCM Makassar 2011, The 36th HAGI and 40th IAGI Annual Convention and Exhibition.
- Aki, K., 1957. Space and Time Spectra of Stationary Stochastic Waves, with Special Reference to Microtremors, Earthquake Research Institute Japan, Vol 35, pp 415–456.
- Anonim. 2007. Pengenalan Karakteristik Bencana dan Upaya Mitigasinya di Indonesia (Edisi II). Bakornas PB: Jakarta.
- Anonim. 2016a. Kabupaten Kulon Progo Dalam Angka. BPS Kab. Kulon Progo: Kulon Progo.
- Anonim. 2016b. Resiko Bencana Indonesia (RBI). BNPB: Jakarta.
- Anonim. 2017. Rencana Kerja Pemerintah Daerah (RKPD) Kulon Progo Tahun Anggaran 2018 dalam Peraturan Bupati Kulon Progo No 22 Tahun 2017. Pemerintah Daerah Kulon Progo: Kulon Progo.
- Asrurifak, M., Irsyam, M., Budiono, B., Triyoso, W., and Hendriyawan. 2010. Development of Spectral Hazard Map for Indonesia with a Return Period of 2500 Years Using Probabilistic Method. *Civil Engineering Dimension*. 12(1): 52-62.
- Asten, M.W., Trevor, D.H.U. and Nelson, L.A.M.. 2004. Optimized Array Design for Microtremor Array Studies Applied to Site Classification; Comparison of Result with Scpt Logs. *13th World Conference on Earthquake Engineering*. Vancouver, Canada, no 2903.
- Azar, F.S., 2000, Multiattribute Decision-Making: Use of Three Scoring Methods to Compare the Performance of Imaging techniques for Breast Cancer Detection, *J Technical Reports (CIS)*, 119.
- Bemmelen, van, R.W.. 1949. *The Geology of Indonesia*. Netherlands: Martinus Nyhoff, The Haque.

- Bettig, B., Bard, P.Y. Scherbaum, Riepl, F., Cotton, J., Cornou, F., and Hatzfeld, C.. 2001. Analysis of Dense Array Noise Measurements Using The Modified Spatial Auto-Correlation Method (SPAC): Application to The Genoble Area. *Bulletino Di Geofisica Teorica Ed Applicata*, 42(3-4), pp. 281-304.
- Brahmantyo, A., Setiawan, M., dan Wahyudi. 2016. *Microtremor analysis to test the durability of Jumoyo Bridge, Central Java*. New York, AIP Conf Proc 1708.
- Claudet, S.B., Cotton, F., and Bard, P., 2006. The nature of noises wavefield and its applications for site effects studies, a literature review, *Earth Science Reviews*, 79.
- Daryono, Sutikno, Sartohadi, J., Dulbahri, dan Broptopuspito, K.. 2009. Efek Tapak Lokal (*Local Site Effect*) di Graben Bantul Berdasarkan Pengukuran Mikrotremor. *International Conference Earth Science and Technology*.
- Elnashai, S.A. and Sarno, D.L.. 2008. *Fundamental of Earthquake Engineering*. Wiley. Hongkong.
- Freeze, R.A., and Cherry, J.A.. 1979. *Groundwater*. John A. Cherry, inc., USA.
- Grandis, Hendra. 2009. Pengantar Pemodelan Inversi Geofisika. HAGI, ITB: Bandung.
- Hartini, R., Redana, I., dan Wardana, I., 2014. Kerawanan Longsor Lereng Jalan Studi Kasus Ruas Jalan Sukasada-Candi Kuning. *Jurnal Spektran*, 2, 2, 10-15.
- Highland, L.M. dan Bobrowsky, P.. 2008. The Landslide Handbook- A Guide to Understanding Landslide. *USGS Circular* 1325.
- <http://vsi.esdm.go.id/gallery/picture.php?/157/category/16> diakses pada tanggal 20 Oktober 2017 via google.com (PVMBG).
- <http://www.vsi.esdm.go.id/index.php/gerakan-tanah/kejadian-gerakan-tanah/574-tanggapan-bencana-gerakan-tanah-kecamatan-girimulyo-kabupaten-kulon-progo-provinsi-daerah-istimewa-yogyakarta> diakses pada tanggal 20 Oktober 2017 via google.com (PVMBG).

<http://www.vsi.esdm.go.id/index.php/gerakan-tanah/kejadian-gerakan-tanah/772-td-gerakan-tanah-di-desa-giripurwo-kec-girimulyo-kab-kulon-progo-jawa-tengah> diakses pada tanggal 20 Oktober 2017 via google.com (PVMGB).

- Iqbal, M., dan Budiman, A.. 2013. Investigasi Bidang Gelincir pada Lereng Menggunakan Metode Geolistrik Tahanan Jenis Dua Dimensi (Studi Kasus: Kelurahan Lumbang Bukit, Kecamatan Pauh Padang). *Jurnal Fisika Unand*, 2(2): 88–93.
- Ishihara, K.. 1982. *Evaluation of Soil Properties for Use in Earthquake Response Analysis*. Proc. Int. Symp. On Numerical Model in Geomech.
- Jun, Y., 2006. Frequency-Dependent Amplification of Unsaturated Surface Soil Layer. *Journal Geotech and Geoenvironmental Engineering*. 526–531.
- Karnawati, D. 2008. Earthquake Induced Landslide at Sengir, Prambanan District Yogyakarta dalam Karnawati, D., Pramumijoyo, S., dan Husein, S. (Penyunt). (2008). *The Yogyakarta Earthquake of May 27, 2006*. (hal (9-1)-(9-11)). Yogyakarta: Star Publishing Company Inc.
- Konno, K., and Omachi, T., 1998. Ground-Motion Characteristics Estimated from Spectral Ratio between Horizontal to Vertical Components of Microtremor, *Bull. of the Seismological Society of America*, 88, 228–241.
- Kuo, C.H., Chen, C.T., Lin, C.M., Wen, K.L., Huang, J.Y., and Chang, S.C., 2016. S-wave velocity structure and site effect parameters derived from microtremor arrays in the Western Plain of Taiwan. *Journal of Asian Earth Sciences*, 128, 27-41.
- Kusumadewi, S.. 2006. Fuzzy Multi-Attribut Decision Making (Fuzzy MADM). Graha Ilmu. Yogyakarta.
- Kyaw, Zaw Lin., Pramumijoyo, S., Husein, S., Fathani, T.F., and Kiyono, J., 2014. Investigation to the Local Site Effects during Earthquake Induced Ground Deformation Using Microtremor Observation in Yogyakarta, Central Java–Indonesia. In: sassa K., Canuti, P., Yin, Y., (eds) *Landslide Science for a Safer Geoenvironment*. Springer, Cham.

- Marjiyono, Ratdomopurbo, Suharna, M.H.H. Zajuli, dan Setianegara, R., 2014. Geologi bawah Permukaan Dataran Klaten Berdasarkan Interpretasi Data Mikrotremor. *Journal Geologi dan Sumberdaya Mineral*, 15, 1, 3–9.
- Maulidiya, S. Dan Rusli. 2017. Penentuan Frekuensi Natural dan Arah Pergerakan Gelombang (Studi Kasus: Jembatan Soekarno Hatta Kota Malang). *Jurnal MIPA UNSRAT*, 6, 1, 1–7.
- Menke, W.. 1984. Geophysical data analysis: Discrete inverse theory. Academic Press.
- Meric, O., Garambois, S., Malet, J.P., Cadet, H., Gueguen, P., and Jongmans, D., 2007. Seismic Noise Based Methods for Soft Rock Landslide Characterization. *Bulletin Societe Geologique de France*, 178, 2, 134-148.
- Muntohar, A. S.. 2006. Pengaruh Rembesan Air dan Kemiringan Lereng Terhadap Keruntuhan Lereng. *Jurnal Teknik Sipil*, 1,2, 1–62.
- Nakamura, Y., 1989. A Method for Dynamic Characteristic Estimation of Subsurface using Microtremor, *World Congress on Railway Research, Florence*, Nov. 1997.
- Nakamura, Y., 2000. Clear Identification of Fundamental Idea of Nakamura's Technique and its Applications. New Zealand, Proc XII World Conf. Earthquake Engineering.
- Nakamura, Y.. 1997. Seismic Vulnerability Indices for Ground and Structures Using Microtremor. *World Congress on Railway Research, Florence, Nov*, pp. 1-7.
- Mala, H.U., Susilo, A., dan Sunaryo, S.. 2015. Kajian Mikrotremor dan Geolistrik Resistivitas di Sekitar Jalan Arteri Primer Trans Timor untuk Mitigasi Bencana. *Natural B*, 3,1, 24 – 34.
- Okada, H., 2003. The Microtremor Survey Method (Geophysical Monograph Series Number 12), *Society of Exploration Geophysicists*, Amerika.
- Okada, H., 2006. Theory of Efficient array observations of microtremors with special reference to the SPAC method. *Exploraion Geophysics*. 37, 73 – 85.

- Paimin, Sukresno, dan Pramono, I.B.. 2009. Teknik Mitigasi Banjir dan Tanah Longsor. Tropenbos International Indonesia Programme.
- Partono, W., Irsyam, M., RW, SP, dan Maarif, S., 2013. Aplikasi Metode HVSR pada Perhitungan Faktor Amplifikasi Tanah di Kota Semarang. *Media Komunikasi Teknik Sipil*. 125–134.
- Pazzi, V., Tanteri, L., Bilocchi, G., D'Ambrosio, M., Caselli, A., and Fanti, R., 2017. H/V measurements as an effective tool for the reliable detection of landslide slip surfaces: Case studies of Castagnola (La Spezia, Italy) and Roccalbegna (Grosseto, Italy). *Physics and Chemistry of the Earth*, 98, 136-153.
- Permanajati, I., Karnawati, D., Anwar, H. Z., dan Sadisun, I.. 2011. Identifikasi Bidang Gelincir dengan Pendekatan Model Tingkat Pelapukan pada Lokasi Longsoran Purwoharjo, DIY. *The 36th HAGI and 40th IAGI Annual Convention and Exhibition*, Makassar.
- Prabowo, U., 2015. Pemetaan Daerah Rawan Rekahan Tanah Berdasarkan Analisis Mikrotremor di Kotamadya Denpasar dan Kabupaten Badung, Bali. In: *Tesis*. Yogyakarta: UGM.
- Prabowo, U.N., Amalia, A.F., dan Wiranata, F.E.. 2017. Identifikasi Potensi Pergerakan Tanah yang Dipicu Gempabumi Berdasarkan Pengukuran Mikrotremor. *Wahana Fisika*, 2(2): 1–11.
- Prabowo, U.N., Marjiyono, dan Sismanto. 2016. Amplifikasi dan Atenuasi Gelombang Seismik di Lapisan Sedimen Permukaan. *Jurnal Science Tech*. 112–116.
- Prasetya, Z.I.. 2013. Sifat Fisik dan Manfaat Batuan Beku di Desa Sapulante, Kecamatan Pasrepah Kabupaten Pasuruan, Jawa Timur. *Jurnal Ilmiah MTG*, 6(1).
- Priyantari, N., dan Suprianto, A., 2009. Penentuan Kedalaman *Bedrock* Menggunakan Metode Seismik Refraksi di Desa Kemuning Lor Kecamatan Arjasa Kabupaten Jember. *Jurnal ILMU DASAR*, 10, 1, 6-12.

- Priyono Dwi, K. dan Priyono. 2008. Analisis Morfometri dan Morfostruktur Lereng Kejadian Longsor di Kecamatan Banjarmangu Kab Banjarnegara. *Forum Geografi*, 22, 2, 72 – 84.
- Rahardjo, W., Sukandarrumidi, and Rosidi, H.M.D.. 1977. Geological map of the Yogyakarta Quadrangle, Java, skala 1:100.000, *Geological Survey of Indonesia*, 1–15.
- Rahardjo, W., Sukandarrumidi, dan Rosidi, H.M.D.. 1995: Peta Geologi Lembar Yogyakarta, Bandung: Badan Geologi, Departemen Pertambangan Republik Indonesia.
- Raptakis, D., and Makra, K., 2010. Shear wave velocity structure in western Thessaloniki (Greece) using mainly alternative SPAC method. *Soil Dynamics and Earthquake Engineering*, 30, 202-214.
- Ridwan, M., Widiyantoro, S., Afnimar, and Irsyam, M., 2015. Identification of engineering bedrock in Jakarta by using array observations of microtremors. *Procedia Earth and Planetary Science*, 12, 77-83.
- Rofiq, A.A. 2016. Tomografi Ambient Noise Menggunakan Metode Spatial Autocorrelation (SPAC), Studi Kasus: Lapangan Panas Bumi “Pertiwi”, Sumatera Selatan. In Skripsi. Yogyakarta: UGM.
- Seht, M.I., and Wohlenger, J., 1999. Microtremor Used to map Thickness of Soil. *Bulletin of the Seismological Society of America*, 89,1, 250-259.
- Sesame. 2004. Guidelines for The Implementation of H/V Spectral Ratio Technique on Ambient Vibrations. European Commission.
- Setiawan, A., Yasdomi, K., dan Chandra, D.A., 2017. Pemodelan Pemilihan Program Studi dengan Metode Simple Additive Weight (SAW). *Riau Journal of Computer Science*, 3, 2, 105-112.
- Sismanto. 2016. Pengantar Survei dengan Menggunakan Gelombang Seismik. Yogyakarta: Gerbang Media.
- Sitorus, N.M.H., Purwanto, M.S., dan Utama, W.. 2017. Estimasi Ketebalan Lapisan Sedimen dan Amplifikasi Desa Olak Alen Blitar Menggunakan Metode Mikrotremor HVSR. *Jurnal Teknik ITS*, 6, 2, 2337 – 3520.

- Susilawati. 2008. *Penerapan Penjalaran Gelombang Seismik Gempa pada Penelaahan Struktur Bagian dalam Bumi*. Sumatera Utara: Universitas Sumatera Utara.
- Syahrudin, M.H., Aswad, S., Palullulang, E.F., Maria, dan Syamsuddin. 2014. Penentuan Profil Ketebalan Sedimen Lintasan Kota Makassar dengan Mikrotremor. *Jurnal Fisika*, vol 4(1) 17–25.
- Thein, P.S., Pramumijoyo, S., Broptospito, K., and Kiyono, J., 2015. Estimation of S-wave velocity structure for sedimentary layered media using microtremor array measurements in Palu City, Indonesia. *Procedia Environmental Science*, 28, 595-605.
- Waluyo, 1996. *Seismologi*. Lab. Geofisika, Program Studi Geofisika, FMIPA, Yogyakarta: UGM.
- Waluyo, 2013. *Analisis Runtun Waktu*. Program Studi Geofisika, FMIPA. Yogyakarta: UGM.
- Wang, S., and Hao, H., 2002. Effect of Random Variation of Soil Properties on Site Amplification of Seismic Ground Motion. *Soil Dynamics and Earthquake Engineering*; 551–564.
- Wathelet, M.. 2005. Array recordings of ambient vibrations: Surface-wave inversion. In:Thesis. Faculte des Sciences Appliquees, Universite de Liege.
- Zakaria, Z., 2010. Model Starlet, Suatu Usulan untuk Mitigasi Bencana Longsor dengan Pendekatan Genetika Wilayah (Studi Kasus: Longsoran Citatah, Padalarang, Jawa). *Jurnal Geologi Indonesia*, 5, 2, 93-112.