

DAFTAR PUSTAKA

- Agarwal, R. (2010). Developing a self-administered CKD symptom assessment instrument. *Nephrology Dialysis Transplantation*, 25(1), 160–166. <https://doi.org/10.1093/ndt/gfp426>
- Aiyegbusi, O. L., Kyte, D., Cockwell, P., Marshall, T., Gheorghe, A., Keeley, T., ... Calvert, M. (2017). Measurement properties of patient-reported outcome measures (PROMs) used in adult patients with chronic kidney disease: A systematic review. *PLoS ONE*, 12(6), 1–27. <https://doi.org/10.1371/journal.pone.0179733>
- Ameh, O. I., Cilliers, L., & Okpechi, I. G. (2016). A practical approach to the nutritional management of chronic kidney disease patients in Cape Town, South Africa. *BMC Nephrology*, 17(1), 1–8. <https://doi.org/10.1186/s12882-016-0297-4>
- Amend, W. J. C., & Vincenti, F. G. (2008). Chronic Renal Failure & Dialysis. In E. A. Tanagho & J. W. McAninch (Eds.), *Smith's General Urology* (pp. 535–538). Mc Graw Hill.
- Aminah, S. (2017). Tingkat Depresi Dan Kualitas Hidup Pasien Gagal Ginjal Kronik (GGK) The Correlation Between Depression And Quality Of Life Among ESRD Patients Based on Age Level In Dr . H . Soewondho Hospital Kendal State, 15(1), 34–39. Retrieved from <https://ejournal.stikespku.ac.id/index.php/mpp/article/download/34/168>
- Anggraini, Y. D. (2016). *Kualitas Hidup Pasien Gagal Ginjal Kronik yang Menjalani Hemodialisis di RSUD Blambangan Banyuwangi*. Universitas Jember. Retrieved from <http://repository.unej.ac.id/handle/123456789/76659>
- Auwah, K. T., Finkelstein, S. H., & Finkelstein, F. O. (2013). Quality of life of chronic kidney disease patients in developing countries. *Kidney International Supplements*, 3(2), 227–229. <https://doi.org/10.1038/kisup.2013.20>
- Balai Penelitian dan Pengembangan. (2013). *RISET KESEHATAN DASAR*. Jakarta. Retrieved from http://www.depkes.go.id/resources/download/general/Hasil_Riskesdas_2013.pdf
- Bargman, J. M., & Skorecki, K. (2010). *Chronic Kidney Disease*. (J. L. Jamerson & J. Loscalzo, Eds.) (Harrison's).
- Bartmariska, M., & Wiecek, A. (2016). Chronic kidney disease and the aging population. *Kidney International*, 85(3), 487–491. Retrieved from <http://www.embase.com/search/results?subaction=viewrecord&from=export&id=L600252573%5Cnhttp://dx.doi.org/10.1038/ki.2013.467>
- Baxter. (2017). Pre-Dialysis Education. Retrieved October 2, 2017, from http://www.baxterhealthcare.com.au/downloads/patients_and_caregivers/pre_dialysis_education_presentation.pdf
- Becker, G. J., Whitworth, J. A., & Kincaid-Smith, P. (1992). *Clinical Nephrology in Medical Practice*. Blackwell Scientific Publication. <https://doi.org/0632031670>
- Bowling, C. B., Sawyer, P., Campbell, R., Ahmed, A., & Allman, R. (2011).

- Impact of Chronic Kidney Disease on Activities of Daily Living in Community-Dwelling Older Adults. *The Journal of Gerontology Series A: Biological Science and Medical Science*, 66A(6), 689–694. <https://doi.org/10.1093/gerona/blr043>
- BPJS Kesehatan. (2017). Beredar Isu Tak Tanggung Semua Biaya 8 Penyakit, Ini Penjelasan BPJS Kesehatan. Retrieved from <https://www.bpjs-kesehatan.go.id/bpjs/index.php/post/read/2017/608/Beredar-Isu-Tak-Tanggung-Semua-Biaya-8-Penyakit-Ini-Penjelasan-BPJS-Kesehatan>
- Braun, L., Sood, V., Hogue, S., Lieberman, B., & Copley-Merriman, C. (2012). High burden and unmet patient needs in chronic kidney disease. *International Journal of Nephrology and Renovascular Disease*, 5, 151–63. <https://doi.org/10.2147/IJNRD.S37766>
- Budiarjho, D. (2015). Populasi, Sample, dan Besar Sample. Retrieved August 15, 2017, from <http://www.risbinkes.litbang.depkes.go.id>
- Caravaca, F., Gonzales, B., Bayo, M. Á., & Luna, E. (2016). Musculoskeletal pain in patients with chronic kidney disease. *Nefrología (English Edition)*, 36(4), 433–440. <https://doi.org/10.1016/j.nefro.2016.10.005>
- Çelik, G., Annagur, B. B., Yilmaz, M., Demir, T., & Kara, F. (2012). Are sleep and life quality of family caregivers affected as much as those of hemodialysis patients? *General Hospital Psychiatry*, 34(5), 518–524. <https://doi.org/10.1016/j.genhosppsy.2012.01.013>
- Cella, D. F. (1994). Quality of Life: Concepts and Definition. *Journal of Pain and Symptom Management*, 9(3), 186–192. <https://doi.org/03853924>
- Centre for Disease Control and Prevention/CDC. (2014). Crude Prevalence of CKD Stage 1-4 by Age 2013-2014. Retrieved June 20, 2018, from <https://nccd.cdc.gov/ckd/detail.aspx?QNum=Q9&Strat=Age>
- Centre for Disease Control and Prevention/CDC. (2016). HRQOL Concepts. Retrieved October 4, 2017, from <https://www.cdc.gov/hrqol/concept.htm>
- Chan, M., Kelly, J., Batterham, M., & Tapsell, L. (2012). Self-reported Appetite and Intake Adequacy in Patient with Non-Dialysis Chronic Kidney Disease. *The Korean Society of Nephrology*, 31(2), A22. <https://doi.org/dx.doi.org/10.1016/j.krcp.2012.04.349>
- Chao, S., Yen, M., Lin, T.-C., Sung, J.-M., Wang, M.-C., & Hung, S.-Y. (2016). Psychometric Properties of the Kidney Disease Quality of Life–36 Questionnaire (KDQOL-36™). *Western Journal of Nursing Research*, 38(388), 1067–1082. <https://doi.org/10.1177/0193945916640765>
- Cheawchanwattana, A., Chunlertrith, D., Saisunantarom, W., & Johns, N. P. (2014). Does the Spiritual Well-Being of Chronic Hemodialysis Patients Differ from that of Pre-dialysis Chronic Kidney Disease Patients?, *Religions*(doi:10.3390/rel6010014), 14–23. Retrieved from www.mdpi.com/journal/religions
- Clarke, A. L., Yates, T., Smith, A. C., & Chilcot, J. (2016). Patient's perceptions of chronic kidney disease and their association with psychosocial and clinical outcomes: A narrative review. *Clinical Kidney Journal*, 9(3), 494–502. <https://doi.org/10.1093/ckj/sfw014>
- Cobo, G., Hecking, M., Port, F. K., Exner, I., Lindholm, B., Stenvinkel, P., &

- Carrero, J. J. (2016). Sex and gender differences in chronic kidney disease: progression to end-stage renal disease and haemodialysis. *Clinical Science*, 130(14), 1147–1163. <https://doi.org/10.1042/CS20160047>
- Cohen, S. D., Patel, S. S., Khetpal, P., Peterson, R. A., & Kimmel, P. L. (2007). Pain, sleep disturbance, and quality of life in patients with chronic kidney disease. *Clinical Journal of the American Society of Nephrology*, 2(5), 919–925. <https://doi.org/10.2215/CJN.00820207>
- Coresh, J., & Eustace, J. A. (2008). Epidemiology of Kidney Disease. In B. M. Brenner (Ed.), *Brenner & Rector's The Kidney* (8th Editio, pp. 615–632). Saunders Elsevier.
- Couser, W. G., Remuzzi, G., Mendis, S., & Marcello, T. (2011). The contribution of chronic kidney disease to the global burden of major noncommunicable diseases. *Kidney International*, 80(10), 1258–1270. <https://doi.org/10.1038/ki.2012.39>
- Cruz, M. C., Andrade, C., Urrutia, M., Draibe, S., Nogueira-Martins, L. A. nio, & Cintra Sesso, R. de C. (2011). Quality of life in patients with chronic kidney disease. *Nephrology - Universidade Federal de Saõ Paulo, Saõ Paulo, SP/Brazil*, 66(6):991-995. <https://doi.org/10.1590/S1807-59322011000600012>
- Dasgupta, A., & Wahed, A. (2014). Renal Function Tetst. *Clinical, Chemistry, Imonology, and Laboratory Quality Contol*.
- Dewi, S. P. (2015). Hubungan lamanya hemodialisa dengan kualitas hidup pasien gagal ginjal di rs pku muhammadiyah yogyakarta. *Naska Publikasi Program Studi Ilmu Keperawatan*. Retrieved from digilib.unisayogya.ac.id/234/
- Eknoyan, G., & Lameire, N. (2013). *KDIGO 2012 Clinical Practice Guideline for the Evaluation and Management of Chronic Kidney Disease*. *Journal of The International Society of Nephrology* (Vol. 3). Retrieved from www.kidney-international.org
- El-Sharkawy, A. M., Sahota, O., Maughan, R. J., & Lobo, D. N. (2014). The pathophysiology of fluid and electrolyte balance in the older adult surgical patient. *Clinical Nutrition*, 33(1), 6–13. <https://doi.org/10.1016/j.clnu.2013.11.010>
- ElHafeez, S. A., Sallam, S. A., Gad, Z. M., Zoccali, C., Torino, C., Tripepi, G., ... Awad, N. M. (2012). Cultural adaptation and validation of the “Kidney Disease and Quality of Life - Short Form (KDQOL-SF™) version 1.3” questionnaire in Egypt. *BMC Nephrology*, 13(1), 170. <https://doi.org/10.1186/1471-2369-13-170>
- Evans, P. D. (2011). Epidemiology and causes of chronic kidney disease. *Medicine*, 39(7), 402–406. <https://doi.org/10.1016/j.mpmed.2011.04.007>
- Evans, P. D., & Taal, M. W. (2015). Epidemiology and causes of chronic kidney disease. *Medicine*, 39(7), 402–406. <https://doi.org/10.1016/j.mpmed.2011.04.007>
- Fassbinder, T. R. C., Winkelmann, E. R., Schneider, J., Wendland, J., & Oliveira, O. B. De. (2015). Functional Capacity and Quality of Life in Patients with Chronic Kidney Disease In Pre-Dialytic Treatment and on Hemodialysis - A Cross sectional study. *Jornal Brasileiro de Nefrologia*, 37(1), 47–54.

- <https://doi.org/10.5935/0101-2800.20150008>
- Ferris, M. E., Miles, J. A., & Seamon, M. L. (2016). Adolescents and Young Adults with Chronic or End-Stage Kidney Disease. *Blood Purification*, *41*(1–3), 205–210. <https://doi.org/10.1159/000441317>
- Fructuoso, M., Castro, R., Oliveira, L., Prata, C., & Morgado, T. (2011). Quality of life in chronic kidney disease. *Nefrología*, *31*(1), 91–6. <https://doi.org/10.3265/Nefrologia.pre2010.Jul.10483>
- Gerogianni, S. K., & Babatsikou, F. P. (2014). Psychological aspects in treatment of chronic renal failure. *Social Science & Medicine (1967)*, *8*(2), 205–214. [https://doi.org/10.1016/0037-7856\(68\)90007-3](https://doi.org/10.1016/0037-7856(68)90007-3)
- Glassock, R., & Dukkupati, R. (2012). What Are the Best Biomarkers and Definitions for Chronic Kidney Disease and How Well Do They Relate to Cardiovascular Risk? *Current Cardiovascular Risk Reports*, *6*(2), 155–163. <https://doi.org/10.1007/s12170-012-0223-7>
- Global Burden of Disease. (2017). Global , regional , and national incidence , prevalence , and years lived with disability for 310 diseases and injuries , 1990 – 2015 : a systematic analysis for the Global Burden of Disease Study 2015, 1990–2015. [https://doi.org/10.1016/S0140-6736\(16\)31678-6](https://doi.org/10.1016/S0140-6736(16)31678-6)
- Gottlieb, S. S., Khatta, M., Friedman, E., Einbinder, L., Katzen, S., & Baker, B. (2004). The Influence of Age, Gender, and Race on The Prevalence of Depression in Heart Failure Patient. *Journal of the American College of Cardiology*, *43*, 1542– 1549.
- Hansen, R., Chin, H., Blalock, S., & Joy, M. (2009). Pre-Dialysis Chronic Kidney Disease: Evaluation of Quality of Life in Clinic Patients Receiving Comprehensive Anemia Care. *Res Social Adm Pharm*, *5*(2), 143–153. <https://doi.org/10.1016/j.sapharm.2008.06.004>.Pre-Dialysis
- Hartini, S. (2016). Gambaran Karakteristik Pasien Gagal Ginjal Kronis yang Menjalani Hemodialisa di Rumah Sakit Umum Daerah dr. Moewardi. *Jurnal Ilmiah Kesehatan Keperawatan*, *2*(1), 1–15. Retrieved from [eprints.ums.ac.id/44680/1/nas pub jadi.pdf](http://eprints.ums.ac.id/44680/1/nas_pub_jadi.pdf)
- Hassan, A., Effendi, A. Z., Sutjahjo, A., Tjokroprawiro, A., & Boediwarsono. (1994). *Pedoman Diagnosis dan Terapi Lab/UPF Ilmu Penyakit Dalam*. Surabaya: Rumah Sakit Umum Daerah Dr. Soetomo.
- Hill, N. R., Fatoba, S. T., Jason L. Oke, Hirst, J. A., A.O’Callaghan, C., Lasserson, D. S., & Hobbs, F. D. R. (2016). Global Prevalence of Chronic Kidney Disease – A Systematic Review and Meta-Analysis. *Clin Nephrol*, *71*(3), 244–254. <https://doi.org/5524> [pii]
- Hiraki, K., Yasuda, T., Hotta, C., Izawa, K. P., Morio, Y., Watanabe, S., ... Kimura, K. (2013). Decreased physical function in pre-dialysis patients with chronic kidney disease. *Clinical and Experimental Nephrology*, *17*(2), 225–231. <https://doi.org/10.1007/s10157-012-0681-8>
- Hudoyo, T. C., Perdana, M., & Setyarini, S. (2018). Validitas dan Reliabilitas KDQOL 36 di RSA UGM Yogyakarta.
- Ishaque, M. R., & Bailey, J. L. (2013). Clinical decisions in nephrology, hypertension and kidney transplantation. *Clinical Decisions in Nephrology, Hypertension and Kidney Transplantation*, 1–676.

<https://doi.org/10.1007/978-1-4614-4454-1>

- Jennifer Reilly Lukela, M., R. Van Harrison, P., Masahito Jimbo, M., Ahmad Mahallati, M., Rajiv Saran, M., & Annie Z. Sy, P. (2014). Management of Chronic Kidney Disease Objectives : Key points. *UMMG Clinical Value and Innovation Clinical Alignment & Performance Excellence*, (March). Retrieved from www.med.umich.edu/1info/FHP/.../kidney/CKD.pdf%0A%0A
- Jesky, M. D., Dutton, M., Dasgupta, I., Yadav, P., Ng, K. P., Fenton, A., ... Stringer, S. J. (2016). Health-related quality of life impacts mortality but not progression to end-stage renal disease in pre-dialysis chronic kidney disease: A prospective observational study. *PLoS ONE*, *11*(11), 1–18. <https://doi.org/10.1371/journal.pone.0165675>
- Jhamb, M., & Weiner, D. E. (2014). Exercise to Improve Physical Function and Quality of Life in CKD. *Clinical Journal of the American Society of Nephrology : CJASN*, *9*(12), 2023–4. <https://doi.org/10.2215/CJN.10411014>
- Jos, W. (2016). Kualitas Hidup Pasien yang Menjalani Hemodialisis Rutin Quality of Life among Patients on Hemodialysis at, *4*(2), 87–91. Retrieved from journal.ui.ac.id/index.php/eJKI/article/view/6283
- Karimi, M., & Brazier, J. (2016). Health, Health-Related Quality of Life, and Quality of Life: What is the Difference? *PharmacoEconomics*, *34*(7), 645–649. <https://doi.org/10.1007/s40273-016-0389-9>
- Kipp, R., & Kellerman, P. S. (2009). Chronic Kidney Disease. *Pathophysiology of Kidney Disease and Hypertension*, 145.
- Kittiskulnam, P., Sheshadri, A., & Johannsen, K. L. (2016). Consequences of CKD on Functioning. *Semin Nephrol*, *36*(4), 305–318. <https://doi.org/10.1111/cdoe.12200>
- Lee, B. K., & Vincenti, F. G. (2013). Chronic Kidney Disease & Renal Replacement Therapy. In J. W. McAninch & T. F. Lue (Eds.), *Smith & Tanagho's General Urology* (18th ed., pp. 545–549). Mc Graw Hill.
- Levey, A. (2007). Chronic Kidney Disease: Progression Objectives I . Epidemiology of Chronic Kidney Disease Chronic Kidney Disease: Progression Andrew Levey , MD, 1–18.
- Levey, A. S., & Coresh, J. (2012). Chronic kidney disease. *The Lancet*, *379*(9811), 165–180. [https://doi.org/10.1016/S0140-6736\(11\)60178-5](https://doi.org/10.1016/S0140-6736(11)60178-5)
- Levey, A. S., Coresh, J., Balk, E., Kausz, A. T., Levin, A., Steffers, M. W., ... Eknoyan, G. (2003). National Kidney Foundation Practice Guideline for Chronic Kidney Disease: Evaluation, Classification, and Stratification. *Annals of Internal Medicine*, *2*, 137. Retrieved from <http://annals.org/aim/article/716575>
- Levin, A., Hemmelgarn, B., Culeton, B., Tobe, S., McFarlane, P., Ruzicka, M., ... Tonelli, M. (2008). Guidelines for the management of chronic kidney disease. *CMAJ: Canadian Medical Association Journal = Journal de l'Association Medicale Canadienne*, *179*(11), 1154–62. <https://doi.org/10.1503/cmaj.080351>
- Lorenz, S., Otero, B., & Plaz, V. (2008). Patients in pre-dialysis: decision taking and free choice of treatment. Retrieved from

- <https://www.ncbi.nlm.nih.gov/pubmed/19018749>
- Mailani, F. (2015). Kualitas Hidup Pasien Penyakit Ginjal Kronik yang Menjalani Hemodialisis: Sistematis Review. *Ners Jurnal Keperawatan*, 11(1), 1–8. Retrieved from ners.fkep.unand.ac.id/index.php/ners/article/view/11
- Mardyaningsih, D. P. (2014). *kualitas hidup pada penderita gagal ginjal kronik yang menjalani terapi hemodialisa di RSUD dr.Soediran Mangun Sumarso Kab. Wonogiri*. Stikes Kusuma Husada. Retrieved from digilib.stikeskusumahusada.ac.id/download.php?id=674
- Maria, C., Queiroz, F. De, Sá, J. D. De, Isabel, M., & Macedo, D. (2016). Body changes experienced by patients with chronic kidney disease undergoing hemodialysis. *Enfermeria Global*, 311–320. Retrieved from scielo.isciii.es/pdf/eg/v15n43/en_administracion3.pdf
- Milla. (2016). *Hubungan Efikasi Diri dengan Kualitas Hidup Pasien pada Pasien Gagal Ginjal Kronis*. Universitas Islam Indonesia. Retrieved from https://dspace.uui.ac.id/bitstream/handle/123456789/2532/05.1_bab_1.pdf?sequence=7&isAllowed=y
- Molsted, S., Prescott, L., Heaf, J., & Eidemak, I. (2007). Assessment and clinical aspects of health-related quality of life in dialysis patients and patients with chronic kidney disease. *Nephron - Clinical Practice*, 106(1). <https://doi.org/10.1159/000101481>
- Moorthy, A. V., Becker, B. N., Boehm III, F., & Djamali, A. (2009). *Pathophysiology of Kidney Disease and Hypertention*. Saunders Elsevier.
- Mustika, M. (2017). *Analisis Kualitas Hidup Pasien yang Menjalani Terapi Hemodialisa di RSUP Dr. M. Djamil Padang*. Universitas Andalas. Retrieved from <http://scholar.unand.ac.id/22189/1/cover%2Babstrak.pdf>
- National Kidney Foundation. (2002). *K/DOQI Clinical Practice Guidelines for Chronic Kidney Disease: Evaluation, Clasification and Stratification*. *American Journal of Kidney Diseases* (Vol. 39). <https://doi.org/10.1634/theoncologist.2011-S2-45>
- National Kidney Foundation. (2015). Healthy Eating for Predialysis Patient. Retrieved October 4, 2017, from <https://www.nkfs.org/prevention/healthy-eating/nutrition-in-pre-dialysis/>
- National Kidney Foundation. (2017). How to Classify CKD. Retrieved August 2, 2017, from <https://www.kidney.org/professionals/explore-your-knowledge/how-to-classify-ckd>
- Obrador, G. T. (2009). Chronic Renal Failure & the Uremic Syndrome. In E. V. Lerma, J. S. Berns, & A. R. Nissenson (Eds.), *Current Diagnosis & Treatment Nephrology & Hypertension* (pp. 149–159). Mc Graw Hill.
- OECD. (2018). No Title. Retrieved from <http://www.oecd.org/>
- Office of Disease Prevention and Health Promotion/ODPHP. (2017). Health-Related Quality of Life and Well-Being. Retrieved October 4, 2017, from <https://www.healthypeople.gov/2020/about/foundation-health-measures/Health-Related-Quality-of-Life-and-Well-Being>
- Ojo, A. (2014). Addressing the global burden of chronic kidney disease through clinical and translational research. *Transactions of the American Clinical and Climatological Association*, 125(1), 229–43–6. Retrieved from

- <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=4112688&tool=pmcentrez&rendertype=abstract>
- Pagels, A. A., Söderkvist, B. K., Medin, C., Hylander, B., & Heiwe, S. (2012). Health-related quality of life in different stages of chronic kidney disease and at initiation of dialysis treatment, 1–12. <https://doi.org/10.1186/1477-7525-10-71>
- Parmar, M. S. (2012). Time to differentiate “decreased kidney function” from “kidney disease”: Towards improving the definition of chronic kidney disease. *International Urology and Nephrology*, 44(2), 493–497. <https://doi.org/10.1007/s11255-011-0115-7>
- PDPERSI. (2015). Penderita Gagal Ginjal Naik 10% Tiap Tahun. Retrieved October 3, 2017, from <http://www.pdpersi.co.id/content/news.php?mid=5&catid=23&nid=1887>
- PDPERSI. (2016). Delapan Penyakit Sedot Dana BPJS Terbesar, Nomor Satunya Gagal Ginjal. Retrieved October 3, 2017, from <http://www.pdpersi.co.id/content/news.php?mid=5&catid=23&nid=2172>
- PERNEFRI (Perkumpulan Nefrologi Indonesia). (2015). 8th Report Of Indonesian Renal Registry, 1–45.
- Pham, P.-C. T., Toscano, E., Pham, P.-M. T., Pham, P.-A. T., Pham, S. V., & Pham, P.-T. T. (2009). Pain management in patients with chronic kidney disease. *Clinical Kidney Journal*, 2(2), 111–118. <https://doi.org/10.1093/ndtplus/sfp001>
- Plantinga, L. C., Johansen, K., Crews, D. C., Vahakn, B., Robinson, B. M., Saran, R., & Burrows, N. R. (2012). Association of CKD with Disability in the United States, 57(2), 212–227. <https://doi.org/10.1053/j.ajkd.2010.08.016>. Association
- Porter, A. C., Lash, J. P., Xie, D., Pan, Q., Deluca, J., Kanthety, R., ... Townsend, R. R. (2016). Predictors and outcomes of health-related quality of life in adults with CKD. *Clinical Journal of the American Society of Nephrology*, 11(7), 1154–1162. <https://doi.org/10.2215/CJN.09990915>
- Porter, A. C., Vijil, J. C., Unruh, M., Lora, C., & Lash, J. P. (2010). Health-related quality of life in Hispanics with chronic kidney disease. *Translational Research*, 155(4), 157–163. <https://doi.org/10.1016/j.trsl.2009.10.005>
- Porter, A., Fischer, M. J., Wang, X., Brooks, D., Bruce, M., Charleston, J., ... Lash, J. P. (2014). Quality of Life and Outcomes in African Americans with CKD. *Journal of the American Society of Nephrology: JASN*, 1–7. <https://doi.org/10.1681/ASN.2013080835>
- Price, A. S., & Wilson, M. L. (2006). *Patofisiologi Konsep Klinis Proses-Proses Penyakit*. Jakarta: EGC.
- Provenzano, R. (2009). Anemia & Chronic Kidney Disease. In E. V. Lerma, J. S. Berns, & A. R. Nissenson (Eds.), *Current Diagnosis & Treatment Nephrology & Hypertension* (pp. 155–159). Mc Graw Hill.
- RAND. (2008). Kidney Disease Quality of Life Instrument (KDQOL). Retrieved from https://www.rand.org/health/surveys_tools/kdqol.html
- Registered Nurses’ Association of Ontario. (2009). Background Context for Chronic Kidney Disease. *Decision Support for Adults Living with Chronic*

- Kidney Disease*, (July), 83. <https://doi.org/978-0-920166-94-9>
- Ricardo, A. C., Hacker, E., Lora, C. M., Ackerson, L., De Salvo, K. B., Go, A., ... Lash, J. P. (2013). Validation of the Kidney Disease Quality of Life Short Form 36 (KDQOL-36TM) US Spanish and English versions in a cohort of Hispanics with chronic kidney disease. *Ethnicity and Disease*, 23(2), 202–209. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3651651/>
- Saxena, R., & Toto, R. C. (2008). Approach to the Patient with Kidney Disease. In B. M. Brenner (Ed.), *Brenner & Rector's The Kidney* (pp. 705–723). Saunders Elsevier.
- Schatell, D., & Witten, B. (2008). Measuring Dialysis Patients' Health-Related Quality of Life with the Kidney Disease Quality of Life (KDQOL-36TM) Survey. *KDQOL Complete*, (608), 1–8. Retrieved from <http://kdqol-complete.org/pdfs/kdqol-36.pdf%5Cnwww.kdqol-complete.org>
- Schipper, K., van der Borg, W. E., de Jong-Camerik, J., & Abma, T. A. (2016). Living with moderate to severe renal failure from the perspective of patients. *BMC Nephrology*, 17(1), 48. <https://doi.org/10.1186/s12882-016-0263-1>
- Schoolwerth, A. C., Engelgau, M. M., Hostetter, T. H., Rufo, K. H., Chianchiano, D., McClellan, W. M., ... Vinicor, F. (2006). Chronic Kidney Disease: A Public Health Problem That Needs a Public Health Action Plan, 3(2), 3–8. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/16198282>
- Setyaningrum, I. D. (2017). *Gambaran Kualitas Hidup Family Caregiver pada Pasien dengan Hemodialisa di RSUP dr. Sardjito Yogyakarta*. Universitas Gadjah Mada.
- Shdaifat, E. A., Yaccob Latif, J., Tun Razak, B., & Lumpur Malaysia Mohd Abdul Manaf, K. R. (2012). Quality of Life of Caregivers and Patients Undergoing Haemodialysis at Ministry of Health, Jordan. *International Journal of Applied Science and Technology*, 2(3), 75–85. Retrieved from www.ijastnet.com/journals/Vol_2_No_3_March.../8.pdf
- Sijpkens, Y. W. J., Berkhout-Byrne, N. C., & Rabelink, T. J. (2008). Optimal predialysis care. *NDT Plus*, 1(SUPPL. 4). <https://doi.org/10.1093/ndtplus/sfn117>
- Singhpoo, K., Charerntanyarak, L., Ngamroop, R., Hadee, N., Chantachume, W., Lekbunyasin, O., ... Tiamkao, S. (2012). Factors related to quality of life of stroke survivors. *Journal of Stroke and Cerebrovascular Diseases*, 21(8), 776–781. <https://doi.org/10.1016/j.jstrokecerebrovasdis.2011.04.005>
- Stevens, P., O'Donoghue, D., & Lusignan, S. De. (2015). Chronic Kidney Disease (CKD) Management in General Practice. *Kidney Health Australia*, 53. <https://doi.org/10.1016/j.kha.2015.04.005>. Kidney Health Australia. Chronic kidney disease (CKD) management in general practice. Melbourne; 2015.
- Suwitra, K. (2010). *Buku Ajar Ilmu Penyakit Dalam Edisi Kelima*. (A. W. Sudoyo, B. Setiyohadi, I. Alwu, M. S. K., & S. Setiati, Eds.) (Lima). Jakarta: InternaPublishing.
- Tattersal, J. (2005). Adequacy of Dialysis. In A. M. Davidson, J. S. Cameron, J.-P. Grunfeld, C. Ponticelli, E. Ritz, C. G. Winearls, & C. van Ypersele (Eds.), *Oxford Textbook of Clinical Nephrology* (3rd ed., p. 1989). Retrieved from

https://books.google.co.id/books?id=LF3j2J42aY8C&pg=PA1991&lpg=PA1991&dq=predialysis+meaning&source=bl&ots=7VGgu4ftaK&sig=2JWNflQ49G9ImimN9oSbhVeBUXk&hl=id&sa=X&ved=0ahUKEwi5u7XFsL_TAhUHpo8KHciaCuY4FBDoAQgwMAA#v=onepage&q=predialysis+meaning&f=false

- Theofilou, P. (2013). Theoretical Contributions Quality of Life : Definition and Measurement. <https://doi.org/10.5964/ejop.v9i1.337>
- Tomson, C. (2011). Management of chronic kidney disease. *Medicine*, 39(7), 407–413. <https://doi.org/10.1016/j.mpmed.2011.04.006>
- Traynor, J., Mactier, R., Geddes, C. C., & Fox, J. G. (2006). How to measure renal function in clinical practice. *Bmj*, 333(1468–5833 (Electronic)), 733–737. <https://doi.org/10.1136/bmj.38975.390370.7C>
- Vassalotti, J. A., Centor, R., Turner, B. J., Greer, R. C., Choi, M., & Sequist, T. D. (2016). Practical Approach to Detection and Management of Chronic Kidney Disease for the Primary Care Clinician. *The American Journal of Medicine*, 129(2), 153–162.e7. <https://doi.org/10.1016/j.amjmed.2015.08.025>
- Vaz, S., Ramos, P., & Santana, P. (2014). Distance effects on the accessibility to emergency departments in Portugal. *Saude E Sociedade*, 23(4), 1154–1161. <https://doi.org/10.1590/S0104-12902014000400003>
- Walters, S. (2009). *Quality of Life Outcomes in Clinical Trials and Health-Care Evaluation* (1st ed.). United Kingdom: A John Wiley and Sons.
- Wang, H., Naghavi, M., Allen, C., Barber, R. M., Carter, A., Casey, D. C., ... Zuhlke, L. J. (2016). Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980–2015: a systematic analysis for the Global Burden of Disease Study 2015. *The Lancet*, 388(10053), 1459–1544. [https://doi.org/10.1016/S0140-6736\(16\)31012-1](https://doi.org/10.1016/S0140-6736(16)31012-1)
- Weiner, D. E. (2007). Causes and Consequences of Chronic Kidney Disease: Implications for Managed Care. *Journal of Managed Care Pharmacy*, 13(3). Retrieved from <http://www.jmcp.org/doi/pdf/10.18553/jmcp.2007.13.s3.1>
- Williams, L., & Wilkins. (2008). *Medical-Surgical Nursing made Incredible Easy* (2nd editio). Wolters Kluwer Health.
- World Life Expectancy. (2014). INDONESIA TOP 50 CAUSES OF DEATH. Retrieved June 20, 2018, from www.worldlifeexpectancy.com/%0A%0A
- Yaghoubi, A., Tabrizi, J., Mirinazhad, M., Azami, M., & Ghojazadeh, M. (2012). Quality of Life in Cardiovascular Patient in Iran and Factors Affecting It A Systematic Review. *Journal of Cardiovascular and Thoracic Research*, 4, 133–138. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/24250995>
- Yang, F., Wang, V. W., Joshi, V. D., Lau, T. W. L., & Luo, N. (2013). Validation of the english version of the kidney disease quality of life questionnaire (KDQOL-36) in haemodialysis patients in Singapore. *Patient*, 6(2), 135–141. <https://doi.org/10.1007/s40271-013-0015-2>
- Yang, S. C., Wang, J. D., Wu, M. S., Kuo, P. W., & Su, S. (2007). Quality of Life in Patient on Maintenance Heodialysis. *Formosom Journal of Medicine*, 11, 140–152.
- Zha, Y., & Qian, Q. (2017). Protein nutrition and malnutrition in CKD and ESRD.

Nutrients, 9(3), 1–19. <https://doi.org/10.3390/nu9030208>

- Zimbudzi, E., Lo, C., Ranasinha, S., Gallagher, M., Fulcher, G., Kerr, P. G., ...
Zoungas, S. (2016). Predictors of Health-Related Quality of Life in Patients
with Co- Morbid Diabetes and Chronic Kidney Disease, 9, 1–12.
<https://doi.org/10.1371/journal.pone.0168491>
- Zulanardo, N., & Levin, A. (2009). Cardiovascular Disease in Chronic Kidney
Disease. In *Current Diagnosis & Treatment Nephrology & Hypertension* (pp.
160–169). Mc Graw Hill.