

## DAFTAR PUSTAKA

- ACS. (2008). Nausea and vomiting. Retrieved from <http://ovidsp.ovid.com/athens/ovidweb.cgi?T=JS&CSC=Y&NEWS=N&PAGE=fulltext&D=emed8&AN=2008355493%5Cnhttp://www.cfp.ca/cgi/reprint/54/6/861>
- ACS. (2014). Signs and Symptoms of Cancer. Retrieved from <https://www.cancer.org/cancer/cancer-basics/signs-and-symptoms-of-cancer.html>
- ACS. (2015a). Cancer Staging. Retrieved from <https://www.cancer.org/treatment/understanding-your-diagnosis/staging.html>
- ACS. (2015b). Complementary and Alternative Medicine | American Cancer Society.
- ACS. (2016a). Radiation Therapy | American Cancer Society.
- ACS. (2016b). Types of Cancer Treatment | American Cancer Society.
- American Cancer Society. (2016). What Is Cancer?
- American Cancer Society. (2017a). Cancer Basic. Retrieved from <https://www.cancer.org/cancer/cancer-basics/what-is-cancer.html>
- American Cancer Society. (2017b). Treatments and Side Effects | American Cancer Society. Retrieved from <http://www.cancer.org/treatment/treatmentsandsideeffects/>
- AMTA. (2016). What is Music Therapy | What is Music Therapy? | American Music Therapy Association (AMTA).
- Apriany, D. (2010). *Pengaruh Terapi Musik terhadap Mual Muntah Lambat Akibat Kemoterapi pada Anak Usia Sekolah yang Menderita Kanker di RSUP Dr. Hasan Sadikin Bandung*. Universitas Indonesia. Retrieved from <lib.ui.ac.id/file?file=digital/137199-T Dyna Apriany.pdf%0A>
- Bassano, M., Beaulieu, J., & McCann, D. (2015). *Terapi Musik & Warna: Cara Dahsyat Hidup Lebih Sehat dan Bahagia*. Yogyakarta: Penerbit Araska.
- Berger, A. M., Portenoy, R. K., & Weissman, D. E. (2002). *Principles and Practice of Palliative Care and Supportive Oncology 2nd Edition*. Lippincott Williams & Wilkins Publishers.
- Boogaerts, J. G., Vanacker, E., Seidel, L., Albert, A., & Bardiau, F. M. (2000). Assessment of postoperative nausea using a visual analogue scale. *Acta Anaesthesiologica Scandinavica*, 44(4), 470–474. <https://doi.org/10.1034/j.1399-6576.2000.440420.x>
- Bradt, J., Dileo, C., Grocke, D., & Magill, L. (2016). Music interventions for improving psychological and physical outcomes in cancer patients (review). *Cochrane Database of Systematic Reviews*, (8), N.PAG-N.PAG 1p. <https://doi.org/10.1002/14651858.CD006911.pub3>. [www.cochranelibrary.com](http://www.cochranelibrary.com)
- Bruscia, K. E. (1987). *Improvisational model of music therapy*. Springfield: Charles C. Thomas.
- Cancer Research UK. (2014). About researching complementary and alternative

therapies.

- CDC. (2016a). CDC - How to Prevent Cancer or Find It Early.
- CDC. (2016b). CDC - Kinds of Cancer.
- Clair, A. A. (1996). *Therapeutic uses of music with older adults*. Baltimore: Health Professions Press.
- Clare, O. (2006). Clinical Issues: Music Therapy in an Adult Cancer Inpatient Treatment Setting. *Journal of the Society for Integrative Oncology*, 4(2), 57–61.
- Coates, A., Abraham, S., Kaye, S. B., Sowerbitts, T., Frewin, C., & Fox, R. M. (2006). On the Receiving End- Patient Perception Side-effects of Cancer Chemotherapy of the, (2).
- Dahlan, M. S. (2014). *Statistik untuk Kedokteran dan Kesehatan: Deskriptif, Bivariat, dan Multivariat Dilengkapi Aplikasi Menggunakan SPSS* (Edisi 6). Jakarta: Epidemiologi Indonesia.
- Dahlan, M. S. (2016). *Besar Sampel dalam Penelitian Kedokteran dan Kesehatan* (Edisi 4). Jakarta: Epidemiologi Indonesia.
- Davis, W. B., Gfeller, K. E., & Thaut, M. H. (1999). *An introduction to music therapy: Theory and practice* (Second edi). Boston: McGraw-Hill.
- Dileo, C. (1999). *Music therapy and medicine*. Silver Spring, MD: American Music Therapy Association.
- Djohan. (2009). *Terapi Musik, Teori dan Aplikasi*. Yogyakarta: Galangpress.
- Dy, S. M., & Apostol, C. C. (2010). Evidence-based approaches to other symptoms in advanced cancer. *Cancer Journal (Sudbury, Mass.)*, 16(5), 507–13. <https://doi.org/10.1097/PPO.0b013e3181f45877>
- Effendy, C., Vissers, K., Osse, B. H. P., Tejawinata, S., Vernooij-Dassen, M., & Engels, Y. (2014). Comparison of Problems and Unmet Needs of Patients with Advanced Cancer in a European Country and an Asian Country. *Pain Practice*, 15(5), 433–440. <https://doi.org/10.1111/papr.12196>
- Effendy, C., Vissers, K., Osse, B. H. P., Tejawinata, S., Vernooij-Dassen, M., & Engels, Y. (2015). Comparison of Problems and Unmet Needs of Patients with Advanced Cancer in a European Country and an Asian Country. *Pain Practice*, 15(5), 433–440. <https://doi.org/10.1111/papr.12196>
- El-Saddik, A., & Dib, J. G. (2004). Ginger for nausea and vomiting in pregnancy. *Journal of Pharmacy Practice and Research*, 34(4), 305. Retrieved from <https://login.ezproxy.endeavour.edu.au:2443/login?url=http://search.ebscohost.com/login.aspx?direct=true&db=edsihc&AN=471010915268934&site=eds-live&scope=site%5Cnhttp://search.informit.com.au/documentSummary%5Cndn=471010915268934%5Cnres=IELHEA>
- Enikmawati, A. (2015). Pengaruh Aromaterapi Jahe Terhadap Mual dan Muntah Akut Akibat Kemoterapi pada Penderita Kanker Payudara di RS PKU Muhammadiyah Surakarta. *Jurnal Kebidanan*, VII(2), 115–130. Retrieved from <http://www.journal.stikeseub.ac.id>
- Evans, D. (2002). The effectiveness of music as an intervention for hospital patients: A systematic review. *Journal of Advanced Nursing*, 1(37), 8–18.
- Faisel, C. T. W. (2012). Gambaran Efek Samping Kemoterapi Berbasis

- Antrasiklin Pada Pasien Kanker Payudara Di Rsud Dokter Soedarso Pontianak.
- Frytak, S. (2015). Management of nausea and vomiting in the Cancer Patient. *British Medical Journal*, 245(Januari), 23–30. <https://doi.org/10.1136/bmj.d3606>
- Ganong. (2005). *Review of Medical Physiology 22nd ed. Singapore: McGraw-Hill p.*
- Garrett, K., Tsuruta, K., Walker, S., Jackson, S., & Sweat, M. (2003). Managing Nausea and Vomiting. *Critical Care Nurse*, 23(1), 31–50.
- Good, M. (1995). Relaxation techniques for surgical patients. *American Journal of Nursing*, 95(1), 38–42.
- Green. (2006). Stimulating the Human Midbrain to Reveal the Link Between Pain and Blood Pressure. *Pain*, 124(3), 349–359.
- Greer, S. (2007). The Effects of Music on Pain Perception.
- Harbaningsih, D. (2016). Pengaruh Relaksasi Autogenik Terhadap Penurunan Mual Post Kemoterapi Pada Pasien Kanker Payudara Di RSUP Dr. Kariadi Semarang. *Jurnal Mahasiswa Unimus*. Retrieved from <http://jurma.unimus.ac.id>
- Harding, R., Selman, L., Agupio, G., Dinat, N., Downing, J., Gwyther, L., ... Higginson, I. J. (2011). The prevalence and burden of symptoms amongst cancer patients attending palliative care in two African countries. *European Journal of Cancer*, 47(1), 51–56. <https://doi.org/10.1016/j.ejca.2010.08.003>
- Hariyanto, B. E. P., Mantik, M. F. J., & Wahani, A. (2015). Kejadian Muntah pada Penderita Kanker yang Menjalani Pengobatan Kemoterapi Di RSUP PROF. DR. R. D. KANDOU MANADO, 3, 1–4.
- Hertanti, N. S., Setiyarini, S., Kristanti, M. S., & Haryani. (2013). *Pengaruh Self-selected Individual Music Therapy (SeLIMuT) Terhadap Tingkat Nyeri Pasien Kanker Paliatif Di RSUP dr. Sardjito Yogyakarta. Publikasi Skripsi Perpustakaan FK UGM*. Universitas Gadjah Mada.
- Hertanti, N. S., Setiyarini, S., Kristanti, M. S., & Haryani. (2015). Pengaruh Self-Selected Individual Music Therapy (SeLIMuT) terhadap Tingkat Nyeri Pasien Kanker Paliatif di RSUP Dr. Sardjito, Yogyakarta. *Indonesian Journal of Cancer*, 9(2), 159–165.
- Karagozoglu, S., Tekyasar, F., & Yilmaz, F. A. (2012). Effects of music therapy and guided visual imagery on chemotherapy-induced anxiety and nausea – vomiting, 39–50. <https://doi.org/10.1111/jocn.12030>
- Kemenkes. (2015). *Peraturan Pemerintah Republik Indonesia Nomor 103 Tahun 2014 tentang Pelayanan Kesehatan Tradisional*. Jakarta.
- Kemenkes RI. (2014). Kanker Nasofaring. *Komite Penanggulangan Kanker Nasional*, 1–99.
- Kotrlik, J., Williams, H., & Jabor, K. (2011). Reporting and Interpreting Effect Size in Quantitative Agricultural Education Research. *Journal of Agricultural Education*, 52(1), 132–142. <https://doi.org/10.5032/jae.2011.01132>
- Krout, R. (2000). *Hospice and palliative music therapy: A continuum of creative caring*. In *American Music Therapy Association (Ed.), Effectiveness of music*

- therapy procedures: Documentation of research and clinical practice* (3rd Editio). Amerika: Silver Spring, MD: American Music Therapy Association.
- Kurniawan, D., Setiyarini, S., Kristanti, M. S., & Aulawi, K. (2013). *Pengaruh Self-selected Individual Music Therapy (SeLIMuT) Terhadap Perubahan Status Hemodinamik Pasien Kanker Paliatif Di RSUP dr. Sardjito Yogyakarta*. Universitas Gadjah Mada.
- Kwekkeboom. (2003). Music versus distraction for procedural pain and anxiety in patients with cancer. *Oncology Nursing Forum*, 30(3), 433–440.
- Kwekkeboom, K. L., Bumpus, M., Wanta, B., & Serlin, R. C. (2008). Oncology Nurses' Use of Nondrug Pain Interventions in Practice. *Journal of Pain and Symptom Management*, 35(1), 83–94. <https://doi.org/10.1016/j.jpainsymman.2007.02.037>
- Likun, Z., Xiang, J., Yi, B., Xin, D., & Tao, Z. L. (2011). A Systematic Review and Meta-Analysis of Intravenous Palonosetron in the Prevention of Chemotherapy-Induced Nausea and Vomiting in Adults. *The Oncologist*, 16(2), 207–216. <https://doi.org/10.1634/theoncologist.2010-0198>
- Line, M. S., & Relay, T. (2013). Long-Term Side Effects of Cancer Treatment | Cancer.Net. *Macmillan Cancer Support*, 1–7. Retrieved from <http://www.cancer.net/survivorship/long-term-side-effects-cancer-treatment>
- Mangoenprasodjo, A. S., & Hidayati, S. N. (2005). *Terapi Alternatif dan Gaya Hidup Sehat*. Yogyakarta: Pradipta Publishing.
- Martinez-Perez, C., Turnbull, A. K., Ekatah, G. E., Arthur, L. M., Sims, A. H., Thomas, J. S., & Dixon, J. M. (2017). Current treatment trends and the need for better predictive tools in the management of ductal carcinoma in situ of the breast. *Cancer Treatment Reviews*, 55, 163–172. <https://doi.org/10.1016/j.ctrv.2017.03.009>
- Mayoclinic. (n.d.). Gallstones Symptoms - Mayo Clinic. Retrieved from <http://www.mayoclinic.org/diseases-conditions/gallstones/basics/symptoms/con-20020461>
- Miller, M., & Care, C. (2004). Chemotherapy-related nausea and vomiting – past reflections , present practice and future management.
- Mitchell, L., & MacDonald, R. (2006). An experimental investigation of the effects of preferred and relaxing music listening on pain perception. *Journal of Music Therapy*, 43(4), 295–316.
- National Cancer Institute. (2017). Nausea and Vomiting.
- NCCIH. (2016). Complementary, Alternative, or Integrative Health: What's In a Name? | NCCIH.
- NCI. (2015a). Cancer Staging - National Cancer Institute.
- NCI. (2015b). Complementary and Alternative Medicine (CAM) - National Cancer Institute.
- NCI. (2015c). Types of Cancer Treatment - National Cancer Institute.
- Otera, M., Machida, T., Machida, T., Abe, M., Ichie, M., & Fukudo, S. (2015). Pharmacological and psychosomatic treatments for an elderly patient with severe nausea and vomiting in reaction to postoperative stress. *Clinical Journal of Gastroenterology*, 8(5), 275–279. <https://doi.org/10.1007/s12328-015-0592-9>

- Pan, C. X., Morrison, R. S., Ness, J., Fugh-berman, A., & Leipzig, R. M. (2000). Complementary and Alternative Medicine in the Management of Pain , Dyspnea , and Nausea and Vomiting Near the End of Life : A Systematic Review, *20*(5), 374–387.
- Pfister, M. (2011). Music Therapy for Preoperative Anxiety, *7386*(Id 1), 1–10.
- Prasetyo, E. P. (2005). Peran musik sebagai fasilitas dalam praktek dokter gigi untuk mengurangi kecemasan pasien ( The role of music as a dental practice facility in reducing patient’s anxiety ). *Dental Journal (Majalah Kedokteran Gigi)*, *38*(1), 41–44. <https://doi.org/10.20473/j.djmkkg.v38.i1.p41-44>
- Purwanti, E. (2008). Kanker Payudara. Retrieved from [https://books.google.co.id/books?id=56n7wtKMUPcC&pg=PA23&dq=pemeriksaan+payudara+sendiri&hl=id&sa=X&redir\\_esc=y#v=onepage&q=pemeriksaan payudara sendiri&f=false](https://books.google.co.id/books?id=56n7wtKMUPcC&pg=PA23&dq=pemeriksaan+payudara+sendiri&hl=id&sa=X&redir_esc=y#v=onepage&q=pemeriksaan%20payudara%20sendiri&f=false)
- Rhodes, V., & McDaniel, R. (2001). Nausea, vomiting and retching: Complex problem in palliative care. *A Cancer Journal for Clinicians*, *51*(4), 232–248. <https://doi.org/10.3322/canjclin.51.4.232>
- Riskesdas. (2013). Situasi penyakit kanker 4.
- Robb, K. . (2010). The role of therapies in managing cancer-related pain– the role of physical and occupational therapies. *London: Wiley-Blackwell*.
- Roscoe, J. A., Morrow, G. R., Aapro, M. S., Molassiotis, A., & Olver, I. (2011). Anticipatory nausea and vomiting. *Supportive Care in Cancer*, *19*(10), 1533–1538. <https://doi.org/10.1007/s00520-010-0980-0>
- Schmid-Buchi, S., Halfens, R. J. G., Dassen, T., & Borne, B. van den. (2011). Psychosocial problems and needs of posttreatment patients with breast cancer and their relatives. *European Journal of Oncology Nursing*, *15*(3), 260–266. <https://doi.org/10.1016/j.ejon.2009.11.001>
- Schulz, K. F. (2010). The CONSORT Statement is Used Worldwide to Improve the Reporting Of Randomised Controlled Trials. *Research Methods and Reporting*, *340*(4 SUPP), 130–137. <https://doi.org/10.1136/BMJ.C332>
- Shingles, C., & Freeney, L. (2012). Chemotherapy Induced Nausea and Vomiting (CINV) Guidline for the Prevention and Treatment, (3), 1–18.
- Shinta, N., & Surarso, B. (2016). Terapi mual muntah pasca kemoterapi. *Jurnal THT*, *9*(2), 74–83.
- Smeltzer, S. . (2008). Brunner & Suddarth’s Textbook of medical-surgical nursing. In *11th Edition, Philadelphia: Lippincott William & Wilkins*.
- Standley, J. M. (1992). Clinical Applications of Music and Chemotherapy : The Effects on Nausea and Emesis l. *Music Therapy Perspectives*, *10*(1), 27–35. <https://doi.org/https://doi.org/10.1093/mtp/10.1.27>
- Standley, J. M., Gregory, D., Whipple, J., Walworth, D., Nguyen, J., & Jarred, J. (2005). *Medical music therapy: A model program for clinical practice, education, training, and research*. Silver Spring, MD: American Music Therapy Association.
- Stewart, A. F. (2009). Hypercalcemia Associated with Cancer. *The New England Journal of Medicine*, pp. 373–379. <https://doi.org/10.1056/NEJMcp042806>
- Stewart, B. W., & Wild, C. P. (2014). World Cancer Report 2014. *World Health Organization*. <https://doi.org/9283204298>

- Stoicea, N. (2015). Alternative therapies for the Prevention of Postoperative Nausea and vomiting, 2(December), 1–5. <https://doi.org/10.3389/fmed.2015.00087>
- Suardi, D. R. (2011). Peran dan Dampak Terapi Komplementer / Alternatif bagi Pasien Kanker. *Cdk 188*, 38(7), 548–550.
- Syarif, H. (2008). Pengaruh Terapi Akupresur Terhadap Mual Muntah Akut Akibat Kemoterapi pada Pasien Kanker. *Jurnal PSIK FK Unsiyah*, 2(2), 137–142. Retrieved from <http://download.portalgaruda.org/article.php?article=146455&val=1008&title=PENGARUH USIA LANJUT TERHADAP HASRAT SEKSUAL PRIA>
- Syarif, H. (2011). TERAPI AKUPRESUR DAPAT MENURUNKAN KELUHAN MUAL MUNTAH AKUT AKIBAT KEMOTERAPI PADA PASIEN KANKER : *Jurnal Keperawatan Indonesia*, 14(No. 2), 133–140.
- Tursina, H. M., Setiyarini, S., Kristanti, M. S., & Haryani. (2013). *Pengaruh Self-selected Individual Music Therapy (SeLIMuT) Terhadap Tingkat Kecemasan Pasien Kanker Paliatif Di RSUP dr. Sardjito Yogyakarta*. Universitas Gadjah Mada.
- UICC. (2016). Union for International Cancer Control (UICC) Media Factsheet.
- Wagner, D. R., Tatsugawa, K., Parker, D., & Young, T. A. (2007). Reliability And Utility of A Visual Analog Scale for The Assessment of Acute Mountain Sickness. *High Altitude Medicine & Biology*, 8(1), 27–31. <https://doi.org/10.1089/ham.2006.0814>
- WHO. (2015). Cancer incidence. Retrieved from <http://apps.who.int/ftc/implementation/database/groups/cancer-incidence-2015>
- WHO. (2017). WHO The top 10 causes of death. *World Health Organization*. Retrieved from <http://www.who.int/mediacentre/factsheets/fs310.pdf>
- Widiyono. (2017). *PENGARUH SELF-SELECTED INDIVIDUAL MUSIC THERAPY (SeLIMuT) TERHADAP DEPRESI PADA PASIEN KANKER*. Universitas Gadjah ada.
- Zanah, L. M., Widodo, S., Program, M., Ilmu, S., Stikes, K., Semarang, T., ... Who, A. (2013). Pengaruh terapi musik terhadap keluhan mual muntah pada pasien post kemoterapi karena kanker di unit sitostatika, 0.
- Zanah, L. M., Widodo, S., & Shobirun. (2016). PEEGARUH TERAPI MUSIK TERHADAP KELUHAN MUAL MUNTAH PADA PASIEN POST KEMOTERAPI KARENA KANKER DI UNIT SITOSTATIKA. Retrieved from <http://pmb.stikestelogorejo.ac.id/e-journal/index.php/ilmukeperawatan/article/view/127%0Ahttp://pmb.stikestelogorejo.ac.id/e-journal/index.php/ilmukeperawatan/article/view/127/152>
- Zhou, K., Li, X., Li, J., Liu, M., Dang, S., & Wang, D. (2015). A clinical randomized controlled trial of music therapy and progressive muscle relaxation training in female breast cancer patients after radical mastectomy : Results on depression , anxiety and length of hospital stay. *European Journal of Oncology Nursing*, 19(1), 54–59. <https://doi.org/10.1016/j.ejon.2014.07.010>
- Zun, L. S. (2012). NAUSEA AND VOMITING. In *Rosen's Emergency Medicine*

- *Concepts and Clinical Practice E-Book* (pp. 238–247).  
<https://doi.org/10.1016/B978-1-4557-0605-1.00029-4>