

DAFTAR PUSTAKA

- Agoes G, 2007, *Teknologi Bahan Alam*, ITB Press, Bandung.
- Álvarez E., Leiro J. M., Rodríguez M., Orallo F., 2004, Inhibitory effects of leaf extracts of *Stachytarpheta jamaicensis* (Verbenaceae) on the respiratory burst of rat macrophages, *Phytotherapy Research*, 18(6):457–462.
- Alfian, R., & Susanti, H, 2012, Penetapan Kadar Fenolik Total Ekstrak Metanol Kelopak Bunga Rosella (*Hibiscus sabdariffa* Linn) dengan Variasi Tempat Tumbuh secara Spektrofotometri, *Pharmaciana*, 2(1).
- Amarowicz, R., Pegg, R. B., Rahimi-Moghaddam, P., Barl, B., & Weil, J. A., 2004, Free-radical scavenging capacity and antioxidant activity of selected plant species from the Canadian prairies, *Food Chemistry*, 84(4), 551–562.
- Azizah, D. N., Kumolowati, E., & Faramayuda, F., 2014, Penetapan Kadar Flavonoid Metode AlCl₃ Pada Ekstrak Metanol Kulit Buah Kakao (*Theobroma cacao* L.), *Jurnal Ilmiah Farmasi*, 2(2), 45–49.
- Awah, F. M., Uzoegwu, P. N., Oyugi, J. O., Rutherford, J., Ifeonu, P., Yao, X. J., Eze, M. O, 2010, Free radical scavenging activity and immunomodulatory effect of *Stachytarpheta angustifolia* leaf extract, *Food Chemistry*, 119(4), 1409–1416.
- Brown, S.H., 2012, *Stachytarpheta Jamaicensis*, http://lee.ifas.ufl.edu/Hort/GardenPubsAZ/Blue_porterweed.pdf, 7 Mei 2017.
- Cao, G., Sofic, E., & Prior, R. L, 1997, Antioxidant and prooxidant behavior of flavonoids: Structure-activity relationships, *Free Radical Biology and Medicine*, 22(5), 749–760.
- Chang, C.-C., Yang, M.-H., & Wen, H.-M, 2002, Estimation of Total Flavonoid Content in Propolis by Two Complementary Colorimetric Methods, *Journal of Food and Drug Analysis*, 10(3), 178–182.
- Dalimartha, Setiawan, 2000, *Atlas Tumbuhan Obat Indonesia*, Trubus Agriwidya, Bogor.
- Depkes, 1979, *Farmakope Indonesia* Edisi III, Departemen Kesehatan RI, Jakarta.
- Depkes, 1995, *Farmakope Indonesia* Edisi IV, Departemen Kesehatan RI, Jakarta.
- Depkes, 2006, *Kotranas*, Departemen Kesehatan RI, Jakarta.

- Ditjen POM, Depkes RI, 2000, *Parameter Standar Umum Ekstrak Tumbuhan Obat*, Depkes RI, Jakarta.
- Dungir, Stevi G., Katja, Dewa G., dan Kamu, Vanda S., 2012, Aktivitas Antioksidan Ekstrak Fenolik dari Kulit Buah Manggis (*Garcinia mangostana* L.), *Jurnal MIPA UNSRAT*, 1(1), 11-15.
- Es-Safi, N.E., Ghidouche, S., & Ducrot, P.H., 2007, *Flavonoids: Hemisynthesis, Characterization and Free Radical Scavenging Activity*, Morocco : Laboratoire de Chimie Organique et d'Etudes Physico-Chimiques.
- Ferrandiz, M. L., Bustos, G., Paya, M., Gunasegaran, R., & Alcaraz, M. J, 1994, Hispidulin protection against hepatotoxicity induced by bromobenzene in mice, *Life sciences*, 55(8), PL145-PL150.
- Gandjar, Ibnu Gholib dan Abdul Rohman, 2007, *Kimia Farmasi Analisis*, Pustaka Pelajar, Yogyakarta.
- Gordon, M.H, 2001, *Measuring Antioxidant Activity*, Dalam: Jan Pokorny, Nedyalka, Yanishlieva-Malarova, and Michael Gordon (ed.), *Antioxidant in Food Practical Application*, Woodhead Publishing Ltd, London.
- Grotewold, Erich, 2006, *The Science of Flavonoid*, Springer, United States of America.
- Harbone, J.B., 1996, *Metode Fitokimia Penentuan Cara Modern Menaganalisis Tumbuhan*, diterjemahkan oleh Kosasih Padmawinata dan Iwang Soedirto, Terbitan Kedua, Penerbit ITB, Bandung.
- Heim, K. E., Tagliaferro, A. R., & Bobilya, D. J, 2002, Flavonoid antioxidants: Chemistry, metabolism and structure-activity relationships, *Journal of Nutritional Biochemistry*, 13(10), 572–584.
- Idu, M., Omogbai, E.K.I., Aghimien, G.E., Amaechina, F., Timothy, O. & Omonigho, S.E., 2007, Preliminary phytochemistry, antimicrobial properties and acute toxicity of *Stachytarpheta jamaicensis* (L.) Vahl. leaves, *Academic Journals Inc. Trends in Medical Research*, 2 (4): 193-198.
- ITIS, 2018, Integrated Taxonomic Information System, 2018, Taxonomic Hierarchy : *Stachytarpheta jamaicensis* (L.) Vahl, https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=32204#null, 20 Januari 2018.

- Javanmardi, J., Stushnoff, C., Locke, E., and Vivanco, J.M., 2003, Antioxidant activity and total phenolic content of Iranian *Ocimum* accessions, *J. Food Chem*, 83, 547-550.
- Khare, C. P, 2008, *Indian medicinal plants: an illustrated dictionary*, Springer Science and Business Media.
- Kim, D. O., Lee, K. W., Lee, H. J., & Lee, C. Y, 2002, Vitamin C equivalent antioxidant capacity (VCEAC) of phenolic phytochemicals, *Journal of Agricultural and Food Chemistry*, 50(13), 3713–3717.
- Kubo, I., Masuoka, N., Xiao, P., & Haraguchi, H, 2002, Antioxidant activity of dodecyl gallate, *Journal of Agricultural and Food Chemistry*, 50(12), 3533–3539, <https://doi.org/10.1021/jf011250h>
- Kushwah, A.S., Kaur, P., & Singh, R., 2013, In-Vitro Antioxidant Potential and Phytochemical Screening of *Tectona grandis* Linn. Leaves, Department of Pharmacology Reseach Laboratory ASBASJSM College of Pharmacy, India.
- Liew, P. M., & Yong, Y. K, 2015, *Stachytarpheta jamaicensis* (L.) Vahl: From Traditional Usage to Pharmacological Evidence, *Evidence-Based Complementary and Alternative Medicine*, 2016.
- Luthria, D. L., Mukhopadhyay, S., & Krizek, D. T, 2006, Content of total phenolics and phenolic acids in tomato (*Lycopersicon esculentum* Mill.) fruits as influenced by cultivar and solar UV radiation. *Journal of Food Composition and Analysis*, 19(8), 771–777.
- Marais, J.P.J., Deavours, B., Dixon, R.A., & Ferreira, D., 2006, *The Science of Flavonoids*, Institute of Pharmacy University of Missisipi, USA.
- Marinova, D., Ribarova, F., & Atanassova, M. (2005). Total phenolics and total flavonoids in bulgarian fruits and vegetables. *Journal of the University of Chemical Technology and Metallurgy*, 40(3), 255–260.
- Marinova G. dan Batchvarov V., 2011, Evaluation of Methods for Determination of The Free Radical Scavenging Activity by DPPH, *Bulgarian Journal of Agricultural Science*, 17 (1), 11-24, Institute of Cryobiology and Food Technologies, BG – 1407 Sofia, Bulgaria.
- Melita, R.S., & Castro O., 1996, Pharmacological and chemical evaluation of *Stachytarpheta jamaicensis* (Verbenaceae), *Rev Biol Trop*, 44 (2A):353-9.

- Mominur Rahman, M., Razibul Habib, M., Rakibul Hasan, M., Islam, A. M. T., & Khan, I. N., 2012, Comparative antioxidant potential of different extracts of *Flacourtia Jangomas* lour Fruits, *Asian Journal of Pharmaceutical and Clinical Research*, 5(1), 73–75.
- Molyneux, P., 2004, The Use of the Stable Free Radical Diphenylpicryl-hydrazyl (DPPH) for Estimating Antioxidant Activity, *Songklanakarinn Journal of Science and Technology*, 211–219.
- Okwu, E. D., & Offiong, O. N., 2010, Isolation and characterization of Steroidal Glycosides from the leaves of *Stachytarpheta Jamaicensis* Linn Vahl, *Der Chemica Sinica*, 1(2), 6–14.
- Patel, V. R., Patel, P. R., & Kajal, S. S., 2010, Antioxidant Activity of Some Selected Medicinal Plants in Western Region of India, *Advances in Biological Research*, 4(1), 23–26.
- Pramono, Suwijyo, 2015, *Kuliah Galenika*, di Fakultas Farmasi Universitas Gadjah Mada, Agustus 2017.
- Percival, M., 1998, Antioxidants, *Clinical Nutrition Insights*, 1–4.
- Permatasari, Lina, 2015, Aktivitas Penangkapan Radikal DPPH (2,2-difenil-1-pikrilhidrazil) Ekstrak Metanol Kulit Buah Rambutan (*Nephelium lappaceum* L.) dan Fraksi-Fraksinya, *Skripsi*, Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.
- Prior, Ronald L., Wu, Xianli, & Schaich, Karen, 2005, *Standardized Methods for the Determination of Antioxidant Capacity and Phenolic in Foods and Dietary Supplements*, Department of Agriculture Arkansas Children's Nutrition Center, New Jersey.
- Robinson, T., 1995, *Kandungan Organik Tumbuhan Tinggi*, diterjemahkan oleh Padmawinata, k., Penerbit ITB, Bandung.
- Rohman, A., Riyanto, S., Utari, D., 2006, Aktivitas Antioksidan, Kandungan Fenolik Total dan Kandungan Flavonoid Total Ekstrak Etil Asetat Buah Mengkudu Serta Fraksi-fraksinya, *Jurnal MFI*, 17(3), 136–142.
- Schapoval, E.E., 1998, Anti-inflammatory and antinociceptive activities of extracts and isolated compound from *Stachytarpheta cayennensis*, *J. Ethnopharmacol.*, 60:1.
- Simanjuntak, P.T., Parwati, L.E., Lenny, S., Tamat, R., dan Murwani, 2004, Isolasi dan Identifikasi Senyawa Antioksidan dari Ekstrak Benalu Teh, *Scurrula oortiana*

- Danser (Loranthaceae), *Jurnal Ilmu Kefarmasian Indonesia ISSN*, 2 (1), 1693-1831.
- Sivaranjani R., Ramakrishnan K., Bhuvanewari G. Morpho-anatomical and preliminary phytochemical studies of the leaf of *Stachytarpheta jamaicensis* (L) Vahl., 2003, *International Journal of PharmTech Research*, 5(2):577–582.
- Sivaranjani, R., Ramakrishnan, K., & Bhuvanewari, G, 2014, Evaluation of in vitro antioxidant activity and estimation of total phenol and flavonoids contents of various extracts of *Stachytarpheta jamaicensis*, *International Journal of Innovative Drug Discovery*, 4(1), 31–37.
- Tantisewie, B., & Sticher, O, 1975, Isolation of Ipolamiide from *Stachytarpheta indica*, *Phytochemistry*, 14(5), 1462-1463.
- Vermerris, W. and Nicholson, R., 2006, *Phenolic Compound Biochemistry*, Springer, The Netherlands.
- Voight, R., 1994, *Buku Pelajaran Teknologi Farmasi*, (Terjemahan) Edisi V, UGM Press, Yogyakarta.
- Wagner, H., Bladt, S., 1996, *Plant Drug Analysis : A Thin Layer Chromatography Atlas*, Second Edition, Springer, New York.
- Winarti, Sri, 2010, *Makanan Fungsional*, Graha Ilmu : Surabaya.
- Zhao, H., Zhang, H., & Yang, S., 2014, Phenolic compounds and its antioxidant activities in ethanolic extracts from seven cultivars of Chinese jujube, *Food Science and Human Wellness*, 3(3–4), 183–190.
- Zhou, J., et al, 2002, Ventricular remodeling by scutellarein treatment in spontaneously hypertensive rats, *Chin. Med. J. (Engl.)*, 115(3): 375–77.