

DAFTAR PUSTAKA

AGARD. “*Special Course on Fundamentals of Fighter Aircraft Design*”. 1988. Advisory Group for Aerospace Research & Development. AGARD REPORT No. 740.

Anderson Jr, J.D. 2007. “*Fundamentals of Aerodynamics: Fifth Edition in SI Units*”. McGraw Hill. ISBN 978-1-259-01028-6.

Anderson Jr. J.D. 1995. “*Computational Fluid Dynamics: The Basics with Applications*”. McGraw Hill. ISBN 0-07-113210-4.

Behrbohm, H. 1965. “*Basic Low Speed Aerodynamics of The Short-Coupled Canard Configuration of Small Aspect Ratio*”. SAAB Aircraft Co. TN-60, Linkoping, Sweden.

Bergmann, A. dan Hummel, D. 2001. “*Aerodynamic effects of canard position on a wing body configuration in symmetrical flow*”. AIAA Paper 2001-0116.

Boelens, O.J. 2012. “*CFD Analysis of the Flow Around the X-31 Aircraft at High Angle of Attack*”. Aerospace Science and Technology 20 (2012) 38-51.

Brian, L.S., Frank, L.L. and Eric, L.C. 2015. “*Aircraft Control and Simulation: Dynamics, Controls Design and Autonomous Systems*”. John Wiley & Sons, Inc., Hoboken, New Jersey.

Combat Aircraft - The International Journal of Military Aviation, Vol. 7, No. 9, November 2006.

Ekaterinaris, J.A. 1995. “*Analysis of flow fields over missile configurations at subsonic speeds*”. *Journal of Spacecraft and Rockets*, Vol. 32, No. 3, pp. 385– 391.

Gloss, B.B. “*The Effect of Canard Leading-Edge Sweep and Dihedral Angle on the Longitudinal and Lateral Aerodynamic Characteristics of a Close-Coupled Canard-Wing Configuration*”. 1974. NASA TN D-7814.

Gloss, B.B. 1974. “*The Effect of Canard Location and Size in Canard-Wing Interference and Aerodynamic-Center Shift Related to Maneuvering Aircraft at Transonic Speeds*”. NASA TN D-7505.

Gloss, B.B. and McKinney. “*Canard-wing Lift Interference Related to Maneuvering Aircraft at Subsonic Speeds*”. 1973. NASA TM X-2897.

Gordon, Yefim and Peter Davison. Sukhoi Su-27 Flanker, Specialty Press, 2006.
[ISBN 978-1-58007-091-1](#).

Gursul, I. 2004. "*Recent Developments in Delta Wing Aerodynamics*". The Aeronautical Journal. Paper no. 2894.

Hall, R.M., Woodson, S.H. dan Chambers, J.R. 2005. "*Accomplishments of the Abrupt-Wing-Stall program*". Journal of Aircraft 42 (3) (May-June 2005) 653-660.

Hall, R.M., Woodson, S.H. dan Chambers, J.R. 2004. "*Overview of the Abrupt Wing Stall Program*". Progress in Aerospace Sciences 40 (2004) 417-452.

Hayashibara, S., Myose R.T. dan Miller, L.S. 1997. "*The Effect of a 70° Swept Canard-on the Leading-Edge Vortices of a 70° swept delta wing during dynamic pitching*". AIAA Paper 97-0613.

Howard, R.M. dan Kersh, J.M.Jr.. "*Effect of canard Deflection on Enhanced Lift for a close-coupled-canard Configuration*". 1991. AIAA Paper 91-3222-CP.

Howard, R.M. dan O' Leary, J.F.. "*Flow Field Study of a Close-Coupled Canard Configuration*". 1994. Journal of Aircraft, Vol. 31, No. 4.

<http://www.jawapos.com/read/2017/01/15/102375/proyek-jet-tempur-kfxifx-dilanjutkan-dpr-gelar-rapat-dengan-kemenhan>. 7 Juli 2017.

<https://finance.detik.com/industri/2265169/di-asean-cuma-ri-yang-punya-pesawat-bikinan-sendiri>. 7 Juli 2017.

Hummel, D., Chr, H. dan Oelker. "*Effects of Canard Position on the Aerodynamic Characteristics of a Close-Coupled Canard Configuration at Low Speed*". AGARD-CP-465, pp. 7-1-7-18.

Hunt, J.C.R., Wray, A.A. dan Moin, P. 1988. "*Eddies, stream, and convergence zones in turbulent flows*". Center for Turbulence Research Report CTR-S88, pp. 193-208

Joshi, A. dan Suryanarayan, S. 2005. "*Optimal location and size of canards for aeroelastic actuation in aerospace vehicles*". 2005. AIAA Paper 2005-6330.

Lambourne, N.C. dan Bryer, D.W. 1962. "*The bursting of leading edge vortices: some observation and discussion of the phenomenon*". Aeronautical Research Council, R&M 3282.

Lee, M. dan Ho, C.H. 1990. “*Lift Force of Delta Wings*”. Applied Mechanics Reviews, 43, (9), pp 209-221.

Mingqian, C., Peiqing, L., Hao G. and Qiulin, Q. 2015. “*Effect of Sideslip on High-Angle-of-Attack Vortex Flow Over Close-Coupled Canard Configuration*”. AIAA. 1533-3868/15

Oelker, O., Chr, H. dan Hummel. 1988. “*Investigation on the Vorticity Sheet of a Close-Coupled Delta-Canard Configuration*”. ICAS Proceedings, Vol. 1, pp. 649-662.

Saha, S. dan Majumdar, B.B. 2012. “*Flow Visualization and CFD simulation on 65° Delta Wing at Subsonic Condition*”. Procedia Engineering 38 (2012) 3086-3096.

Samimi, S., Davari, A.R. dan Soltani, M.R. 2013. “*Canard-Wing Interactions in Subsonic Flow*”. Transaction of Mechanical Engineering, 2013, Vol. 37, No. M2, pp 133-147.

Soemarwoto, B.I. and Boelens, O.J. 2003. “*Simulation of Vortical Flow Over a Slender Delta Wing Experiencing Vortex Breakdown*”. National Lucht-en Ruimtevaartlaboratorium. NLR-TP-2003-396

Tu, E.L. 1992. “*Navier-stokes simulation of a close-coupled canard-wing-body configuration*”. 1992. *Journal of Aircraft*, Vol. 29, No. 5, pp. 830–838.

Tu, E.L. 1992. “*Navier-stokes simulation of a close-coupled canard-wing-body configuration*”. *Journal of Aircraft*, Vol. 29, No. 5, pp. 830–838.

Tuncer, I.H and Platzer, M.F. 1996. “*A computational study of a close-coupled delta canard-wing-body configuration*”. AIAA Paper 96-2440-CP.

V' aclav Kol' a' r. 2007. “*Vortex identification: New requirements and limitations*”. International Journal of Heat and Fluid flow 638-652

Werle, H. 1954. “*Quelques Resultants Experimentaux sur les Ailes en Fleche, aux Faibles Vitesses, Obentus en Tunnel Hydrodynamique*”. La Recherche Aeronautique, September-October 1954, 41.

Wibowo, S.B. 2017. “*An Investigation into the use of GAMA Water Tunnel for Visualization of Vortex Breakdown on the Delta Wing*”. In 9th International Conference on Thermofluids, 2017.

Y. Guy, J.A. Morrow, T.E. McLaughlin. “*The Effects of Canard Shape on the Center of Pressure of a Generic Missile Configuration*”. 1999. AIAA Paper 99-4256.

Y. Guy, T.E. McLaughn, J.A. Morrow. “*Effects of Canard Shape on the Center of Pressure of a Generic Missile Configuration*”. 2000. AIAA Paper 2000-0264.

Yoshimoto, M. dan Uchiyama, N. 2003. “*Optimization of canard surface positioning of supersonic business jet for low boom and low drag design*”. AIAA Paper 2003-3576.

Zhiyong, L. 1997. “*A Study on Flow Patterns and Aerodynamic Characteristics for Canard-Double Delta Wing Configuration*”. AIAA Paper 97-0324.