UNIVERSITAS GADJAH MADA
KUANTITAS NEURON DOPAMINERGIK DI VENTRAL TEGMENTAL AREA TIKUS MODEL PENYAKIT PARKINSON DENGAN
DIINDUKSI PARAKUAT DIKLORIDA YANG DIBERI EKSTRAK N-PROPANOLIK TEMPE KORO BENGUK
RAFIDA CHAIRUNNISA, Dr. drh. Tri Wahyu Pangestiningsih, MP.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Anderson WP. 1977. *Weed Science: Principles*. West Publishing Company. New York.

Andi, Amirul L. 2018. Estimasi Jumlah Neuron Dopaminergik pada Ventral Tegmental Area Tikus Putih diinduksi Parkinson dengan Parakuat Diklorida dan diberi Ekstrak Koro Banguk Mentah Selama Tiga Minggu. Skripsi. Fakultas Kedokteran Hewan Universitas Gadjah Mada : Yogyakarta

Ashton, FM., Crafts, AS. 1981. *Mode of Action of Herbicides. 2nd ed.* JohnWiley & Sons, Inc. New York.

Bayer, VE., Pickel, VM. Ultrastuctural Localization of Tyrosine Hydroxylase in the Rat Ventral Tegmental Area : Relationship Between Immunolabeling Density and Neuronal Associations. *The journal of Neuroscience, September 1990,* 10(9): 2996-3013.

Betarbet R, Sherer TB, Greenamyre JT. 2002. Animal models of Patkinson's: Review articles. *BioEssays 24:* 308-318.

Boyce, R.W., Dorph-Petersen, A-K., Lyck, L., dan Gundersen H.J.G. 2010. Design-based Stereology: Introduction to Basic Concepts and Practical Approaches for Estimation of Cell Number. *Toxicol Pathol*. 38: 1011-1025.

Chudasama Y, Robbins TW. Psychopharmacological approaches to modulating attention in the five-choice serial reaction time task: implications for schizophrenia. *Psychopharmacology (Berl) 2004;*174:86–98.

Cortelazzo A, Lampariello R L, Sticozzi C, Guerranti R, Mirasole C, Zolla, Sacchetti G, Hajek J, Valacchi G. 2014. Proteomic profiling and post-translational modifications in human keratinocytes treated with Mucuna pruriens leaf extract. *J Ethnopharmacol 151:* 873–881.

Cremlyn, R. 1978. *Pesticides, Preparation and Mode of Action*. JohnWiley & Sons, Inc . New York

El Mestikawy S, Wallen-Mackenzie A, Fortin GM, Descarries L, Trudeau LE. From glutamate co-release to vesicular synergy: vesicular glutamate transporters. Nature reviews. *Neuroscience.* 2011;12:204–216.

UNIVERSITAS GADJAH MADA
KUANTITAS NEURON DOPAMINERGIK DI VENTRAL TEGMENTAL AREA TIKUS MODEL PENYAKIT PARKINSON DENGAN
DIINDUKSI PARAKUAT DIKLORIDA YANG DIBERI EKSTRAK N-PROPANOLIK TEMPE KORO BENGUK
RAFIDA CHAIRUNNISA, Dr. drh. Tri Wahyu Pangestiningsih, MP.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Emborg ME. 2004. Evaluation of animal models of Parkinson's disease for neuroprotective strategies. *J Neuro Sci Methods 139:* 121– 143.

Finkel, T. Oxidant signals and oxidative stress. *Curr. Opin. Cell Biol.* 2003, *15*, 247–254.

Gandjar, Indrawati, Dewi S.Slamet dan Moeljono. 1973. Kadar Zat Gizi dalam Tempe Benguk. *Jurnal Penelitian Gizi dan Makanan Jilid 3.*

George, R., Hedreen, J.C., Price, D.L. Parkinson's disease: Loss of neurons from the ventral tegmental area contralateral to therapeutic surgical lesions. *NEUROLOGY 1985;35:*1215-1218.

Gilbert., Steven, A. 2004. *A small Dose of Toxicology: the Health Effects of Common Chemicals*. CRC Press.

Ginsberg, L. 2005. *Neurologi, 8th edition*. Penerbit Erlangga. Jakarta

Grace AA, Onn SP. Morphology and electrophysiological properties of immunocytochemically identified rat dopamine neurons recorded in vitro. *J Neurosci. 1989;9:*3463–3481.

Hnasko TS, Hjelmstad GO, Fields HL, Edwards RH. Ventral tegmental area glutamate neurons: electrophysiological properties and projections. *The Journal of neuroscience: the official journal of the Society for Neuroscience.* 2012;32:15076–15085.

Indika G, Buckley N. 2011. Medical management of paraquat ingestion. British Journal of Clinical Pharmacology: University of New South Wales, Sydney, Australia. Tersedia dari*: http://www.ncbi.nlm.noh.gov/. Diakses tanggal 12 Maret 2018.*

Johnson SW, North RA. Opioids excite dopamine neurons by hyperpolarization of local interneurons. *The Journal of neuroscience: the official journal of the Society for Neuroscience*. 1992;12:483–488.

Kauer JA, Malenka RC. Synaptic plasticity and addiction. Nature reviews. *Neuroscience*. 2007;8:844–858.

Kavitha, C. and Thangamani C. Amazing bean *"Mucuna pruriens"*: A comprehensive review. *Journal of Medicinal Plants Research Vol. 8(2) :* 138-143.

Kelley AE, Berridge KC. The neuroscience of natural rewards: relevance to addictive drugs. *The Journal of neuroscience: the official journal of the Society for Neuroscience*. 2002;22:3306–3311.

UNIVERSITAS GADJAH MADA
KUANTITAS NEURON DOPAMINERGIK DI VENTRAL TEGMENTAL AREA TIKUS MODEL PENYAKIT PARKINSON DENGAN
DIINDUKSI PARAKUAT DIKLORIDA YANG DIBERI EKSTRAK N-PROPANOLIK TEMPE KORO BENGUK
RAFIDA CHAIRUNNISA, Dr. drh. Tri Wahyu Pangestiningsih, MP.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Laksono, SP., Qomariyah., Endang, P. 2013. *Majalah kesehatan PharmaMedika, 2011 vol, 3, no, 2, 268.*

Lampariello LR, Cortelazzo A, Guerranti R, Sticozzi C, Valacchi G. 2012. The Magic Velvet Bean of Mucuna pruriens. *J Tradit Complement Med 2(4):* 331–339.

Lee A, Olano WC, Van DGR, Wagner H. 2005. Mucuna pruriens and extracts thereof for the treatment of neurological diseases. Intellectual Property in Australia. Patent number AU2003276041. *www.ipaustralia. com.au. [Diakses tanggal: 5 Maret 2018]*

Liebermen, Abraham., McCall, Marcia. 2003. *100 Question & Answer about Parkinson Disease*. Massachusetts. Jones and Bartlett Publishers.

Nair-Roberts RG, Chatelain-Badie SD, Benson E, White-Cooper H, Bolam JP, Ungless MA. SNicola SM, Taha SA, Kim SW, Fields HL. Nucleus accumbens dopamine release is necessary and sufficient to promote the behavioral response to reward predictivecues. *Neuroscience*. 2005; 135:1025–1033.

Nout, MJR, Kiers JL. Tempe ferrmentation, innovation and functionality: uptake into the third milenium. A Review. *Journal of Applied Microbiology. 2005;98:* 789-805.

Noviani, E. 2010. Hubungan antara merokok dengan penyakit Parkinson di RSUD Prof. DR. Margono Soekarjo Purwokerto. *Mandala of health.4,(2),*81-86

Pangestiningsih TW, Wendo, WD, Selan YN, Amalo FA, Ndaong NA, Lenda V. 2014. Histological Features of Catecholaminergic Neuron In Substantia Nigra Induced By Paraquat Dichloride (1,1-Dimethyl-4,4 Bipyridinium) In Wistar Rat As A Model Of Parkinson Disease. *Indonesia J of Biotech. 9(1):* 91-98

Pangestiningsih, TW ., Susmiati, T., Wijayanto, H. 2017. Kandungan L-3, 4-dihydroxyphenylalanine Suatu Bahan Neuroprotektif pada Biji Koro Benguk (Mucuna pruriens) Segar, Rebus, dan Tempe. *Jurnal Veteriner Maret 2017 Vol. 18 No. 1 :* 116-120

Pangestiningsih, TW, Susmiati T, Wijayanto H. 2015. Neuroprotective Potency of Second Boiled Mukuna Pruriens Bean For Parkinson's Disease Therapy. *Proceding of International Seminar on the Tropical Natural Resources 2015. Mataram-Lombok, West Nusa Tenggara, Indonesia. June 10-13, 2015*

UNIVERSITAS GADJAH MADA
KUANTITAS NEURON DOPAMINERGIK DI VENTRAL TEGMENTAL AREA TIKUS MODEL PENYAKIT PARKINSON DENGAN
DIINDUKSI PARAKUAT DIKLORIDA YANG DIBERI EKSTRAK N-PROPANOLIK TEMPE KORO BENGUK
RAFIDA CHAIRUNNISA, Dr. drh. Tri Wahyu Pangestiningsih, MP.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Pawlukowska W, Go³¹b-Janowska M , Safranow K , Rotter I , Amernik K , Honczarenko K , Nowacki P. 2015. Articulation disorders and duration, severity and L-DOPA dosage in idiopathic Parkinson's disease. *Neurologia I Neurochirurgia Polska 49:* 302-306

Paxinos, G. dan Watson, C. 2007. *The Rat Brain In Stereotaxic Coordinates*. London. Elsevier Inc.

Pickel VM, Joh TH & Reis DJ. 1976. Monoamine-synthesizing enzymes in central dopaminergic, noradrenergic and serotonergic neurons. Immunocytochemical localization by light and electron microscopy. *J Histochem Cytochem* 24, 792–806.

Pickel VM, Joh TH & Reis DJ .1977. Regional and ultrastructural localization of tyrosine hydroxylase by Immunocytochemistry in dopaminergic neurons of the mesolimbic and nigroneostriatal systems. *Adv Biochem Psychopharmacol* 16, 321–329.

Rahayu RA. 2009. *Penyakit Parkinson Ilmu Penyakit Dalam (5th ed).* InternaPublishing ; p. 851-2 . Jakarta

Rajeshwar, Y., Kumar, G.P.S., Gupta, M.U.K. dan Mazumber. 2005. Studies on in vitro antioxidant activities of methanol extract of Mucuna pruriens (Fabaceae) Seeds. *European Bulletin of Drug Research 13(1):* 31-39.

Riadi, Muh. 2011. *Herbisida dan aplikasinya.* Skripsi. Universitas hasanudin. Makasar

Sesack SR, Grace AA. Cortico-Basal Ganglia reward network: microcircuitry. *Neuropsychopharmacology*. 2010;35:27–47.

Sjahrir, H. 2007. *Parkinson's Disease Dementia dalam Parkinson's Disease & Other Movement Disorder*. Pustaka Press. Medan : p. 54-71

Soetedjo, MHH. *Buku ajar Boedhi-Darmojo Geriatri (Ilmu Kesehatan Usia Lanjut) (4th ed) Gangguan neurologik pada usia lanjut*. Balai penerbit FKUI . Jakarta

Stamatakis AM, Stuber GD. Activation of lateral habenula inputs to the ventral midbrain promotes behavioral avoidance . Nature *neuroscience.* 2012;15:1105–1107.

Stuber GD, Hnasko TS, Britt JP, Edwards RH, Bonci A. Dopaminergic terminals in the nucleus accumbens but not the dorsal striatum corelease glutamate. *The Journal of neuroscience: the official journal of the Society for Neuroscience.* 2010;30:8229–8233.

UNIVERSITAS GADJAH MADA
KUANTITAS NEURON DOPAMINERGIK DI VENTRAL TEGMENTAL AREA TIKUS MODEL PENYAKIT PARKINSON DENGAN
DIINDUKSI PARAKUAT DIKLORIDA YANG DIBERI EKSTRAK N-PROPANOLIK TEMPE KORO BENGUK
RAFIDA CHAIRUNNISA, Dr. drh. Tri Wahyu Pangestiningsih, MP.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Sudiyono. 2010. Penggunaan Na2HCO3 Untuk Mengurangi Kandungan Asam Sianida (HCN) Koro Benguk Pada Pembuatan Koro Benguk Goreng. *Agrika. 4 (1):* 48-53.

Szkudelski T. The mechanism of alloxan and streptozotocin action in B cells of the rat pancreas. *Physiol. Res. 2001;50:*536-46.

Trisnadewi, K. 2014. Kadar asam urat serum rendah meningkatkan resiko penyakit Parkinson . Program Studi Ilmu Biomedik (Program Pasca sarjana) Universitas Udayana 2014 : Denpasar

Tritsch NX, Ding JB, Sabatini BL. Dopaminergic neurons inhibit striatal output through non-canonical release of GABA. *Nature.* 2012;490:262–266.

Valko, M.; Rhodes, C.J.; Moncol, J.; Izakovic, M.; Mazur, M. Free radicals, metals and antioxidants in oxidative stress-induced cancer. *Chem. Biol. Interact.* 2006, *160*, 1–40.

WHO. 2006. "Neurological Disorders: Public Health Challenges" : WHO. Diakses dari *http://www.who.int/mental_health/publications/neurological_disorders_ph_challenges/en Pada tanggal 11 Maret 2018 pukul 02:31*

Wise RA. Dopamine, learning and motivation. *Nat Rev Neurosci*. 2004;5:483–494.

Yadav SK, Prakash J, Chouhan S, Singh PS. 2013. Mucuna pruriens seed extract reduces oxidative stress in nigrostriatal tissue and improves neurobehavioral activity in paraquat-induced Parkinsonian mouse model. *Neurchem Intr 62:* 1039-1047