KARAKTER MORFOLOGI AKAR DAN KERAGAAN HASIL PADI RATUN (Oryza sativa L.) PADA PERBEDAAN WAKTU DAN
TINGGI PEMOTONGAN TUNGGUL SISA PANEN
ANANTA BAYU PRATAMA, Prof. Dr. Ir. Didik Indradewa, Dip.Agr.St.; Erlina Ambarwati, S.P., M.P.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abdulrachman, S., E. Suhartatik, Erdiman, Susilawati, Z. Zaini, A. Jamil, M. J. Mejaya, P. Sasmita, B. Abdulah, Suwarno, Y. Baliadi, A. Dhalimi, Sujinah, Suharma dan E. S. Ningrum. 2015. Panduan Teknologi Budidaya Padi *Salibu*. <http://bbpadi.litbang. pertanian.go.id/images/publikasi/ panduan-teknis/Salibu.pdf>. Diakses pada 21 Agustus 2016.

Agus, F., A. Adimihardja, S. Hardjowigeno, A. M. Fagi dan W. Hartatik. 2004. Tanah Sawah dan Teknologi Pengelolaanya. Pusat Penelitian dan Pengembangan Tanah dan Agroklimat, Bogor.

Anonim[1]. 2012. Penduduk Indonesia Menurut Provinsi 1971, 1980, 1990, 1995, 2000 dan 2010. <https://www.bps.go.id/ linkTabelStatis/ view/id/1267>. Diakses Pada 16 September 2016.

Anonim[2]. 2013. Klasifikasi dan Morfologi Tanaman Padi (*Oryza sativa*). <http://www. petanihebat.com/2013/09/klasifikasi-dan-morfologi-tanaman-padi.html>. Diakses pada 8 Oktober 2016.

Anonim[3]. 2014. Teknologi *Salibu* untuk Meningkatkan Produktivitas Lahan dan Pendapatan Petani. <http://www.litbang.pertanian.go.id/berita/ one/1843/>. Diakses pada 16 September 2016.

Anonim[4]. 2016. Luas Panen Padi Menurut Provinsi (ha), 1993-2015. <https://www.bps.go.id/linkTableDinamis/view/id/864>. Diakses Pada 21 Agustus 2016.

Anonim[5]. 2017. Normal Hujan Bulanan. <http://bmkgsampali.net/normal-hujan-bulanan/>. Diakses pada 20 Januari 2018.

Anonim[6]. 2018. Laporan Iklim Harian Stasiun Geofisika Yogyakarta Periode 22 Desember 2016 – 1 Maret 2017. <http://dataonline.bmkg.go.id/data_iklim>. Diakses pada 20 Januari 2018.

Anonim[7]. 2016. Conversion – PPFD to Lux. <https://www.apogeeinstruments.com/ conversion-ppfd-to-lux/>. Diakses pada 20 Januari 2018.

Atkinson, D. 2000. Root characteristics: Why and what to measure. *In*: Smit A.L., A.G. Bengough, C. Engels, M. van Noordwijk, S. Pellerin dan S. C. van de Geijn. (Eds). Root Methods: A Handbook. Springer-Verlag, Berlin.

Atwell, B. J., P. E. Kriedmann dan C. G. N. Tumbull. 2011. Plants in Action – Adaptation in Nature, Performance in Cultivation. Macmillan Publishers Australia, Melbourne.

Aziliya, D.. 2016. USDA: Indonesia Masih Akan Impor Beras pada 2016. <http://industri. bisnis.com/read/20160120/99/511113/usda-indonesia-masih-akan-impor-beras-pada-2016>. Diakses pada 21 Agustus 2016.

Azura, A. E., J. Shamshuddin dan C. I. Fauziah. 2011. Root elongation, root surface area and organic acid by rice seedling under Al^{3+} and/or H^{+} stress. American Journal of Agricultural and Biological Sciences 6: 324-331.

KARAKTER MORFOLOGI AKAR DAN KERAGAAN HASIL PADI RATUN (Oryza sativa L.) PADA PERBEDAAN WAKTU DAN
TINGGI PEMOTONGAN TUNGGUL SISA PANEN
ANANTA BAYU PRATAMA, Prof. Dr. Ir. Didik Indradewa, Dip.Agr.St.; Erlina Ambarwati, S.P., M.P.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Begon, M dan A. H. Fitter. 1997. Advances in Ecological Research. Academic Press, San Diego.

Bertrand-Morvan, A., J. Boucaud and M. Prud'homme. 1999. Influents of initial levels of carbohydrates, fructans, nitrogen and soluble proteins on regrowth of Lolium perenne L. cv. Bravo following defoliation. Journal of Experimental Botany 50: 1817-1826.

Blum, A. and J. T. Ritchie. 1984. Effect of soil surface water content on shorgum root distribution in the soil. Field Crops Research 8: 169-176.

Bose, A. dan B. Ghosh. 1995. Effect of heat stress on ribulose 1,5-biphosphate carboxylase in rice. Phytochemistry 38:1115-1118.

Budiyano. 2013. Klasiikasi Padi (*Oryza sativa*). <http://www.biologionline.info/ 2013/02/klasifikasi-padi-oryza-sativa. html>. Diakses pada 8 Oktober 2016.

Calendacion, A. N., D. P. Garrity and K. T. Ingram. 1992. Lock lodging: a new technology of ratoon rice cropping. Phillip J. Crop Sci. 17: 1-10.

Cen, Y.P. dan R. F. Sage. 2005. The regulation of Rubisco activity in response to variation in temperature and atmospheric CO_2 partial pressure in sweet potato. Plant Physiol 2:979-990.

Chauhan, J. S., B. S. Vergara and F. S. S. Lopez. 1985. Rice Ratooning. IRRI, Manila.

Chen, C. C., J. B. Dixon dan F. T. Turner. 1980. Iron Coatings on rice roots: mineralogy and quantity influencing factors. Soil Science Society of America Journal 44: 635-639.

Chiangmai, P. N. dan P. Yodmingkhwan. 2011. Competition of root and shoot growth between cultivated rice (*Oryza sativa* L.) and common wild rice (Oryza rufipogon Griff.) grown under different phosphorus levels. Songklanakarin Journal of Science and Technology 33: 685-692.

Comas, L. H., S. R. Becker, V. M. V. Cruz, P. F. Byrne dan D. A. Dierig. 2013. Root traits contributing to plant productivity under drought. Front Plant Sci. 4: 442.

Corbesier, L., G. Bernier and C. Perlleux. 2002. C:N ratio increases in phloem sap during floral transition of long day plants Sinapis alba and Arabidopsis thaliana. Plant Cell Physiol 43: 684-688.

Cuevas-Perez, F. E. 1981. Inheritance and associations of six agronomic traits and stem base carbohydrate concentration on ratooning ability in rice (*Oryza sativa* L.). Oregon State University. Thesis.

de Datta, S. K. 1981. Principles and Practices of Rice Production. International Rice Research Institute, Los Banos.

Dun, E. A., B. J. Ferguson and C. A. Beveridge. 2006. Apical dominance and shoot branching, divergent opinions or divergent mechanisms?. Plant Physiol 142: 812-819.

KARAKTER MORFOLOGI AKAR DAN KERAGAAN HASIL PADI RATUN (Oryza sativa L.) PADA PERBEDAAN WAKTU DAN
TINGGI PEMOTONGAN TUNGGUL SISA PANEN
ANANTA BAYU PRATAMA, Prof. Dr. Ir. Didik Indradewa, Dip.Agr.St.; Erlina Ambarwati, S.P., M.P.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Dunand, R. and Saichuk, J. 1999. Rice Growth and Development. *In*: Saichuk, J. (Eds). Lousiana Rice Production Handbook. LSU Ag. Center, Lousiana. p: 34-45.

Eissenstat, D. M. 1991. On the relationship between specific root length and the rate of root proliferation: a field study using citrus rootstocks. New Phytol 118: 63-68.

Evans, J. D. 1996. Straightforward Statistics for the Behavioral Sciences. Brooks/Cole Publishing Company, California.

Faruq, G., R. M. Taha dan Z. H. Prodhan. 2014. Rice ratoon croop: A sustainable rice production system for tropical hill agriculture. Sustainability 6: 5785-5800.

Gao, Y., A. Duan, X. Qiu, Z. Liu, J. Sun, J. Zhang and H. Wang. 2010. Distribution of roots and root length density in a maize/soybean strip intercropping system. Agricultural Water Management 98: 199-212.

Geigenberger, P. 2011. Regulation of starch biosynthesis in response to a fluctuating environment. Plant Physiology 155: 1566-1577.

Ghadirnezhad, R. dan A. Fallah. 2014. Temperature effect on yield and yield components of different rice cultivars in flowering stage. International Journal of Agronomy 1: 1-4.

Gregory, P. J. 2006. Plant Roots: Growth, Activity and Interaction with Soils. Blackwell Publishing, Oxford.

Gu, D., F. Zhen, D. B. Hannaway, Y. Zhu, L. Liu, W. Cao dan L. Tang. 2017. Quantitative classification of rice (*Oryza sativa* L.) root length and diameter using image analysis. PLoS One 12: 1-14.

Harrel, D. L., J. A. Bond, S. Blanche. 2009. Evaluation of main-crop stubble height on ratoon rice growth and development. Field Crops Research 114: 396-403

Hill, R. D.. 2014. Back To The Future! Thought On Ratoon Rice In Southeast Asia and East Asia. <https://landinstitute.org/wp-content/uploads/2014/11/PF_FAO14 _ch26.pdf>. Diakses pada 1 September 2016.

Ichii, M. and N. Ogaya. 1985. Application of ratoon traits obtained by higher cutting for estimation of precentages of ripened grains in rice plants. Japan. J. Breed 35: 311-316.

Ichii, M. 1988. Some Factors Influencing the Growth of Rice Ratoon. *In*: W. H. Smith, V. Kumble and E. P. Cervantes (Eds). Rice Ratooning. International Rice Research Institute, Manila. p: 41-46.

Ismunadji, M., S. Partohardjono, M. Syamn dan A. Widjono. 1988. Padi. Pusat Penelitian dan Pengembangan Tanaman Pangan, Bogor.

Kanbar, A., M. Toorchi and H. E. Shashidhar. 2009. Relation between root and yield morphological characters in rainfed low land rice (*Oryza sativa* L.). Cereal Research Communications 37: 261-268.

Karpunin, B. F. 2016. Model for Biomass Accumulation, Dates of Onset, and Duration of the Phenological Phases of Fiber Flax. Journal of Natural Fiber 13: 477-482.

KARAKTER MORFOLOGI AKAR DAN KERAGAAN HASIL PADI RATUN (Oryza sativa L.) PADA PERBEDAAN WAKTU DAN
TINGGI PEMOTONGAN TUNGGUL SISA PANEN
ANANTA BAYU PRATAMA, Prof. Dr. Ir. Didik Indradewa, Dip.Agr.St.; Erlina Ambarwati, S.P., M.P.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Kimura, K. dan S. Yamasaki. 2003. Accurate root length and diameter measurement using NIH Image: use of Pythagorean distance for diameter estimation. Plant and Soil 254: 305-315.

Kitomi, Y., H. Kitano and Y. Inukai. 2011. Moleculer mechanism of crown root initiation and the different mechanisms between crown root and radicle in rice. Plant Signal Behavior 6:1270-1278.

Koiman. 2015. Sistem Pengairan Berselang (*Intermittent Irrigation*) dan Metode SRI dalam Budidaya Padi Sawah.. http://bkppp.bantulkab.go.id/filestorage/dokumen/2015/08/sistem%20pengairan%20berselang%20dan%20SRI.pdf>. Diakses pada 18 September 2016.

Lange, O. L., R. Losch, E. D. Schulze dan L. Kappen. 1971. Response of stomata to changes in humidity. Planta 1: 76-86.

Larcher, W. 2003. Physiological Plant Ecology : Ecophysiology and Stress Physiology of Functional Groups. Springer-Verlag, Berlin.

Lascaris, D and J. W. Deacon. 1991. Relationship between root cortical senescence and growth of wheat influenced by mineral nutrition, *Idriella bolleyi* (Sprague) von Arx and pruning of leaves. New Phytol 118: 391-396.

Leuschner, C., D. Hertel, I. Schmid, O. Koch, A. Muhs dan D. Hoischer. 2004. Stand fine root biomass and fine root morphology in old-growth beech forests as a function of precipitation and soil fertility. Plant and Soil 258: 43-56.

Li, C.Y., D. Weiss and E. E. Goldschmidt. 2003. Girdling affects carbohydrate-relate gene expression in leaves, bark and roots of alternate-bearing citrus trees. Annals of botany 92: 137-143.

Li, Y., Y. Gao, X. Xu, Q. Shen dan S. Guo. 2009. Light-saturated photosynthetic rate in high-nitrogen rice (*Oryza sativa* L.) leaves is related to chloroplastic CO_2 concentration. Journal of Experimental Botany 60: 2351:2360.

Liu, Y. D. Gu, Y. Ding, Q. Wang, G. LI and S. Wang. 2011. The relationship between nitrogen, auxin and cytokinin in the growth regulation of rice (*Oryza sativa* L.) tiller buds. Australian Journal of Crop Science 5: 1019-1026.

Lohmus, K., T. Oja and R. Lasn. 1989. Specific root area: a soil characteristic. Plant and Soil 119: 245-249.

Manjappa, K. and A. S. Prabhakar. 2001. Effect of growth regulators and nutrients spray on performance of ratoon crop of hybrid rice under different irrigation levels. Kamataka J. Agric. Sci. 14: 916-923.

Makarim, A.K. and E. Suhartatik. 2006. Morfologi dan Fisiologi Tanaman Padi. Balai Besar Penelitian Padi, Subang.

Mareza, E., Z. R. Djafar, R. A. Suwignyo dan A. Wijaya. 2016. Rice ratoon yield response to main crops cutting height in tidal swamp using direct seeding system. AGRIVITA 38: 126-132.

KARAKTER MORFOLOGI AKAR DAN KERAGAAN HASIL PADI RATUN (Oryza sativa L.) PADA PERBEDAAN WAKTU DAN
TINGGI PEMOTONGAN TUNGGUL SISA PANEN
ANANTA BAYU PRATAMA, Prof. Dr. Ir. Didik Indradewa, Dip.Agr.St.; Erlina Ambarwati, S.P., M.P.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Morita, S. dan J. Abe. 1994. Modelling Root System Morphology in Rice. In: Davis, T. D. dan B. E. Haissig (*Eds*). Biology of Adventitous Root Formation. Plenum Press, New York.

Morita, S., dan K. Nemoto. 1995. Morphology and Anatomy of Rice Roots with Special Reference to Coordination in Organo- and Histogenesis. *In*: Baluska, F., M. Ciamporova, S.A. Gasparikova dan O. Barlow (Eds). Structure and Function or Roots. Kluwer Academic Publisher, Massachusetts.

Muller, D. and O. Leyser. 2011. Auxin, cytokinin and the control of shoot lateral branching. Annals of Botany 107:1203-1212.

Nainggolan, K., I. M. Harahap dan Erdiman. 2013. Teknologi Melipatgandakan Produksi Padi Nasional. Grasindo, Jakarta.

Nakano, H., S. Morita, H. Kitogawa and M. Takahashi. 2009. Effects of cutting height and trampling over stubbles of the first crop on dry matter yield in twice harvesting of forage rice. Plant Prod. Sci. 12: 124-127.

O'Toole, J. C. 1982. Adaptation of rice to drought-prone environments. *In*: Vega, M. R. (Eds). Drought resistance in crops with emphasis on rice. International Rice Research Institute, Manila.

Oad, F. C., P. S. Cruz, N. Nemon, N. L. Oad and Z. U. Hassan. 2002. Rice ratoon management. Journal of Applied Sciences 2: 29-35.

Olivier, K., M. Cherif, B. Kone, D. Emmanuel and K. K. Firmin. 2014. Growth, yields and ratooning performance of lowland rice Nerica L14 as affected by different fertilizer. Ind. J. Sci. Res. and Tech. 2: 18-24.

Orzechowski, S. 2008. Starch metabolism in leaves. Acta Biochimica Polonica 55: 435-445.

Patil, S. V. 1988. Welcome. *In*: W. H. Smith, V. Kumble and E. P. Cervantes (Eds). Rice Ratooning. International Rice Research Institute, Manila. p: 1-2.

Perez-Harguindeguy, N., s. Diaz, E. Garnier, S. Lavorel, H. Poorter, P. Jaureguiberry, M. S. Bret-Harte, W. K. Cornwell, J. M. Craine, D. E. Gurvich, C. Urcelay, E. J. Veneklaas, P. B. Reich, L. Poorter, I. J. Wright, P. Ray, L. Enrico, J. G. Pausas, A. C. de Vos, N. Buchmann, G. Funes, F. Quetier, J. G. Hodgson, K. Thompson, H. D. Morgan, H. ter Steege, M. G. A. van der Heijden, L. Sack, B. Blonder, P. Poschlod, M. V. Vaieretti, G. Conti, A. C.Staver, S. Aquino and J. H. C. Cornelissen. 2013. New handbook for standardised measurement of plant functional traits worldwide. Australian Journal of Botany : 1-68.

Pfister, B and S. C. Zeeman. 2016. Formation of starch in plant cells. Cellular and Molecular Life Sciences 73: 2781-2807.

Rahayu, M., D. Prajitno dan A. Syukur. 2005. Pertumbuhan vegetatif padi Gogo dan beberapa varietas nanas dalam sistem tumpangsari di lahan kering Gunung Kidul, Yogyakarta. Biodiversitas 7: 73-76.

Ramanathan, K. M. and K. K. Krishnamoorthy. 1973. Nutrient uptake by paddy during the main three stages of growth. Plant and Soil 39: 29-33.

UNIVERSITAS
GADJAH MADA
KARAKTER MORFOLOGI AKAR DAN KERAGAAN HASIL PADI RATUN (Oryza sativa L.) PADA PERBEDAAN WAKTU DAN
TINGGI PEMOTONGAN TUNGGUL SISA PANEN
ANANTA BAYU PRATAMA, Prof. Dr. Ir. Didik Indradewa, Dip.Agr.St.; Erlina Ambarwati, S.P., M.P.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Ranawake, A. L. and U. G. S. Amarasinghe. 2014. Trait effect in different days to flowering groups of rice cultivars as described by path analysis. International Journal of Scientific and Research Publications 4: 1-9.

Rauf, A. W., Syamsudin T. dan S. R. Sihombing. Peran Pupuk NPK pada Tanaman Padi. <http://pustaka.litbang.pertanian.go.id/agritek/ppua0160.pdf>. Diakses pada 20 Oktober 2016.

Rost, T. L. 1997. Where Rice Came From. <http://www-plb.ucdavis.edu/labs/rost/rice/Introduction/intro.html>. Diakses pada 21 November 2016.

Santos, A. B., N. K. Fageria and A. S. Prabhu. 2011. Rice ratooning management practices for higher yield. Communication in Soil Science and Plant Analysis 34: 881-918.

Schneider, H. M., J. A. Postma, T. Wojciechowski, C. Kuppe and J. P. Lynch. 2017. Root cortical senescence improves growth under suboptimal availability of N, P and K. Plant Physiology 174: 2333-2347.

Schneider, H. M. and J. P. Lynch. 2018. Functional implications of root cortical senescence for soil resource capture. Plant Soil 423: 13-26.

Siniwi, R. A. 2017. Pengaruh konsentrasi *pyraclostrobin* terhadap kandungan protein, lemak, dan fenolik total biji kakao (*Theobroma cacao* L.) klon ICCRI 04 dan SCAVINA 6. Fakultas Pertanian, Universitas Gadjah Mada. Skripsi.

Slaton, N. A., C. A. Beyrouty, W. R. Wells, R. J., Norman and E. E. Gbur. 1990. Root growth and distribution of two short-season rice genotypes. Plant and Soil 121: 269-278.

Smith, C. W. and R. H. Dilday. 2003. Rice: Origin, History, Technology and Production. John Wiley and Sons Inc., New Jersey.

Sridevi, V. dan V. Chellamthu. 2015. Impact of weather on rice – a review. International Journal of Applied Research 9: 825-831.

Su, J. C. 2000. Starch Synthesis and Grain Filling in Rice. *In:* Gupta, A. K. and N Kaur (Eds). Carbohydrate Reserves in Plants – Synthesis and Regulation. Elsevier Science B. V., Amsterdam. p: 107-124.

Sun, X., Z. J. Guo and L. Yujiu. 1988. Ratooning With Rice Hybrids: P155-161 In Rice Ratooning. International Rice Research Institute, Manila.

Suprihatno, B., A. A. Daradjat, Satoto, Baehaki S. E., I. N. Widiarta, A. Setyono, S. D. Indrasari, O. Y. Lesmana dan A. Sembiring. 2009. Balai Besar Penelitian Tanaman Padi, Subang.

Surowinoto. 1982. Teknologi Produksi Padi Sawah dan Padi Gogo. IPB Press, Bogor.

Teo, Y. H., C. A. Beyrouty, R. J. Norman dan E. E. Gbur. 1995. Nutrient uptake relationship to root characteristics of rice. Plant and Soil 171: 297 – 302.

Utari, N. A. 2015. Pertumbuhan dan produksi *ratoon* padi sawah (*Oryza sativa* L.) yang ditanam dengan metode System of Rice Intensification (SRI) di Kelurahan

UNIVERSITAS
GADJAH MADA
KARAKTER MORFOLOGI AKAR DAN KERAGAAN HASIL PADI RATUN (Oryza sativa L.) PADA PERBEDAAN WAKTU DAN
TINGGI PEMOTONGAN TUNGGUL SISA PANEN
ANANTA BAYU PRATAMA, Prof. Dr. Ir. Didik Indradewa, Dip.Agr.St.; Erlina Ambarwati, S.P., M.P.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Sindangbarang, Kecamatan Bogor Barat, Bogor, Jawa Barat. Fakultas Pertanian. Institut Pertanian Bogor. Skripsi.

Vergara, B. S. 1980. Rice Plant Growth and Development. Production and Utilization. AVI Publishing Company, Wesport.

Vergara, B. S. dan T. T. Chang. 1985. The Flowering Response of the Rice Plant to the Photoperiod. IRRI, Manila.

Wang, Y., X. Dong, H. Wang, Z. Wang dan J. Gu. 2016. Root tip morphology, anatomy, chemistry and potential hudraulic conductivity vary with soil depth in three temperate hardwood species. Tree Phhysiology 35: 99-108.

Wu, Q., L. Pages and J. Wu. 2016. Relationships between root diameter, root length and root branching along lateral root on adult, field-grown maze. Annals of Botany 117: 379-390.

Yamori, W., G. Zhang, M. Takagaki dan T. Maruo. 2014. Feasibility study of rice growth in plant factories. J. Rice Res. 2: 1-6.

Yang, J., S. Peng, Z. Zhang, Z. Wang, R. M. Visperas dan Q. Zhu. 2002. Grain and dry matter yields and partitioning of assimilates in Japonica/Indica hybrid rice. Crop Science 42: 766-772.

Yang, C., L. Yang, Y. Yang and Z. Ouyang. 2004. Rice root growth and nutrient uptake as influenced by organic manure in continously and alternately flooded paddy soils. Agricultural Water Management 70: 67-81.

Yang, Y., L. Chen, N. Li dan Q. Zhang. 2016. Effect of root moisture content and diameter on root tensile properties. PloS One 3: 1-17.

Yoshida, S. 1981. Fundamentals of Rice Crop Science. International Rice Research Institute, Los Banos.

Yoshida, S., dan S. Hasegawa. 1982. The Rice Root System: Its Development and Function. *In*: Vega M. R. (Eds). Drought resistance in crops with emphasis on rice. International Rice Research Institute, Manila.