

TABLE OF CONTENTS

DECLARATION	i
DEDICATION	ii
PREFACE	iii
TABLE OF CONTENTS	iv
LIST OF TABLES	vii
LIST OF FIGURES	viii
ABSTRACT	x
INTISARI	xi
CHAPTER 1 INTRODUCTION	1
1.1 Background	1
1.2 Problem Identification	3
1.3 Design Issues	3
1.4 Design Objectives	3
1.5 Limitations	4
1.6 Design Benefits	4
1.7 Design Originality	5
CHAPTER 2 LITERATURE REVIEW & THEORETICAL BASIS	6
2.1 Terminology	6
2.1.1 Pedestrian	6
2.1.2 Pedestrian Characteristics	6
2.1.3 Pedestrian Pathway	7
2.1.4 Integrated Transportation	7
2.2 Pathway Stipulation	8
2.2.1 Estimating travel demand	8
2.2.2 Trip Distribution with Furness Method	9
2.3 Pedestrian Network Planning	10
2.4 Pedestrian Tunnels	11
CHAPTER 3 DESIGN CRITERIA & METHOD	13
3.1 Design Criteria	13
3.2 Design Standards	13

3.3	Design Parameter	16
3.3.1	Physical space requirements	16
3.3.2	Width and height	18
3.3.3	Level of Service (LOS)	21
3.3.4	Geometry	24
3.3.5	Slope/Gradient	24
3.3.6	Ramps and stairs	25
3.3.7	Lighting	27
3.3.8	Elevators	28
3.3.9	Escalators and Travelators	29
3.3.10	Wayfinding Signage	31
3.4	Design Method	35
3.4.1	Design Location	35
3.4.2	Design process	35
3.4.3	Design flowchart	37
3.5	Technical Data	39
3.6	Design Tools	41
CHAPTER 4	DESIGN & CALCULATION RESULTS	42
4.1	Design Basis	42
4.2	Location Overview	42
4.3	Route Stipulation	45
4.4	Entrance/Exit Scheme	48
4.4.1	Dukuh Atas MRT Station	48
4.4.2	BNI City Airport Railway Station	50
4.5	Design Calculations	50
4.5.1	Pedestrian Flow Estimation	50
4.5.2	Width Required	56
4.5.3	Longitudinal slope	57
4.5.4	Stairs	57
4.5.5	Escalator	57
4.5.6	Travelator	58
4.6	Typical Design	59

4.7	Wayfinding Signage	61
4.8	Optimum Design	62
CHAPTER 5 CONCLUSION & RECOMMENDATIONS		66
5.1	Conclusion.....	66
5.2	Recommendations	67
BIBLIOGRAPHY		69
APPENDIX		