

DAFTAR PUSTAKA

- Acharya, K.A., Jayade, V.P., 2005, Metallurgical Properties of Stainless Steel Orthodontic Archwires: A Comparative Study, *Trends Biomater Artif Organs*, 8(2):125-36
- Ahn, S.J., Wen, Z.T., Brady, L.J., Burne, R.A., 2008, Characteristics of Biofilm Formation by *Streptococcus mutans* in the Presence of Saliva, *Infect Immun*, 76(9):4259-68
- Ahn, S., Lee, S., Lim, B., Nahm, D., 2006, Quantitative Determination of Adhesion Patterns of Cariogenic Streptococci to Various Orthodontic Adhesives, *Angle Orthod*, 76(5): 869-75
- Al-Lami, A.A.R., Al-Sheakli, I.I., 2014, Quantitative assessment of Mutans Streptococci adhesion to coated and uncoated orthodontic archwires (*In vitro* study), *J Bagh College Dentistry*, 26(4):156-62
- Aksakalli, S., Malkoc, S., 2013, Esthetic Orthodontic Archwires : Literature review, *J Orthod Res*, 1(1):2-4
- Anusavice, K.J., 2013, Buku Ajar Ilmu Kedokteran Gigi, Edisi 10, EGC, Jakarta hal. 227-9
- Arango-Santander, S., Luna-Ossa, C.M., 2015, Stainless Stell: Material Facts for the Orthodontic Practitioner, *Rev Nac Odontol*, 11(20):71-82
- Baek, J.H., Krasieva, T., Tang, S., Ahn, Y., Kim, C.S., Diana, V., Chen, Z., Smith, W.P., 2009, Optical Approach to the Salivary Pellicle, *J Biomed Opt*, 14(4):1-7
- Bhalajhi, S.I., 2006, *Orthodontics The Art and Science*, Arya (Medi) Publishing House, New Delhi, h.
- Bourauel, C., Fries, T., Drescher, D., Plietsch, R., 1998, Surface Roughness of Orthodontic Wires via Atomic Force Microscopy, Laser Specular Reflectance, and Profilometry, *Eur J Orthod*, 20(1):79-92
- Burstone, C.J., Liebler, S.A.H., Goldberg, J.A., 2011, Polyphenylene Polymers as Esthetic Orthodontic Archwires, *Am J Orthod Dentofacial Orthop*, 139(4):e391-8

- Calabrich, C.F., Barbosa, M.C., Simionato, M.R., Ferreira, R., 2010, Evaluation of Antimicrobial Activity of Orthodontic Adhesive Associated with Chlorhexidine Thymol Varnish in Bracket Bonding, *Dent Press J Orthod*, 15(4):62-8
- Clarke, J. K., 1924, On the Bacterial Factor in the Aetiology of Dental Caries, *British J of Experiment Path*, 5(3):141-7
- Crookes, R., 2007, *Pickling and Passivating Stainless Steel*, 2nd ed., Euro Inox, Luxemburg, hal. 1-13
- D'Anto, V., Rongo, R., Ametrano G., 2012, Evaluation of Surface Roughness of Orthodontic Wires by Means of Atomic Force Microscopy, *Angle Orthod.*, 82(5):922-8
- De Franco, D.J., 1995, Frictional resistances using Teflon-coated ligatures with various bracket-archwire combinations, *Angle Orthod*, 65(1):63-72
- Demling, A., Elter, C., Heidenblut, T., Bach, Fr-W., Hahn, A., Schwestka-Polly, R., Stiesch, M., Heuer, W., 2010, Reduction of Biofilm on Orthodontic Brackets with the Use of A Polytetra Uoroethylene Coating, *Europ J Orthod*, 32:414-8
- Elayyan, F., Silikas, N., Bearn, D., 2008, *Ex Vivo* Surface and Mechanical Properties of Coated Orthodontic Archwires, *Eur J Orthod.*, 30:661-7
- Elayyan, F., Silikas, N., Bearn, D., 2010, Mechanical Properties of Coated Superelastic Archwires in Conventional and Self-ligating Orthodontic Brackets, *Am J Orthod Dentofacial Orthop*, 137(2):213-7
- English, J.D., Peltomaki, T., Pham-Litschel, K., 2009, *Mosby's Orthodontic Review*, Mosby Elsevier, St. Louis, hal.83-7
- Ferreira, M.A., Luersen, M.A., Borges, P.C., 2012, Nickel-titanium Alloys: A Systematic Review, *Dent Press J Orthod*, 17(3):71-82
- Goldberg, A.J., Burstone, C.J., 1992, The Use of Continuous Fiber Reinforcement in Dentistry, *Dent Mater*, 8(3):197-202
- Griffen, A.L., Becker, M.R., Lyons, S.R., Moeschbenger, M.L., Leys, E.J., 1998, Prevalence of Porphyromonas Gingivalis and Periodontal Health Status, *J Clin Microbiol*, 36:3239-42.
- Gyo, M. Nikaido, T., Koichi, O., Yamauchi, J., Tagami, J., Matin, K., 2008, Surface Respon of Fluorine Polymer-Incorporated Resin Composites to Cariogenic Biofilm Adherence, *Appl Environ Microbiol*, 74(5):1428-35

- Hallab, N.J., Bundy, K.J., O'connor, K., Moses, R.L., Jacobs, J.J., 2001, Evaluation of Metallic and Polymeric Biomaterial Surface Energy and Surface Roughness Characteristics for Directed Cell Adhesion, *Tissue Eng*, 7(1):55-71
- Haryani, J., Ranabhatt, R., 2016, Contemporary Esthetic Orthodontic Archwires A Review, *JDMT*, 5(3):125-30
- Hussain, M., Stover, C.M., Dupont, A., 2015, P. gingivalis in Periodontal Disease and Atherosclerosis – Scenes of Action for Antimicrobial Peptides and Complement, *Frontiers in Immunology*, 6(45):1-5.
- Iijima, M., Muguruma, T., Brantley, W.A., Choe, H.C., Nakagaki, S., Alapati, S.B., Mizoguchi, I., 2012, Effect of Coating on Properties of Esthetic Orthodontic Nickel-Titanium Wires, *Angle Orthod*, 82(2):319–25
- Ikeda, M., Matin, K., Nikado T., Foxton, R.M., Tagami, J., 2007, Effect of Surface Characteristics on Adherence of S. Mutans Biofilms to Indirect Resin Composites, *Dent Mat J*, 26(6):915-23
- Kapila, S., Sachdeva, R., 1989, Mechanical Properties and Clinical Applications of Orthodontic Wires, *Am J Orthod Dentofacial Orthop*, 96(2):100-9
- Kravitz, N.D., 2013, Aesthetic Archwires : *The Evolution of Aesthetic Archwires to Meet Patient Demands for Invisible Labial Treatment*, diunduh dari [hppt://orthodonticproductsonline.com](http://orthodonticproductsonline.com) pada tanggal 7 November 2016
- Kusy, R.P., 1997, A Review of Contemporary Archwires : Their Properties and Characteristics, *Angle Orthod*, 67(3):197-207
- Lagravere, M.O., Flores-Mir, C., 2005, The treatment effects of Invisalign orthodontic aligners: a systematic review, *J Am Dent Assoc*, 136(12):1724-9
- Lee, S.P., Lee, S.J., Lim, B.S., Ahn, S.J., 2009, Surface Characteristics of Orthodontic Materials and Their Effects on Adhesion of Mutans Streptococci, *Angle Orthod.*, 79(2):353-60
- Liu, H., Sun, J., Dong, Y., Lu, H., Zhou, H., Hansen, B. F., dan Song, X., 2011, Periodontal health and relative quantity of subgingival porphyromonas gingivalis during orthodontic treatment. *Angle Orthod*, 81(4), 609-15
- Malik, N., Dubey, R., Kallury, A., Chauksye, A., Shrivastav, T., Kapse, B.R., 2015, A Review of Orthodontic Archwires, *J Orofac Res*, 5(1):6-11.

- Mei, M.L., Chu, C.H., Samaranayake, L.P., Preventing Root Caries Development Under Oral Biofilm Challenge in an Artificial Mouth, *Med Oral Patol Oral Cir Bucal*, 18(4):557-63.
- Mhaske, A.R., Shetty, P.C., Bhat, N.S., Ramachandra, C.S., Laxmikanth, S.M., Nagarahalli, K., Tekale, P.D., 2015, Antiadherent and Antibacterial Properties of Stainless Steel and Niti Orthodontic Wires Coated with Silver Against *Lactobacillus Acidophilus*—An *In Vitro* Study, *Prog Ortho*, 16:40-6
- Morita, A., Yulianto, H.D.K., Kusdina, S.D., Purwanti, N., 2016, Differences of *Streptococcus mutans* adhesion between artificial mouth systems: a dynamic and static methods, *Maj Ked Gi Ind*, 49(2):67-70
- Mombelli, A., Gusberti, F.A., Van Oosten, M.A., Lang, N.P., 1989, Gingival Health and Gingivitis Development During Puberty : A 4-year Longitudinal Study, *J Clin Periodontol*, 16(7):451–6.
- Nakayama, K., 2015, *Porphyromonas Gingivalis* and Related Bacteria: From Colonial Pigmentation to The Type IX Secretion System and Gliding Motility, *J Periodont Res*, 50(1): 1–8
- Øilo, M., Bakken, V., 2015, Biofilm and Dental Biomaterials, *Materials*, 8:2887-900
- Park, J.B., Bronzino, J.D., 2003, *Biomaterials : Principles and Applications*, CRC Press, Boca Raton, hal. 1-18
- Pratiwi, S.T., 2008, *Mikrobiologi Farmasi*, Penerbit Erlangga, Jakarta, hal.108-9
- Prosski, R.R., Bagby, M.D., Erickson, L.C., Static frictional force and surface roughness of nickel-titanium arch wires, *Am J Orthod Dentofacial Orthop*, 100(4):341-8
- Quintano, C.C.A., Brunharo, I.H.V.P., 2009, Orthodontic Wires: Knowledge Ensures Clinical Optimization, *Dent Press J Orthod*, 14(6):144-57
- Quirynen M., 1994, The Clinical Meaning of The Surface Roughness and The Surface Free Energy of Intra-Oral Hard Substrata on The Microbiology of The Supra and Subgingival Plaque: Results of *in Vitro* And *in Vivo* Experiments. *J Dent.*, 22:13–6
- Rahim, Z.H.A., Fathilah, A.R., Irwan, S. dan Hasnor, W.N., 2008, An Artificial Mouth System (NAM System) for Oral Biofilm Research, *Res J Microbiol*, 3(6):466-73

- Raji, S., Shojaei, H., Rafiei, W., 2014, Bacterial Colonization on Coated and Uncoated Orthodontic Wires: A Prospective Clinical Trial, *Dent Res J*, 11(6):680-3
- Ristic, M., Vlahovic, S.M., Sasic, M., Zelic, O., 2007, Clinical and Microbiological Effects of Fixed Orthodontic Appliances on Periodontal Tissues in Adolescents, *Orthod Craniofac Res*, 10(4):187–95
- Russell, J.S., 2005, Aesthetic Orthodontic Brackets, *J Orthod.*, 32(2):146-63
- Saloom, H.F., Mohammed-Salih, H.S., Rasheed, S.F., 2013, The Influence of different types of Fixed Orthodontic Appliance on the Growth and Adherence of Microorganisms (*in Vitro* Study), *J Clin Exp Dent*. 5 (1):e36-41.
- Shafiei, F., Memarpour, M., 2012, Antibacterial Activity in Adhesive Dentistry: A Literature Review, *Gen Dent*, 60(6):e346-56
- Singh, D.P., 2016, Esthetic Archwires in Orthodontics-A Review, *Oral Hyg Health*, 4(1):194-7
- Soedjono-Aswin, 2001, *Metodologi Penelitian Kedokteran*, Fakultas Kedokteran Universitas Gadjah Mada, Yogyakarta
- Steinberg, D., Eyal, S., 2004, Initial Biofilm Formation of *Streptococcus Sobrinus* on Various Orthodontics Appliances, *J Oral Rehabil*, 31:1041–5
- Sukontapatipark, W., El-Agroudi, M.A., Selliseth, N.J., Thunold, K., Selvig, K.A., 2001, Bacterial Colonization Associated with Fixed Orthodontic Appliances : A Scanning Electron Microscopy Study, *Eur J Orthod*, 23(5):475–84
- Taha, M., El-Fallal, A., Degla, H., 2016, *In Vitro* and *In Vivo* Biofilm Adhesion to Esthetic Coated Arch Wires and its Correlation with Surface Roughness, *Angle Orthod*, 86(2):285-91
- Tang, G., Yip, H.K., Cutress, T.W., Samaranayake, L., 2003, Artificial Mouth Model System and Their Contributions to Caries Research: A Review. *J Dent*, 31(3):161-71
- Washington, B., Evans, C.A., Viana, G., Bedran-Russo, A., Megremis, S., 2015, Contemporary esthetic nickel-titanium wires: do they deliver the same forces?, *Angle Orthod*, 5(1):95-101
- Wistreich, G.A., 1997, *Microbiology Laboratory Fundamentals and Applications*,

Prentice Hall, New Jersey, h.53-63

Yousif, A.A., El-Karimb, U.M.A., 2016, Microscopic Study of Surface Roughness of Four Orthodontic Arch Wires, *Tanta Dent J*, 13(4):199-207

Yu, J.H., Huang, H.L., Wu, L.C., Hsu, J.T., Chang, Y.Y., Huang, H.H., Tsai, M.T., 2011, Friction of Stainless Steel, Nickle-Titanium Alloy, and Beta-Titanium Alloy Archwires in Two Commonly Used Orthodontic Brackets, *J Mech Med Biol*, 11(4):917-28

Yu, J.H., Wu, L.C., Hsu, J.T., Chang, Y.Y., Huang, H.H., Huang, H.L., 2009, Surface Roughness and Topography of Four Commonly Used Types of Orthodontic Archwire, *J Med Biol Engin*, 31(5): 367-70

Zimmer, B.W., Rottwinkel, Y., 2004, Assessing Patient-Specific Decalcification Risk in Fixed Orthodontic Treatment and Its Impact on Prophylactic Procedures, *Am J Orthod Dentofac Orthop*, 126:318-24

<http://a-s.dayton.edu>, Furlong, M., 2003, *Dilution and Spread Plate Lab.*, diunduh tanggal 4 Maret 2017

<http://suyatno.blog.undip.ac.id/files/2010/05/MenghitungBesarsampePenelitian.pdf>, Suyatno, 2010, *Menghitung Besar Sampel Penelitian*, diunduh pada tanggal 3 April 2017

<http://microbecanvas.com/bacteria/grampositive/streptococci/catalasenegative/alphahemolysis/streptococcusmutans.html>, Anonim a, 2017, *Dept. Medical Microbiology and Infectious Diseases, Streptococcus mutans*, diunduh pada tanggal 3 Maret 2017

<https://www.aaoinfo.org>, Anonim b, 2014, *America Association of Orthodontists: Clinical Practice Guidelines for Orthodontics and Dentofacial Orthopedics*, diunduh pada tanggal 19 Agustus 2017

<https://www.quora.com>, Anonim c, 2012, *What is Teflon? What are some of the most important uses?*, diunduh pada tanggal 19 Agustus 2017