

DAFTAR PUSTAKA

- Abraham, S., Ramachandran, A. (2012). Estimation of Quality of Life in Haemodialysis Patients. India: *Indian Journal of Pharmaceutical Sciences*.
- Ahmad, S. Z. (2008). *Psychosocial Impact of Continuous Ambulatory Peritoneal Dialysis*. Faculty of Medicine and Health Sciences
- Almutary, H., Bonner, A., Douglas, C. (2016). Which patients with chronic kidney disease have the greatest symptom burden? A comparative study of advanced CKD stage and dialysis modality. *Journal of Renal Care*, 1–10.
- American Nephrology Nurses Association (ANNA). (2013). Hemodialysis Fact Sheet.
- Ayoub, A. M., & Hijjazi, K. H. (2013). Quality of life in dialysis patients from the United Arab Emirates. *Journal of Family and Community Medicine*. 20 (2): 106-112. DOI:10.4103/2230-8229.114772
- Badan Penyelenggara Jaminan Sosial Kesehatan. (2015). Info BPJS Kesehatan edisi XXVII Oktober 2015. Jakarta.
- Batubara, S. O. (2011). Analisis faktor risiko terhadap komplikasi continuous ambulatory peritoneal dialysis di RSUD Dr. Moewardi Surakarta dan RSUP Dr. Sardjito Yogyakarta. *Tesis*: Universitas Indonesia.
- Baxter. (2009). Home Choice APD Systems Patient At-Home Guide. *Baxter Healthcare Corporation*.
- British Columbia Renal Agency. (2017). Diet for Peritoneal Dialysis. Provincial Health Services Authority
- Bonner, A., Wellard, S. & Caltabiano, M. (2010). The impact of fatigue on daily activity in people with chronic kidney disease. *J Clin Nurs*, 19, 3006-3015.
- Bossola, M., Ciciarelli, C., Conte, G. L., Vulpio, C., Luciani, G., & Tazza, L. (2010). Correlates of symptoms of depression and anxiety in chronic hemodialysis patients. *General Hospital Psychiatry*, 32(2), 125–131. <https://doi.org/10.1016/j.genhosppsych.2009.10.009>
- Center for Disease Control and Prevention. (2017). National Chronic Kidney Disease Fact Sheet. Atlanta, GA: *US Department of Health and Human Services*.
- Children's University Hospital. (2016). Peritoneal Dialysis An Introduction. Diakses dari: <http://www.olchc.ie/Children-Family/Parent-Patient-Information-leaflets/Peritoneal-Dialysis-An-Introduction-August-2016.pdf>

- Chaudhry, R. I., & Golper, T. A. (2015). Automated cyclers used in peritoneal dialysis: technical aspects for the clinician. *Med Devices (Auckl)*. 8: 95-102.
<http://doi.org/10.2147/MDER.S51189>
- Chow, S. K. Y., & Tam, B. M. L. (2014). Is the kidney disease quality of life-36 (KDQOL-36) a valid instrument for Chinese dialysis patients? *BMC Nephrol*. 15: 199.
- Cruz, M. Carolina., Andrade, C., Urrutia, M., Draibe, S., Nogueira-Martins, L. A. S., Cintra, R. C. (2011). Quality of life in patients with chronic kidney disease. Brazil: Universidade Federal de Sao Paulo. *Clinical Science: CLINICS* 66(6):991-995.
- Dhanakijcharoen, P., Sirivongs, D., Aruyapitipan, S., Chuengsaman, P., Lumpaopong, A. (2011). The 'PD First' policy in Thailand: three years experiences (2008–2011). *Sep;94 Suppl 4:S153-61 J Med Assoc Thai*.
- Fatayati, D. (2008). Kualitas Hidup Penderita Gagal Ginjal yang Menjalani Terapi CAPD (Continuous Ambulatory Peritoneal Dialysis) di wilayah Balikpapan, Kalimantan Timur. *Skripsi*. Program Studi Ilmu Keperawatan Fakultas Kedokteran Universitas Muhammadiyah Yogyakarta.
- Finkelstein, F. O., Story, K., Firaneck, C., Mendelsohn, D., Barre, P., Takano, T., Soroka, S., Mujais, S. (2009). Health-Related Quality of Life and Hemoglobin Levels in Chronic Kidney Disease Patients. *Clinical Journal of the American Society of Nephrology: CJASN*, 4(1), 33–38.
<http://doi.org/10.2215/CJN.00630208>
- Fresenius Medical Care. (2012). Understanding Peritoneal Dialysis. The Invention and Development of Peritoneal Dialysis. Germany: *Fresenius Medical Care Deutschland GmbH*.
- Fresenius Medical Care. (2013). Fresenius Medical Care Annual Report 2013: ESRD Patients in 2013: A Global Perspective. Bad Homburg.
- Fructuoso, M. R., Castro, R., Prata, C., & Morgado, T. (2011). Quality of life in chronic kidney disease, 91–96.
<https://doi.org/10.3265/Nefrologia.pre2010.Jul.10483>
- Gerogianni, S., Babatsikou, F., Gerogianni, G., Grapsa, E., Vasilopoulos, G., Zyga, S., Koutis, C. (2014). Concern of Patient on Dialysis: A Research Study. *Health Science Journal*. Volume 8 Issue 4
- Ginieri-Coccossis, M., Theofilou, P., Synodinou, C., Tomaras, V, Soldatos, C. (2008). Quality of life, mental health and health beliefs in haemodialysis and peritoneal dialysis patients: Investigating differences in early and later years of current treatment. *BMC Nephrology* 9:14

- Guerra-Guerrero, V., Sanhueza-Alvarado, O., Caceres-Espina, M. (2012). Quality of Life in People with Chronic Hemodialysis: Association with Sociodemographic, Medical-Clinical and Laboratory Variables. *Rev. Latino-Am. Enfermagem*. 20 (5): 834-836.
- Hanssen, J. H., & Watnick, S. (2016). Update on peritoneal dialysis: core curriculum 2016. *Am J Kidney Dis* 67(1):151-164.
- Harmaini F. (2006). Uji Keandalan dan Kesahihan Formulir European Quality of Life – 5 Dimensions (EQ-5D) untuk Mengukur Kualitas Hidup Terkait Kesehatan pada Usia Lanjut di RSUPNCM. Indonesia. Universitas Indonesia. *Tesis*.
- Jain, A. K., Blake, P., Cordy, P., & Garg, A. X. (2012). Global Trends in Rates of Peritoneal Dialysis. *Journal of the American Society of Nephrology : JASN*, 23(3), 533–544. <http://doi.org/10.1681/ASN.2011060607>
- Kadir, A. (2016). Hubungan patofisiologi hipertensi dan hipertensi renal. *Jurnal Ilmiah Kedokteran*. Volume 5 Nomer 1 hal 15-25.
- Jos, W. 2014. Kualitas Hidup Pasien yang Menjalani Hemodialisis Rutin di RSUD Tarakan, Kalimantan Timur. Vol. 4, No. 2, Agustus 2016. Tarakan.
- Kementerian Kesehatan Republik Indonesia. (2013). *Laporan Hasil Riset Kesehatan Dasar Indonesia tahun 2013*. Jakarta: Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI.
- Kidney Dialysis Foundation. (2011). *Kidney Failure Treatment Options*.
- Kidney Disease Improving Global Outcomes (KDIGO). 2014. *Guideline on CKD*. Mandaluyang.
- Kidney Health Australia. (2016). *An Introduction to Peritoneal Dialysis*. Diakses dari: http://kidney.org.au/cms_uploads/docs/rrc-introduction-to-peritoneal-dialysis.pdf
- Kidney Health New Zealand. (2016). *Having a Kidney Transplant*. <http://www.kidneys.co.nz>
- Kizilcik, Z., Sayiner, F., D., Unsal, A., Ayranci, U., Kosgeroglu, N. (2012). Prevalence of Depression in Patients on Hemodialysis and Its Impact on Quality of Life. *Journal Medical Science*, 28 (4), 695-699
- Kunmartini, S. (2008). Peningkatan Kualitas Hidup Pasien Dialisis. <http://www.ikkc.or.id>
- Lacson, E. J. R., Xu, J., Lin, S. F., Dean, S. G, Lazarus, J. M., Hakim, R. M. (2010). A Comparison of SF-36 and SF-12 composite score and subsequent hospitalization and mortality risks in long term dialysis patient. *Clinical Sciences*. USA.
- Lee, M. B., & Bargman, J. M. (2016). Survival by dialysis modality-who cares?. *Clin J Am SocNephrol*. 2016;11(6):1083–7.
- Li, P. K., & Chow, K. M. (2013). Peritoneal dialysis-first policy made successful: perspectives and actions. *Am J Kidney Dis*;62: 993–1005.

- Lipworth, L., Mumma M. T., Cavanaugh, K. L., Edwards, T.L., Ikizler, T. A., Tarone, R. E., McLaughlin, J. K., Blot, W. J. (2012). Incidence and predictors of end stage renal disease among low-income blacks and whites. *PLoS One*. 7(10):e48407. doi: 10.1371/journal.pone.0048407.
- Mailani, F. (2015). Kualitas Hidup Pasien Penyakit Ginjal Kronik Yang Menjalani Hemodialisis: Systematic Review. Padang: *Ners Jurnal Keperawatan*. Volume 11, No 1, Maret.
- McDowell, I. (2006). *Measuring Health: A Guide to Rating Scales and Questioneres*, Third Edition. New York: Oxford University Press.
- Merkus, M. P., Jager, K. J., Dekker, F. W., Boeschoten, E. W., Stevens, P., Krediet, R. T. (1997). Quality of life in patient on chronic dialysis: self-assessment 3 months after the start of treatment. *Am J of Kidney Dis* 29:584-592.
- Mizuno, M., Suzuki, Y., Sakata, F., Ito, Y. (2016). Which clinical conditions are most suitable for induction of automated peritoneal dialysis? *Renal Replacement Therapy*, 1–13. <https://doi.org/10.1186/s41100-016-0057-8>
- Nakayama, M., Ishida, M., Ogihara, M., Hanaoka, K., Tamura, M., Kanai, H., Marshall, M. R. (2015). Social functioning and socioeconomic changes after introduction of regular dialysis treatment and impact of dialysis modality : A multi-centre survey of Japanese patients. Vol. 20, 523–530. <https://doi.org/10.1111/nep.12482>
- National Cancer Insitute. (2009). Dictionary. Diakses dari: <http://www.ncbi.nih.gov/templates/dbalpha.aspx?CdrID=462925>
- National Kidney Foundation. (2010). Update Adult Guideline Maintenance Dialysis Management of Protein and Energy Intake.
- National Kidney Foundation. (2013). *Kidney Transplant*. New York. Diakses dari: https://www.kidney.org/sites/default/files/11-10-0304_kidney_trans.pdf
- NIDDK. (2006). *Treatment Methods for Kidney Failure Hemodialysis*. National Institute of Diabetes and Digestive and Kidney Diseases.
- NIDDK. (2016). *Treatment Methods for Kidney Failure PERITONEAL DIALYSIS*.
- Nurchayati, S. (2011). Analisis Faktor-Faktor yang Berhubungan dengan Kualitas Hidup Pasien Penyakit Ginjal Kronik yang Menjalani Hemodialisis di Rumah Sakit Islam Fatimah Cilacap dan Rumah Sakit Umum Daerah Banyumas. *Tesis*. Ilmu Keperawatan Universitas Indonesia.
- Okaka, E. I., Naidoo, S., Ahmed, M. M., Davies, M., Naicker, S. (2015). Quality of Life in Patients on Continuous Ambulatory peritoneal dialysis in an African Setting. *Saudi J Kidney Dis Transpl* 26 (3): 631-637
- Papadakis, M. A., Mcphee, S. J. (2015). *CURRENT Medical Diagnosis & Treatment LANGE*. McGraw Hill Professional.

- Pakpour, A. H., Saffari, M., Yekaninnejad, M, S., Panahi, D., Harrison, A. P. (2010). Health related quality of life in a sample of Iranian patients on hemodialysis. *International journal kidney disease*, 4, 50-59
- PERNEFRI. (2012). *5th Report of Indonesian Renal Registry*.
- PERNEFRI. (2013). *6th Report Of Indonesian Renal Registry*.
- PERNEFRI. (2014). *7th Report Of Indonesian Renal Registry*.
- PERNEFRI. (2015). *8th Report Of Indonesian Renal Registry*.
- Pike, E., Hamidi, V., Ringerike, T., Wisloff, T. (2016). More Use of Peritoneal Dialysis Gives Significant Savings: A Systematic Review and Health Economic Decision Model. *Journal of Clinical Medicine Research* :<http://doi.org/10.14740/jocmr2817w>
- Prodjosudjadi, W., & Suhardjono, A. (2009). End-Stage Renal Disease in Indonesia. *Ethnicity & Disease*, Volume 19.
- Pusat Data dan Informasi Kementrian Kesehatan RI. (2017). *Situasi Penyakit Ginjal Kronis*.
- Putri, R., Sembiring, L. P., & Bebasari, E. (2014). Gambaran Kualitas Hidup Pasien Gagal Ginjal Kronik yang Menjalani Terapi Continuous Ambulatory Peritoneal Dialysis di RSUD Arifin Achmad Provinsi Riau Dengan Menggunakan Kuesioner KDQOL-SFTM. *Skripsi*. Pekanbaru: Universitas Riau.
- Saeed, Z., Ahmad, A. M., Shakoar, A., Ghafoor, F., Kanwal, S. (2012). Depression in patient on hemodialysis and their caregivers. *Saudi J Kid Sid Transpl*. 23(5):942-52
- Septiwi, C. (2011). Hubungan Antara Adekuasi Hemodialisis dengan Kualitas Hidup Pasien Hemodialisis di Unit Hemodialisis RS. PROF. DR. MARGONO SOEKARJO, Purwokerto. *Tesis*. Depok: Universitas Indonesia.
- Shagholian, N., Ghafourifard, M., Rafiedian, M., & Mortazavi, M. (2008). Impact of two types of sodium and ultrafiltration profiles on hemodialysis hypertension in hemodialysis Patients, *International Journals of Nephrology Autumn*, vol. 13, hal. 1354136.
- Situmorang, H. E. (2015). Hubungan Dukungan Keluarga dengan Kualitas Hidup Pasien Gagal Ginjal Kronis yang Menjalani Terapi Hemodialisa di RSUD Dok II Jayapura. *Jurnal ilmu pendidikan indonesia*, (November) Vol. 3 No. 3.

- Son, Y., J., Choi, K., Y., Park, Y., R., Bae, J., L., (2009). Depression, Symptoms and the quality of life patients on hemodialysis for end stage renal disease. *American Journal Nephrology*, 29, 36-42. DOI:10.1159/000150599.
- Steigelman, K. L., Kimble, P. L., Dunbar, S., Sowell, L. R., & Bairan A. (2006). Religion, relationship and menthal health in Midlifewomen Following Acute Myocardial Infarction. *Issue in Mental Health Nursing*, 27, 141-152.
- Sugiyono. 2007. *Metode Penelitian Kuantitatif Kualitatif dan R&D*. Bandung: Alfabeta.
- Suhardjono. (2008). The Development of A Continuous Ambulatory Peritoneal Dialysis Program in Indonesia. *Perit Dial Int*. 2008 Jun;28 Suppl 3:S59-62.
- Sumi, Y., Sakai, Y., Mugishima K, Suzuki, A., Otsuka, Y., Otsuka, T., Tsuruoka, S. (2018). Current Practice and Outcomes of Peritoneal Dialysis in the Nippon Medical School Musashi Kosugi Hospital. *J Nippon Med Sch*. 2018;85(2):102-109. doi: 10.1272/jnms.2018_85-16. PubMed PMID: 29731493.
- Suparti, S & Solikhah, U. (2016). Perbedaan Kualitas Hidup Pasien Gagal Ginjal Kronik Ditinjau dari Tingkat Pendidikan, Frekuensi dan Lama Hemodialisis di RSUD Goeteng Taroenadibrata Purbalingga. *MEDISAINS: Jurnal Ilmiah Ilmu-ilmu Kesehatan*, Vol 14 No 2.
- Suwitra, K. Penyakit Ginjal Kronik. Dalam : Sehati, S, Alwi, I, Sudoyo, A. W., dkk. (2014). *Buku Ajar Ilmu Penyakit Dalam Jilid II*. Edisi IV. Jakarta Pusat : Interna Publishing.
- Tannor, E. K., Archer, E., Kapembwa, K., Schalkwyk, S. C. Van, & Davids, M. R. (2017). Quality of life in patients on chronic dialysis in South Africa: a comparative mixed methods study. *BMC Nephrology*, 1–9. <https://doi.org/10.1186/s12882-016-0425-1>
- Tejwani, R., Wilkie, M., Shrestha, B. M., Beaumont, J. (2009). What I tell my patients about peritoneal dialysis. *British Journal of Renal Medicine*. 2009; Vol 14 No 1.
- Thaweethamcharoen, T., Srimongkol, W., Noparatayaporn, P., Jariyayothin., Sukhthintai, N., Aiyasanon, N., Kitisriworapan, P., Jantarakana, K., Vasuvattakul, S. (2013). Validity and Reliability of KDQOL-36 in Thai Kidney Disease Patient. *Value in Health Regional Issues* 2 98-102.
- United States Renal Data System. (2015). *Chapter 2: Identification and Care of Patients With Chronic Kidney Disease*. United States.
- Wakeel, J. A., Harbi, A., Bayoumi, M., Al-suwaida, K., Ghonaim, A. (2012). Dialysis patients in Saudi Arabia, 570–574. <https://doi.org/10.5144/0256-4947.2012.570>

- Wilson, M. L. (2005). *Pengobatan gagal ginjal kronik*. Dalam : Price S, Wilson L. *Patofisiologi: Konsep Klinis Proses-Proses Penyakit Edisi VI*. Jakarta : EGC.
- Wyatt, C. M., Drueke, T. B. (2016). Higher hemoglobin level and quality of life in patient with advanced chronic kidney disease: no longer a moving target?. *International Society of Nephrology*. Elsevier.
- Yang, S. C., Wang, J. D., Wu, M. S., Kuo, P. W., & Su, S. (2007). Quality of life in patients on maintenance hemodialysis. *Formosan Journal of Medicine*, 11,140-152.
- Yuliaw, A. (2009). Hubungan Karakteristik Individu dengan Kualitas Hidup Dimensi Fisik pasien Gagal Ginjal Kronik di RS Dr. Kariadi Semarang.