UNIVERSITAS
GADJAH MADA
PENGARUH PACLOBUTRAZOL DAN JENIS MULSA TERHADAP PERTUMBUHAN DAN HASIL KENTANG (Solanum tuberosum L.) KULTIVAR ANDINA DI DATARAN MEDIUM
AHMAD SYIHABUDDIN, Dr. Ir. Endang Sulistyaningsih, M.Sc.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Acquaah, G. 2007. Principles of Plant Genetics and Breeding. Blackwell Publishing. Malden Oxford-Victoria 569.

Adisarwanto, T.W. 1990. Pengaruh suhu tinggi terhadap pembentukan umbi kentang (*Solanum tuberosum*L.) di dataran rendah. Fakultas Pascasarjana. Institut Pertanian Bogor, Bogor. Disertasi.

Ani N. 2004. Pengaruh konsentrasi paclobutrazol dan urea pada stek kentang terhadap produksi tuberlet kentang granola.Jurnal Penelitian Bidang Ilmu Pertanian 2(1): 29-35 .

Arifin, M. S., A. Nugroho, dan A. Suryanto. 2014. Kajian panjang tunas dan bobot umbi bibit terhadap produksi tanaman kentang (*Solanum tuberosum* L.) varietas granola. Jurnal Produksi Tanaman 2: 221-229.

Asandhi, A.A., N. Gunadi. 2006. Syarat Tumbuh Tanaman Kentang. *Dalam* Buku Tahunan Hortikultura, Seri: Tanaman Sayuran. Direktorat Jenderal Tanaman Pangan dan Hortikultura. Jakarta.

Azima, N. S., A. Nuraini, Sumadi, J. S. Hamdani. 2017. Respons pertumbuhan dan hasil benih kentang G0 di dataran medium terhadap waktu dan cara aplikasi paclobutrazol. Jurnal Kultivasi. 16 (2):313-319.

Balai Pengkajian Teknologi Pertanian. 2015. Petunjuk Teknis Budidaya Kentang. Jawa Barat

Balamani, V., and B.W. Poovinah. 1985. Retardation of shoot growth and promotion on tuber growth of ptato plants by paclobutrazol. Amer Potato Jurnal 62:363-369.

Bandara, P.M.S. and Tanino, K.K., 1995. Paclobutrazol enhanced minituber production in Norland potatoes. J. Plant Growth Regul. 14:151-155.

Bareisis R., G. Viselga. 2002. Trends in the development of potato cultivation technologies. Institute of Agricultural Enginering, Raudonddevaris. Lituania

Bates, L.S., R.P. Waldorn, I.D. Teare. 1973. Rapid determination of free proline for water stress studies. Plant Soil. 39:205-208.

Berova, M., Z. Zlatev, N. Stoeva. 2002. Effect of paclobutrazol on wheat seedling under low temperature stress. Jurnal Plant Physical. Bulgaria.

Booth, A. and Lovell, P.H., 1972. The effect of pre-treatment with gibberellic acid on the distribution of photosynthates in intact and disbudded plants of *Solanum tuberosum*. New Phytol. 71:795-804.

BPS. 2014. Statistik Produksi Hortikultura Tahun 2014. Kementrian Pertanian Direktorat Jenderal Hortikultura.

UNIVERSITAS
GADJAH MADA
PENGARUH PACLOBUTRAZOL DAN JENIS MULSA TERHADAP PERTUMBUHAN DAN HASIL KENTANG (Solanum tuberosum L.) KULTIVAR ANDINA DI DATARAN MEDIUM
AHMAD SYIHABUDDIN, Dr. Ir. Endang Sulistyaningsih, M.Sc.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Chang, J.H. 1968. Climate and Agriculture an Ecological Survey. Aldine Publ Comp. Chicago.

Chaney, E. R. 2004. Paclobutrazol: More Than Just a Growth Retardant. Pro- ort Conference, Peoria, Illinois, February 4th. Department of Forestry and Natural Resources. Purdue University.

Cohran W.G. and Cox G.M. 1957. Experimental Designs. 2nd edition. Jhon Wiley and Sons. New York.

Combs, L. Purfee. 1985. Processing for industrial fatty acids 1. JAOCS. 62(2):327 – 330.

Damaiyanti, D.R.R., N. Aini. Dan Koesriharti. 2013. Kajian penggunaan mulsa organik pada pertumbuhan dan hasil tanaman cabai besar (Capsicum annum L.). J. Produksi Tanaman. 1(2):25-32.

Darmawan, P.G.I. 2014. Pengaruh penggunaan mulsa plastik terhadap hasil tanaman cabai rawit (*Capsicum frutescens* L.) di luar musim di desa kerta. E-jurnal Agroekoteknologi Tropica. 3 (3):1-10.

Davis, T.D. and Curry, E.A., 1991. Chemical regulation of vegetative growth. Crit. Rev. Plant Sci. 10:151-188.

Dezfouli, A.H., S.J. Herbert. 1992**.** Intensifying plant density response of corn with artificial shade. J. Agron 84: 547-551.

Direktorat Budidaya dan Pascapanen Sayuran dan Tanaman Obat. 2012. Standar Operasional Prosedur Pascapanen Kentang. Direktorat Jenderal Hortikultura.

Doring T., U. Heimbach, T. Thieme, M. Finckch, H. Saucke. 2006. Aspect of straw mulching in organic potatoes-I, effects on microclimate, *Phytophtora infestans,* and *Rhizoctonia solani.* Nachrichtenbl. Deut. Pflanzenschutzd. 58:73-78.

Duaja, M.D. 2012. Analisis tumbuh umbi kentang (*Solanum tuberossum L.*) di dataran rendah . Jurnal Bioplantae. 1(2):88-97.

Duley, F. L., Kelly, L. L., 1939. Effect of soil type, slope, and surface conditions on intake of water. Nebraska Agricultural Experimental Station Research Bulletin. 112:1-16.

Esselen, D. J., 1937. Does cultivation conserve soil moisture farming in South Africa 12:6-12.

Ewing, E.E., 1981. Heat stress and tuberization stimulus. Am. Potato J. 58:31-49.

Fahrurrozi, K.A. Stewart and S. Jenni. 2001. The early growth of muskmelon in mulched mini-tunnel containing a thermal-water tube. i. the carbon dioxide concentration in the tunnel. Soil Science Society of Amerika Jurnal. 126:757-763.

UNIVERSITAS
GADJAH MADA
PENGARUH PACLOBUTRAZOL DAN JENIS MULSA TERHADAP PERTUMBUHAN DAN HASIL KENTANG (Solanum tuberosum L.) KULTIVAR ANDINA DI DATARAN MEDIUM
AHMAD SYIHABUDDIN, Dr. Ir. Endang Sulistyaningsih, M.Sc.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Farrag, K., M.A.A. Abdrabbo dan S.A.M. Hegab. 2016. Growth and productivity of potato under different irrigation levels and mulch types in the north west of the nile delta, egypt. Middle East Journal of Applied Sciences. 6(4):774-786.

Fernie, A.R. and L. Willmitzer. 2001. Molecular and biochemical triggers of potato tuber development. Plant Physiol. 127:1459-1465.

Fletcher, R.A., Kallidumbil, V. and Steele, P., 1982. An improved bioassay for cytokinin using cucumber cotyledons. Plant Physiol. 69:675-677.

Frommer, W.B. and Sonnewald, U., 1995. Molecular analysis of carbon partitioning in solanaceous species. J. Exp. Bot. 46 (287):587-607.

Gawronska, H., Thornton, M.K. and Dwelle, R.B., 1992. Influence of heat stress on dry matter production and photoassimilate partitioning by four potato clones. Am. Potato J. 69:653-665.

Ghamari, H. And G. Ahmadvand. 2013. Growth analysis of dry bean (*Phaseolus vulgaris* L.) in different weed interference situations. Notulae Scientia Biologicae 5:394-399.

Gomez K.A. and Gomez A.A. 1984. Statistical Procedures for Agicultural Research. 2nd ed. Wiley. Singapore.

Hamdani, J.S. 2009. Pengaruh jenis mulsa terhadap pertumbuhan dan hasil tiga kultivar kentang (*Solanum tuberosum* L.) yang ditanam di dataran medium. Jurnal Agron 37 (1):14 – 20.

Hamdani, J.S., T. Simarmata. 2005. Respon tanaman kentang (S*olanum tuberosum* L.) kultivar panda terhadap pupuk organik olahan dan pupuk npk lengkap di Kamojang Majalaya. Kultivasi 4(1): 41-47.

Hamdani, J.S., Sumadi., Y.R. Suriadinata, dan L. Martins. 2016. Pengaruh naungan dan zat pengatur tumbuh terhadap pertumbuhan dan hasil tanaman kentang kultivar atlantik di dataran medium. Jurnal Agron Indonesia. 44 (1) : 33-39.

Handayani, T., E. Sofiari dan Kusmana. 2011. Karakterisasi morfologi klon kentang di dataran medium. Buletin Plasma Nutfah 17:116-121.

Handayani, T., P. Basunanda, dan R.H. Murti dan E. Sofiari. 2013. Perubahan morfologi dan toleransi tanaman kentang terhadap suhu tinggi. Jurnal Hortikultura. 23:318-328.

Hammes, P.S. and De Jager, J.A., 1990. Net photosynthetic rate of potato at high temperature. Potato Res. 33:515-520.

Harsono, P. 2012. Mulsa organik: pengaruhnya terhadap lingkungan mikro, sifat kimia tanah, dan keragaan cabai merah di tanah vertisol Sukoharjo pada musim kemarau. J. Hort. Indonesia. 3(1): 35-41.

PENGARUH PACLOBUTRAZOL DAN JENIS MULSA TERHADAP PERTUMBUHAN DAN HASIL KENTANG (Solanum tuberosum L.)
KULTIVAR ANDINA DI DATARAN MEDIUM
AHMAD SYIHABUDDIN, Dr. Ir. Endang Sulistyaningsih, M.Sc.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Hendrata R., T, Martini. 2008. Penggunaan mikoriza pada tanaman kentang di dataran medium. Seminar Pekan Kentang Nasional dan Tanamaan Sayuran. Balai Penelitian Tanaman Sayuran, Lembang, 20 - 21 Agustus 2008.74 hal

Hutabarat, R. 1994. Pengaruh Media, BAP dan Paclobutrazol terhadap Produksi Umbi Mini Kentang (*Solanum tuberosum* L.) Kultivar Red Pontiac. Tesis. Fakultas Pascasarjana IPB. Bogor. 94 hal.

International Potato Center. 1984. Potatoes for The Developing World: A Collaborative Experience. [Impact Study]. Lima. Peru.150 p.

Kadarisman, N. A. Purwanto, dan D. Rosana. 2012. Peningkatan laju pertumbuhan dan produktivitas tanaman kentang melalui spesifikasi variabel fisis gelombang akustik pada pemupukan daun (rancang bangun teknologi tepat guna audio bio harmonik). Fakultas MIPA, UNY, Yogyakarta : 1-41.

Kar G. and A. Kumar, 2007. Effects of irrigation and straw mulch on water use and tuber yield of potato in eastern india. Agricultural Water Management. 94: 109- 116.

Khan, A.A., M.S. Jilani, M.Q. Khan, M. Zubair. 2011. Effect of seasonal variation on tuber bulking rate of potato. J. Animal Plant Sci 21(1): 31- 37.

Kumar, D. and Wareing, P.F., 1972. Factors controlling stolon development in potato plant. New Phytol. 71:639-648.

Kurniawati, S., Nurul Khumaida2, Sintho Wahyuning Ardie2, N. Sri Hartati1, dan Enny Sudarmonowati. 2014. Pola akumulasi prolin dan poliamin beberapa aksesi tanaman terung pada cekaman kekeringan. J. Agron. Indonesia 42 (2) : 136 – 141.

Kusumiyati, Y. Rochayat, Suradinata, W.Sutari, E. Sukarminah. 2015. Peningkatan kualitas hasil dan kualitas kentang olahan dengan aplikasi pupuk (makro + mikro) dan zat pengatur tumbuh paclobutrazol di dataran medium. Fakultas Pertanian. Universitas Padjadjaran.

Krauss, A., 1978. Tuberization and abscisic acid content in *Solanum tuberosum* as affected by nitrogen nutrition. Potato Res. 21, 183-193.

Lengkong, E. F., D. Titiow, J. Najoan. 2014. Application studies paclobutrazol and some type leaf fertilizer on growth and production potato (*Solanum tuberosum* L.) Plain medium. Journal Agriculture Faculty of University of Sam Ratulangi : 1-10.

Levy, D. and R.E. Veilleux. 2007. Adaptation of potato to high temperatures and salinity: A review. Amer J. Potato Res 84:487-506.

Li, P.H. 1985. Potato Physiology. Acad. Press. Inc. Orlando.

Lubis, P.A., Tyasmoro S.Y., Sudiarso. 2017. Pengaruh jenis dan ketebalan mulsadalam mempertahankan dampak air tanah dan dampaknya terhadap

PENGARUH PACLOBUTRAZOL DAN JENIS MULSA TERHADAP PERTUMBUHAN DAN HASIL KENTANG (Solanum tuberosum L.)
KULTIVAR ANDINA DI DATARAN MEDIUM
AHMAD SYIHABUDDIN, Dr. Ir. Endang Sulistyaningsih, M.Sc.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

tanaman kedelai (*Glycine max* L.) di lahan kering. Jurnal Produksi Tanaman. 5(5):791-798.

Lovatt, J. 1997. Potato Information Kit. The Agrilink Series. Queensland. The State of

Mailangkay, B.H., J.M. Paulus, J.E.X. Rogi. 2012. Pertumbuhan dan produksi dua varietas kentang (*Solanum tuberosum* L.) pada dua ketinggian tempat. J. Eugenia 8(2): 161-170.

Mahmood, M., K. Farroq, A. Hussain, R. Sher. 2002. Effect of mulching on growth and yield of potato crop. Asian J. of Plant Sci. 1:122-133.

Mahgoub, M.H., N.G.A. El Aziz, A.A. Youssef. 2006. Influence of foliar spray with paclobutrazol or glutathione on growth, flowering and chemical composition of *Calendula officinalis* L.Plant J. App Sci Res. 29:879-883.

Manrique, L.A., 1989. Analysis of growth of the Kennebec potatoes grown under differing environments in the tropics. Am. Potato J. 66:277-291.

Menzel, C.M., 1980. Tuberization in potato (*Solanum tuberosum* cultivar Sebago) at high temperature: Response to gibberellin and growth inhibitors. Ann. Bot. 46, 259-266.

Mariana, M. dan J.S. Hamdani. 2016. Growth and yield of solanum tuberosum at medium plain with application of paclobutrazol and paranet shade. Jurnal Agriculture and Agricultural Science Procedia 9:26-30.

Menzel, C.M. 1985. Tuberization in potato at high temperatures: Interaction between temperature and irradiance. Annals Botany 55:35-39.

Menhennet, R. 1979. Use of Glass House Crops. p. 27-38. In D. R. Clifford and J. R. Lenton.. Recent Development in The Use of Plant Growth Retardants. Brit. lant Growth Regulator Group. London.

Midmore, D. J. 1983. The use of mulch for potato in the hot tropics. Circular II (1):1-2.

Multazam, A.M. 2014. Pengaruh macam pupuk organik dan mulsa pada tanaman brokoli (*Brassica oleraceae* L. var. *italica*). Jurnal Produksi Tanaman. 2 (2):154-161.

Nasruddin, H. Harum. 2015. Kajian pemulsaan dalam mempengaruhi suhu tanah, sifat tanah dan pertumbuhan tanaman nilam (*Pogostemon cablin* Benth). J. Floratek. 10: 69-78.

Nazarudin, M.R.A., R.M. Fauzi, F.Y. Tsan. 2007. Effect of paclobutrazol on the growth and anatomy of stem and leaves of *Syzygium campanulatum*. J. tropic Forest Sci. 19:86-91.

NHCP. 2011. Mulching. Natural Resourses Conservation Service Practice Standart. Code 484 -1.

PENGARUH PACLOBUTRAZOL DAN JENIS MULSA TERHADAP PERTUMBUHAN DAN HASIL KENTANG (Solanum tuberosum L.)
KULTIVAR ANDINA DI DATARAN MEDIUM
AHMAD SYIHABUDDIN, Dr. Ir. Endang Sulistyaningsih, M.Sc.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Nonnecke, L.I. 1989. Vegetable production. Van Norstrand. Reinhold. Canada : 175-200.

Nur, K., A. Purwanto dan D. Rosana. 2011. Peningkatan laju pertumbuhan dan produktivitas tanaman kentang (*Solanum tuberosum* L) melalui spesifikasi variabel fisis gelombang akustik pada pemupukan daun (melalui perlakuan variasi *peak* frekuensi). Universitas Negeri Yogyakarta.

Pelacho, A.M., Martin-Closas, L., Campabadal, C., Torres, A., Farran, I., Mingo-Castel, A.M., 1994. *In vitro* tuberization of potato: Effect of several morphogenic regulators in light and darkness. J. Plant Physiol. 144:705-709.

Pinhero, R.G. and Fletcher, R.A., 1994. Paclobutrazol and ancymidol protects corn seedlings from high and low temperatures stresses. J. Plant Growth Regul. 15:47-53.

Pliska, T. 2008. Potatoes and Climate Change. Swiss Agency for Development and Cooperation SDC. Swiss College of Agriculture SHL.

Prayoga, K.M., M.D. Maghfoer dan A. Suryanto. 2016. Kajian penggunaan mulsa plastik dan tiga enerasi umbi bibit yang berbeda pada komoditas kentang (*Solanum tuberosum* L.) varietas granola. Jurnal Produksi Tanaman 4(2):137 – 144.

Rogi, J.E.X., H.S.G. Kembuan dan J.A. Rombang. 2016. Laju tumbuh umbi tanaman kentang varietas granola dan supejohn di dataran medium dengan pemulsaan. J. Hort. Indonesia 7(2): 83-90.

Rosanna, M. Mustafa, Baharuddin and EnnyLisan. 2014. The effectiveness of paclobutrazol and organic fertilizer for the growth and yield of potatoes (*Solanum tuberosum* L.) in medium plain. International Journal of Scientific and Technology Research 3(7): 101-108.

Rosniawaty, S., J.S. Hamdani. 2004. Pengaruh asal umbi bibit dan ketebalan mulsa jerami terhadap pertumbuhan dan hasil kentang (*Solanum tuberosum* L) di dataran medium. Kultivasi 2(3): 45-51.

Rubatzky, V., dan M. Yamaguchi. 1998. Sayuran Dunia 1: Prinsip, Produksi dan Gizi. Institut Teknologi Bandung, Bandung.

Russel, J. C., 1940. The effect of surface cover on soil moisture losses by evaporation. Soil Science Society of America Proceedings. 4:65-70.

Rykaczewska, K. 2015. The effect of high temperature occurring in subsequent stages of plant development on potato yield and tuber physiological defects. American J. Potato Research 92(3): 339-349.

Salisbury, F.B, and C.W. Ross. 1995. Fisiologi Tumbuhan Jilid 2 Terjemahan dari: Salisbury and CW Ross. Plant Physiology 4th Edition. Penerbit ITB Bandung.

Samadi, B. 1997. Usaha Tani Kentang. Penerbit Kanisius, Yogyakarta.

UNIVERSITAS
GADJAH MADA
PENGARUH PACLOBUTRAZOL DAN JENIS MULSA TERHADAP PERTUMBUHAN DAN HASIL KENTANG (Solanum tuberosum L.) KULTIVAR ANDINA DI DATARAN MEDIUM
AHMAD SYIHABUDDIN, Dr. Ir. Endang Sulistyaningsih, M.Sc.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Sambeka, F., S. D. Runtunuwu dan J.E.X. Rogi. 2012. Efektifitas waktu pemberian dan konsentrasi paclobutrazol terhadap pertumbuhan dan hasil kentang (*Solanum tuberosum* L.) varietas supejohn**.** J. Eugenia 18(2):126-134.

Sevirasari, N. 2018. Tanggapan Morfofisiologi Sembilan Varietas Kentang (*Solanum Tuberosum* L.) yang Diadaptasikan di Dataran Medium. Skripsi. Fakultas Pertanian. Universitas Gadjah Mada.

Simko, I., 1994. Effects of paclobutrazol on in vitro formation of potato micro-tubers and their sprouting after storage. Biol. Plant. 36(1), 15-20.

Sitompul, S.M. dan B. Guritno. 1995. Analisis Pertumbuhan Tanaman. Gadjah Mada University Press, Yogyakarta.

Soelarso, R. B. 1997. Budidaya Kentang Bebas Penyakit. Kanisius, Yogyakarta.

Subhan dan A.A. Asandhi. 1998. Pengaruh penggunaan pupuk urea dan za terhadap pertumbuhan dan hasil kentang di dataran medium. J. Hort. 8 : 983-987.

Suharjo, U.K.J., C. Herison., Fahrurrozi. 2010. Keragaman tanaman kentang varietas Atlantik dan *Granola* di dataran medium (600 m dpl) Bengkulu pasca irradiasi sinar gamma. Akta Agrosia 13(1): 82-88.

Sumartono, G. H. Dan E. Sumarni. 2013. Pengaruh suhu mediatanam terhadap pertumbuhan vegetatif kentang hidroponik di dataran medium tropika basah. Jurnal Agronomika 13 : 1-9.

Sumarsono, S. 2008. Analisis kuantitatif pertumbuhan Tanaman kedelai *(Soy beans).* Project Report. Fakultas Peternakan Universitas Diponegoro.

Sutapradja, H. 2008. Pengaruh jarak tanam dan ukuran umbi bibit terhadap pertumbuhan dan hasil kentang varietas Granola untuk bibit. Jurnal Hortikultura. 18(2):155-159.

Sutater, T. 1986. Modifikasi Lingkungan Mikro pada Tanaman Kentang. Disertasi. Fakultas Pascasarjaana IPB. Bogor.

Suryanto, A. 2003. Peningkatan Efisiensi Energi Tanaman pada Pertanaman Kentang (*Solanum tuberosum* L.) di Dataran Tinggi melalui Perbaikan Teknik Budidaya. Disertasi. Program Pascasarjana. Universitas Brawijaya. Malang.

Stark, J.C. and S.L. Love 2003.Potato Production Systems : a Comprehenshive Guide for Potato Production. University of Idaho Extension. Idaho. U.S.A 426 pages.

Struik, P.C. 2007. Responses of The Potato Plant to Temperature. p. 368-393. In D. Vreugdenhil. Potato Biology and Biotechnology. Elsevier.

UNIVERSITAS
GADJAH MADA
PENGARUH PACLOBUTRAZOL DAN JENIS MULSA TERHADAP PERTUMBUHAN DAN HASIL KENTANG (Solanum tuberosum L.) KULTIVAR ANDINA DI DATARAN MEDIUM
AHMAD SYIHABUDDIN, Dr. Ir. Endang Sulistyaningsih, M.Sc.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Struik, P.C., J. Geertsema and C. H. M. G. Custers. 1989. Effects of shoot, root and stolon temperature on the development of the potato *(Solanum tuberosum* L.) plant. III. Development of tubers. Potato Research 32:151-158.

Syahbudin. 2012. Peningkatan Kualitas Hasil, Komponen Hasil dan Hasil Ubi Beberapa Varietas Kentang Prosesing (*Solanum tuberosum* L.) dengan Paclobutrazol di Dua Dataran Medium. Disertasi. Program Pascasarjana. Universitas Padjadjaran. Bandung.

Syahid, S.F. 2007. Pengaruh retardan paclobutrazol terhadap pertumbuhan temu lawak (*Curcuma xanthorrhiza*) selama konservasi In vitro. Jurnal Littri. 13:93-97.

Taiz, L. and E. Zeiger. 2002. Plant Physiology Third Edition. Sinauer Associates Inc. Publishers. Massachussetts. 690p.

Tekalign, T. dan P.S. Hames. 2004. Response of potato (*Solanum tuberosum* L) grown non-inductive condition to paclobutrazol: shoot, chlorophyll content, net photosynthesis, assimilate partitioning, tuber yield, quality, and dormancy. J. Plant growth Regulation. 43:227-236.

Tekalign, T. dan P. S. Hammes 2005. Growth responses of potato (Solanum tuberosum) grown in a hot tropical lowland to applied paclobutrazol: 2. Tuber attributes. New Zealand Journal of Crop and Horticultural Science. 33(1):43-51.

Timlin, D., S.M.L. Rahman, J. Baker, V.R Reddy, D. Feisher, B. Quebedeaux. 2006. Whole plant photosynthesis, development, and carbon partitioning in potato as a function of temperature. Agron. J. 98:1195-1203.

Tosic, I., Z. Ilin, I. Maksinovic, S. Pavlovic. 2014. The effect of plant mulching and covering on the lettuce yield and nitrate content (*Lactuca sativa* L.). Afr. J. Agric. Research. 9(23): 1774-1777

Tsegaw, T. 2006. Response of Potato to Paclobutrazol and Manipulation of Reproductive Growth Under Tropical Conditions. University of Pretoria etd.

Tuasamu, Y. 2009. Toleransi hotong (*Setaria italica* L. *Beauv*) pada berbagai cekaman kekeringan: pendekatan anatomi dan fisiologi. Tesis. Sekolah Pascasarjana. Institut Pertanian Bogor. Bogor.

Turk, L. M., Partridge, N. L., 1947. Effect of various mulching materials on orchard soils. Soil Science. 64:111-125.

Utomo, R.R., A. Suryanto dan Sudiarso. 2013. Penggunaan mulsa dan umbi bibit (G4) pada tanaman kentang (*Solanum tuberosum* L.) varietas granola**.** Jurnal Produksi Tanaman 1(1): 9-15.

Wattimena, G.A. 1988. Zat Pengatur Tumbuh Tanaman. PAU Bioteknologi IPB Bogor.

UNIVERSITAS
GADJAH MADA
PENGARUH PACLOBUTRAZOL DAN JENIS MULSA TERHADAP PERTUMBUHAN DAN HASIL KENTANG (Solanum tuberosum L.) KULTIVAR ANDINA DI DATARAN MEDIUM
AHMAD SYIHABUDDIN, Dr. Ir. Endang Sulistyaningsih, M.Sc.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Wibowo, C., E. Powelzik, E. Delgado, Nurpilihan. 2004. Strengtening food security program by utilization of medium altitudes land on potato cultivation. J. of Agriculture and Rural Development in Tropics and Subtropics 80:53- 60.

Widyasari, L., T. Sumarni dan Ariffin. 2011. Pengaruh sistem olah tanah dan mulsa jerami pada pertumbuhan dan hasil tanaman kedelai (*Glycine max* (L.) *Merr*.). J Agronomi. 6(3):16-24.

Wilkinson, R.I. and Richards, D., 1991. Influence of paclobutrazol on growth and flowering of rhododrendon 'Sir Robert Peal'. HortScience. 26:282-284.

Vandam, J., Kooman, P.L. and Struik, P.C., 1996. Effects of temperature and photoperiod on early growth and final number of tubers in potato (*Solanum tuberosum* L.) Potato Res. 39, 51-62.

Vreugdenhil, D., and Sergeeva, L.I., 1999. Gibberellins and tuberization in potato. Potato Res. 42, 471-481.

Yim, K.O., Kwon, Y.W. and Bayer, D.E., 1997. Growth responses and allocation of assimilates of rice seedlings by paclobutrazol and gibberellin treatment. J. Plant Growth *Regul*. 16:35-41.