DAFTAR PUSTAKA

Ahmed, N. J., Kannaiyan, S. and Venkata Rao, A., 1974, First record of Acrocylindrium sheath rot of rice. India Sci. and Cul. 41:544-545.

Anonim, 2015a.World Rice Statistics in 2013. <http://ricestat.irri.org> Diakses tanggal 3 Desember 2017.

Anonim, 2015b, Karakter Fisik Beras, <http://bbpadi.litbang.pertanian.go.id/index.php/berita/info-teknologi/content/144-karakter-fisik-beras>, Diakses tanggal 24 November 2017.

Anonim, 2015c, Produksi Padi, Jagung, dan Kedelai (Angka Ramalan II Tahun 2015). Berita Resmi Statistik Provinsi Banten, No 53/11/36/Th.IX, 2 November 2015: 1-7.

Anonim, 2016. *Fusarium*. <http://www.mycobank.org/BioloMICS.aspx?TableKey=14682616000000067&Rec=41506&Fields=All>. Diakses tanggal 1 Desember 2017

Anonim, 2017.c Sarocladium oryzae (rice sheath rot). <https://www.cabi.org/isc/datasheet/ 48393> , Diakses tanggal 3 Desember 2017

Anonim, 2017a. Rata-Rata Konsumsi per Kapita Seminggu Beberapa Macam Bahan Makanan Penting, 2007-2016. <https://www.bps.go.id/statictable/2014/09/08/950/rata-rata-konsumsi-per-kapita-seminggu-beberapa-macam-bahan-makanan-penting-2007-2016. html> Diakses tanggal 13 November 2017.

Anonim, 2017b. Laporan Tahunan Kementrian Pertanian Tahun 2016. Kementrian Pertanian RI. Jakarta Selatan.

Anonim, 2011. Busuk Pelepah (*Sheath rot*). <http://cybex.pertanian.go.id/materipenyuluhan/detail/3325>. Diakses tanggal 8 Juli 2018.

Anonim. 2006. The PLANTS Database (http://plants.usda.gov, 17 October 2006). National Plant Data Center, Baton Rouge, LA. USA,

Bigirimana, V. de P., G. K. H. Hua, O. I. Nyamangyoku, and M. Hofte, 2015, Rice sheath rot : An emerging ubiquitous destructive disease complex, Frontiers in Plant Science. 6(1066): 1 -16.

Chakravarty, D. K., Biswas, S. 1978. Estimation of yield loss in rice affected by sheath rot. Ibid. 62 :226-2.77

Chauan, R. S., N. K. Yadav and A. K. Saini, 2017. Disease incidency/severity and frequency of pathogens (*Sarocladium oryzae* and *Fusarium moniliforme*) associated with sheath rot in commercial rice cultivars. Annals of Biology, 33(1) : 98-100

Deka, A. K. and Phookan, A. K., 1992, Survival of Sarocladium oryzae causing sheath rot of rice in Acidic soils of Assam. J. Mycol. Pl. Pathol., 28(1): 55-56.

Desjardins, A. E., K. H. Manandhar, R. D. Plattner, G. G. Manandhar, S. M. Poling,, and , C. M. Maragos, 2000. Fusarium species from Nepalese rice and production of mycotoxins and gibberellic acid by selected species. Appl. Environ. Microbiol. 66, 1020–1025.

Ellis, D., 2016. Fungal Descriptions and Antifungal Susceptibility : Hyphomycetes, *Fusarium*.,<https://mycology.adelaide.edu.au/descriptions/hyphomycetes/fusarium/> Diakses tanggal 11 Desember 2017.

Emani C., Y. Jiang, B. Miro, T. C. Hall, and A. Kohli, 2008. Rice. Compendium of Transgenic Crop Plants: Transgenic Cereals and Forage Grasses. Blackwell Publishing Ltd

Fakir G.A., I. Hossain, M.U. Ahmad, M. Asad-ud- doula and M.M. Alam, 2002. Quality of Farmer's Boro and T.aman Rice Seeds Collected before Sowing from Bogra, Rajshahi and Rangpur district of Bangladesh, In the Proceeding of the 2002 planning meeting of the Rice seed health Improvement Sub-project.

Giraldo, A., J. Gene, D. A. Sutton, H. Madrid, G. S. de Hoog, J. Cano, C. Decock, P.W. Crous, J. Guarro, 2015. Phylogeny of *Sarocladium* (*Hypocreales*). Persoonia, 34: 10-24.

Gnanamanickam, S. S., 2009. Biology Control of Rice Diseaases. Springer Science+Business Media B.V, Heidelberg, German

Gopalakrishnan, C., A. Kamalakannan, and V. Valluvaparidasan. 2010. Effect of seed-borne *Sarocladium oryzae*, the incitant of rice sheath rot on rice seed quality. Journal of Plant Protection Research, 50(1): 98 – 102.

Groth, D. and C. Hollier, 2010. Sheath Rot of Rice. LSU AgCenter Research & Extension

Haque, A.H.M.M., M.A.H. Akhon, M.A. Islam, K.M. Khalequzzaman and M.A. Ali, 2007. Study on seed health, germination and seedling vigor of farmers produced rice seeds. Intl. J. Sustain. Crop Prod., 2(5): 34-39.

Hittalmani, S., H. B. Mahesh, C. Mahadevalah, and M. K. Prassnnakumar, 2016. De novo genome assembly and annotation of rice sheath rot fungus *Sarocladium oryzae* reveals genes involved in Helvolic acid and Cerulenin biosynthesis pathways. BMC Genomics. 17 (271): 1-13.

Hurst, C.J., 2016. The Rasputin Effect: When Commensals and Symbionts Become Parasitic, Advances in Environmental Microbiology. Springer International Publishing. Switzerland

Jakkuva, S., 2012. Studies on sheath rot of rice caused by *Sarocladium oryzae* (Sawada) Gams and Hawksworth. THESIS. University of Agricultural Science, Dharwad, India.

Kardin, K., 1977. Study on the sheath rot (Acrocylindrium oryzae) of rice plant in Indonesia. Agris.

Khemchabdai, R. N., 2007. Studies on sheath rot (*Sarocladium oryzae* (Sawada) Gams and Hawks.) disease of rice and its management. THESIS. Anand Agricultural University, Gujarat. India.

Leslie, J.F. and B.A. Summerell, 2006. The Fusarium Laboratory Manual. Blackwell Publishing Professional, Ames, IA, USA

Londo, J.P., Y. Chiang, K. Hung, T. Chiang, and B.A. Schaal, 2006, Phylogeography of Asian wild rice, Oryza rufipogon, reveals multiple independent domestications of cultivated rice, Oryza sativa. Proceedings of the National Academy of Sciences of USA 103, 9578–9583.

Maharachchikumbura, S. S. N., K. D. Hyde, E. B. G. Jones, E. H. C. McKenzie, J. D. Bhat, M. C. Dayarathne, S. K. Huang, C. Norphanphoun, I. C. Senanayake, R. H. Perera, Q. J. Shang, Y. Xiao, M. J. D'souza, S. Hongsanan, R. S. Jayawardena, D. A. Daranagama, S. Konta, I. D. Goonasekara, W. Y. Zhuang,R. Jeewon, A. J. L. Phillips, M. A. Abdel-Wahab, A. M. Al-Sadi, A. H. Bahkali, S. Boonmee, N. Boonyuen, R. Cheewangkoon, A. J. Dissanayake, J. Kang, Q. R. Li, J. K. Liu, X. Z. Liu, Z. Y. Liu, J. J. Luangsa-ard, K. L. Pang, R. Phookamsak, I. Promputtha, S/ Suetrong, M. Stadler, T. Wen, N. N. Wijayawardene, 2016. Families of sordariomycetes. Fungal Diversity, 79 (1) : 1-317.

Mew T.W., Gonzales, 2002. A Handbook of Rice Seed-Borne Fun- gi. IRRI Science Publishers

Mew, T. W. and J. K. Misra, 1994. A Manual of Rice Seed Health Testing. IRRI. Manila, Philippines.

Mohan, R. and Subramanian, C. L., 1978, Growth studies on Acrocylindrium oryzae Sawada An incitant of sheath rot disease of rice. Madras Agric. J., 65(2): 172-175.

Naemi, S., S. M. Okhovvat, G.A. Hedjaroude and V. Khosravi. 2003. Sheath rot of rice in Iran. Comn. Appl.Biol, Sci, Ghent University, 68(4b): 681 – 684.

Nurhayati, 2011. Epidemiologi Penyakit Tumbuhan. Universitas Sriwijaya. Palembang.

Ora, N., A. N. Faruq, M. T. Islam, N. Akhtar, and M. M. Rahman, 2011, Detection and identification of seed borne pathogens from some cultivated hybrid rice varieties in Bangladesh. Middle-East Journal of Scientific Research, 10(4): 482-488

Painkra, D.K., 2016, A Study on management of sheath rot disease of rice caused by *Sarocladium oryzae* (Sawada) Games and Hawksworth. THESIS. Indira Gandhi Krishi Vishwavidyalaya, Raipur, India.

Panda, S. C., 2009, Rice Crop Science, Agrobios, New Delhi. India. pp:8-10.

Park, J.W., Choi, S.-Y., Hwang, H.-J., and Kim, Y.-B. (2005). Fungal mycoflora and mycotoxins in Korean polished rice destined for humans. Int. J. FoodMicrobiol. 103, 305–314.

Pearce, D. A., P. D. Bridge, and D. L. Hawksworth. 2001. Species concept in *Sarocladium*, causal agent of sheath rot in rice and bamboo blight. Major Fungal Diseases of Rice. Springer Science+Business Media B.V, Dordrecht, Netherlands.

Pramunadipta, S. 2017. Keragaman Patogen Busuk Pelepah Padi dan Faktor – faktor Lingkungan yang Mempengaruhi Keparahan Penyakit. SKRIPSI. Universitas Gadjah Mada, Yogyakarta

Purnamaningsih, R. 2006. Induksi Kalus dan Optimasi Regenerasi Empat Varietas Padi Melalui Kultur In Vitro. Balai Besar Penelitian dan Pengawasan Bioteknologi dan Sumber Daya Genetik Pertanian. Bogor. Jurnal AgroBiogen 2(2): 74-80.

Quazi, S.A.J., S. Meon, H. Jaafar and Z.A.B.M. Ahmad, 2013. Characterization of Fusarium proliferatum through species specific primers and its virulence on rice seeds. Int. J. Agric. Biol., 15: 649–656.

Rao, K. V., Singh, S. P., Surekha, K. and Muthuraman, P., 2010, Site specific integrated nutrient management in rice and rice based cropping systems. Indian Agril. Res., Directorate Rice Res.

Rodrigues, A. A. C. and M. Menezes, 2006. Identivication and pathogenic characterization of endophytic *Fusarium* species from cowpea seeds. Anais da Academia Pernambucana de Ciência Agronômica, Recife,3: .203 – 215.

Sakthivel N, Amudha R, Muthukrishnan S. 2002. Production of phytotoxic metabolites by Sarocladium oryzae. Mycological Research 106: 609–614.

Sakthivel, N., 2001. Sheath rot disease of rice: current status and control strategies, Major Fungal Diseases of Rice: Recent Advances,edsS. Sreenivasaprasad and R. Johnson. Springer Science+Business Media B.V,, Dordrecht.

Savary, S., A. Ficke, J. N. Aubertot, C. Hollier, 2012. Crop losses due to diseases and their implications for global food production losses and food security. Food Sec.,4(4): 519-537.

Shamsi, S., Naher, N., Chowdhury, P. and Momtaz, S. 2010. Fungal diseases of three aromatic rice (oryza sativa l.). Journal of Bangladesh Academy of Sciences. 34(2): 163-170.

Singh, M. and B.C. Das, 2016. Screening of Aromatic rice (Joha) genotype against Sheath rot disease of Rice and its management under Field condition.

Singh, N. I. and R.K. T. Devi, 1999. Reaction of rice cultivars/lines to *Fusarium* sheath rot. *Indian Phytopath*. 52(2): 172-173

Singh, R. A and C. A. Raju, , 2012. Studies on sheath rot of rice. Intern. Rice Res. Newsl.6 :11-12

Singh, R. and D.S. Dodan,. 1995. Sheath rot of rice. Intern. J. Trop. Pl. Dis. 13 : 139-152

Sparks, A., N. P. Castilla, and C.M. Vera. 2017. Sheath Rot. <http://www.knowledgebank.irri.org/training/fact-sheets/pest-management/disease/item/sheath-rot>. Diakses tanggal 20 November 2017

Summerbell, R.C., Gueidan, C., Schroers, H. J., de Hoog, G. S., Starink, M., Arocha Rosete, Y., Guarro, J and J.A. S. 2011. Acremonium phylogenetic overview and revision of Gliomastix, Sarocladium, and Trichothecium Studies in Mycology 68: 139–162.

Tasuki, H. and Ikeda, Y., 1956, Studies on the sheath rot of rice plant caused by Acrocylindrium oryzae Sawada. Bull. Natn. Inst. Agric. Sci., Tokyo, 6: 151-166.

Taului, L.A., 2011. Tingkat serangan hama dan penyakit pada beberapa varietas Inpari di beberapa wilayah pengembangan padi di Sulawesi Utara. Seminar Nasional Serealia 2011 :426-437.

Vankatesha, M.G., 2015. Morpho-molecular characterization of diversity in *Sarocladium oryzae* causing sheath rot in paddy. THESIS. Icar-Indian Agricultural Research Institute. New Delhi. India.

Webster, J., 2007. Introduction to Fungi 3rd Ed. Cambridge University Press. Cambridge:

Wijaya, D.A.E., 2017. Evaluasi kejadian penyakit busuk upih (*Sheath rot*) pada Tanaman padi (*Oryza sativa* L.) di Kecamatan Tanggul. SKRIPSI. Universitas Jember, Jawa Timur.

Yusuf, A dan Harnowo, D. 2010. Teknologi Budidaya Padi sawah Mendukung Sl-PTT. BPTP. Sumatera Utara.

Zohary, D. and ,M. Hopf, 2000, Domestication of Plants in the Old World.3rd edn. Oxford University Press, Oxford.