DAFTAR PUSTAKA

[1] Kementerian Kesehatan RI. "Info Datin-Kanker". Jakarta Selatan, 2015.

[2] World Health Organization. "WHO | Cancer," *WHO*, 2018. Diakses dari http://www.who.int/cancer/en/., 22 November 2017.

[3] Bayu Lesmono. "Referat Onkologi Tumor Sinonasal". Referat, Departemen Ilmu Kesehatan Telinga Hidung Tenggorokan Bedah Kepala dan Leher RSHS, Fakultas Kedokteran, Universitas Padjajaran, Bandung, 2015.

[4] Sumerya Duru Birgi, Mark Teo, Karen E Dyker, Mehmet Sen, dan Robin J D Prestwich. "Definitive and adjuvant radiotherapy for sinonasal squamous cell carcinomas: A single institutional experience". *Radiat. Oncol.*, vol. 10, no. 1, pp. 4–10, 2015.

[5] National Cancer Institute, "Radiation Therapy for Cancer - National Cancer Institute," 2010. Diakses dari https://www.cancer.gov/about-cancer/treatment/types/radiation-therapy/radiation-fact-sheet#r1., 30 November 2017.

[6] Gary A Ezzell, James M Galvin, Daniel Low, Jatinder R Palta, Isaac Rosen, Michael B Sharpe, Ping Xia, Ying Xiao, Lei Xing, dan Cedric X Yu. "Guidance document on delivery, treatment planning, and clinical implementation of IMRT: Report of the IMRT subcommittee of the AAPM radiation therapy committee". *Med. Phys.*, vol. 30, no. 8, pp. 2089–2115, 2003.

[7] Faisal Adam dan Soehartati A Gondhowiardjo. *Verifikasi Geometri Radioterapi Teknik 3DCRT/IMRT Pada Kasus Kanker Kepala dan Leher Di Departemen Radioterapi RSCM*. Skripsi, Program Pendidikan Dokter Spesialis, Fakultas Kedokteran, Universitas Indonesia, Jakarta, 2013.

[8] Tomas Wali dan Febria Anita. "Verifikasi Distribusi Dosis TPS dan Pesawat Linac Menggunakan Phantom Octavius 4D dengan Teknik IMRT Protokol Kanker Lidah". vol. 19, no. 1, pp. 9–14, 2016.

[9] Jin Beom Chung, Jae Sung Kim, Sung Whan Ha, dan Sung Joon Ye. "Statistical analysis of IMRT dosimetry quality assurance measurements for

local delivery guideline". *Radiat. Oncol.*, vol. 6, no. 1, pp. 2–9, 2011.

[10] Moyed Miften, Arthur Olch, Dimitris Mihailidis, Jean Moran, Todd Pawlicki, Andrea Molineu, Harold Li, Krishni Wijesooriya, Jie Shi, Ping Xia, Nikos Papanikolaou, dan Daniel A Low. "Tolerance limits and methodologies for IMRT measurement-based verification QA: Recommendations of AAPM Task Group No. 218". *Med. Phys.*, vol. 45, no. 4, pp. e53--e83, 2017.

[11] Gary A Ezzell, Jay W Burmeister, Thomas J Losasso, James G Mechalakos, Andrea Molineu, Chester R Ramsey, dan Bill J Salter. "IMRT commissioning : Multiple institution planning and dosimetry comparisons , a report from AAPM Task Group 119". *Med. Phys.*, vol. 36, no. 11, pp. 5359–5373, 2009.

[12] Yahya Mustofa. *Verifikasi Penyinaran IMRT Menggunakan 2D Array Matrixx Evolution*. Skripsi, Program Studi Fisika, Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Indonesia, Jakarta, 2011.

[13] Suresh Rana. "Intensity modulated radiation therapy versus volumetric intensity modulated arc therapy". *J. Med. Radiat. Sci.*, vol. 60, no. 3, pp. 81–83, 2013.

[14] Hailei Lin, Shaomin Huang, Xiaowu Deng, Jinhan Zhu, dan Lixin Chen. "Comparison of 3D anatomical dose verification and 2D phantom dose verification of IMRT/VMAT treatments for nasopharyngeal carcinoma". *Radiat. Oncol.*, vol. 9, no. 1, pp. 1–7, 2014.

[15] E Spezi, A L Angelini, F Romani, dan A Ferri. "Characterization of a 2D ion chamber array for the verification of radiotherapy treatments". *Phys. Med. Biol.*, vol. 50, no. 14, pp. 3361–3373, 2005.

[16] Bjoern Poppe, Arne Blechschmidt, Armand Djouguela, Ralf Kollhoff, Antje Rubach, Kay C Willborn, dan Dietrich Harder. "Two-dimensional ionization chamber arrays for IMRT plan verification". *Med. Phys.*, vol. 33, no. 4, pp. 1005–1015, 2006.

[17] Marcus Alber, Sara Broggi, Carlos De Wagter, Ines Eichwurzel, Per Engstrom, Claudio Fiorino, dan Dietmar Georg. "Guidelines for the

verification of IMRT". *Radiother. Oncol.*, vol. 76, p. S101, 2005.

[18] Richard L Drake, A Wayne Vogl, dan Adam W M Mitchell. *GRAY'S ANATOMY FOR STUDENT, THIRD EDITION*. Third Edit., Canada, Elsevier Inc, 2015.

[19] Vasileios Askoxylakis, Pia Hegenbarth, Carmen Timke, Ladan Saleh-Ebrahimi, Juergen Debus, Falk Röder, dan Peter E Huber. "Intensity modulated radiation therapy (IMRT) for sinonasal tumors: A single center long-term clinical analysis". *Radiat. Oncol.*, vol. 11, no. 1, pp. 1–9, 2016.

[20] Sukri Rahman dan M Abduh Firdaus, "Tumor sinus paranasal dengan perluasan intrakranial dan metastasis ke paru". *J. Fakultas Kedokteran Unand*, vol. 1, no. 3, pp. 150–156, 2012.

[21] Mohammad Hussien. *Evaluation of detector array technology for the verification of advanced intensity-modulated radiotherapy*. Disertasi, University of Surrey, Guildford, 2015.

[22] Dessy Arianty. *Optimasi Jumlah Lapangan Radiasi Pada Perencanaan IMRT*. Tesis, Program Kekhususan Fisika Medis dan Biofisika, Program Studi Fisika, Fakultas Matematika dan Ilmu Pengetahuan, Universitas Indonesia, Jakarta, 2010.

[23] Daniel A Low. "Gamma dose distribution evaluation tool". *J. Phys. Conf. Ser.*, vol. 250, pp. 349–359, 2010.

[24] Daniel a. Low, William B Harms, S Mutic, dan J a Purdy. "A technique for the quantitative evaluation of dose distributions". *Med. Phys.*, vol. 25, no. 5, pp. 656–661, 1998.

[25] Tom Depuydt, Ann Van Esch, dan Dominique Pierre Huyskens. "A quantitative evaluation of IMRT dose distributions: Refinement and clinical assessment of the gamma evaluation". *Radiother. Oncol.*, vol. 62, no. 3, pp. 309–319, 2002.

[26] Risyanti. *Penentuan Karakteristik Berkas Foton Lapangan Kecil dengan Penyinaran Setengah Lapangan (Half-Beam) Radioterapi*. Skripsi, Program Studi Sarjana Fisika, Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Indonesia, Jakarta, 2016.

[27] Faiz M Khan. *The Physicics of Radiation Therapy 4th Edition*. Wolters Kluwer Company, Philadelphia, 2010.

[28] Paul Jursinic Ph.D. “2D Arrays of Electron Dosimeters”. Medical College of Wisconsin, Milwaukee, 2005.

[29] *User Manual 2D-Array seven29 (T10024) and Array Interface (T16026)*. Dokumen teknis, PTW-Freiburg, Freiburg, 2009.