

DAFTAR PUSTAKA

- Ammar, A., Naoufal, L., Azam, B., Dennis G. W. dan David A. L., 2017, *Phytochemicals: Extraction, Isolation and Identification of Bioactive Compounds from Plant Extraction*, 1-23, Plants, USA.
- Ananta, S.P., Andrew, dan J., Innawati, J., 2018, Pengaruh Pemberian Vitamin C terhadap Kadar Glutathione (GSH) Tikus Sprague Dawley yang terpapar *Heat Stress*, *Jurnal Kedokteran Diponegoro*: Vol 7 No 1, 39-48.
- Andersen, Ø., M., dan Markham, K.R., 2006, *Flavonoids: Chemistry, Biochemistry, and Applications*, CRC Press, Taylor & Francis Group, London & New York.
- Anonim, 1999, *Buku Pegangan Kuliah (BPK) Anatomi Tumbuhan dan Botani Umum*, Fakultas Pertanian UNS.
- Anonim, 2000, *Parameter Standar Umum Ekstrak Tumbuhan Obat*, 3-30, Departemen Kesehatan Republik Indonesia, Jakarta.
- Anonim, 2013, *Laporan Akhir*, Laporan Kegiatan SDG BPTP Yogyakarta cit Retno, U.H., Setyorini, W., dan Sudarmaji, 2015, Potensi Kepel (*Stelechocarpus burahol*, Hook f. & Th.) sebagai Sumber Pangan Fungsional, Balai Pengkajian Teknologi Pertanian, Yogyakarta.
- Aprilliana, S., 2007, Uji Antioksidan Fraksi Etil Asetat dan Fraksi Air Ekstrak Etanol Teh Hijau Melalui Penangkapan Radikal Hidroksil dengan Metode Deoksiribosa, Skripsi, Fakultas Farmasi Universitas Sanata Dharma Yogyakarta.
- Arbastutie, Y. dan Mufilhati., 2008, Isolasi dan Uji Aktivitas Kandungan Kimia Bioaktif dari Biji Duku (*Lansium domesticum* Corr), *Indonesian Scientific Journal*, **10** (2), 70-86.
- Avrameas, S., 1969, Coupling of enzymes to proteins with glutaraldehyde. Use of conjugate for detection of antigens and antibodies, *Immunochemistry*, **6**, 43-52.
- Cheeseman, K. H., Albano, E. F., Tomasi A. dan Slater, T. F., 1985, Biochemical studies on the metabolic activation of halogenated alkanes, *Environ, Health Perspect.* **64**, 85-101.
- Conner, H. D., Thurman, R. G., Galizi, M. D. dan Mason, R. P., 1986, The formation of a novel free radical metabolite from CCl₄ in the perfused rat liver and in vivo, *J. Biol. Chem.*, **261**, 4542-4548.
- Cos, P., Calomme, M., Sindambiwe, J. B., Bruyne, T. D., Cimanga, K., Pieters, L., Vlietinck, A. J., dan Berghe, D. V., 2001, Cytotoxicity and Lipid

Peroxidation-Inhibiting Activity of Flavonoids, *Planta Med.*, **67**: 515-519.

- Cos, P., Ying, L., Calomme, M., Hu, j. P., Cimanga, K., Van Poel, B., Pieters, L., Vlietnck, A. J., dan Berghe V. D., 1998, Structure - activity relationship and classification of flavonoids as inhibitors of xanthine oxidase and superoxide scavengers, *J. Nat. Prod.*, 1998; **61**:71-76.
- Darusaman, H.S., M. Rahminiwati, S. Sadiyah, I. Batubara, L. K. Darusman, dan T. Mitsunaga, 2011, Indonesia Kepel Fruit (*Stelechocarpus burahol*) as Oral Deodorant, *Academic Journal Inc*, Bogor.
- De Groot H., Littauer A., Hugo-Wissemann D., Wissemann P. dan Noll T., 1988, Lipid peroxidation and cell viability in isolated hepatocytes in a redesigned oxystat system: Evaluation of the hypothesis that lipid peroxidation, preferentially induced at low oxygen partial pressure, is decisive for CCl₄ liver cell injury, *Arch. Biochem. Biophys.*, **264**, 591-599.
- Dröge, W., 2001, Free Radical in Physiological Control of Cell Function, *Physiol Rev*, Vol; **82**(1):47-95.
- Francisco, O., Frenando, M. G. dan Carlos L. G., 1985, A New Stabilizing agent for the tetramethyl benzidine (TMB) reaction product in the histochemical detection of horseradish peroxidase (HRP), *Journal of Neuroscience Methods*, Spain.
- Garcia-Ruiz, C., Fernandez-Checa, J.C., 2006, Gastroenterol Hepatol, Oct; 21 Suppl 3: S3-6.
- Gulcin, I., Uguz, M.T., Oktay, M., Beydemir, S., dan Kufrevioglu, O.I., 2004, Evaluation of the Antioxidant and Antimicrobial Activities of Clary Sage (*Salvias clarea L.*), *Turki Agric. For.*, **28**: 25-33.
- Halim, S. Z., Abdullah, N. R., Afzan A., Abdul Rashid, B. A., Jantan, I. dan Ismail Z., 2011, Acute toxicity study of Carica papaya leaf extract in Sprague Dawley rats, *Journal Medicinal Plant Research*, Vol 5(xx), pp. 1867-1872.
- Halliwell, B., 1994, Free radicals, antioxidants, and human disease: curiosity, cause, or consequence, *Lancet* 1994, **344**, 721-724.
- Han, R.M., Zhang, J.P., Skibsted, L.H., 2012, Reaction Dynamic of Flavonoids and Carotenoids as Antioxidants, *Journal of Molecules*, **17**, 2140-2160.
- Haryjanto, 2012, Konservsi Kepel (*Stelechocarpus burahol* (Blume) Hook.f & Thomson): Jenis yang Telah Langkah, Mitra Hutan Tanaman Vol 7 No.1 Balai Besar Penelitian Bioteknologi dan Pemuliaan Tanaman Hutan, Yogyakarta.

- Herlina, N.N., 2017, Uji Aktivitas In Vitro Daging Buah Kepel (*Stelechocarpus burahol* (Blume) Hook.f & Thomson) dan Penentuan Struktur Kimia Senyawa Aktifnya, Tesis, Pasca Sarjana, Prodi Ilmu Farmasi, Universitas Gadjah Mada, Yogyakarta.
- Hutapea, J.R., 1994, *Inventarisasi Obat Indonesia*, Puslitbang, Depkes RI.
- James, H. D., 2012, Phytochemicals: Ekstraktion Methode, Basic Structure and Mode of Action as Potential Chemotherapeutic Agents, Phytochemicals, dalam Venketeshwer, R., (Ed.) A Global Perspective of Their Role in Nutrition and Health, In. Tech. Europe.
- Janakat, S., dan Merie, H.A., 2002, Optimization of the dose and route of injection, and characterization of the time course of carbon tetrachloride-induce hepatotoxicity in the rat, *Journal of Pharmacological and Toxicological Methods*, **48**, 41-44.
- Kahl, R., dan Kappus, H., 1993, Toxicology of synthetic antioxidants BHA and BHT in comparison with the natural antioxidant vitamin E, *Z Lebensm Unters Forsch*, **196** (4), 329-38.
- Kiezcka, H. dan Kappus, H., 1980, Oxygen dependence of CCl₄-induced lipid peroxidation *in vitro* and *in vivo*, *Toxicol. Lett.*, **5**, 191-196.
- Koffi, E., Sea, T., Dodehe, Y., Soro, S., 2010, Effect of solvent type on extraction of polyphenols from twentythree ivorian plants, *J. Anim. Plant Sci*, **5**, 550–558.
- Kumalaningsih, S., Antioksidan, Sumber dan Manfaatnya, <http://www.antioksidantcentre.com>, 22 Januari 2018.
- Lenny, S., 2006, Senyawa Flavonoida, Fenilpropanoida, dan Alkaloida, Karya Ilmiah, Departemen Kimia, Fakultas Matematika Dan Ilmu Pengetahuan.
- Maiolini, R., Ferrua, B., dan Masseyeff, R., 1975, Enzymoimmunoassay of human alpha-fetoprotein, *J. immunol Methods*, **6**, 355-362.
- Majewska, M., Skrzycki, M., Podsiad, M., Czczot, H., 2011, Evaluation of antioxidant potential of flavonoid: an in vitro study, *Acta Pol Pharm*, **68**, 611-615.
- Mabry, T.J., Markham, K.R., Thomas M.B., 1970, *The Systematic Identification of Flavonoids*, Springer Berlin Heidelberg, Berlin.
- Mari Montserrat Marí, Albert Morales, Anna Colell, Carmen García-Ruiz, dab José C. Fernández-Checa, 2009, Mitochondrial Glutathione, a Key Survival Antioxidant, *Antioxid Redox Signal*: 2685–2700.
- Markam, K.R., Thomas, M.B., Mabry, T.J., 1970, *The Isolation and Purification of Flavonoids*, 13, Springer Berlin Heidelberg, Berlin.

- Marlina, R.W. dan Enny P., 2012, Pengaruh Pemberian Buah Pepaya (*Carica papaya* L.) terhadap Konsentrasi Trigliserida pada Tikus *Sprague Dawley* dengan Hiperkolesterolemia, *Journal of Nutrition Collage*: Vol 1 No 1, 192-198.
- Masuda, Y. dan Nakamura, Y., 1990, Effects of oxygen deficiency and calcium omission on carbon tetrachloride hepatotoxicity in isolated perfused livers from phenobarbital-pretreated rats, *Biochem., Pharmacol*, **40**, 1865-1876.
- Meister, A., dan Anderson, M.E., 1983, Metals, toxicity and oxidative stress, **52**:711-60.
- Mogea, J.P., 2001, *Kategori dan Kriteria Tumbuhan Langkah, Pusat dan Pengembangan Biologi, Lembaga Pengetahuan Indonesia* cit Liliek, H., 2012, Konservasi Kepel (*Stelechocarpus burahol* (Blume) Hook.f & Thomson): Jenis yang Telah Langkah, *Mitra Hutan Tanaman*: Vol 7 No 1.
- Moskovitz, J., Yim, K. A., Choke, P. B., 2002, Free radicals and disease, *Arch. Biochem. Biophys.*, **397**, 354-359.
- Muñoz, S.J.L., 2009, Defensas antioxidants endógenas, In. Morales-Gonzalez, Fernández S.A.M., Bautista A.M., Vargas M.N., Madrigal-Santillán E.O. (eds.) *Los antioxidantes y las enfermedades crónico defenerativas*. Universidad Autónoma del Estado de Hidalgo, México, 93–118.
- Nairn, R.C., 1976, *Fluorescent Protein Tracing*, pp.1-648. Churchill Livingstone, Edinburgh and London.
- Natarajan, S., Remick, D. G., 2008, The ELISA Standard Save: Calculation of sample concentrations in assays with a failed standard curve, *Journal of Immunological Methods*, **336**: 242-245.
- Nogushi, T., Fong, K. L., Lai, E. K., Alexander, S. S., King, M. M., Olson, L., Poyer J. L., dan Mc Cay, P. B., 1982, Specificity of a phenobarbital-induced cytochrome P450 for metabolism of carbon tetrachloride to the trichloromethyl radical, *Biochem, Pharmacol*, **31**, 615-624.
- Nollet, L.M.L., dan Toldra, F., 2012, *Handbook of Analysis of Active Compounds in Functional Foods*, 289-317, CRC Press, Boca Raton.
- Nurmawanti, dan Ayly, S., 2015, Pengaruh Paparan Uap Anti Nyamuk Elektrik Kandungan *Alletherin* terhadap Berat dan Warna Hepar Tikus, *Jurnal Ilmiah Kedokteran Wijaya Kusuma*, **6**(2): 6-13.
- Permatasi, L. dan Abdul, R., 2016, 2,2'-diphenil-1-picrylhydrazil (DPPH) Radical Scaveging Activity of Extracts and Fraction of Rambutan (*Nephelium lappaceum* L.) Peel, *Res. J. Phytochem*, **10**(2): 75-80.

- Pribadi, P., Latifah, E. dan Rohmayanti R., 2014, Pemanfaatan Perasan Buah Kepel (*Stelechocarpus burahol* (Blume) Hook. & Thomson) sebagai Antiseptik Luka, Fakultas Ilmu Kesehatan Universitas Muhammadiyah, Magelang.
- Retno, U.H., Setyorini, W., dan Sudarmaji, 2014, Potensi Kepel (*Stelechocarpus burahol* [Blume] Hook.f & Th.) sebagai Sumber Pangan Fungsional, Balai Pengkajian Teknologi Pertanian, Yogyakarta.
- Rohdiana, D., 2001, Radical Scavengers Activity of Tea Polyphenol, *Majalah Farmasi Indonesia*, **12**(1): 53 – 58.
- Schneider, G., 1985, *Pharmazeutische Biologie*, Mannheim, Wien, Zurich.
- Shahid, S. M., Shaikh, R., Shamim, S., Ismail, M., Mahboob, T., 2013, Green tea on ACE gene expression in rat liver in CCl₄ induced cirrhosis, *Turkish Journal of Medical Science*, **43**: 586-591.
- Sunardi, C., Sumiwi, S. A., Hertati, A., 2010, Penelitian Antiimplantasi Ekstrak Etanol Daging Buah Burahol (*Stelechocarpus burahol*, Hook f. & Thomson) pada Tikus Putih, *Majalah Ilmu Kefarmasian*, **7**(1): 1-8.
- Spangenberg, B., Poole, C.F. dan Wein, C., 2011, *Quantitative Thin-Layer Chromatography*, 13-15, Springer-Verlag, Berlin Heideberg.
- Squacriato, G.L., dan Peyor, W.A., 1998, Oxidative Chemistry of Nitric Oxide: The roles of superoxide, peroxyxynitrite, and carbon dioxide free radical, *Biol. Med.*, **25**, 392-403.
- Sutomo, 2003, Penurunan asam urat darah ayam jantan Braille hiperurisemia oleh fraksi ekstrak metanol daun kepel (*Stelechocarpus burahol*, Hook f. & Th.), Tesis, Pasca Sarjana, Prodi Ilmu Farmasi, Universitas Gadjah Mada, Yogyakarta.
- Syahrir, N.H.A., Afendi, F.M., Susetyo, B., 2016, Efek Sinergis Bahan Aktif Tanaman Obat Berbasis Jejaring Dengan Protein Target, *Jurnal Jamu Indonesia*, **1**(1): 25-46.
- Tisnadjaja, D., Edward, S., Silvia dan Partomuan, S., 2006. Pengkajian Burahol (*Stelechocarpus burahol* (Blume) Hook & Thomson) sebagai Buah yang Memiliki Kandungan Senyawa Antioksidan, *Biodiversitas*, **7**(2): 199-202.
- Valko M., Morris H., dan Cronin MT *Curr Med Chem.*, 2005, Antioxidants and prevention of chronic disease, **12**(10):1161-208.
- van Weemen, B. K., dan Schuurs, A. H. W. M., 1974, Immuno assay using antibody-enzyme conjugates, *FEBS Letters*, **43**, 215-218.
- Voller, A., Bidwell, D. E. dan Bartlett, A., 1978, Enzyme Immuno assays with special reference to ELISA techniques, UK London, **31**, 507-520.

- Wagner, H., dan Blatt, S., 1996, *Plant Drug Analysis: A Thin Layer Chromatography Atlas*, 2nd Ed., Springer-Verlag, New York.
- Willcox, J.K., Ash S.L. dan Catignani, G.L., 2004, Free radicals in the physiological control of cell function, **44**(4):275-95.
- Wong, P.Y.Y., dan Kitts, D.D., 2006, Studies on the dual antioxidant and antibacterial properties of parsley (*Petroselinum crispum*) and cilantro (*coriandrum sativum*) extracts, *Food Chem.*, **97**, 505–515. [CrossRef]
- Y. Sun, R. Tsao, F. Chen, H. Li, J. Wang, H. Peng, K. Zhang, dan Z. Deng, 2017, The phytochemical composition, metabolites, bioavailability and *in vivo* antioxidant activity of *Tetrastigma hemleyanum* leaves in rats, *Journal of Functional Foods*, **30**, 179-193.