



Daftar Pustaka

- Ainsworth, B.E., Haskell, W.L., Herrmann, S.D., Meckes, N., JR Bassett, D.R., Tudor-Locke, C., Greer, J.L., Vezina, J., Whitt-Glover, M.C., Leon, A.S. (2011). 2011 Compendium of physical activities: A second of codes and met values. *American College of Sports Medicine*, 1575-1581. doi: 10.1249/MSS.0b013e31821ece12.
- Amu, D.A. (2015). Faktor-faktor yang berhubungan dengan hipertensi di wilayah perkotaan dan pedesaan indonesia tahun 2013. Skripsi, Peminatan Epidemiologi Program Studi Kesehatan Masyarakat Fakultas Kedokteran dan Ilmu Kesehatan, Universitas Islam Negeri Syarif Hidayatullah, Jakarta.
- Aizawa, T., Helble, M., (2016). *Urbanization and inequality in hypertension diagnosis and medication in indonesia*. Japan: Asian Development Bank Institute.
- Alsairafi, M., Alshamali, K., Al-rashed, A. (2010). Effect of physical activity on controlling blood pressure among hypertensive patients from mishref area of kuwait. *European Journal of General Medicine*, 7(4), 377-384.
- American Heart Association. (2016). *Know your risk factors for high blood pressure*. Retrieved from http://www.heart.org/HEARTORG/Conditions/HighBloodPressure/Unders tandSymptomsRisk/Know-Your_Risk-Factors-for-High-Blood-Pressure_UCM_002052_Article.jsp
- American Heart Association. (2016). *Getting active to control high blood pressure*. Retrieved from http://www.heart.org/HEARTORG/Conditions/HighBloodPressure/Make ChangesThatMatter/Getting-Active-to-Control-High-Blood-Pressure_UCM_301882_Article.jsp#.WmNAGXaWbIU
- Ando, K., Kawarazaki, H., Miura, K., Matsuura, H., Watanabe, Y., Yoshita, K., Kawamura, M., Kusaka, M., Kai, H., Tsuchihashi T., Kawano, Y. (2013). [Scientific statement] Report of the salt reduction committee of the japanese society of hypertension (1) role of salt in hypertension and cardiovascular diseases. *Hypertension Research*, 36, 1009-1019. doi: 10.1038/hr.2013.102.
- Badan Perencanaan dan Pembangunan Daerah. (2017). Ketenagakerjaan. Retrieved from http://bappeda.jogjaprov.go.id/dataku/data_dasar/index/263-ketenagakerjaan#27
- Belon, A.P., Nieuwendyk, L.M., Vallianatos, H., Nykiforuk, C.I.J. (2014). How community environment shapes physical activity: Perceptions revealed



- trough the photovoice method. *Social Science & Medicine*, 166, 10-21. Retrieved from <http://dx.doi.org/10.1016/j.socscimed.2014.06.027>.
- Bouchard, C., Blair, S.N., Haskell, W.L. (2012). *Physical activity and health 2nd edition*. United States of America: Human Kinetics.
- Bull, F.C., Maslin, T.S., Armstrong, T. (2009). Global physical activity questionnaire (GPAQ): Nine country reliability and validity study. *Journal of Physical Activity and Health*, 6(6), 790-804. doi: 10.1123/jpah.6.6.790.
- Busingye, D., Arabshahi, S., Subasinghe, A.K., Evans, R.G., Riddell, M.A., Thriff, A.G. (2014). Do the socioeconomic and hypertension gradients in rural population of low and middle-income countries differ by geographical region? a systematic review and meta-analysis. *International Journal of Epidemiology*, 1563-1577. doi: 10.1093/ije/dyu112.
- Centers for Disease Control and Prevention. (2015). *The benefits of physical activity and health*. Retrieved from <https://www.cdc.gov/physicalactivity/basics/pa-health/index.htm>.
- Chen, C., Tsai, L.T., Lin C.F., Huang, C.C., Chang, Y.T., Chen, R.Y., Lyu, S.Y. (2017). Factors influencing interest in recreational sports participation and its rural-urban disparity. *PLoS ONE*, 12(5), 1-10. doi: <https://doi.org/10.1371/journal.pone.0178052>.
- Compendium of Physical Activity. (2011). Retrieved from <https://sites.google.com/site/compendiumofphysicalactivities/>.
- Dahlan, M.S. (2016). *Besar sampel dalam penelitian kedokteran dan kesehatan edisi 4*. Indonesia : Epidemiologi Indonesia.
- Daniel, O.J., Adejumo, O.A., Adejumo, E.N., Owolabi, R.S., Braimoh, R.W. (2013). Prevalence of hypertension among urban slum dwellers in lagos, nigeria. *Journal of urban health*, 90 (6), 1016-1025. doi:10.1007/s11524-013-9795-x.
- Dewanty, R. (2008). *Hubungan pola makan, aktivitas fisik dengan perubahan tekanan darah pada lansia penderita hipertensi di puskesmas mlati ii, sleman*. Skripsi, Program Studi Gizi Kesehatan, Fakultas Kedokteran Universitas Gadjah Mada, Yogyakarta.
- Diaz, K.M., Shimbo, D. (2013). Physical activity and the prevention of hypertension. *Curr Hypertens Rep*, 15(6), 659–668. doi:10.1007/s11906-013-0386-8.
- Dinas Kesehatan Kabupaten Bantul. (2016). *Profil kesehatan tahun 2016*.
- Dinas Kesehatan Kabupaten Gunungkidul. (2016). *Profil kesehatan kabupaten gunungkidul data tahun 2015*.



- Dinas Kesehatan Kabupaten Sleman. (2016). *Profil kesehatan kabupaten sleman*.
- Dinas Kesehatan Pemerintah Kota Yogyakarta. (2016). *Profil kesehatan tahun 2016 kota yogyakarta (data tahun 2015)*.
- Dinas Kesehatan Kabupaten Kulon Progo. (2016). *Profil kesehatan kabupaten kulon progo tahun 2016 (data 2015)*.
- Do, H.T.P., Geleijnse, J.M., Le, M.B., Kok, F.J., Feskens, E.J.M. (2015). National Prevalence and Associated Risk Factors of Hypertension and Prehypertension Among Vietnamese Adults. *American Journal of Hypertension* 28(1), . doi:10.1093/ajh/hpu092.
- Dugdill, L., Crone, D., Murphy, R. (Ed). (2009). *Physical activity & Health Pomotion: Evidence-based approaches to practice*. UK: Wiley-Blackwell.
- Electronic Theses & Dissertation (ETD)*. (2014). Retrieved from <http://etd.repository.ugm.ac.id/downloadfile/69795/potongan/diploma-2014-320402-chapter1.pdf>
- Federico, B., Falese, L., Marandola, D., Capelli, G. (2013). Socioeconomic difference in sport and physical activity among italian adults. *Journal of Sports Sciences*, 31(4), 451-458. doi: 10.1080/02640414.2012.736630.
- Galav, A., Bhatanagar, R., Meghwal, S.C., Jain, M. (2015). Prevalence of hypertension among rural and urban population in southren rajasthan. *National Journal of Community Medicine*, 6(2), 174-178. Retrieved from www.njcmindia.org.
- Gerage, A.M., Benedetti, T.R.B, Farah, B.Q., Santana, F.d.S, Ohara, D., Andersen, L.B., Ritti-Dias, R.M. (2015). Sedentary behavior and light physical activity are associated with brachial and central blood pressure in hypertensive patients. *PLoS ONE*, 10(12), 1-13. doi:10.1371/journal.pone.0146078.
- Grafrinkle, M.A., (2017). Salt and essential hypertension: Pathophysiology and implications for treatment. *Journal of The American Society of Hypertension*, 11(6), 385-391. doi: 10.1016/j.jash.2017.04.006.
- Hallall, P.C., Andersen, L.B., Bull, F.C., Guthold, R., Haskell, W., Ekelund, U. (2012). Global physical activity levels: surveillance progress, pitfalls, and prospects. *Lancet*, 380, 247-257. doi: [https://doi.org/10.1016/S0140-6736\(12\)60646-1](https://doi.org/10.1016/S0140-6736(12)60646-1).
- Helelo, T.P., Gelaw, Y.A., Adane, A.A. (2014). Prevalence and Associated Factors of Hypertension among Adults in Durame Town, Southern Ethiopia. *PLoS ONE*, 9(11), 1-9. doi:10.1371/journal.pone.0112790.



- Hoebel, J., Finger, J.D., Kuntz, B., Lampert, T. (2016). Socioeconomic differences in physical activity in the middle aged working population: The role of education, occupation, and income. *SpringerLink*, 59(2), 188-196. doi: 10.1007/s00103-015-2278-3.
- Islam, S.M.S., Mainuddin, A.K.M., Islam, Md.S., Karim, M.A., Mou, S.Z., Arefin, S., Chowdury, K.N. (2015). Prevalence of Risk Factors for Hypertension: A Cross-Sectional Study in An Urban Area of Bangladesh. *Global Cardiology Science and Practice*, 1-9. doi: <http://dx.doi.org/10.5339/gcsp.2015.43>.
- Jayamani, V., Gopichandran, V., Lee, P., Alexander, G., Christopher, S., Prasad, J.H. 2013. Diet and physical activity among women in urban and rural areas in south india: a community based comparative survey. *J Family Med Prim Care*, 2(4), 334-338. doi: 10.4103/2249-4863.123782.
- Katulanda, P., Ranasinghe, P., Jayawardena, R., Constantine, G.R., Sheriff, M.H.R., Matthews, D.R. (2014). The Prevalence, Predictors and Associations of Hypertension in Sri Lanka: A Cross-Sectional Population Based National Survey. *Clin Exp Hypertens*, 36(7): 484-491. doi: 10.3109/10641963.2013.863321.
- Kementerian Kesehatan RI. (2013). *Riset kesehatan dasar (riskesdas)*. Jakarta: Lembaga Penerbitan Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI.
- Kementerian Kesehatan RI. (2013). *Riskesdas dalam angka provinsi daerah istimewa yogyakarta 2013*. Jakarta: Lembaga Penerbitan Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI.
- Kementerian Kesehatan Republik Indonesia. (2016). *Keputusan Menteri Kesehatan Republik Indonesia tentang Pedoman Penyusunan dan Penerapan Formularium Nasional*.
- Kementerian Kesehatan Republik Indonesia. (2014). *INFODATIN, pusat data dan informasi kementerian kesehatan RI (hipertensi)*. Jakarta: Kementerian Kesehatan Republik Indonesia.
- Kementerian Kesehatan Republik Indonesia. (2012). *Strategi nasional penerapan pola konsumsi makanan dan aktivitas fisik untuk mencegah penyakit tidak menular*. Jakarta: Kementerian Republik Indonesia.
- Khosravi, A., Emamian, M.H., Shariati, M., Hashemi, H., Fotouhi, A. (2013). The Prevalence of Pre-hypertension and Hypertension in an Iranian Urban Population. *High Blood Press Cardiovasc Prev*. doi: 10.1007/s40292-013-0035-y.



- Khusun, H., Wiradnyani, L.A.A., Siagian, N. (2016). Faktor-faktor yang terkait dengan obesitas pada orang dewasa di perkotaan Indonesia. *Penelitian Gizi dan Makanan*, 38(2), 95-110. doi: 10.22435/pgm.v38i2.5539.95-110.
- Kokkinos, Peter. (2010). *Physical activity and cardiovascular disease prevention*. USA: Jones and Bartlett Publishers.
- Koene, R.J., Anna, E.P., PrizAnne, B., Suma, H.K. (2016). Shared risk factors in cardiovascular disease and cancer. *Cardio-Oncology Risk Factors*, 133(11), 1104–1114. doi: 10.1161/CIRCULATIONAHA.115.020406.
- Kumar, K., Kothari, R.P., Garg, S., Khandelwal, M.J., Gupta, R. (2013). Prevalence of hypertension in a urban and rural area of jaipur district. *International J. of Healthcare & Biomedical Research*, 1(3), 120-126.
- Larsen, B.A., Strong, D., Linke, S.E. (2014). The association between family and friend integration and physical activity: Results from the NHIS. *Int J Behav Med*, 21(3), 529-536. doi: 10.1007/s12529-013-9318-x.
- Loh, K.W., Rani, F., Chan, T.C., Loh, H.Y., Ng, C.W., Moy, F.M. (2013). The association between risk factors and hypertension in perak, malaysia. *Med J Malaysia*, 68(4), 291-296.
- Lopes, M.V.O., Silva, V.M, Araujo, T.L., Guedes, N.G., Martins, L.C.G., Teixeira, I.X. (2015). Instrument for evaluation of sedentary lifestyle in patients with high blood pressure. *Rev Bras Enferm*, 68(3), 386-92. Retrieved from <http://dx.doi.org/10.1590/0034-7167.2015680310i>
- Manalu, P. (2017). Analisis implementasi program pengelolaan penyakit kronis di gadjah mada medical center health center. Retrieved from http://etd.repository.ugm.ac.id/index.php?mod=penelitian_detail&sub=PenelitianDetail&act=view&typ=html&buku_id=116663&obyek_id=4
- Michalska, M., Rysz, J., Pencina, M.J., Zdrojewski, T., Banach, M. (2014). The knowledge and awareness of hypertension among patients with hypertension in central Poland: a pilot registry. *Angiology*, 65(6), 525-532. doi: 10.1177/0003319713489166.
- Milanović, Z., Pantelić, S., Trajković, N., Sporiš, G., Kostić, R., James, N. (2013). Age-related decrease in physical activity and functional fitness among elderly men and women. *Clinical Intervention in Aging*, 8, 549-566. Retrieved from <http://dx.doi.org/10.2147/CIA.S44112>.
- Moniruzzaman, M., Ahmed, M.S.A.M., Zaman, M.M. (2017). Physical activity levels and associated socio-demographic factors in bangladeshi adults: A cross-sectional study. *BMC Public Health*, 17(59), 1-8. doi: 10.1186/s12889-016-4003-z.



- National Heart Foundation of Australia. (2016). *Guideline for the diagnosis and management of hypertension in adults*. Melbourne: National Heart Foundation of Australia.
- National Heart, Lung & Blood Institute (NIH) U.S Department of Health & Human Services. (2015). *Diagnosis of high blood pressure*. Retrived from <https://www.nhlbi.nih.gov/health/health-topics/topics/hbp/diagnosis>.
- National Heart, Lung & Blood Institute (NIH) U.S Department of Health & Human Services. (2016). *Types of physical activity*. Retrived from www.nhlbi.nih.gov/health/health-topics/topics/phys/types.
- Ntuli, S.T., Maimela, E., Alberts, M., Choma, S., Dikotope, S. (2015). Prevalence and Associated Risk Factors of Hypertension amongst Adults in rural community of Limpopo Province, South Africa. *Afr J Prm Health Care Fam Med*, 7(1), 1-5. doi: doi:10.4102/phcfm.v7i1.847.
- Oza, R., & Garcellano, M. (2015). Nonpharmacologic management of hypertension: What works?. *Am Fam Physician*, 91(11), 772-776.
- Pemerintah Daerah Istimewa Yogyakarta. (2017). Jumlah penduduk kecamatan cangkringan, menurut golongan usia per-5 tahun semester ii 2017. Retrieved from <http://kependudukan.jogjaprov.go.id/olah.php?module=statistik&periode=9&jenisdata=penduduk&berdasarkan=golonganusia&rentang=5&prop=34&kab=04&kec=17>
- Pemerintah Daerah Istimewa Yogyakarta. (2018). Jumlah penduduk kecamatan gondokusuman, menurut golongan usia per-5 tahun semester ii 2017. Retrieved from <http://kependudukan.jogjaprov.go.id/olah.php?module=statistik&periode=9&jenisdata=penduduk&berdasarkan=golonganusia&rentang=5&prop=34&kab=04&kec=17>
- Pemerintah Daerah Istimewa Yogyakarta. (2018). Jumlah penduduk kecamatan cangkringan, menurut jenjang pendidikan semester ii 2017. Retrieved from <http://kependudukan.jogjaprov.go.id/olah.php?module=statistik&periode=9&jenisdata=penduduk&berdasarkan=pendidikan&prop=34&kab=4&kec=17>
- Pemerintah Daerah Istimewa Yogyakarta. (2018). Jumlah penduduk kecamatan gondokusuman, menurut jenjang pendidikan semester ii 2017. Retrieved from <http://kependudukan.jogjaprov.go.id/olah.php?module=statistik&periode=9&jenisdata=penduduk&berdasarkan=golonganusia&rentang=5&prop=34&kab=04&kec=17>



- Pemerintah Daerah Istimewa Yogyakarta. (2018). Jumlah penduduk kecamatan cangkringan, menurut jenis pekerjaan. Retrieved from <http://kependudukan.jogjaprov.go.id/olah.php?module=statistik&periode=9&jenisdata=penduduk&berdasarkan=golonganusia&rentang=5&prop=34&kab=04&kec=17>
- Pemerintah Daerah Istimewa Yogyakarta. (2018). Jumlah penduduk kecamatan gondokusuman, menurut jenis pekerjaan. Retrieved from <http://kependudukan.jogjaprov.go.id/olah.php?module=statistik&periode=9&jenisdata=penduduk&berdasarkan=pekerjaan&prop=34&kab=71&kec=3>
- Pemerintah Daerah Istimewa Yogyakarta. (2018). Jumlah penduduk kecamatan gondokusuman, menurut status perkawinan semester ii 2017. Retrieved from <http://kependudukan.jogjaprov.go.id/olah.php?module=statistik&periode=9&jenisdata=penduduk&berdasarkan=statusperkawinan&prop=34&kab=71&kec=3>
- Pemerintah Daerah Istimewa Yogyakarta. (2018). Jumlah penduduk kecamatan cangkringan, menurut status perkawinan semester ii 2017. Retrieved from <http://kependudukan.jogjaprov.go.id/olah.php?module=statistik&periode=9&jenisdata=penduduk&berdasarkan=statusperkawinan&prop=34&kab=4&kec=17>
- Perhimpunan Dokter Spesialis Kardiovaskular Indonesia (PERKI). (2015). *Pedoman tatalaksana hipertensi pada penyakit kardiovaskular*.
- Putri, A.R. (2015). *Gambaran tingkat aktivitas fisik pasien diabetes melitus tipe 2 di puskesmas depok iii kabupaten sleman*. Skripsi, Program Studi Ilmu Keperawatan Fakultas Kedokteran Universitas Gadjah Mada, Yogyakarta.
- Rahayu, S. (2017). Pengaruh pendidikan kesehatan audiovisual terhadap tingkat aktivitas fisik pada populasi risiko sindrom metabolik di wilayah kerja puskesmas turi sleman. Skripsi, Program Studi Ilmu Keperawatan Fakultas Kedokteran Universitas Gadjah Mada, Yogyakarta.
- Sarkar, S., Taylor, W.C., Lai, D. Shegog, R., Paxton, J.R. (2016). Social support for physical activity: Comparison of family, friends, and coworkers. *IOS Press*, 55, 893-899. doi: 10.3233/WOR-162459.
- Sastroasmoro, S., Ismael, S. (2008). *Dasar-dasar metodologi penelitian klinis edisi ke-3*. Jakarta : Sagung Seto.
- Sastroasmoro, S., Ismael, S. (2014). *Dasar-dasar metodologi penelitian klinis edisi ke-5*. Jakarta : Sagung Seto.



- Serrano-Sanchez, J.A., Lera-Navarro, A., Dorado-García, C., González-Henrique, J.J., Sanchis-Moysi. (2012). Contribution of individual and environmental factors to physical activity level among spanish adults. *Plos ONE*, 7(6), e38693. doi: 10.1371/journal.phone0038693.
- Singh, S., Shankar, R., Singh, G.P. (2017). Prevalence and associated risk factors of hypertension: a cross-sectional study in urban varansi. *International Journal of Hypertension*. doi: <https://doi.org/10.1155/2017/5491838>.
- Sola, A.O., Chinyere, O.I., Stephen, A.O., Kayode, J.A. (2013). Hypertension prevalence in an urban and rural area of nigeria. *Journal of Medicine and Medical Sciences*, 4(4), 149-154.
- TA Imron, M., Munif, A. (2010). *Metode penelitian bidang kesehatan bahan ajar untuk mahasiswa*. Jakarta: Sagung Seto.
- Taylor, D. (2014). Physical activity is medicine for older adults. *Postgrad Med J*, 90, 26–32. doi:10.1136/postgradmedj-2012-131366.
- Thanh, V.T., Duong, N.A., (2016). *Promoting rural development, employment, and inclusive growth in ASEAN*. Economic Research Institute for ASEAN (ERIA) Discussion Paper Series.
- Wasis. (2008). *Pedoman riset praktis untu profesi perawat*. Jakarta: EGC.
- Weber, M.A., Schiffrin, E.L., White, W.B., Mann, S., Lindholm, L.H., Kenerson, J.G., Flack, J.M., Carter, B.L., Materson, B.J., Ram, V.S., Cohen, D.L., Cadet, J-C., Jean-Charles, R.R., Taler, S., Kountz, D., Townsend, R.R., Chalmers, J., Ramirez, A. J., Bakris, J.L., Wang, J., Schutte, A.E., Bisognano, J.D., Touyz, R.M., Sica, D., Harrap, S.B. (2014). Clinical practice guidelines for the management of hypertension in the community a statement by the american society of hypertension and the international society of hypertension. *The Journal of Clinical Hypertension*, 16 (1), 14-26. doi: 10.1111/jch.12237.
- World Health Organization. (2012). *Global physical activity questionnaire (GPAQ)*. WHO: Geneva, Switzerland.
- World Health Organization. (2013). *A global brief on hypertension (silent killer, global public health crisis)*. Retrieved from http://www.who.int/cardiovascular_diseases/publications/global_brief_hypertension/en/
- World Health Organization. (2013). *High blood pressure global and regional overview*. Retrieved from www.searo.who.int/entity/world_health_day/leaflet_burden_hbp_whd2013.pdf.



- World Health Organization. (2013). *10 Facts on noncommunicable disease*. Retrieved from http://www.who.int/features/factfiles/noncommunicable_diseases/en/.
- World Health Organization. (2017). *Cardiovascular diseases (CVDs)*. Retrieved from <http://www.who.int/mediacentre/factsheets/fs317/en/>.
- World Health Organization. (2017). *Global health observatory (GHO) data*. Retrieved from http://www.who.int/gho/ncd/risk_factors/physical_activity_text/en/.
- World Health Organization. (2017). *Global strategy on diet, physical activity and health*. Retrieved from www.int/dietphysicalactivity/physical_activity_intensity/en/.
- World Health Organization. (2017). *Hypertension*. Retrieved from www.who.int/topics/hypertension/en/.
- World Health Organization. (2017). *Physical activity*. Retrieved from www.who.int/topics/physical_activity/en/.
- World Health Organization. (2017). *Quit smoking for patients with hypertension and diabetes*.
- Yuan, F., Qian, D., Huang C., Tian, M., Xiang, Y., He, Z., Feng, Z. (2015). Analysis of awareness of health knowledge among rural residents in western china. *BMC Public Health*, 15(55), 1-8. doi: 10.1186/s12889-015-1393-2.
- Zou, J., Britigan, D.H., Wang, H., Rajaram, S.S., Su, D. (2017). Leisure time physical activity and hypertension: evidence from the china health & nutrition survey, 2004-2011. *Journal of Community Medicine & Health Education*, 7(1), 2-9. doi: 10.4172/2161-0711.1000502.