

DAFTAR PUSTAKA

- Abdi-Jalebi, M., Dar, M.I., Sadhanala, A., Senanayak, S.P., Franckevičius, M., Arora, N., Hu, Y., Nazeeruddin, M.K., Zakeeruddin, S.M., and Grätzel, M., 2016, Impact of Monovalent Cation Halide Additives on the Structural and Optoelectronic Properties of $\text{CH}_3\text{NH}_3\text{PbI}_3$ Perovskite, *Adv. Energy Mater.*, 6, 1–10.
- Aldibaja, F.K., Badia, L., Mas-Marza, E., Sanchez, R.S., Barea, E.M., and Mora-Sero, I., 2015, Effect of Different Lead Precursors in Perovskite Solar Cells Performance and Stability, *J. Mater. Chem. A.*, 3, 9194–9200.
- Baikie, T., Fang, Y., Kadro, J.M., Schreyer, M., Wei, F., Mhalsalkar, S.G., Grätzel, M., and White, T.J., 2013, Synthesis and crystal chemistry of the hybrid perovskite $(\text{CH}_3\text{NH}_3)\text{PbI}_3$ for solid-state sensitised solar cell applications, *J. Mater. Chem. A.*, 1, 5628–5641.
- Bassiri-Gharb, N., Bastani, Y., and Bernal, A., 2014, Chemical solution growth of ferroelectric oxide thin films and nanostructures, *Chem. Soc. Rev.*, 43, 2125–2140.
- Berhe, T.A., Su, W.-N., Chen, C.-H., Pan, C.-J., Cheng, J.-H., Chen, H.-M., Tsai, M.-C., Chen, L.-Y., Dubale, A.A., and Hwang, B.-J., 2016, Organometal Halide Perovskite Solar Cells: Degradation and Stability Taame, *Energy Environ. Sci.*, 9, 323–356.
- Bi, D., Tress, W., Dar, M.I., Gao, P., Luo, J., Renevier, C., Schenk, K., Abate, A., Giordano, F., Baena, J.-P.C., Decoppet, J.-D., Zakeeruddin, S.M., and Nazeeruddin, M.K., 2016, Efficient luminescent solar cells based on tailored mixed-cation perovskites, *Sci. Adv.*, 2, e1501170–e1501176.
- Brivio, F., Frost, J.M., Skelton, J.M., Jackson, A.J., Weber, O.J., Weller, M.T., and Go, A.R., 2015, Lattice dynamics and vibrational spectra of the orthorhombic, tetragonal, and cubic phases of methylammonium lead iodide, *Phys. Rev. B.*, 92, 144308-1-144308-2.
- Burschka, J., Pellet, N., Moon, S.J., Humphry-Baker, R., Gao, P., Nazeeruddin, M.K., and Grätzel, M., 2013, Sequential deposition as a route to high-performance perovskite-sensitized solar cells, *Nature*, 499, 316–319.
- Calleja, A., Ricart, S., Mohammed, A., and Narcis, M., 2014, Thickness-concentration-viscosity relationships in spin-coated metalorganic ceria films containing polyvinylpyrrolidone, *J. Sol-Gel Sci. Technol.*, 72, 21–29.

- Chen, Q., Marco, N. De, Michael, Y., Song, T., Chen, C., and Zhao, H., 2015, Under the spotlight: The organic-inorganic hybrid halide perovskite for optoelectronic applications, *Nano Today*, 10, 355–396.
- Chiang, C., Tseng, Z., and Wu, C., 2014, Planar heterojunction perovskite/PC₇₁BM solar cells with enhanced open-circuit voltage via a (2/1)-step spin-coating process, *J. Mater. Chem. A Mater. energy Sustain.*, 2, 15897–15903.
- Chiang, C. and Wu, C., 2016, Film Grain-Size Related Log-Term Stability of Inverted Perovskite Solar Cells, *ChemPubSoc Eur.*, 9, 1–8.
- Cohen, B. El and Etgar, L., 2016, Parameters that control and influence the organo-metal halide perovskite crystallization and morphology, *Front. Optoelectron.*, 9, 44–52.
- Davidovich, R.L., Stavila, V., Marinin, D. V, Voit, E.I., and Whitmire, K.H., 2009, Stereochemistry of lead(II) complexes with oxygen donor ligands, *Coord. Chem. Rev.*, 253, 1316–1352.
- Deretzis, I. and Magna, A. La, 2017, Exploring the orthorhombic-tetragonal phase transition in CH₃NH₃PbI₃: The role of atom kinetics, *Nanoscale*, 9, 5896–5903.
- Eperon, G.E., Burlakov, V.M., Docampo, P., Goriely, A., and Snaith, H.J., 2014, Morphological Control for High Performance, Solution-processed Planar Heterojunction Perovskite Solar Cells, *Adv. Funct. Mater.*, 24, 151–157.
- Fu, F., Kranz, L., Yoon, S., and Johannes, L., 2015, Controlled growth of PbI₂ nanoplates for rapid preparation of CH₃NH₃PbI₃ in planar perovskite solar cells, *Phys. Status Solidi A.*, 212, 2708–2717.
- Gardner, K.L., Tait, J.G., Merckx, T., Qiu, W., Paetzold, U.W., Kootstra, L., Jaysankar, M., Gehlhaar, R., Cheyns, D., Heremans, P., and Poortsman, J., 2016, Nonhazardous Solvent Systems for Processing Perovskite Photovoltaics, *Adv. Energy Mater.*, 6, 1–8.
- Guo, X., Mccleese, C., Kolodziej, C., and Samia, A.C.S., 2016(a), Identification and Characterization of the Intermediate Phase in Hybrid Organic–Inorganic MAPbI₃ Perovskite, *Dalt. Trans.*, 45, 3806–3813.
- Guo, Y., Shoyama, K., Sato, W., and Nakamura, E., 2016(b), Polymer Stabilization of Lead(II) Perovskite Cubic Nanocrystals for Semitransparent Solar Cells, *Adv. Energy Mater.*, 6, 1–9.

- Han, F., Luo, J., Wan, Z., Liu, X., and Jia, C., 2017, Dissolution-Recrystallization Method for High Efficiency Perovskite Solar Cells, *Appl. Surf. Sci.*, 408, 34–37.
- Heo, J.H., Im, S.H., Noh, J.H., Mandal, T.N., Lim, C.S., Chang, J.A., Lee, Y.H., Kim, H.J., Sarkar, A., Nazeeruddin, M.K., Grätzel, M., and Seok, S.I., 2013, Efficient inorganic–organic hybrid heterojunction solar cells containing perovskite compound and polymeric hole conductors, *Nat. Photonics.*, 7, 486–491.
- Hsieh, T., Wei, T., Wu, K.-L., Ikegami, M., and Miyasaka, T., 2015, Efficient Perovskite Solar Cell Fabricated Using an Aqueous Lead Nitrate Precursor, *Chem. Commun.*, 51, 13294–13297.
- Hsieh, T., Su, T., Ikegami, M., and Wei, T., 2018, Stable and efficient perovskite solar cells fabricated using aqueous lead nitrate precursor: Interpretation of the conversion mechanism and renovation of the sequential deposition, *Mater. Today Energy.*, 1–10.
- Huang, D., Goh, T., Zheng, Y., Qin, Z., Zhao, J., Zhao, S., and Xu, Z., 2017, An additive dripping technique using diphenyl ether for tuning perovskite crystallization for high-efficiency solar cells, *Nano Res.*, 11, 1–10.
- Ijdo, D.J.W., Fu, W.T., and Akerboom, S., 2016, Crystal structure of $\text{Ba}_9\text{La}_2\text{W}_4\text{O}_{24}$ and $\text{Sr}_9\text{Gd}_2\text{W}_4\text{O}_{24}$: a new B-site vacancy ordered $4 \times 4 \times 4$ cubic perovskite, *J. Solid State Chem.*, 238, 236–240.
- Jeng, J.Y., Chiang, Y.F., Lee, M.H., Peng, S.R., Guo, T.F., Chen, P., and Wen, T.C., 2013, $\text{CH}_3\text{NH}_3\text{PbI}_3$ Perovskite/Fullerene Planar-Heterojunction Hybrid Solar Cells, *Adv. Mater.*, 25, 3727–3732.
- Jeon, N.J., Noh, J.H., Kim, Y.C., Yang, W.S., Ryu, S., and Seok, S.I., 2014, Solvent engineering for high-performance inorganic–organic hybrid perovskite solar cells, *Nat. Mater.*, 13, 897–903.
- Kulkarni, S.A., Baikie, T., Boix, P.P., Yantara, N., Mathews, N., and Mhaisalkar, S., 2014, Band-gap tuning of lead halide perovskites using a sequential deposition process, *J. Mater. Chem. A.*, 2, 9221–9225.
- Kumar, V., Govind, G., and Uma, S., 2011, Investigation of cation (Sn^{2+}) and anion (N^{3-}) substitution in favor of visible light photocatalytic activity in the layered perovskite $\text{K}_2\text{La}_2\text{Ti}_3\text{O}_{10}$, *J. Hazard. Mater.*, 189, 502–508.
- Kwestroo, W., Langereis, C., and van Hal, H.A., 1967, Basic lead nitrates, *J. Inorg. Nucl. Chem.*, 29, 33–38.

- Leguy, A., Hu, Y., Campoy-quiles, M., Alonso, M.I., Weber, O.J., Azarhoosh, P., Schilfgaarde, M.V., Weller, M.T., Bein, T., Nelson, J., Docampo, P., and Barnes, P.R.F., 2015, The reversible hydration of $\text{CH}_3\text{NH}_3\text{PbI}_3$ in films , single crystals and solar cells The reversible hydration of $\text{CH}_3\text{NH}_3\text{PbI}_3$ in films, single crystals and solar cells, *Chem. Mater.*, 27, 3397–3407.
- Li, C., and Lu, X., 2008, Formability of ABX_3 (X = F, Cl, Br, I) halide perovskites, *Acta Crystallogr. Sect. B.*, 64, 702–707.
- Li, C., Guo, Q., Qiao, W., Chen, Q., Ma, S., Pan, X., Wang, F., Yao, J., Zhang, C., Xiao, M., and Dai, S., 2016, Efficient lead acetate sourced planar heterojunction perovskite solar cells with enhanced substrate coverage via one-step spin-coating, *Org. Electron.*, 33, 194–200.
- Li, T., Pan, Y., Wang, Z., Xia, Y., Chen, Y., and Huang, W., 2017, Additive engineering for highly efficient organic-inorganic halide perovskite solar cells: recent advances and perspectives, *J. Mater. Chem. A Mater. energy Sustain.*, 5, 1–51.
- Liang, P.W., Liao, C.Y., Chueh, C.C., Zuo, F., Williams, S.T., Xin, X.K., Lin, J., and Jen, A.K.Y., 2014, Additive Enhanced Crystallization of Solution-processed Perovskite for Highly Efficient Planar-Heterojunction Solar Cells, *Adv. Mater.*, 26, 3748–3754.
- Liang, Y., Xu, Z., Xia, J., Tsai, S.T., Wu, Y., Li, G., Ray, C., and Yu, L., 2010, For the Bright Future—Bulk Heterojunction Polymer Solar Cells with Power Conversion Efficiency of 7.4%, *Adv. Mater.*, 22, 135–138.
- Liu, C., Hu, X., Zhong, C., Huang, M., Wang, K., Zhang, Z., Gong, X., Cao, Y., and Heeger, A.J., 2014(a), Influence of Binary Processing Additives on the Performance of Polymer Solar Cells Chang, *Nanoscale*, 6, 14297–14304.
- Liu, D., Gangishetty, M.K., and Kelly, T.L., 2014(b), Effect of $\text{CH}_3\text{NH}_3\text{PbI}_3$ thickness on device efficiency in planar heterojunction perovskite solar cells, *J. Mater. Chem. A.*, 46, 19873–19881.
- Lou, S.J., Szarko, J.M., Xu, T., Yu, L., Marks, T.J., and Chen, L.X., 2011, Effects of Additives on the Morphology of Solution Phase Aggregates Formed by Active Layer Components of High-efficiency Organic Solar Cells, *J. Am. Chem. Soc.*, 133, 20661–20663.
- Lv, S., Pang, S., Zhou, Y., Padture, N.P., Hu, H., Wang, L., Zhou, X., Zhu, H., Zhang, L., Huang, C., and Cui, G., 2014, One-step, solution-processed formamidinium lead trihalide ($\text{FAPbI}_{(3-x)}\text{Cl}_x$) for mesoscopic perovskite-polymer solar cells, *Phys. Chem. Chem. Phys.*, 16, 19206–19211.

- Mahmud, M.A., Elumalai, N.K., Upama, M.B., Wang, D., Puthen-Veettil, B., Haque, F., Wright, M., Xu, C., Pivrikas, A., and Uddin, A., 2017, Controlled Ostwald ripening mediated grain growth for smooth perovskite morphology and enhanced device performance, *Sol. Energy Mater. Sol. Cells.*, 167, 87–101.
- Marcus, Y., 2012, Volumes of aqueous hydrogen and hydroxide ions at 0 to 200 °C, *J. Chem. Phys.*, 137, 6–11.
- Moreira, R.L. and Dias, A., 2007, Prediction of lattice constant in cubic perovskites, *J. Phys. Chem. Solids.*, 68, 1617–1622.
- Ngo, T.T., Suarez, I., Antonicelli, G., Cortizo-lacalle, D., Martinez-pastor, J.P., Mateo-alonso, A., and Mora-sero, I., 2017, Enhancement of the Performance of Perovskite Solar Cells, LEDs, and Optical Amplifiers by Anti-Solvent Additive Deposition, *Adv. Mater.*, 29, 1–7.
- Niu, G., Li, W., Meng, F., Wang, L., Dong, H., and Qiu, Y., 2014, Study on the stability of $\text{CH}_3\text{NH}_3\text{PbI}_3$ films and the effect of post-modification by aluminum oxide in all-solid-state hybrid solar cells, *J. Mater. Chem. A.*, 2, 705–710.
- Noh, J.H., Im, S.H., Heo, J.H., Mandal, T.N., and Seok, S.I., 2013, Chemical Management for Colorful, Efficient, and Stable Inorganic–Organic Hybrid Nanostructured Solar Cells, *Nano Lett.*, 13, 1764–1769.
- Oku, T., 2015, Crystal. In, *Crystal Structures of $\text{CH}_3\text{NH}_3\text{PbI}_3$ and Related Perovskite Compounds Used for Solar Cell*. InTech, pp. 77–101.
- Paszkowicz, W., Woodley, S.M., and Martin, C., 2010, Lattice parameters and orthorhombic distortion of CaMnO_3 , *Powder Diffr.*, 25, 46–59.
- Persson, I., Lyczko, K., Lundberg, D., Eriksson, L., and Anna, P., 2011, Coordination Chemistry Study of Hydrated and Solvated Lead(II) Ions in Solution and Solid State, *Inorg. Chem.*, 6, 1058–1072.
- Reese, B.M.O., Nardes, A.M., Rupert, B.L., Larsen, R.E., Olson, D.C., Lloyd, M.T., Shaheen, S.E., Ginley, D.S., Rumbles, G., and Kopidakis, N., 2010, Photoinduced Degradation of Polymer and Polymer-Fullerene Active Layers: Experiment and Theory, *Adv. Funct. Mater.*, 20, 3476–3483.
- Shen, M., Xie, Y., Iii, H.F.S., Deakyne, C.A., Shen, M., Xie, Y., and Iii, H.F.S., 1990, Hydrogen bonding between the nitrate anion (conventional and peroxy forms) and the water molecule, *J. Chem. Phys.*, 93, 3379–3388.

- Shinde, D. V., Pyeon, L., Pei, M., Kim, G.-W., Yang, H., and Park, T., 2017, Enhanced Efficiency and Stability of an Aqueous Lead-Nitrate-Based Organometallic Perovskite Solar Cell, *ACS Appl. Mater. Interfaces.*, 9, 14023–14030.
- Smallwood, I.M., 1996, *Handbook of organic solvent properties*, Haisted Press, London.
- Smith, I.C., Hoke, E.T., Solis-Ibarra, D., McGehee, M.D., and Karunadasa, H.I., 2014, A Layered Hybrid Perovskite Solar-Cell Absorber with Enhanced Moisture Stability, *Angew. Chemie - Int. Ed.*, 53, 11232–11235.
- Song, S., Moon, B.J., Maximilian, T., Lim, J., Kang, G., Kim, J.Y., Snaith, H.J., Park, T., Lim, J., Kang, G., and Park, M., 2016, Interfacial Electron Accumulation for Efficient Homo-junction Perovskite Solar Cells, *Nano Energy*, 28, 269–276.
- Supasai, T., Rujisamphan, N., Ullrich, K., Chemseddine, A., and Dittrich, T., 2013, Formation of a passivating $\text{CH}_3\text{NH}_3\text{PbI}_3/\text{PbI}_2$ interface during moderate heating of $\text{CH}_3\text{NH}_3\text{PbI}_3$ layers, *Appl. Phys. Lett.*, 103, 1–4.
- Tu, Y., Wu, J., He, X., Guo, P., Wu, T., Luo, H., Liu, Q., Wang, K., Lin, J., Huang, M., Huang, Y., Lan, Z., and Li, S., 2017, Solvent engineering for forming Stonehenge-like PbI_2 nano-structure towards efficient perovskite solar cells, *J. Mater. Chem. A.*, 5, 4376–4383.
- Wang, W., Tadé, M.O., and Shao, Z., 2015, Research progress of perovskite materials in photocatalysis- and photovoltaics-related energy conversion and environmental treatment, *Chem. Soc. Rev.*, 44, 5371–5408.
- Wang, W.-T., Das, S.K., and Tai, Y., 2017, Fully ambient processed perovskite film for perovskite solar cells: the effect of solvent polarity on lead iodide, *ACS Appl. Mater. Interfaces.*, 9, 10743–10751.
- Wei, Q., Yang, D., Yang, Z., Ren, X., Liu, Y., Feng, J., Zhu, X., and Liu, S.F., 2016, Effective solvent-additive enhanced crystallization and coverage of absorber layers for high efficiency formamidinium perovskite solar cells, *RSC Adv.*, 6, 56807–56811.
- Williams, S.T., Zuo, F., Chueh, C.-C., Liao, C.-Y., Liang, P.-W., and Jen, A.K.-Y., 2014, Role of Chloride in the Morphological Evolution of Organo-Lead Halide Perovskite Thin Films, *ACS Nano*, 8, 10640–10654.
- Wu, Y., Islam, A., Yang, X., Qin, C., Liu, J., Zhang, K., Peng, W., and Han, L., 2014, Retarding the crystallization of PbI_2 for highly reproducible planar-

structured perovskite solar cells via sequential deposition, *Energy Environ. Sci.*, 7, 2934–2938.

Xiao, Z., Bi, C., Shao, Y., Dong, Q., Wang, Q., Yuan, Y., Wang, C., Gao, Y., and Huang, J., 2014, Efficient, High Yield Perovskite Photovoltaic Devices Grown by Interdiffusion of Solution-processed Precursor Stack ing Layers, *Energy Environ. Sci.*, 7, 2619–2623.

Xie, L., Cho, A., Park, N., and Kim, K., 2018, An Efficient and Reproducible $\text{CH}_3\text{NH}_3\text{PbI}_3$ Perovskite Layer Prepared Using a Binary Solvent Containing a Cyclic Urea Additive, *Appl. Mater. Interfaces.*, 10, 9390–9397.

Xu, J., Buin, A., Ip, A.H., Li, W., Voznyy, O., Comin, R., Yuan, M., Jeon, S., Ning, Z., McDowell, J.J., Kanjanaboos, P., Sun, J.P., Lan, X., Quan, L.N., Kim, D.H., Hill, I.G., Maksymovych, P., Sargent, E.H., 2015, Perovskite–fullerene hybrid materials suppress hysteresis in planar diodes, *Nat. Commun.*, 6, 1–8.

Yamuro-Onoda, N., Matsuo, T., and Suga, H., 1990, Calorimetric and IR Spectroscopic Studies of Phase Transitions in Methylammonium Trihalogenoplumbates(II), *J. Phys. Chem. Solids.*, 51, 1383–1395.

Yang, D., Krasowska, M., Sedev, R., and Ralston, J., 2010, The unusual surface chemistry of $\alpha\text{-Al}_2\text{O}_3$ (0001), *Phys. Chem. Chem. Phys.*, 12, 13724.

Yang, J., Siempelkamp, B.D., Liu, D., and Kelly, T.L., 2015, Investigation of $\text{CH}_3\text{NH}_3\text{PbI}_3$ Degradation Rates and Mechanisms in Controlled Humidity Environments Using in Situ Techniques, *ACS Nano*, 9, 1955–1963.

Yin, W., Pan, L., Yang, T., and Liang, Y., 2016, Recent Advances in Interface Engineering for Planar Heterojunction Perovskite Solar Cells, *Molecules*, 21, 1–18.

You, S., Bi, S., Huang, J., Jia, Q., Xia, Y., Xiao, Z., Sun, Z., Liu, J., Sun, S., and Zhao, Z., 2017, Additive Enhanced Crystallization of Solution-Process for Planar Perovskite Solar Cells with Efficiency Exceeding 19%, *Chem. - A Eur. J.*, 23, 18140–18145.

Yu, H., Wang, F., Xie, F., Li, W., Chen, J., and Zhao, N., 2014, The Role of Chlorine in the Formation Process of “ $\text{CH}_3\text{NH}_3\text{PbI}_{3-x}\text{Cl}_x$ ” Perovskite, *Adv. Funct. Mater.*, 24, 7102–7108.

Yun, J.S., Ho-Baillie, A., Huang, S., Woo, S.H., Heo, Y., Seidel, J., Huang, F., Cheng, Y.B., and Green, M.A., 2015, Benefit of Grain Boundaries in Organic–Inorganic Halide Planar Perovskite Solar Cells, *J. Phys. Chem. Lett.*, 6, 875–880.

Zheng, E., Wang, X.F., Song, J., Yan, L., Tian, W., and Miyasaka, T., 2015, PbI₂-based Dipping-controlled Material Conversion for Compact Layer Free Perovskite Solar Cells, *ACS Appl. Mater. Interfaces.*, 7, 18156–18162.

Zhou, H., Chen, Q., Li, G., Luo, S., Song, T.-B., Duan, S.-H., Hong, Z., You, J., Liu, Y., and Yang, Y., 2014, Interface engineering of highly efficient perovskite solar cells, *Science*, 345, 542–546.