

REFERENCES

- BPJS Kesehatan, 2016, Info BPJS Kesehatan: Bayar Iuran JKN-KIS Tepat Waktu Bisa Terhindar dari Denda Pelayanan. *Media Eksternal BPJS Kesehatan*, Edisi 40, 12.
- Cao, D., Liu, Y., Yan, W., Wang, C., Bai, P., Wang, T., Tang, M., Wang, X., Yang, Z., Ma, B., Ma, L., Lei, L., Wang, F., Xu, B., Zhou, Y., Yang, T., Chen, L., 2016, Design, Synthesis, and Evaluation of in Vitro and in Vivo Anticancer Activity of 4-Substituted Coumarins: A Novel Class of Potent Tubulin Polymerization Inhibitors, *J. Med. Chem.*, 59, 5721–5739.
- Chamberlain, M.C., Grimm, S., Phuphanich, S., Recht, L., Zhu, J.Z., Kim, L., Rosenfeld, S., Fadul, C. E., 2014, A Phase 2 Trial of Verubulin for Recurrent Glioblastoma: a Prospective Study by the Brain Tumor Investigational Consortium (BTIC), *J. Neurooncol.*, 118, 335–343.
- Combes, S., Barbier, P., Douillard, S., McLeer-Florin, A., Bourgarel-Rey, V., Pierson, J., Federov, A. Y., Finet, J. P., Boutonnat, J., Peyrot, V., 2011, Synthesis and Biological Evaluation of 4-Arylcoumarin Analogues of Combretastatins. Part 2. *J. Med. Chem.*, 54, 3153–3162.
- Danishuddin and Khan, A.U., 2016, Descriptors and Their Selection Methods in QSAR Analysis: Paradigm for Drug Design, *Drug Discov. Today.*, 21, 1291–1302.
- El-Ahl, A.A.S., Elmorsy, S.S., Soliman, H., and Amer, F.A., 1995, A Facile and Convenient Synthesis of Substituted Tetrazole Derivatives from Ketones or α,β -Unsaturated Ketones, *Tetrahedron Lett.*, 36, 7337–7340.
- Erzincan, P., Saçan, M.T., Yüce-Dursun, B., Daniş, Ö., Demir, S., Erdem, S.S., and Ogan, A., 2015, QSAR Models for Antioxidant Activity of New Coumarin Derivatives, *SAR. QSAR. Environ. Res.*, 26, 721–737.
- Ghose, A.K. and Crippen, G.M., 1986, Atomic Physico-chemical Parameters for Threedimensional-structure-directed Quantitative Structure–activity Relationships I. Partition Coefficients as A Measure of Hydrophobicity, *J. Comput. Chem.*, 7, 565–577.
- Godhani, D.R., Jogel, A.A., Sanghani, A.M., and Mehta, J.P., 2015, Synthesis and Biological Screening of 1, 2, 4-Triazole Derivatives, *Ind. J. Chem*, 54, 556–564.
- Golbraikh, A., and Tropsha, A., 2000, Predictive QSAR Modeling Based on Diversity Sampling of Experimental Datasets for the Training and Test Set Selection, *J. Mol. Divers.*, 5, 231–243.
- Grant, S.K., 2009, Therapeutic Protein Kinase Inhibitors, *Cell. Mol. Life Sci.*, 66, 1163–1177.

- Hansch, C., Kurup, A., Garg, R., and Gao, H., 2001, Chem-Bioinformatics and QSAR: A Review of QSAR Lacking Positive Hydrophobic Terms, *Chem. Rev.*, 101, 619–672.
- Hmamouchi, R., Larif, M., Chtita, S., Adad, A., Bouachrine, M., and Lakhliifi, T., 2016, Predictive Modelling of the LD₅₀ Activities of Coumarin Derivatives Using Neural Statistical Approaches: Electronic Descriptor-Based DFT, *Integr. Med. Res.*, 10, 451–461.
- Holm, S.C., and Straub, B.F., 2011, Synthesis of N-Substituted 1,2,4-Triazoles, *Org. Prep. Proced. Int.*, 43, 319–347.
- Hoult, J.R.S., and Payá, M., 1996, Pharmacological and Biochemical Actions of Simple Coumarins: Natural Products with Therapeutic Potential, *Gen. Pharmacol.*, 27, 713–722.
- Huang, X.Y., Shan, Z.J., Zhai, H.L., Su, L., and Zhang, X.Y., 2011, Study on the Anticancer Activity of Coumarin Derivatives by Molecular Modeling, *Chem. Biol. Drug Des.*, 78, 651–658.
- Jain, A., 2017, Computer Aided Drug Design, *J. Phys. Conf. Ser.*, 884, 012072.
- Kavallaris, M., 2010, Microtubules and Resistance to Tubulin-binding Agents, *Nat. Rev. Cancer*, 10, 194–204.
- Kementrian Kesehatan RI Pusat Data dan Informasi Kesehatan, 2015, Stop Kanker, *Pus. Data dan Inf. Kementrian Kesehat. RI*, 1–8.
- Kim, S.-N., Kim, N.H., Park, Y.S., Kim, H., Lee, S., Wang, Q., and Kim, Y.K., 2009, 7-Diethylamino-3(2'-benzoxazolyl)-coumarin is a Novel Microtubule Inhibitor with Antimitotic Activity in Multidrug Resistant Cancer Cells, *Biochem. Pharmacol.*, 77, 1773–1779.
- Lipinski, C.A., Lombardo, F., Dominy, B.W., and Feeney, P.J., 2012, Experimental and Computational Approaches to Estimate Solubility and Permeability in Drug Discovery and Development Settings, *Adv. Drug Deliv. Rev.*, 64, 4–17.
- Luo, G., Muyaba, M., Lyu, W., Tang, Z., Zhao, R., Xu, Q., et al., 2017, Design, Synthesis and Biological Evaluation of Novel 3-substituted 4-Anilino-coumarin Derivatives as Antitumor Agents, *Bioorg. Med. Chem. Lett.*, 27, 867–874.
- Mareel, M. and Leroy, A., 2003, Clinical, Cellular, and Molecular Aspects of Cancer Invasion, *Physiol. Rev.*, 83, 337–376.
- Martínez-Martínez, F., Razo-Hernández, R., Peraza-Campos, A., Villanueva-García, M., Sumaya-Martínez, M., Cano, D., and Gómez-Sandoval, Z., 2012, Synthesis and in Vitro Antioxidant Activity Evaluation of 3-Carboxycoumarin Derivatives and QSAR Study of Their DPPH• Radical Scavenging Activity, *Molecules*, 17, 14882–14898.

- Mishra, M., Mishra, V.K., Senger, P., Pathak, A.K., and Kashaw, S.K., 2014, Exploring QSAR Studies on 4-Substituted Quinazoline Derivatives as Antimalarial Compounds for the Development of Predictive Models, *Med. Chem. Res.*, 23, 1397–1405.
- Mladenović, M., Mihailović, M., Bogojević, D., Matić, S., Nićiforović, N., Mihailović, V., *et al.*, 2011, In Vitro Antioxidant Activity of Selected 4-Hydroxy-chromene-2-one Derivatives, SAR, QSAR and DFT Studies, *J. Mol. Sci.*, 12, 2822–2841.
- Nograpy, T. and Weaver, D.F., 2005, *Medicinal Chemistry: A Molecular and Biochemical Approach*, Oxford University Press, Oxford.
- O'Reilly, R.A., Aggeler, P.M., and Leong, L.S., 1963, Studies on the Coumarin Anticoagulant Drugs: the Pharmacodynamic of Warfarin in Man, *J. Clin. Invest.*, 42, 1542–1551.
- Pasciak, E.M., Rittichier, J.T., Chen, C.H., Mubarak, M.S., VanNieuwenhze, M.S., and Peters, D.G., 2015, Electroreductive Dimerization of Coumarin and Coumarin Analogues at Carbon Cathodes, *J. Org. Chem.*, 80, 274–280.
- Patrick, G.L., 2009, *An Introduction to Medicinal Chemistry, UCL Lect. notes*, 40, 752.
- Potts, K.T., 1961, The Chemistry of 1,2,4-Triazoles, *Chem. Rev.*, 61, 87–127.
- Poumale, H.M.P., Hamm, R., Zang, Y., Shiono, Y., and Kuete, V., 2013, *Coumarins and Related Compounds from the Medicinal Plants of Africa, Medicinal Plant Research in Africa.*, Elsevier, 261–300.
- Pramesti, G., 2017, *Statistika Penelitian dengan SPSS 24*, PT. Gramedia, Jakarta.
- Sashidhara, K. V, Kumar, A., Chatterjee, M., Rao, K.B., Singh, S., Verma, A.K., and Palit, G., 2011, Discovery and Synthesis of Novel 3-Phenylcoumarin Derivatives as Antidepressant Agents, *Bioorg. Med. Chem. Lett.*, 21, 1937–1941.
- Srivastav, V.K. and Tiwari, M., 2017, Original Article QSAR and Docking Studies of Coumarin Derivatives as Potent HIV-1 Integrase Inhibitors, *Arab. J. Chem.*, 10, S1081–S1094.
- Torre, L.A., Bray, F., Siegel, R.L., Ferlay, J., Lortet-Tieulent, J., and Jemal, A., 2015, Global Cancer Statistics 2012, *Cancer J. Clin.*, 65, 87–108.
- Vasconcelos, J.F., Teixeira, M.M., Barbosa-Filho, J.M., Agra, M.F., Nunes, X.P., Giulietti, A.M., Santos, R.R.D., 2009, Effects of Umbelliferone in a Murine Model of Allergic Airway Inflammation, *Eur. J. Pharmacol.*, 609, 126–131.
- Venugopala, K.N., Rashmi, V., and Odhav, B., 2013, Review on Natural Coumarin Lead Compounds for Their Pharmacological Activity, *Biomed Res. Int.*, 2013, 1–14.

Warren, S., 1982, *The Disconnection Approach Organic Synthesis*, John Wiley & Sons, New York.

Worachartcheewan, A., Suvannang, N., Prachayasittikul, S., Prachayasittikul, V., and Nantasenamat, C., 2014, Probing the Origins of Aromatase Inhibitory Activity of Disubstituted Coumarins via QSAR and Molecular Docking, *Ex. Cli. J.*, 13, 1259–74.

Yamaguchi, Y., Pandey, S.S., Fujikawa, N., Ogomi, Y., and Hayase, S., 2014, A Combined Theoretical and Experimental Approaches Towards Designing NIR Dyes for Dye-sensitised Solar Cells, *J. Eng. Sci. Tech.*, 51–65.

Young, D.C., 2001, *Chemistry Computational Chemistry a Practical Guide for Applying Techniques to Real-World Problems*, John Wiley & Sons, New York.