

## DAFTAR PUSTAKA

- Ahmed, M.A., 2011, Surface Characterization and Catalytic Activity of Sulfated-Hafnia Promoted Zirconia Catalysts for n-Butane Isomerization, *Fuel Process. Technol.*, 92, 1121–1128.
- Al-Hazmi, M.H., 2005, Synthesis, Characterization, and Application of Zirconia and Sulfated Zirconia Derived from Single Source Precursors, *Dissertation*, Faculty of the Graduate College, Oklahoma State University, Stillwater, Oklahoma.
- Antari, R. dan Umiyasih, U., 2009, Pemanfaatan Tanaman Ubi Kayu dan Limbahnya secara Optimal sebagai Pakan Ternak Ruminansia, *Wartazoa*, 19, 191–200.
- Ardizzzone, S. and Bianchi, C.L., 2000, XPS Characterization of Sulphated Zirconia Catalysts: The Role of Iron, *Surf. Interface Anal.*, 30, 77–80.
- Askeland, D.R., Fulay, P.P., and Wright, W.J., 2010, *The Science and Engineering of Materials*, 6<sup>th</sup> ed. Cengage Learning Inc., Stamford.
- Babou, F., Bigot, B., Coudurier, G., Sautet, P., and Vendrine, J.C., 1993, Sulfated Zirconia for n-Butane Isomerization Experimental and Theoretical Approaches, In, Hattori, H., Misono, M., and Ono, Y. (eds), *Studies in Surface Science and Catalysis 90 Proceedings of the International Symposium on Acid-Base Catalysis 11*, Elsevier, 548–559.
- Badan Pusat Statistik, 2015, Produksi Tanaman Pangan dan Perkebunan Berdasarkan Provinsi.
- Bangi, U.K., Park, C.-S., Baek, S., and Park, H.-H., 2013, Sol–gel Synthesis of High Surface Area Nanostructured Zirconia Powder by Surface Chemical Modification, *Powder Technol.*, 239, 314–318.
- Barr, C.J., Hanson, B.L., Click, K., Perrotta, G., and Schall, C.A., 2014, Influence of Ionic-Liquid Incubation Temperature on Changes in Cellulose Structure, Biomass Composition, and Enzymatic Digestibility, *Cellulose*, 21, 973–982.
- Beck, J.S., Vartuli, J.C., Roth, W.J., Leonowicz, M.E., Kresge, C.T., Schmitt, K.D., et al., 1992, A New Family of Mesoporous Molecular Sieves Prepared with Liquid Crystal Templates, *J. Am. Chem. Soc.*, 114, 10834–10843.
- Bentley, D., Bingham, Lord, and Goddard, Lord, 2008, Principles of Heterogeneous Catalysis. In, Ertl, G., Knozinger, H., Schuth, F., and Weitkamp, J. (eds), *Handbook of Heterogeneous Catalysis*, Wiley-VCH, New Jersey, 1–15.
- Bolis, V., Magnacca, G., Cerrato, G., and Morterra, C., 1997, Microcalorimetric Characterization of Structural and Chemical Heterogeneity of Superacid SO<sub>4</sub>/ZrO<sub>2</sub> Systems, *Langmuir*, 13, 888–894.
- Bosman, H.J.M., 1995, Characterization of the Acidity of SiO<sub>2</sub>-ZrO<sub>2</sub> Mixed Oxides,

*Thesis*, Technische Universiteit Eindhoven, Heerlen, Netherlands.

- Busto, M., Shimizu, K., Vera, C.R., Grau, J.M., Pieck, C.L., D'Amato, M.A., Causa, M.T., and Tovar, M., 2008, Influence of Hydrothermal Aging on the Catalytic Activity of Sulfated Zirconia, *Appl. Catal. A Gen.*, 348, 173–182.
- Cabiac, A., Guillon, E., Chambon, F., Pinel, C., Rataboul, F., and Essayem, N., 2011, Cellulose Reactivity and Glycosidic Bond Cleavage in Aqueous Phase by Catalytic and non Catalytic Transformations, *Appl. Catal. A Gen.*, 402, 1–10.
- Caillot, T., Salama, Z., Chanut, N., Aires, F.J.C.S., Bennici, S., and Auroux, A., 2013, Hydrothermal Synthesis and Characterization of Zirconia Based Catalysts, *J. Solid State Chem.*, 203, 79–85.
- Canton, P., Olindo, R., Pinna, F., Strukul, G., Riello, P., Meneghetti, M., Cerrato, G., Morterra, C., and Benedetti, A., 2001, Alumina-promoted Sulfated Zirconia System: Structure and Microstructure Characterization, *Chem. Mater.*, 13, 1634–1641.
- Chambon, F., Rataboul, F., Pinel, C., Cabiac, A., Guillon, E., and Essayem, N., 2011, Cellulose Hydrothermal Conversion Promoted by Heterogeneous Brønsted and Lewis acids: Remarkable Efficiency of Solid Lewis Acids to Produce Lactic Acid, *Appl. Catal. B Environ.*, 105, 171–181.
- Chareonlimkun, A., Champreda, V., Shotipruk, A., and Laosiripojana, N., 2010, Reactions of C5 and C6-sugars, Cellulose, and Lignocellulose under Hot Compressed Water (HCW) in the Presence of Heterogeneous Acid Catalysts, *Fuel*, 89, 2873–2880.
- Chen, S.G., Yin, Y.S., and Wang, D.P., 2004, Experimental and Theoretical Investigation on the Correlation between Aqueous Precursors Structure and Crystalline Phases of Zirconia, *J. Mol. Struct.*, 690, 181–187.
- Chen, W.-H., Ko, H.-H., Sakthivel, A., Huang, S.-J., Liu, S.-H., Lo, A.-Y., Tsai, T.-C., and Liu, S.-B., 2006, A Solid-state NMR, FT-IR and TPD Study on Acid Properties of Sulfated and Metal-promoted Zirconia: Influence of Promoter and Sulfation Treatment, *Catal. Today*, 116, 111–120.
- Chen, X., Ju, Y., and Mou, C., 2007, Direct Synthesis of Mesoporous Sulfated Silica-Zirconia Catalysts with High Catalytic Activity for Biodiesel via Esterification, *J. Phys. Chem. C* 18731–18737.
- Cheng, M., Shi, T., Guan, H., Wang, S., Wang, X., and Jiang, Z., 2011, Clean Production of Glucose from Polysaccharides using a Micellar Heteropolyacid as a Heterogeneous Catalyst, *Appl. Catal. B Environ.*, 107, 104–109.
- Chung, F.H. and Smith, D.K., 2000, *Industrial Applications of X-ray Diffraction*, Marcel Dekker Inc., New York.
- Ciesla, U., Fröba, M., Stucky, G., and Schüth, F., 1999, Highly Ordered Porous Zirconias from Surfactant-controlled Syntheses: Zirconium Oxide-sulfate and Zirconium Oxo Phosphate, *Chem. Mater.*, 11, 227–234.

- Clearfield, A. and Vaughan, P.A., 1956, The Crystal Structure of Zirconyl Chloride Octahydrate and Zirconyl Bromide Octahydrate, *Acta Crystallogr.*, 9, 555–558.
- Dankesreiter, S., 2011, *Advanced Synthesis of Gold and Zirconia Nanoparticles and Their Characterization*, Diplomica® Verlag GmbH, Hamburg.
- Das, S.K., Bhunia, M.K., Sinha, A.K., and Bhaumik, A., 2009, Self-assembled Mesoporous Zirconia and Sulfated Zirconia Nanoparticles Synthesized by Triblock Copolymer as Template, *J. Phys. Chem. C.*, 113, 8918–8923.
- Davis, B.H., 2008, *Development of the Science of Catalysis*, In, Ertl, G., Knozinger, H., Schuth, F., and Weitkamp, J. (eds), *Handbook of Heterogeneous Catalysis*. Wiley-VCH, New Jersey, 16–37.
- Degirmenci, V., Uner, D., Cinlar, B., Shanks, B.H., Yilmaz, A., Santen, R.A. Van, and Hensen, E.J.M., 2011, Sulfated Zirconia Modified SBA-15 Catalysts for Cellobiose Hydrolysis, *Catal. Letters*, 141, 33–42.
- Deshmane, V.G. and Adewuyi, Y.G., 2013, Mesoporous Nanocrystalline Sulfated Zirconia Synthesis and Its Application for FFA Esterification in Oils, *Appl. Catal. A Gen.*, 462–463, 196–206.
- Dhepe, P.L. and Fukuoka, A., 2007, Cracking of Cellulose over Supported Metal Catalysts, *Catal. Surv. from Asia*, 11, 186–191.
- Duan, G., Zhang, C., Li, A., Yang, X., Lu, L., and Wang, X., 2008, Preparation and Characterization of Mesoporous Zirconia Made by Using a Poly (methyl methacrylate) Template, *Nanoscale Res. Lett.*, 3, 118–22.
- Ejtemaei, M., Tavakoli, A., Charchi, N., Bayati, B., Babaluo, A.A., and Bayat, Y., 2014, Synthesis of Sulfated Zirconia Nanopowders via Polyacrylamide Gel Method, *Adv. Powder Technol.*, 25, 840–846.
- Faesar, F., 2013, Pengolahan Limbah Tanaman Jagung untuk Pakan Ternak Sapi Potong, dalam, *Seminar Nasional Inovasi Teknologi Pertanian*. Litbang Pertanian, Banjarbaru, 181–190.
- Fahlman, B.D., 2011, *Materials Chemistry*, 2<sup>nd</sup> ed. Springer, Michigan.
- Fan, C., Do, D.D., and Nicholson, D., 2013, Condensation and Evaporation in Capillaries with Nonuniform Cross Sections, *Ind. Eng. Chem. Res.*, 52, 14304–14314.
- Farcasiu, D., Li, J.Q., and Cameron, S., 1997, Preparation of Sulfated Zirconia Catalysts with Improved Control of Sulfur Content II. Effect of Sulfur Content on Physical Properties and Catalytic Activity, *Appl. Catal. A Gen. Catal. A Gen.*, 154, 173–184.
- Feng, L. and Chen, Z., 2008, Research Progress on Dissolution and Functional Modification of Cellulose in Ionic Liquids, *J. Mol. Liq.*, 142, 1–5.
- Fraenkel, D., Jentzsch, N.R., Starr, C. A., and Nikrad, P. V., 2010, Acid Strength of Solids Probed by Catalytic Isobutane Conversion, *J. Catal.*, 274, 29–51.

- Gao, Z., Xia, Y., Hua, W., and Miao, C., 1998, New Catalyst of SO<sub>4</sub><sup>2-</sup>/Al<sub>2</sub>O<sub>3</sub>-ZrO<sub>2</sub> for n-Butane Isomerization, *Top. Catal.*, 6, 101–106.
- Glozzi, G., Innorta, A., Mancini, A., Bortolo, R., Perego, C., Ricci, M., and Cavani, F., 2014, Zr/P/O Catalyst for the Direct Acid Chemo-Hydrolysis of non-Pretreated Microcrystalline Cellulose and Softwood Sawdust, *Appl. Catal. B Environ.*, 145, 24–33.
- Glover, T.G., Peterson, G.W., Decoste, J.B., and Browe, M.A., 2012, Adsorption of Ammonia by Sulfuric Acid Treated Zirconium Hydroxide, *Langmuir*, 28, 10478–10487.
- Goldstein, J.I., Newbury, D.E., Michael, J.R., Ritchie, N.W.M., Scott, J.H.J., and Joy, D.C., 2018, *Microscopy and X-Ray Microanalysis*, 4<sup>th</sup> ed. Springer, New York.
- Gordon, C.M., 2002, Synthesis of ionic liquid. In, Wasserscheid, P. and Welton, T. (eds), *Ionic Liquids in Synthesis*, Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim, 1–29.
- Grecea, M.L., Dimian, A.C., Tanase, S., Subbiah, V., and Rothenberg, G., 2012, Sulfated zirconia as a Robust Superacid Catalyst for Multiproduct Fatty Acid Esterification, *Catal. Sci. Technol.*, 2, 1500.
- Guo, F., Fang, Z., Xu, C.C., and Smith, R.L., 2012, Solid Acid Mediated Hydrolysis of Biomass for Producing Biofuels, *Prog. Energy Combust. Sci.*, 38, 672–690.
- He, C.X., Yue, B., Cheng, J.F., Hua, W.M., Yue, Y.H., and He, H.Y., 2009, Preparation and Characterization of Mesoporous Tetragonal Sulfated Zirconia, *Chinese Chem. Lett.*, 20, 869–872.
- Hegner, J., Pereira, K.C., DeBoef, B., and Lucht, B.L., 2010, Conversion of Cellulose to Glucose and Levulinic Acid via Solid-Supported Acid Catalysis, *Tetrahedron Lett.*, 51, 2356–2358.
- Heshmatpour, F. and Aghakhanpour, R.B., 2012, Synthesis and Characterization of Superfine Pure Tetragonal Nanocrystalline Sulfated Zirconia Powder by a non-Alkoxide Sol–Gel Route, *Adv. Powder Technol.*, 23, 80–87.
- Hino, M., Kurashige, M., Matsushashi, H., and Arata, K., 2006, The Surface Structure of Sulfated Zirconia: Studies of XPS and Thermal Analysis, *Thermochim. Acta*, 441, 35–41.
- Holm, J. and Lassi, U., 2011, Ionic Liquids in the Pretreatment of Lignocellulosic Biomass, In, Kokorin, A. (ed), *Ionic Liquids: Applications and Perspectives*, InTech, 545–560.
- Hu, L., Lin, L., Wu, Z., Zhou, S., and Liu, S., 2015, Chemocatalytic Hydrolysis of Cellulose into Glucose over Solid Acid Catalysts, *Appl. Catal. B Environ.*, 174, 225–243.
- Hu, X., Xiao, Y., Niu, K., Zhao, Y., Zhang, B., and Hu, B., 2013, Functional Ionic Liquids for Hydrolysis of Lignocellulose, *Carbohydr. Polym.*, 97, 172–6.

- Hua, W., Xia, Y., Yue, Y., and Gao, Z., 2000, Promoting Effect of Al on SO<sub>4</sub><sup>2-</sup>/M<sub>x</sub>O<sub>y</sub> (M=Zr, Ti, Fe) Catalysts, *J. Catal.*, 196, 104–114.
- Huang, B., Bartholomew, C.H., and Woodfield, B.F., 2014, Improved Calculations of Pore Size Distribution for Relatively Large, Irregular Slit-Shaped Mesopore Structure, *Microporous Mesoporous Mater.*, 184, 112–121.
- Huang, Y.-Y., McCarthy, T.J., and Sachtler, W.M.H., 1996, Preparation and Catalytic Testing of Mesoporous Sulfated Zirconium Dioxide with Partially Tetragonal Wall Structure. *Appl. Catal. A Gen.*, 148, 135–154.
- Hudec, P., Smiešková, A., and Jorík, V., 2008, Sensitivity of the C-constant of BET-Isotherm to the content of Micropore Volume in Mesoporous Matrix, *Stud. Surf. Sci. Catal.*, 174, 981–984.
- Hwang, C.-C., Chen, X.-R., Wong, S.-T., Chen, C.-L., and Mou, C.-Y., 2007, Enhanced Catalytic Activity for Butane Isomerization with Alumina-Promoted Tungstated Mesoporous Zirconia, *Appl. Catal. A Gen.*, 323, 9–17.
- Hwang, C.-C. and Mou, C.-Y., 2009, Comparison of the Promotion Effects on Sulfated Mesoporous Zirconia Catalysts Achieved by Alumina and Gallium, *Appl. Catal. A Gen.*, 365, 173–179.
- Ivanov, V.K., Baranchikov, A.Y., Kopitsa, G.P., Lermontov, S.A., Yurkova, L.L., Gubanova, N.N., Ivanova, O.S., Lermontov, A.S., Rumyantseva, M.N., Vasilyeva, L.P., Sharp, M., Pranzas, P.K., and Tretyakov, Y.D., 2013, pH Control of the Structure, Composition, and Catalytic Activity of Sulfated Zirconia, *J. Solid State Chem.*, 198, 496–505.
- Jentoft, F.C., Hahn, A., Kröhnert, J., Lorenz, G., Jentoft, R.E., Ressler, T., et al., 2004, Incorporation of Manganese and Iron into the Zirconia Lattice in Promoted Sulfated Zirconia Catalysts, *J. Catal.*, 224, 124–137.
- Jentoft, R.E., Hahn, A., Jentoft, F.C., and Ressler, T., 2001, Manganese, Iron and Sulfur K edge XAFS of Promoted Sulfated Zirconia Catalysts, *J. Synchrotron Radiat.*, 8, 563–565.
- Jiang, Y., Li, X., Cao, Q., and Mu, X., 2010, Acid Functionalized, Highly Dispersed Carbonaceous Spheres: An Effective Solid Acid for Hydrolysis of Polysaccharides, *J. Nanoparticle Res.*, 13, 463–469.
- Jiménez-Morales, I., Del Río-Tejero, M.A., Braos-García, P., Santamaría-González, J., Maireles-Torres, P., and Jiménez-López, A., 2012, Preparation of Stable Sulfated Zirconia by Thermal Activation from a Zirconium Doped Mesoporous MCM-41 Silica: Application to the Esterification of Oleic Acid with Methanol, *Fuel Process. Technol.*, 97, 65–70.
- Jin, T., Yamaguchi, T., and Tanabe, K., 1986, Mechanism of Acidity Generation on Sulfur-Promoted Metal Oxides, *J. Phys. Chem.*, 90, 4794–4796.
- Kaneko, K., 1994, Determination of Pore Size and Pore Size Distribution, *J. Memb. Sci.*, 96, 59–89.
- Khatri, C., Mishra, M.K., and Rani, A., 2010, Synthesis and Characterization of Fly



- Ash Supported Sulfated Zirconia Catalyst for Benzylolation Reactions, *Fuel Process. Technol.*, 91, 1288–1295.
- Kim, M., DiMaggio, C., Salley, S.O., and Simon Ng, K.Y., 2012, A New Generation of Zirconia Supported Metal Oxide Catalysts for Converting Low Grade Renewable Feedstocks to Biodiesel, *Bioresour. Technol.*, 118, 37–42.
- Kim, S.-J., Dwiatmoko, A.A., Choi, J.W., Suh, Y.-W., Suh, D.J., and Oh, M., 2010, Cellulose Pretreatment with 1-n-Butyl-3-Methylimidazolium Chloride for Solid Acid-Catalyzed Hydrolysis, *Bioresour. Technol.*, 101, 8273–9.
- Kim, S. and Kim, C.H., 2013, Bioethanol Production using the Sequential Acid/Alkali-Pretreated Empty Palm Fruit Bunch Fiber, *Renew. Energy*, 54, 150–155.
- Koel, B.E. and Kim, J., 2008, *Promoters and Poisons*. In, Ertl, G., Knözinger, H., Schuth, F., and Weitkamp, J. (eds), *Handbook of Heterogeneous Catalysis*, Wiley-VCH, New Jersey, 1593–1624.
- Komanoya, T., Kobayashi, H., Hara, K., Chun, W.-J., and Fukuoka, A., 2011, Catalysis and Characterization of Carbon-Supported Ruthenium for Cellulose Hydrolysis, *Appl. Catal. A Gen.*, 407, 188–194.
- Kourieh, R., Rakic, V., Bennici, S., and Auroux, A., 2013, Relation Between Surface Acidity and Reactivity in Fructose Conversion into 5-HMF using Tungstated Zirconia Catalysts, *CATCOM*, 30, 5–13.
- Kresge, C.T., Leonowicz, M.E., Roth, W.J., Vartuli, J.C., and Beck, J.S., 1992, Ordered Mesoporous Molecular Sieves Synthesized by Liquid Crystal Template, *Nature*, 359, 710–712.
- Kristiani, A., Sembiring, K.C., Aulia, F., and Abimanyu, H., 2015, Sulfated Zirconia Catalyst for Hydrolysis of Palm Oil Lignocellulosic Wastes, *Energy Procedia*, 8–13.
- Kurapova, O.Y. and Konakov, V.G., 2014, Phase Evolution in Zirconia Based Systems, *Rev. Adv. Mater. Sci.*, 36, 177–190.
- Labidi, S., Amar, M. Ben, Passarello, J.-P., Neindre, B. Le, and Kanaev, A., 2017, Design of Novel Sulfated Nanozirconia Catalyst for Biofuel Synthesis, *Ind. Eng. Chem. Res.*, 1394–1403.
- Lahousse, C., Aboulayt, A., Mauge, F., Bachelier, J., and Lavalley, J.C., 1993, Acidic and Basic Properties of Zirconia-Alumina and Zirconia-Titania Mixed Oxides, *J. Mol. Catal.*, 84, 283–297.
- Lai, D., Deng, L., Li, J., Liao, B., Guo, Q., and Fu, Y., 2011, Hydrolysis of Cellulose into Glucose by Magnetic Solid Acid, *ChemSusChem*, 4, 55–8.
- Laizet, J.B., Sjøiland, A.K., Leglise, J., and Duchet, J.C., 2000, Influence of Sulfation and Structure of Zirconia on Catalytic Isomerization of n-Hexane, *Top. Catal.*, 10, 89–97.
- Lanzafame, P., Temi, D.M., Perathoner, S., and Spadaro, A.N., 2012, Direct

- Conversion of Cellulose to Glucose and Valuable Intermediates in Mild Reaction Conditions over Solid Acid Catalysts, *Catal. Today*, 179, 178–184.
- Li, X., Nagaoka, K., and Lercher, J. A., 2004, Labile Sulfates as Key Components in Active Sulfated Zirconia for n-Butane Isomerization at Low Temperatures, *J. Catal.*, 227, 130–137.
- Liao, Y., Huang, X., Liao, X., and Shi, B., 2011, Preparation of Fibrous Sulfated Zirconia (SO<sub>4</sub><sup>2-</sup>/ZrO<sub>2</sub>) Solid Acid Catalyst using Collagen Fiber as the Template and Its Application in Esterification, *J. Mol. Catal. A Chem.*, 347, 46–51.
- Lismeri, L., Zari, P.M., Novarani, T., and Darni, Y., 2016, Sintesis Selulosa Asetat dari Limbah Batang Ubi Kayu, *J. Rekayasa Kim. dan Lingkung.*, 11, 82–91.
- Løften, T., Gnep, N.S., Guisnet, M., and Blekkan, E.A., 2005, Iron and Manganese Promoted Sulfated Zirconia: Acidic Properties and n-Butane Isomerization Activity, *Catal. Today*, 100, 397–401.
- Lowell, S. and Shields, J.E., 1991, *Powder Surface Area and Porosity*, 3<sup>rd</sup> ed. Springer Science+Business Media, New York.
- Lowell, S., Shields, J.E., Thomas, M.A., and Thommes, M., 2004, *Characterization of Porous Solids and Powders: Surface Area, Pore Size and Density*, Springer Netherlands, Dordrecht.
- Lutecki, M. and Breitskopf, C., 2009, Improvement of the Catalytic Isomerization Performance for Sulfated Zirconias by Use of Templating Techniques, *Appl. Catal. A Gen.*, 352, 171–178.
- Lutecki, M., Solcova, O., Werner, S., and Breitskopf, C., 2009, Synthesis and Characterization of Nanostructured Sulfated Zirconias, *J. Sol-Gel Sci. Technol.*, 53, 13–20.
- Mäki-Arvela, P., Anugwom, I., Virtanen, P., Sjöholm, R., and Mikkola, J.P., 2010, Dissolution of Lignocellulosic Materials and Its Constituents Using Ionic Liquids-A Review, *Ind. Crops Prod.*, 32, 175–201.
- Marceau, E., Carrier, X., Che, M., Clause, O., and Marcilly, C., 2008, Ion Exchange and Impregnation, In: Ertl, G., Knözinger, H., Schuth, F., and Weitkamp, J. (eds), *Handbook of Heterogeneous Catalysis*. Wiley-VCH, New Jersey, pp. 483–500.
- McIntosh, D.J., 1999, Synthesis and Characterization of Mesoporous Sulfated Zirconia and Its Use as a Solid Acid Catalyst, *Thesis*, Department of Chemistry, Faculty of Graduate Studies, Calgary University.
- Melada, S., Ardizzzone, S.A., and Bianchi, C.L., 2004, Sulphated Zirconia by Sol-Gel Route: The Effects of the Preparative Variables, *Microporous Mesoporous Mater.*, 73, 203–209.
- Mena-Durán, C.J. and Macquarrie, D.J., 2014, Esterification of Lauric Acid with Methanol Using Sulfonated Starbons, *Res. J. Chem. Environ.*, 18, 1–6.

- Millet, J.M.M., Signoretto, M., and Bonville, P., 2000, Characterization of Fe-Promoted Sulfated Zirconia Catalysts Used for the n-Butane Isomerization by XPS and Mössbauer Spectroscopies, *Catal. Letters*, 64, 135–140.
- Miranda M, C.D., Ramírez S, A.E., Jurado, S.G., and Vera, C.R., 2015, Superficial Effects and Catalytic Activity of ZrO<sub>2</sub>-SO<sub>4</sub><sup>2-</sup> as a Function of the Crystal Structure, *J. Mol. Catal. A Chem.*, 398, 325–335.
- Mood, S.H., Golfeshan, A.H., Tabatabaei, M., Abbasalizadeh, S., and Ardjmand, M., 2013, Comparison of Different Ionic Liquids Pretreatment for Barley Straw Enzymatic Saccharification, *3 Biotech*, 3, 399–406.
- Morales-de-laRosa, S., Campos-Martin, J.M., and Fierro, J.L.G., 2012, High Glucose Yields from the Hydrolysis of Cellulose Dissolved in Ionic Liquids, *Chem. Eng. J.*, 181–182, 538–541.
- Moreno, J.A. and Poncelet, G., 2001, Isomerization of n-Butane over Sulfated Al- and Ga-Promoted Zirconium Oxide Catalysts. Influence of Promoter and Preparation Method, *J. Catal.*, 203, 453–465.
- Munnik, P., De Jongh, P.E., and De Jong, K.P., 2015, Recent Developments in the Synthesis of Supported Catalysts, *Chem. Rev.*, 115, 6687–6718.
- Muñoz, M.C., Gallego, S., Beltrán, J.I., and Cerdá, J., 2006, Adhesion at Metal-ZrO<sub>2</sub> Interfaces. *Surf. Sci. Rep.*, 61, 303–344.
- Nakamoto, K., 2009, *Infrared and Raman Spectra of Inorganic and Coordination Compounds Part A: Theory and Applications*, 6<sup>th</sup> ed. John Wiley & Sons, Inc., New Jersey.
- Ni, J., Wang, H., Chen, Y., She, Z., Na, H., and Zhu, J., 2013, A Novel Facile Two-Step Method for Producing Glucose from Cellulose, *Bioresour. Technol.*, 137, 106–110.
- Norman, C.J., Goulding, P.A., and McAlpine, I., 1994, Role of Anions in the Surface Area Stabilisation of Zirconia, *Catal. Today*, 20, 313–322.
- Olivier-Bourbigou, H., Magna, L., and Morvan, D., 2010, Ionic Liquids and Catalysis: Recent Progress from Knowledge to Applications, *Appl. Catal. A Gen.*, 373, 1–56.
- Onda, A., Ochi, T., and Yanagisawa, K., 2009, Hydrolysis of Cellulose Selectively into Glucose over Sulfonated Activated Carbon Catalyst under Hydrothermal Conditions, *Top. Catal.*, 52, 801–807.
- Oudiani, A. El, Chaabouni, Y., Msahli, S., and Sakli, F., 2011, Crystal Transition from Cellulose I to Cellulose II in NaOH Treated Agave americana L. Fibre, *Carbohydr. Polym.*, 86, 1221–1229.
- Pang, J., Wang, A., Zheng, M., and Zhang, T., 2010, Hydrolysis of Cellulose into Glucose over Carbons Sulfonated at Elevated Temperatures, *Chem. Commun. (Camb.)*, 46, 6935–7.
- Patel, A., Brahmkhatri, V., and Singh, N., 2013, Biodiesel Production by



- Esterification of Free Fatty Acid over Sulfated Zirconia, *Renew. Energy*, 51, 227–233.
- Pointner, M., Kuttner, P., Obrlik, T., Jäger, A., and Kahr, H., 2014, Composition of Corncobs as a Substrate for Fermentation of Biofuels, *Agron. Res.*, 12, 391–396.
- Prastowo, B., 2007, Potensi Sektor Pertanian sebagai Penghasil dan Pengguna Energi Terbarukan, *Perspektif*, 6, 84–92.
- Pratiwi, R., Rahayu, D., and Barliana, M.I., 2016, Pemanfaatan Selulosa dari Limbah Jerami Padi (*Oryza sativa*) sebagai Bahan Bioplastik, *Indones. J. Pharm. Sci. Technol.*, 3, 83–91.
- Reddy, B.M. and Patil, M.K., 2009, Organic Syntheses and Transformations Catalyzed by Sulfated Zirconia, *Chem. Rev.*, 109, 2185–2208.
- Reddy, B.M., Reddy, G.K., Rao, K.N., and Katta, L., 2009, Influence of Alumina and Titania on the Structure and Catalytic Properties of Sulfated Zirconia : Beckmann Rearrangement, *J. Mol. Catal. A Chem.*, 306, 62–68.
- Reddy, B.M., Sreekanth, P.M., Yamada, Y., and Kobayashi, T., 2005, Surface Characterization and Catalytic Activity of Sulfate-, Molybdate- and Tungstate-Promoted Al<sub>2</sub>O<sub>3</sub>–ZrO<sub>2</sub> Solid Acid Catalysts, *J. Mol. Catal. A Chem.*, 227, 81–89.
- Ren, B., Fan, M., Wang, J., and Jing, X., 2011, Preparation and Application of Magnetic Solid Acid SO<sub>2</sub>/ZrO<sub>2</sub>/Fe<sub>3</sub>O<sub>4</sub>/WO<sub>3</sub> Synthesis of Fructose, *Solid State Sci.*, 13, 1594–1598.
- Reyes-Luyanda, D., Flores-Cruz, J., Morales-Pérez, P.J., Encarnación-Gómez, L.G., Shi, F., Voyles, P.M., and Cardona-Martínez, N., 2012, Bifunctional Materials for the Catalytic Conversion of Cellulose into Soluble Renewable Biorefinery Feedstocks, *Top. Catal.*, 55, 148–161.
- Rosenberg, D.J. and Anderson, J. A., 2002, On Determination of Acid Site Densities on Sulfated Oxides, *Catal. Letters*, 83, 59–63.
- Rubio, E., Rodriguez-lugo, V., and Rodriguez, R., 2009, Nano Zirconia and Sulfated Zirconia from Ammonia Zirconium Carbonate, *Rev. Adv. Mater. Sci.*, 22, 67–73.
- Sarah, M., Misran, E., Syamsiah, S., and Millati, R., 2008, Estimasi Teoretis Perolehan Bioetanol dari Hidrolisis Tandan Kosong Kelapa Sawit (TKS) Menggunakan Asam Encer, *J. Penelit. Rekayasa*, 1, 47–50.
- Saravanan, K., Tyagi, B., and Bajaj, H.C., 2014, Catalytic Activity of Sulfated Zirconia Solid Acid Catalyst for Esterification of Myristic Acid with Methanol, *Indian J. Chem.*, 53A, 799–805.
- Saravanan, K., Tyagi, B., and Bajaj, H.C., 2016a, Nano-Crystalline, Mesoporous Aerogel Sulfated Zirconia as an Efficient Catalyst for Esterification of Stearic Acid with Methanol, *Appl. Catal. B Environ.*, 192, 161–170.

- Saravanan, K., Tyagi, B., and Bajaj, H.C., 2012, Sulfated Zirconia: An Efficient Solid Acid Catalyst for Esterification of Myristic Acid with Short Chain Alcohols, *Catal. Sci. Technol.*, 2512–2520.
- Saravanan, K., Tyagi, B., Shukla, R.S., and Bajaj, H.C., 2016b, Solvent Free Synthesis of Methyl Palmitate over Sulfated Zirconia Solid Acid Catalyst, *Fuel*, 165, 298–305.
- Schwartz, D., Gadiou, R., Brilhac, J.F., Prado, G., and Martinez, G., 2000, A Kinetic Study of the Decomposition of Spent Sulfuric Acids at High Temperature, *Ind. Eng. Chem. Res.*, 39, 2183–2189.
- Setyawan, N., 2017, Biosilika dari Sekam Tingkatkan Produktivitas Padi dan Tekan Serangan Blasy, *BPTP Lampung*, 1–5.
- Shimizu, K., Furukawa, H., Kobayashi, N., and Satsuma, A., 2009, Effects of Brønsted and Lewis Acidities on Activity and Selectivity of Heteropolyacid-Based Catalysts for Hydrolysis of Cellobiose and Cellulose, *Green Chem.*, 11, 1627–1632.
- Sietsma, J.R.A., van Dillen, A.J., De Jongh, P.E., and De Jong, K.P., 2006, Application of Ordered Mesoporous Materials as Model Supports to Study Catalyst Preparation by Impregnation and Drying, In, *Scientific Bases for The Preparation of Heterogeneous Catalysts*. Elsevier B.V., Amsterdam, pp. 95–102.
- Sing, K.S.W., 1982, Reporting Physisorption Data for Gas/Solid Systems with Special Reference to the Determination of Surface Area and Porosity (Provisional), *Pure Appl. Chem.*, 54, 2201–2218.
- Song, X. and Sayari, A., 1996, Sulfated Zirconia-Based Strong Solid-Acid Catalysts: Recent Progress, *Catal. Rev. Sci. Eng.*, 38, 37–41.
- Sribala, G. and Vinu, R., 2014, Unified Kinetic Model for Cellulose Deconstruction via Acid Hydrolysis, *Ind. Eng. Chem. Res.*, 53, 8714–8725.
- Suganuma, S., Nakajima, K., Kitano, M., Yamaguchi, D., Kato, H., Hayashi, S., and Hara, M., 2010, Synthesis and Acid Catalysis of Cellulose-Derived Carbon-Based Solid Acid, *Solid State Sci.*, 12, 1029–1034.
- Sun, Y., Yuan, L., Ma, S., Han, Y., Zhao, L., Wang, W., Chen, C., and Xiao, F., 2004, Improved Catalytic Activity and Stability of Mesoporous Sulfated Zirconia by Al Promoter, *Appl. Catal. A Gen.*, 268, 17–24.
- Swatloski, R.P., Spear, S.K., Holbrey, J.D., and Rogers, R.D., 2002, Dissolution of Cellulose with Ionic Liquids, *J. Am. Chem. Soc.*, 124, 4974–4975.
- Tan, H.T. and Lee, K.T., 2012, Understanding the Impact of Ionic Liquid Pretreatment on Biomass and Enzymatic Hydrolysis, *Chem. Eng. J.*, 183, 448–458.
- Tangchupong, N., Khaodee, W., Jongsomjit, B., Laosiripojana, N., Praserttham, P., and Assabumrungrat, S., 2010, Effect of Calcination Temperature on Characteristics of Sulfated Zirconia and Its Application as Catalyst for

- Isosynthesis, *Fuel Process. Technol.*, 91, 121–126.
- Tao, H., Yang, H., Liu, X., Ren, J., Wang, Y., and Lu, G., 2013, Highly Stable Hierarchical ZSM-5 Zeolite with Intra- and Inter-Crystalline Porous Structures, *Chem. Eng. J.*, 225, 686–694.
- Tian, J., Wang, J., Zhao, S., Jiang, C., Zhang, X., and Wang, X., 2010, Hydrolysis of Cellulose by the Heteropoly Acid H<sub>3</sub>PW<sub>12</sub>O<sub>40</sub>, *Cellulose*, 17, 587–594.
- Tyagi, B., Mishra, M.K., and Jasra, R.V., 2009, Solvent Free Synthesis of 7-Isopropyl-1, 1-Dimethyltetralin by the Rearrangement of Longifolene using Nano-Crystalline Sulfated Zirconia Catalyst, *J. Mol. Catal. A Chem.*, 301, 67–78.
- Vancov, T., Alston, A.-S., Brown, T., and McIntosh, S., 2012, Use of Ionic Liquids in Converting Lignocellulosic Material to Biofuels, *Renew. Energy*, 45, 1–6.
- Van de Vyver, S., Peng, L., Geboers, J., Schepers, H., de Clippel, F., Gommers, C.J., Goderis, B., Jacobs, P.A., and Sels, B.F., 2010, Sulfonated Silica/Carbon Nanocomposites as Novel Catalysts for Hydrolysis of Cellulose to Glucose, *Green Chem.*, 12, 1560–1563.
- Wan Omar, W.N.N. and Amin, N.A.S., 2011, Biodiesel Production from Waste Cooking Oil over Alkaline Modified Zirconia Catalyst, *Fuel Process. Technol.*, 92, 2397–2405.
- Wang, H., Zhang, C., He, H., and Wang, L., 2012, Glucose Production from Hydrolysis of Cellulose over a Novel Silica Catalyst under Hydrothermal Conditions, *J. Environ. Sci. (China)*, 24, 473–8.
- Wang, J.-H. and Mou, C.-Y., 2005, Alumina-Promoted Mesoporous Sulfated Zirconia: A Catalyst for n-Butane Isomerization, *Appl. Catal. A Gen.*, 286, 128–136.
- Wang, J.-H. and Mou, C.-Y., 2008, Catalytic Behavior of Nanostructured Sulfated Zirconia Promoted by Alumina: Butane Isomerization, *Catal. Today*, 131, 162–172.
- Wang, M.L., 1997, Preparation of the Precursor of the Zirconium Oxide in EDTA-Ammonia Solution by the Sol-Gel Method, *Ind. Eng. Chem. Res.*, 36, 2149–2155.
- Wang, P., Yu, H., Zhan, S., and Wang, S., 2011, Catalytic Hydrolysis of Lignocellulosic Biomass into 5-Hydroxymethylfurfural in Ionic Liquid, *Bioresour. Technol.*, 102, 4179–4183.
- Ward, D.A. and Ko, E.I., 1994, One-Step Synthesis and Characterization of Zirconia-Sulfate Aerogels as Solid Superacids, *J. Catal.*, 18–33.
- White, R., Sikabwe, E., Coelho, M., and Resasco, D., 1995, Potential Role of Penta-Coordinated Sulfur in the Acid Site Structure of Sulfated Zirconia, *J. Catal.*, 157, 755–758.
- Xiang, Q., Kiim, J.S., and Lee, Y.Y., 2003, A Comprehensive Kinetic Model for

- Dilute-Acid Hydrolysis of Cellulose, *Appl. Biochem. Biotechnol.*, 105, 337–352.
- Xiang, Q., Lee, Y.Y., Pettersson, P.O., and Torget, R.W., 2003, Heterogeneous Aspects of Acid Hydrolysis of Alpha-Cellulose, *Appl. Biochem. Biotechnol.*, 107, 105–108.
- Xie, W., Zhou, D., Ren, Y., Tang, S., Kuang, M., and Du, S. Kui, 2018, 1-Butyl-3-Methylimidazolium Chloride Pretreatment of Cotton Stalk and Structure Characterization, *Renew. Energy*, 125, 668–674.
- Yabushita, M., Kobayashi, H., and Fukuoka, A., 2014, Catalytic Transformation of Cellulose into Platform Chemicals, *Appl. Catal. B Environ.*, 145, 1–9.
- Yadav, G.D. and Nair, J.J., 1999, Sulfated Zirconia and Its Modified Versions as Promising Catalysts for Industrial Processes, *Microporous Mesoporous Mater.*, 33, 1–48.
- Yang, P., Kobayashi, H., and Fukuoka, A., 2011, Recent Developments in the Catalytic Conversion of Cellulose into Valuable Chemicals, *Chinese J. Catal.*, 32, 716–722.
- Yang, P., Zhao, D., Margolese, D.I., Chmelka, B.F., and Stucky, G.D., 1999, Block Copolymer Templating Syntheses of Mesoporous Metal Oxides with Large Ordering Lengths and Semicrystalline Framework, *Chem. Mater.*, 2813–2826.
- Yang, X., Jentoft, F.C., Jentoft, R.E., Girgsdies, F., and Ressler, T., 2002, Sulfated Zirconia with Ordered Mesopores as an Active Catalyst for n-Butane Isomerization, *Catal. Letters*, 81, 25–31.
- Yang, Y., Xiang, X., Tong, D., Hu, C., and Abu-Omar, M.M., 2012, One-Pot Synthesis of 5-Hydroxymethylfurfural Directly from Starch over SO<sub>4</sub><sup>2-</sup>/ZrO<sub>2</sub>-Al<sub>2</sub>O<sub>3</sub> Solid Catalyst, *Bioresour. Technol.*, 116, 302–6.
- Yin, X., Han, H., Gunji, I., Endou, A., Cheettu Ammal, S.S., Kubo, M., and Miyamoto, A., 1999, NH<sub>3</sub> Adsorption on the Brønsted and Lewis Acid Sites of V<sub>2</sub>O<sub>5</sub> (010): A Periodic Density Functional Study, *J. Phys. Chem. B*, 103, 4701–4706.
- Zalewski, D.J., Alerasool, S., and Doolin, P.K., 1999, Characterization of Catalytically Active Sulfated Zirconia, *Catal. Today*, 53, 419–432.
- Zhang, S., Sun, N., He, X., Lu, X., and Zhang, X., 2006, Physical Properties of Ionic Liquids: Database and Evaluation, *J. Phys. Chem. Ref. Data*, 35, 1475.
- Zhao, J., Yue, Y., Hua, W., He, H., and Gao, Z., 2008, Catalytic Activities and Properties of Sulfated Zirconia Supported on Mesoporous  $\gamma$ -Al<sub>2</sub>O<sub>3</sub>, *Appl. Catal. A Gen.*, 336, 133–139.
- Zhao, X., Wang, J., Chen, C., Huang, Y., Wang, A., and Zhang, T., 2014, Graphene Oxide for Cellulose Hydrolysis: How It Works as a Highly Active Catalyst?, *Chem. Commun.*, 50, 3439.