

DAFTAR PUSTAKA

- Abd-Elsalam, K.A. 2003. Bioinformatic tools and guideline for PCR primer design. *African Journal of Biotechnology*.2(5):91-95.
- Ashari, S. 2002. On the agronomy and botany of salak. PhD Thesis. Wageningen University. Pp. 6-26.
- Agarwal, M., Shrivastava, N., and Padh, H. 2008. Advances in molecular marker techniques and their applications in plant sciences. *Plant Cell Reports*. 27(4): 617–631.
- Agrawal, V., Sharma K., Gupta, S., Kumar, R. and Prasad, M. 2007. Identification of sex in *Simmondsia chinensis* (Jojoba) using RAPD markers. *Plant Biotechnol Rep*. 1: 207–210.
- Annisaurohmah, Herwawti W., dan Widodo, P. 2014. Keanekaragaman kultivar salak Pondoh di Banjarnegara. *Biosfera*. 31(2):71-8.
- Ardiana, D. W. 2009. Teknik Isolasi DNA genom tanaman pepaya dan jeruk dengan menggunakan modifikasi buffer CTAB. *Buletin Teknik Pertanian*. 14(1): 12–16.
- Azrai, M. 2005. Pemanfaatan markah molekular dalam proses seleksi pemuliaan tanaman. *Jurnal AgroBiogen*.1(1): 26–37.
- Bhagyawant, S. S. 2016. RAPD-SCAR Markers : An Interface Tool for Authentication of Traits. *Journal of Biosciences and Medicines*.4 :1–9.
- Birch, D. E and Kolmodin, L.A. 2002. *Polymerase Chain Reaction : Basic Principles and Routine Practice* in PCR Cloning Protocols 2nd Edition. Humana Press, New Jersey.
- Budiyanti, T., Hadiati, S., Prihatini, R., and Sobir. 2015. Genetic diversity of Indonesian snake fruits as food diversification resources. *International Journal on Advanced Science Engineering Information Technology*. 5(3): 192-195.
- Chen, B.Y., Janes, H.W. and Chen, S. Computer Programs for Primer Design and Analysis In PCR Cloning Protocols 2nd Edition. Humana Press, New Jersey.
- Chordia, Nikita and Kumar, Anil. 2015. *In Silico Primer Designing and Validation in Methods in Molecular Biology*. Springer, New York.p. 145.
- Cunha, C. M. S., Hinz, R. H., Pereira, A., Tcacenco, F. A., Paulino, E. C., and Stadnik, M. J. (2015). Scientia Horticulturae A SCAR marker for identifying susceptibility to *Fusarium oxysporum* f . sp . *cubense* in banana. *Scientia Horticulturae*.191: 108–112.
- Daryono, B.S., Wakui, K., and Natsuaki, K.T. 2009. Development of random amplified polymorphism DNA markers linked to CMV- B2 resistance gene in melon. *Hayati Journal of Biosciences*.16(4): 142-146.
- Daryono, B. S., Aristya, G. R., and Kasiamdari, R. S. 2011. Development of Random Amplified Polymorphism DNA Markers Linked to Powdery Mildew Resistance Gene in Melon. *Indonesian Journal of Biotechnology*.16(I): 76–82.
- Doyle, J. J. and Doyle, J.L. 1990. Isolation of plant DNA from fresh tissue. *Focus*. 12(1):12-14.
- Deputy, J.C., Ming, R., Ma, H., Liu, Z., Fitch, M.M.M, Wang, M., Manshardt, R. and Stiles, J.I. 2002. Molecular markers for sex determination in papaya (*Carica papaya* L.). *Theor Appl Genet*. 106:107-111.
- Dnyaneshwar, W., Preeti, C., Kalpana, J., and Bhushan, P.2006. Development and application of RAPD-SCAR marker for identification of *Phyllanthus emblica*

- LINN. *Biological and Pharmaceutical Bulletin*.29(11): 2313–2316.
- Ediwirman, Suliasyah, I., Gustian and Jamsari. 2015. Specific RAPD pitats related with sex type in *Salacca* (*Salacca edulis* L.). *IJAC*.1(1): 34-46.
- Ehsanpour, A. A., & Arab, L. 2009. Application of RAPD (Random Amplified Polymorphic DNA) marker for sex determination of *Pistacia vera* L . *Journal of Cell and Molecular Research* . 1(2):68–71.
- EL-Din, S., M., Mohasseb, H. A. A., Al-Khateeb, A. A., Al-Khateeb, S. A., Chowdhury, K., El-Shemy, H. A., and Aldaej, M. I. 2017. Identification and sequencing of Date-SRY Gene: A novel tool for sex determination of date palm (*Phoenix dactylifera* L.). *Saudi Journal of Biological Sciences*.
- Elrod, S. L. and Stansfield, W.D. 2007. *Genetika*. Jakarta: Erlangga.
- Faatih, M. 2009. Isolasi dan digesti DNA kromosom. *J Penelitian Sains Dan Teknologi*. 20(1):61–67.
- Fitriya, R. T., Ibrahim, M., Lisdiana, L.and Alam, P. 2011. Keefektifan Metode Isolasi DNA Kit dan CTAB / NaCl yang Dimodifikasi pada *Staphylococcus aureus* dan *Shigella dysentriae*. *Lentera Bio*.4(1):87-92.
- Hadi, S. P., Purwantoro, A., dan Prajitno, D. 2002. Identifikasi kromosom dalam penentuan jenis kelamin tanaman salak (*Salacca zalacca* (Gaertner) Voss). *Agrosains*. 15(1): 31-46.
- Harsono, T. dan Hartanta, A.2003. Biosistematika kultivar salak di Bangkalan Madura. *Floribunda*. 2(4):95-101.
- Haas, S., Vingron, M., Poustka, A., and Wiemann, S. 1998. Primer design for large scale sequencing. *Nucleic Acid Research*. 26(12): 3006-3012
- Haryanto, F.F. 2010. Analisis Kromosom dan Stomata Tanaman Salak Bali (*Salacca zalacca* var. *amboinensis* ((Becc.) Moge), Salak Padang Sidempuan (*S.sumatrana* ((Becc.)) dan Salak Jawa (*S. zalacca* var *zalacca* (Becc) Moge)). Fakultas Pertanian Universitas Sebelas Maret Surakarta.pp.4-11.
- Javanmardi, N., Bagheri, A., Moshtaghi, N., Sharifi, A., and Kakhki, A. H. 2011. Identification of Safflower as a fraud in commercial Saffron using RAPD / SCAR marker.3:31–37.
- Jobes, D.V., Hurley, D. L. and Thien, L.B. 1995. Plant DNA isolation: a method to efficiently remove polyphenols, polysaccharides and RNA. *Taxon*. 44(3): 379-386.
- Joko, T., Kusumandari, N. dan Hartono, S. 2011. Optimasi metode PCR untuk deteksi *Pectobacterium carotovorum* penyebab penyakit busuk lunak anggrek. *Jurnal Perlindungan Tanaman Indonesia*. 17(2):54-59.
- Joshi, M., and Deshpande, J. D. 2010. Polymerase Chain Reaction : Methods , Pr. *International Journal of Biomedical Research*.1(5):81–97.
- Khan, M., Pan, B., and Iqbal, J. 2017. Development of an RAPD-based SCAR marker for smut disease resistance in commercial sugarcane cultivars of Pakistan. *Crop Protection*.94: 166–172.
- Kumar, A., Kumar, S., Kumar, R., Kumar, V., Prasad, L., Kumar, N., and Singh, D. 2010. Identification of blasat resistance expression in rice genotypes using molecular markers (RAPD and SCAR). *Journal of Biotechnology*.9(24):3501–3509.
- Langga, I. F., Restu, M., dan Kuswinanti, T. 2012. Optimalisasi suhu dan lama inkubasi dalam ekstraksi DNA tanaman bitti (*Vitex cofassus* Reinw) serta

- analisis keragaman genetic dengan teknik RAPD- PCR. *Jurnal Sains dan Teknologi*. 12 (3): 265 - 276.
- Li, Rongsheng., Li, Jianguang., Yin, Guangtian., Yang, Jinchang., Zou, Wentao and Bai, Lei. 2015. A male specific SCAR DNA marker and sex ratio in Salak (*Salacca zalacca* var. *zalacca*). *J. For. Res*
- Liana, H. A. 2017. Isolasi DNA Chlorella dengan metode CTAB dan identifikasi sikuen 18S rDNA. Skripsi. Jurusan Kimia Fakultas Sains dan Teknologi Universitas Islam Negeri Maulana Malik Ibrahim Malang.pp. 22-24
- Louie, M. , Louie, L., and Simor, A, E. 2000. The Role of DNA amplification of technology in the diagnosis of infectious diseases. *Clin. Infect. Dis.* 29: 475-88
- Ma, H., Shieh, K-J., Chen, G. Qiao, X.T., and Chuang, M-Y. 2006. Application of Real Time Polymerase Chain Reaction (RT-PCR). *The Journal of American Sciences*. 2(3) :1-5
- Mangoendihardjo, S. 2001. Pengembangan Budidaya dan Erosi Keanekaragaman Kultivar Salak di Kabupaten Sleman. Makalah Semiloka Salak. Kelompok Studi Salak UGM. p. 18
- Marieschi, M., Torelli, A., Beghé, D., and Bruni, R. 2016. Authentication of *Punica granatum* L . Development of SCAR markers for the detection of 10 fruits potentially used in economically motivated adulteration. *Food Chemistry*. 202: 438–444.
- Marmur, J. 1961. A procedure for the isolation of deoxyribonucleic acid from micro-organisms. *J.Mol.Biol.* 3: 208-218
- Mawardi, A., dan Simonapendi, M. L. 2016. Uji Efektivitas Metode Isolasi DNA Genom Kopi Arabika (*Coffea arabica* L .) asal Kabupaten Jayawijaya. *Jurnal iologi Papua*.8(1):7–12.
- Milligan, B. G. 1992. *Plant DNA Isolation. In: A.R. Hoelzel . Molecular Genetic Analysis of Populations. A Practical Approach*. New York : Oxford University Press.
- Mogea, J.P. 1980.The flabellate-leaved species of *Salacca* (Palmae). *Reinwardtia*. 9(4): 461-479
- Moreau, C. S. (2014). A practical guide to DNA extraction , PCR , and gene-based DNA sequencing in insects. *Halteres*.5: 32–42.
- Moyo, M., Amoo, S. O., Bairu, M. W., Finnie, J. F., & Van Staden, J. (2008). Optimising DNA isolation for medicinal plants. *South African Journal of Botany*. 74(4): 771–775.
- Mullis, K.B. 1998. *Autobiography of Kary B. Mullis*. New York : Pantheon Books.
- Mulyani Y., Purwanto, A., Nurruhwati, I., 2011. Perbandingan beberapa metode Isolasi DNA untuk deteksi dini Koi Herpes Virus (KHV) pada ikan mas (*Cyprinus carpio* L.) *Jurnal Akuatika*. 8 (11): 1-6
- Pandey, G.K and Singh, A. 2015. Primer Design Using Primer Express for SYBR Green Based Quantitative PCR in PCR Primer Design. Humana Press, Hardfield.
- Pannell, J. R. (2017). Plant Sex Determination. *Current Biology*. 27(5):191–197.
- Parjanto, Moeljopawiro, S., Artama, W.T dan Aziz Purwantoro. 2006. Identifikasi penanda RAPD untuk penentuan jenis kelamin tanaman salak (*Salacca zalacca* (Gaert.) Voss). *Berkala Ilmiah Biolog*. 5(1): 57-6.
- Prakash, N.V. and Patel N.K. 2013. Principle and tools for design primer. *Atmiya*

Spandan. 1(1):79-95.

- Pinto, A.D., Forte, V., Corsignao, M., Guastadisegni, C., Martino, C., Schena, F.P., and Tantillo, G. 2005. A comparison of DNA extraction methods for food analysis. *Food Control*. 18:76-80.
- Purnomo, H. 2001. Budidaya Salak Pondoh. Semarang : PT. Pabelan
- Restu, M., Mukrimin dan Gusmiaty. 2012. Optimalisasi teknik ekstraksi dan isolasi DNA tanaman Suren (*Toona Sureni* Merr.) untuk analisis keragaman genetik berdasarkan Random Amplified Polymorphic DNA (RAPD). *Jurnal Natur Indonesia* 14(2): 138–142.
- Robiah, H.R. 2004. Analisis keanekaragaman genetik pisang introduksi (*Musa spp.*) berdasarkan penanda fenotipik dan RAPD (Random Amplified Polymorphic DNA). Tesis. Sekolah Pascasarjana Institut Pertanian Bogor.
- Rogers, S.O and Bendich, A.J. 1985. Extraction of DNA from milligram amounts of fresh, herbarium and mummied plant tissues. *Plant Molecular Biology*. 5:69-76.
- Sanger, F., Nicklen, S. and Coulson, R. 1977. DNA sequencing with chain-terminating inhibitors. *Proc. Natl. Acad. Sci. USA*. 74(12):5436-5467.
- Sambrook J., 1982. *Pitak DNA in Bacterial System*. Molecular Cloning A Laboratory manual . USA: Cold Spring Harbor Laboratory .pp 29- 37
- Santoso, H.B. 1990. *Salak Pondoh*. Penerbit Kanisius, Yogyakarta.
- Schuilng, D.L. and Moge, J.P. 1992. *Salacca zalacca* (Gaertner) Voss. Edible Fruits and Nuts. Plant Resources of South East Asia No.2 PROSEA. Bogor. Indonesia.
- Semagn, K., Bjornstad, A., & Ndjioudjop, M. N. 2006. An overview of molecular marker methods for plants. *African Journal of Biotechnology*, 5(25):2540–2568.
- Sharma, A. D., Gill, P. K., & Singh, P. 2002. DNA isolation from dry and fresh samples of polysaccharide-rich plants. *Plant Molecular Biology Reporter*, 20(4): 415–415
- Simarmata, M., Inorah, E., Jan, E., & Haquarsum, V. 2014. Optimalisasi PCR-RAPD dan Identifikasi Morfologi Tanaman Kumis Kucing di Provinsi Bengkulu Optimization of RAPD-PCR and Morphological Identification of Whisker Plants in Bengkulu Province. 17(2): 190–200.
- Sinay, H., Karuwal, R. L.. 2017. Biosaintifika. 9(3): 444–450.
- Staub, J.E , Serquen, F. C. and Gupta, M. 1996. Genetic markers, map construction, and their application in plant breeding. *Hortscience*. 31(5): 729-741.
- Steenis, C.G.G.J. van. 1975. Flora Untuk Sekolah di Indonesia. Jakarta: PT. Pradnya Paramita.
- Suryo. 2013. *Genetika* . Gadjah Mada University Press, Yogyakarta.
- Sutoyo and Suprpto. 2010. Budidaya Tanaman Salak. Jawa Tengah: Balai Pengkajian Teknologi Pertanian.
- Storchova, H', Hrdlickova, R, Chrtk, J., Tetera, M., Fitze, D., and Fehrer, J. 2000. An improved method of DNA isolation from plants collected in the field and conserved in saturated NaCl/ CTAB solution. *Taxon*. 49(1):79-84.
- Sukewijaya, I.M., Rai, I.N. and Mahendra, M.S. 2009. Development of salak bali as an organic fruit. *As Journal of Food and Agro-Industry*. S37-S43.
- Supapvanich, S., Megia, R., & Ding, P. 2011. *Salak (Salacca zalacca (Gaertner) Voss)*. *Postharvest Biology and Technology of Tropical and Subtropical Fruits*. Woodhead Publishing Limited.

- Tenriulo, A.E., Suryati, Parenrengi A., Rosmiat. 2001. Ekstraksi DNA rumput laut *Kappahycus alvarezii* dengan metode fenol kloroform. *Marina Chimica Acta* , 2 (2) :6-10.
- Tjahjadi, N. 1995. Bertanam Salak. Kanisius, Yogyakarta.
- Tjitrosoepomo, G. 2007. Taksonomi Tumbuhan Spermatophyta. Gadjah Mada University Press, Yogyakarta.
- Utami, A., Meryalita, R., Prihatin, N. A., Ambarsari, L., Asri, P.,. 2012. Variasi metode isolasi DNA daun temulawak (*Curcuma xanthorrhiza* roxb) variation methods of dna isolation from leaf of temulawak (*Curcuma xanthorrhiza* Roxb). *Prosiding Seminar Nasional Kimia Unesa 2012*: 978–979.
- Verheij, E.W.M. and R.E. Coronel. 1997. Sumber Daya Nabati Asia Tenggara 2: Buah-buahan yang dapat dimakan. Porsea-Gramedia, Jakarta. pp 362-366.
- Wang, M. M. M. F. M., & Stiles, R. M. J. I. (2002). Molecular markers for sex determination in papaya (*Carica papaya* L .) : 107–111.
- Wei, C. F., Yang, H., Gan, S., Yin, G., & Xu, H. (2005). Identification of Random Amplified Polymorphic DNA Markers Linked to Sex. *47*(10): 1249–1253.
- Widyastuti, Y.E. 1996. Mengenal Buah Unggul Indonesia. Penebar Swadaya, Jakarta.p. 258.
- Williams, J.G.K., A.R. Kubelik, K.J. Livak, J.A. Rafalski and S.V. Tingey. 1990. DNA Polymorfisms Amplified by arbitrary primers are useful as genetic markers. *Nucleic Acids res.* 18 (22): p. 6531 – 6535.
- Yacoob, O. and Subhadrabandhu,S. 1995. *The Production of Economic Fruit in South-East Asia*. Oxford University Press, Uk. P.443.
- Yulianti, F., Palupi, N.E and Agisimanto, D. 2010. Keragaman jeruk fungsional Indonesia berdasarkan karakter morfologis dan marka RAPD. *Jurnal AgroBiogen*.12(2):91-100.
- Zaini, N.A.M., Osman, A., Hamid, A.A., Ebrahimpour, A. and Saari, N. 2013. Purification and characterization of membrane- bound polyphenoloxidase (mPPO) from Snake fruit (*Salacca zalacca* (Gaertn.) Voss). *Food Chemistry*. 136:407-414
- Zhou, Y., Wu, W., Ning, Z., & Zhou, R. 2018. Identification and characterization of sex-specific markers in the milky mangrove *Excoecaria agallocha* using double digest restriction site-associated DNA sequencing. *Aquatic Botany*, 144: 54–60.
- Zubaidah, E., Ichromasari, D. Y., & Mandasari, O. K. 2014. Effect of *Salacca* Vinegar Var . Suwaru on Lipid Profile Diabetic Rats: 743–748.
- Zulfahmi. 2013. Penanda dna untuk analisis genetik tanaman. *J Agroteknologi*, 3(2):41–52.