

## DAFTAR PUSTAKA

- Akanbi TO., Nazamid, S., dan Adebawale, AA. 2009. Functional and Pasting Properties of a Tropical Breadfruit (*Artocarpus altalis*) Starch from Ile-Ife, Osun State, Nigeria. *Int Food Research J* 16:151-157
- Aktas-Akyildiz, E., Matilla, O., Sozer, N., Poutanen, K., Koksel, H., dan Nordlund, E. 2017. "Effect of Steam Explosion on Enzymatic Hydrolysis and Baking Quality of Wheat Bran." *Journal of Cereal Science* 78: 25–32. <http://dx.doi.org/10.1016/j.jcs.2017.06.011>.
- Anggarwulan, Endang. 2008. Physiological Characters of Kimpul (*Xanthosoma Sagittifolium* (L.) Schott) in Various of Light Intensity (Shading) and Water Availability. *Biodiversitas, Journal of Biological Diversity* 9(4): 264–68. <http://biodiversitas.mipa.uns.ac.id/D/D0904/D090405.pdf>.
- AOAC. 1984. *Official Methods of Analysis*. Washington DC: Association of Official Analytical Chemists Inc.
- Ayu, D. dan Yuwono, S. 2014. "Pengaruh suhu Blansing dan Lama Perendaman terhadap Sifat Fisik Kimia Tepung Kimpul (*Xanthosoma Sagittifolium*)". *Jurnal Pangan dan Agroindustri* 2(2): 110–20.
- Chen, J. dan Jane, J. 1994. Preparation of granular cold-water-soluble starches by alcoholic-alkaline treatment/ *Cereal Chemistry*, hal. 623–626.
- Chen, R., Li, C., Wang, J., Su, G., Qiu, S. dan Corradini, M. 2017. "Analysis of the Dynamic Pressure from Ex-Vessel Steam Explosion for Pressurized Water Reactor." *Progress in Nuclear Energy* 100: 266–75. <http://linkinghub.elsevier.com/retrieve/pii/S014919701730166X>.
- Daramola, B., and Osanyinlusi, S., A. 2006. Production, Characterization, and Application of Banana (*Musa spp*) Flour in Whole Maize. *African Journal of Biotechnology* Vol 5 (10) : 992- 995.
- Dewi, S dan Mardiah, Z. 2007. "Korelasi Amilosa Terhadap Konsistensi Gel , Nisbah Penyerapan Air ( Npa ) Dan Nisbah Pengembangan Volume ( Npv ) Pada Beras Varietas Lokal." : 157–64.
- Effendy, Ari wibowo slamet. 2016. "Modifikasi Pati Tapioka Secara Cross Linking Dengan Menggunakan Natrium Asetat."
- Fathuri, A., dan Wijayatiningrum, F. 2009. Makalah Seminar Penelitian Modifikasi Cassava Starch dengan Proses Oksidasi Sodium Hypoclorite untuk Industri Kertas. Universitas Diponegoro.
- Gharsallaoui, A., Roudaut., Chambin, O., Voilley, A., dan Saurel, R. 2007. Applications of Spray-Drying in Microencapsulation of Food Ingredients: An Overview. *Food Research International* 40(9): 1107–21.

- Hapsari, TP., Zainul, A., dan Nugroho, M. 2011. "Pengaruh Pre Gelatinisasi Terhadap Karakteristik Tepung Singkong." *Teknologi Pangan* 1(1): 1–15.
- Haryanti, P., Setyawati, R., and Wicaksono, R. 2014. "Pengaruh Suhu Dan Lama Pemanasan Suspensi Pati Serta Konsentrasi Butanol Terhadap Karakteristik Fisikokimia Pati Tinggi Amilosa Dari Tapioka." *Agritech* 34(3): 308–15.
- Herawati, H. (2009) "Potensi Pengembangan Produk Pati Tahan Cerna Sebagai Pangan Fungsional," *Jurnal Litbang Pertanian*, 30(1).
- Hidayat, Mohamad Rusdi. 2013. Teknologi *Pretreatment* Bahan Lignoselulosa Dalam Proses Produksi Bioethanol. *BIOPROPAL INDUSTRI* Vol. 4 No. 1, Juni 2013 : 33-48 pemanasan
- Hill, Charles. 2005. 52 Biologist *Starch in Food*.  
<http://search.ebscohost.com/login.aspx?direct=true&db=fsr&AN=17821516&lang=es&site=ehost-live>.
- Isnaini. 2016. *KIMPUL SEBAGAI TANAMAN PANGAN ALTERNATIF PENGANTI BERAS*. <https://student.unud.ac.id/isnaini/news/19183>.
- Jacobs, H., dan Jan A. Delcour. 1998. "Hydrothermal Modifications of Granular Starch, with Retention of the Granular Structure: A Review." *Journal of Agricultural and Food Chemistry* 46(8): 2895–2905.  
<http://pubs.acs.org/doi/abs/10.1021/jf980169k>.
- Jacquet, N., Quiévy, N., Vanderghem, C., Janas, S., Blecker, C., Wathélet, B., Devaux, J., dan Paquot, M. 2011. Influence of Steam Explosion on the Thermal Stability of Cellulose Fibres. *Polymer Degradation and Stability* 96(9): 1582–88.
- Jacquet, N., Vanderghem, C., Danthine, S., Quiévy, N., Blecker, C., Devaux, J., dan Paquot, M. 2012. "Influence of Steam Explosion on Physicochemical Properties and Hydrolysis Rate of Pure Cellulose Fibers." *Bioresource Technology* 121: 221–27. <http://dx.doi.org/10.1016/j.biortech.2012.06.073>.
- Jacquet, N., Maniet, G., Vanderghem, C., Delvigne, F., dan Richel, A. 2015. Application of Steam Explosion as Pretreatment on Lignocellulosic Material: A Review. *Industrial and Engineering Chemistry Research* 54(10): 2593–98.
- Jatmiko, G. P dan T. Estiasih. 2014. Mie dari Ubi Kimpul (xanthosoma sagittifolium) : Kajian Pustaka. *Jurnal Pangan dan Agroindustri*. Vol. 2 No. 2 : 127-134.
- Jiang, S.-T., dan N. Guo. 2016. "The Steam Explosion Pretreatment and Enzymatic Hydrolysis of Wheat Bran." *Energy Sources, Part A: Recovery, Utilization, and Environmental Effects* 38(2): 295–99.  
<http://www.tandfonline.com/doi/full/10.1080/15567036.2012.744118>.

- Kartikasari, S., Sari, P., dan Subagio, A. 2016. Karakterisasi Sifat Kimia, Profil Amilografi (RVA) dan Morfologi Granula (SEM) Pati Singkong Termodifikasi secara Biologi. *Jurnal Agroteknologi*. Vol. 10 No. 01 (2016).” 10(1).
- Khasanah, L.U., Anandhito, B.K., Rachmawaty, T., Utami, R., Manuhara, G.J. 2015. Pengaruh Rasio Bahan Penyalut Maltodekstrin, Gum Arab, dan Susu Skim terhadap Karakteristik Fisik dan Kimia Makrokapsul Oleoresin Daun Kayu Manis (*Cinnamomum Burmannii*). *Agritech* 35(4).
- Kim, Young D., Charles V. Morr, dan Timothy W. Schenz. 1996. “Microencapsulation Properties of Gum Arabic and Several Food Proteins: Liquid Orange Oil Emulsion Particles.” *Journal of Agricultural and Food Chemistry* 44(5): 1308–13.
- Klein, Bruna. 2013. “Effect of Single and Dual Heat – Moisture Treatments on Properties of Rice , Cassava , and Pinhao Starches.” *Carbohydrate Polymers* 98(2): 1578–84.
- Koswara, Sutrisno. 2009. *Teknologi modifikasi pati*. Tersedia pada: <http://tekpan.unimus.ac.id/wp-content/uploads/2013/07/TEKNOLOGI-MODIFIKASI-PATI.pdf>.
- Kusnandar, Feri. 2010. *Kimia Pangan Komponen Makro*. Seri 1. Jakarta: Dian Rakyat.
- LaboratoryGea Niro Research. 2005. “Analitical Methods Dry Milk Products.” (September): 14–16.
- Laelasari, Fiqih. 2013. “PENGARUH SUHU DAN LAMA PENCELURAN TERHADAP MUTU TEPUNG UBI JALAR ( Ipomoea Batatas ) PENGARUH SUHU DAN LAMA PENCELURAN TERHADAP MUTU TEPUNG UBI JALAR ( Ipomoea Batatas ).”
- Li, H. dan Chen, H. 2008. “Detoxification of Steam-Exploded Corn Straw Produced by an Industrial-Scale Reactor.” *Process Biochemistry* 43(12): 1447–51.
- Mar'atirrosyidah, R. dan Estiasih, T. 2015. Aktivitas Antioksidan Senyawa Bioaktif Umbi Lokal Inferior : Kajian Pustaka. *Jurnal Pangan dan Agroindustri* Vol. 3 No 2 p.594-601.
- Marta, H., Cahyana, Y., dan Pertiwi, A. 2016. Sifat Fungsional Dan Amilografi Pati Millet Putih ( Pennisetum Glaucom ) Termodifikasi Secara Heat Moisture Treatment Dan Annealing. 5(3): 76–84.
- Menon, V. dan Rao, M. 2012. Trends in bioconversion of lignocellulose: Biofuels, platform chemicals & biorefinery concept. *Progress in Energy and Combustion Science* 8(4): 522–550.

- Monschein, M. dan Nidetzky, B. 2016. Effect of Pretreatment Severity in Continuous Steam Explosion on Enzymatic Conversion of Wheat Straw: Evidence from Kinetic Analysis of Hydrolysis Time Courses. *Bioresource Technology* 200: 287–96. <http://dx.doi.org/10.1016/j.biortech.2015.10.020>.
- Moorthy, S.N. 2004. Tropical sources of starch. Di dalam: Ann Charlotte Eliasson (ed). *Starch in Food: Structure, Function, and Application*. CRC Press,
- Negro, M. J. Manzanares, P., Oliva, J.M., Ballesteros, I., Ballesteros, M. 2003. Changes in Various Physical/chemical Parameters of Pinus Pinaster Wood after Steam Explosion Pretreatment. *Biomass and Bioenergy* 25(3): 301–8.
- Nurani, S., Suprihartini. dan Yuwono, S2014. Pemanfaatan Tepung Kimpul (*Xanthosoma Sagittifolium*) Sebagai Bahan Baku Cookies (Kajian Proporsi Tepung Dan Penambahan Margarin). *Jurnal Pangan dan Agroindustri* Vol.2 No.2(2): 50–58.
- Nurmiyati. 2009. Karakterisasi Kimpul (*Xanthosoma spp.*) berdasarkan Karakter Morfologi dan Analisis Isozim. Universitas Sebelas Maret.
- Pérez, E., Schultz, F. S. dan Delahaye. E. P. D. 2005. Characterization of Some Properties of Starches Isolated from *Xanthosoma Sagittifolium* (Tannia) and *Colocassia Esculenta* (Taro). *Carbohydrate Polymers* 60(2): 139–45.
- Poshadri, a. dan Kuna, A. 2010. Microencapsulation Technology: A Review. *The Journal of Research ANGRAU* 38(1): 86–102.
- Pratiwi, R. L., Marsetio dan Fetriyuna. 2017. Pengaruh Lama Modifikasi Heat-Moisture Treatment ( HMT ) Terhadap Sifat Fungsional Dan Sifat Amilografi Pati Talas Banten ( *Xanthosoma Undipes* K . Koch ). 1.
- Prihatoro, Rudi. 2016. “Pembuatan Enkapsulan Dari Tapioka Pregelatinisasi Dengan Metode Hidrolisis Asam Untuk Mikroenkapsulasi Asap Cair.” Universitas Gadjah Mada.
- Purnamasari, I. dan Happy, L. 2010. “Pengaruh Hidrolisa Asam-Alkohol Dan Waktu Hidrolisa Terhadap Sifat Tepung Tapioka.” Universitas Diponegoro.
- Purseglove, J.W. 1972. *Tropicals Crops Monocotyledons*. John Wiley and Sons. Inc. New York
- Quiévy, N. Jacquet, N., Sclavons, M., Deroanne, C., Paquot, M., dan Devaux, J. 2010. “Influence of Homogenization and Drying on the Thermal Stability of Microfibrillated Cellulose.” *Polymer Degradation and Stability* 95(3): 306–14.
- Raja, K.C.M dkk. 1989. *Material Characterization Studies of Maltodextrin Samples for the Use of Wall Material*. : 298–303.

- Ramos, L. P., C. Breuil, dan J. N. Saddler. 1992. Comparison of Steam Pretreatment of Eucalyptus, Aspen, and Spruce Wood Chips and Their Enzymatic Hydrolysis. *Applied Biochemistry and Biotechnology* 34–35(1): 37–48.
- Retnowati, D.S., Kumoro A.C., dan Budiati S. 2010. Modifikasi Pati Ketela Pohon Secara Kimia Dengan Oleoresin Dari Minyak Jahe. *Jurnal Rekayasa Proses* 4(1): 1–6.
- Ridal, Stif. 2003. Karakterisasi Sifat Fisiko-Kimia Tepung Dan Pati Talas (*Colocasia Esculenta*) Dan Kimpul (*Xanthosoma Sp.*) Dan Uji Penerimaan  $\alpha$ -Amilase Terhadap Patinya. Institut Pertanian Bogor.
- Sarip, H., Hussein, S J. T., Retulainen, E., N. M., dan Allaf, K. 2016. Changing Quality of Recycled Fiber Material. Part 1. Factors Affecting the Quality and an Approach for Characterisation of the Strength Potential. *BioResources* 11(4): 10625–53. <http://ojs.cnr.ncsu.edu/index.php/BioRes/article/view/8801>.
- Savitri, desintha ika. 2014. “Hidrolisis Pati Kacang Tolo (*Vigna Unguiculata*) Dengan Enzim  $\alpha$ -Amilase Dan Aplikasinya Sebagai Mikroenkapsulan Asap Cair.” Universitas Gadjah Mada.
- Singh, J., Suhag, M. dan Dhaka, A. 2015. “Augmented Digestion of Lignocellulose by Steam Explosion, Acid and Alkaline Pretreatment Methods: A Review.” *Carbohydrate Polymers* 117: 624–31. <http://dx.doi.org/10.1016/j.carbpol.2014.10.012>.
- Sudarmadji, S. 1984. Analisa Bahan Makanan dan Pertanian. Yogyakarta : Liberty.
- Sui, W. dan Chen, H. 2015. “Water Transfer in Steam Explosion Process of Corn Stalk.” *Industrial Crops and Products* 76: 977–86. <http://dx.doi.org/10.1016/j.indcrop.2015.08.001>.
- Sui, W. dan Chen, H. (2016) “Effects of water states on steam explosion of lignocellulosic biomass,” *Bioresource Technology*. Elsevier Ltd, 199, hal. 155– 163. doi: 10.1016/j.biortech.2015.09.001.
- Sumanti, D.M., Lanti, I., Hanidah, In-In., Sukarminah, E., dan Giovanni, A. 2016. Pengaruh Konsentrasi Susu Skim Dan Maltodekstrin Sebagai Penyalut Terhadap Viabilitas Dan Karakteristik Mikroenkapsulasi Suspensi Bakteri *Lactobacillus Plantarum* Menggunakan Metode Freeze Drying.” *Jurnal Penelitian Pangan (Indonesian Journal of Food Research)* 1(1): 7–13. <http://jurnal.unpad.ac.id/jp2/article/view/9530>.
- Suryani, R. dan Nisa, F. C. 2015. “Modifikasi Pati Singkong (*Manihot Esculenta*) Dengan Enzim  $\alpha$ -Amilase Sebagai Agen Pembuih Serta Aplikasinya Pada Proses Pembuatan Marshmallow.” *Jurnal Pangan dan*

*Agroindustri* 3(2): 723–33.

Ulyarti. 1997. Mempelajari Sifat-Sifat Amilografi Pada Amilosa, Amilopektin, Dan Campurannya. *Skripsi*. Institut Pertanian Bogor. Bogor.

Widyastuti, Retno. 2017. Karakteristik Pati Milet (*Pennisetum Glauca*(L.) R. Br.) Termodifikasinya Heat-Moisture Treatment dan Aplikasinya pada Pembuatan Sohun. Universitas Gadjah Mada.

Winarno, FG. 2002. Kimia Pangan dan Gizi. Gramedia. Jakarta.

Yu, Z., Zhang, B., Yu, F., Xu, G. dan Song, A. (2012) “Bioresource Technology A real explosion : The requirement of steam explosion pretreatment,” *Bioresource Technology*. Elsevier Ltd, 121, hal. 335–341. doi: 10.1016/j.biortech.2012.06.055.