REFERENCE

Adiatmoko. (2012). Uji Potensi Daun Zodia (*Evodia suaveolens*) Sebagai Insektisida Nyamuk *Culex* sp. Dengan Metode Elektrik. Malang : Universitas Brawijaya Press.

Adifian, Ishak, H., Ruslan. (2013). Kemampuan Adaptasi Nyamuk *Aedes aegypti* dan *Aedes albopictus* dalam Berkembang Biak Berdasarkan Jenis Air. Jurnal Penelitian.

Amer, A., & Mehlhorn, H. (2006). Larvicidal effects of various essential oils against *Aedes*, *Anopheles*, and *Culex* larvae (Diptera, Culicidae). *Parasitology Research, 99*(4), 466–472. https://doi.org/10.1007/s00436-006-0182-3. Accesed 25 April 2018.

Aniszewski, T., & Seneca. (2007). CHAPTER 5 – The Ecological Role of Alkaloids. In *Alkaloids - Secrets of Life* (pp. 205–233). https://doi.org/10.1016/B978-044452736-3/50007-6. Accesed 26 april 2018.

Anonym. (2004). Zodia (*Evodia suaveolens*). http://www.plantamor.com/katalog/tanaman-aroma/zodia accessed 16 February 2018

Anonym. (2008). *Aedes albopictus*. Florida. Florida Medical University.

Asliah, Syahribulan, Gemini Alam. (2012). Efektifitas Ekstrak Tanaman Zodia (*Evodia suaveolens)* Pada Berbagai Konsentrasi Repellent Terhadap Aktivitas Menghisap Darah Nyamuk *Aedes aegypty*. Jurnal Penelitian. Jurusan Biologi, Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Hasanuddin.

Astriani, Y., & Widawati, M. (2016). Potensi tanaman di Indonesia sebagai larvasida alami untuk *Aedes aegypti*. *Balaba*, *8*(2), 37–46. https://doi.org/10.22435/spirakel.v8i2.6166.37-46

Bahang, Z.B. (1978). Life history of *Aedes (S) aegypty* and *Aedes (S) albopictus* under laboratory condition. Inst. For Med. Research. Kuala Lumpur.

Boesri, H. (2011). Biologi dan Peranan *Aedes albopictus* (Skuse) 1894 sebagai Penular Penyakit. *Aspirator*, *3*(2), 117–125.

Bone, K., & Mills, S. (2013). Principles of herbal pharmacology. In *Principles and Practice of Phytotherapy* (pp. 17–82). Elsevier. https://doi.org/10.1016/B978-0-443-06992-5.00002-5. Accesed 25 April 2018.

Bonnet, D.D., Worcester, D.J. (1946). The dispersal of *Aedes albopictus* in the territory of Hawaii. Am. J. Trop. Med. 26. pp. 465 – 476.

Brooks, G.F., Butel, J.S., Morse, S.A. (2001). Jawetz, Melnick, & Alderberg's Medical Microbiology; Twenty Second Edition. India:Mc Graw-Hill Companies.

Cronquist A., (1981). An Integrated System of Classification Flowering Plants. New York: Colombia University Press.

Das, N. G., Goswami, D., & Rabha, B. (2007). Initial evaluation of mosquito larvicidal efficacy of plant extracts. *Journal of Vector Borne Diseases, 44*(2), 145–148. https://doi.org/10.1016/S2222-1808(14)60456-4. Acessed 26 April 2018.

Depkes RI. (2010). Petunjuk Teknis Pemberantasan Penyakit Demam Berdarah. Direktorat Jenderal. PPM & PLP, buku paket B. Jakarta.

Dinata, A., (2008). Pemberantasan Penyakit Bersumber Binatang. http://www.litbang.depkes.go.id/lokaciamis/artikel/nyamuk-arda.htm.

Djojosumarto, P., (2000) *Teknik Aplikasi Pestisida Pertaninan*. Yogyakarta: Penerbit Kanisius.

Dumadi, S.R., (2008). Kajian Fraksinasi Minyak Nilam. Pusat Teknologi Agro Industri.

Dwiningrum, R., (2018). Pengaruh Elstrak Etanol Daun Zodia (*E. suaveolens*) Terhadap Aktivitas Enzim Asetilkolinesterase Dan Kadar Protein Pada Larva *Aedes aegypty*. Desertasi.

Eritja, R., Aranda, C., Roiz, D. (2005). First record and establishment of the mosquito Aedes albopictus in Spain. Med. Vet. Ent, 20, pp: 150-152.

Farajollahi, A., & Price, D. C. (2013). A rapid identification guide for larvae of the most common North American container-inhabiting *Aedes* species of medical importance. *Journal of the American Mosquito Control Association, 29*(3), 203–221. https://doi.org/10.2987/11-6198R.1

Falcone Ferreyra, M. L., Rius, S. P., & Casati, P. (2012). Flavonoids: biosynthesis, biological functions, and biotechnological applications. *Frontiers in Plant Science*, *3*, 222. https://doi.org/10.3389/fpls.2012.00222

Felix. (2008). Ketika Larva dan Nyamuk Dewasa Sudah Kebal Terhadap Insektisida. *Farmacia*. Vol.7 No.7 , Februari 2008.

Ghosh, A., Chowdhury, N., & Chandra, G. (2012). Plant extracts as potential mosquito larvicides. *The Indian Journal of Medical Research*, *135*(5), 581–598. Retrieved from http://www.ncbi.nlm.nih.gov/pubmed/22771587

Hamdan, H., Sofian-Azirun, M., Nazni, W. A., & Lee, H. L. (2005). Insecticide resistance development in *Culex quinquefasciatus* (Say), *Aedes aegypti* (L.) and *Aedes albopictus* (Skuse) larvae against malathion, permethrin and temephos. *Tropical Biomedicine.*, *22*(1), 45–52.

Handa SS, Khanuja SPS, Longo G,Rakesh DD. (2008). Extraction Technologies for Medicinal and Aromatic Plants, (1stedn), no. 66. Italy: United Nations Industrial Development Organization and the International Centre for Science and High Technology.

Handayani, P. A., & Nurcahyanti, H. (2015). Ekstraksi Minyak Atsiri Daun Zodia (*Evodia Suaveolens*) Dengan Metode Maserasi dan Distilasi Air. *Bahan Alam Terbuka*, *4*(1), 1–7. https://doi.org/10.15294/jbat.v3i1.3095

Hartman, K. (2011). *Aedes albopictus*, Animal Diversity web, (Online) available at: http://animaldiversity.ummz.umich.edu/accounts/Aedes_albopictus/ Accessed, 1 December 2017).

Hawley, W.A. (1988). The biology of *Aedes albopictus*. *Journal of the American Mosquito Control Association Supplement*, 1, pp: 1-40.

Higa, Y., Thi Yen, N., Kawada, H., Hai Son, T., Thuy Hoa, N., & Takagi, M. (2010). Geographic Distribution of *Aedes aegypti* and *Aedes albopictus* Collected from Used Tires in Vietnam. *Journal of the American Mosquito Control Association*, *26*(1), 1–9. https://doi.org/10.2987/09-5945.1

Hubbert, W.T. (1972). Disease transmitted from animal to man. Charles C Thomas Publish. Springfield.

Izawa, K., Amino, Y., Kohmura, M., Ueda, Y., & Kuroda, M. (2010). Human–Environment Interactions – Taste. In *Comprehensive Natural Products II* (pp. 631–671). Elsevier. https://doi.org/10.1016/B978-008045382-8.00108-8

Jeff Tucker. (2016). *Aedes albopictus* eggs. Iowa State University. Houston, Texas, USA.

Kardinan A. (2003). *Tanaman Pengusir dan Pembasmi Nyamuk.* AgroMedia Pustaka. Jakarta.

Kardinan A., and M. Iskandar. (1999). Uji Pendahuluan Potensi Akar Wangi (*Vetiveria zizanoides*). Pros. Seminar Forum Komunikasi Ilmiah Pemanfaatan Pestisida Nabati . Badan Litbang Pertanian.

Ministry of Helath Republic of Indonesia. (2016). *Profil Kesehatan Indonesia*.

Kukula-Koch, W. A., & Widelski, J. (2017). Chapter 9 – Alkaloids. In *Pharmacognosy* (pp. 163–198). https://doi.org/10.1016/B978-0-12-802104-0.00009-3. Accesed 26 april 2018.

Lestari, M. S., Himawan, T., Abadi, A. L., & Retnowati, R. (2015). Toxicity and phytochemistry test of methanol extract of several plants from papua using Brine Shrimp Lethality Test (BSLT). *Journal of Chemical and Pharmaceutical Research, 7*(4).

Liu, Z. L., Liu, Q. Z., Du, S. S., & Deng, Z. W. (2012). Mosquito larvicidal activity of alkaloids and limonoids derived from *Evodia rutaecarpa* unripe fruits against *Aedes albopictus* (Diptera: Culicidae). *Parasitology Research*, *111*(3), 991–996. https://doi.org/10.1007/s00436-012-2923-9

Malar, M. (2006). The Ecology and Biology of *Aedes aegypti* and *Aedes albopictus* and the Resistance Status Against Organophosphate in Penang Malaysia, Penang, University Sains Malaysia.

Marela. (2015). "Pengaruh Ekstrak Etanol Daun Seledri (*Apium graveolens)* sebagai Larvasida untuk Larva Nyamuk *Aedes aegypti*. Skripsi.

Mohankumar, T. K., Shivanna, K. S., & Achuttan, V. V. (2016). Screening of Methanolic Plant Extracts against Larvae of *Aedes aegypti* and *Anopheles stephensi* in Mysore. *Journal of Arthropod-Borne Diseases*, *10*(3), 303–314. Retrieved from http://www.ncbi.nlm.nih.gov/pubmed/27308289

Novizan. (2002). Membuat dan Memanfaatkan Pestisida Ramah Lingkungan. Jakarta : Agro Media Pusataka.

Pramestuti, N., Anggun, D., & Djati, P. (2013). Distribusi Vektor Demam Berdarah Dengue (DBD) Daerah Perkotaan Dan Perdesaan Di Kabupaten Banjarnegara. *Buletin Penelitian Kesehatan*, *41*(3), 163–170. https://doi.org/10.1073/pnas.0703993104

Ramasamy, R., Surendran, S. N., Jude, P. J., Dharshini, S., & Vinobaba, M. (2011). Larval development of *Aedes aegypti* and *Aedes albopictus* in peri-urban brackish water and its implications for transmission of arboviral diseases. *PLoS Neglected Tropical Diseases*, *5*(11), e1369. https://doi.org/10.1371/journal.pntd.0001369

Rattan, R.S. (2010). Mechanism of Insectisidal Secondary Metabolites of Plant Origin. *Crop Protection*. 29:913-920.

Rios, L., Manuriak, J. (2004). Introductin of Asian Tiger Mosquito. Florida, University of Florida.

Satria, M. (2015). Uji Larvasida Ekstrak Metanol Daun Zodia (*Evodia suaveolen Scheff*) Terhadap Larva *Aedes aegypti* Instar III. Banda Aceh : Universitas Syiah Kuala.

Sayers, E.W., Barrett, T., Benson, D.A., Bryant, S.H., Canese, *et al*., (2009). Database resources of the National Center for Biotechnology Information. Nucleic Acids Res. (Online) available at: http://www/ncbi.nlm.nih.gov/Taxonomy/taxonomyhome.html/index/ accessed 1 December 2017.

Sieniawska, E., & Baj, T. (2017). Chapter 10 – Tannins. In *Pharmacognosy* (pp. 199–232). https://doi.org/10.1016/B978-0-12-802104-0.00010-X. Accesed 23 april 2018

Suroso. (1990). Demam Berdarah Pencegahan dan Pemberantasannya di Indonesia. Majalah Kesehatan Masyarakat Indonesia. 15(5) : 290-297.

Tarumingkeng, R.C. (2001). Pestisida dan Penggunannya. Available at : http://rudyct.tripod.com/TOX/PESTISIDA.htm

Unlu I., Farajollahi A., Strickman D., and Fonseca D. M. (2013). Crouching Tiger, Hidden Trouble: Urban Sources of *Aedes albopictus* (Diptera: Culicidae) Refractory to source-reduction. PloS One. 8: e77999.

Valencia-Chamorro, S. A. (2003). QUINOA. In *Encyclopedia of Food Sciences and Nutrition* (pp. 4895–4902). Elsevier. https://doi.org/10.1016/B0-12-227055-X/00995-0

Vincent, B. K. (2008). Probit Analysis. (online) Available at URL: http://userwww.sfsu.edu/efc/classes/biol710/probit/ProbitAnalysis.pdf

Watson MS. (1967). *Aedes* (Stegomyia) *albopictus* (skuse): a literature review. Department of The Army Fort Detrick Frederick, Maryland.

WHO. (2004). Panduan Lengkap Pencegahan dan Pengendalian Dengue dan Demam Berdarah Dengue. EGC.

WHO. (2005). Guidelines for laboratory and field testing of mosquito larvicides. World Health Organization, 1–41.

WHO. (2009). Dengue: guidelines for diagnosis, treatment, prevention, and control. *Special Programme for Research and Training in Tropical Diseases*, x, 147. https://doi.org/WHO/HTM/NTD/DEN/2009.1

WHO. (2015). Dengue and Severe Dengue, (online) available at: http://www.who.int/mediacentre/factsheets/fs117/en/ accessed 1 December 2017

Widawati, M., Santi, M. (2013). The effectiveness of fixative addition on Zodia (*Evodia suaveolens* S.) and rosemary (*Rosmarinus officinalis* l.) gel against *Aedes aegypti*. *Health Science Journal Indonesia*, *4*(2), 103–106.